Checklist of Oregon Gentianaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds. Version 2.1 © 2023 Oregon Flora Project



Centaurium

Checklist contributor: Henrietta Chambers, 6/13/2003

Flora contributor: C. Pringle

Centaurium erythraea Rafn

Common names: common centaury, European centaury

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2016.

FPN2 - 414, accepted, in Oregon (explicit), ; IL - 3:352, synonym for Centaurium umbellatum, in Oregon (explicit); JPM - 667, accepted, in Oregon (implied); JPM2 - 812, accepted, in Oregon (implied).

Misapplied names:

Centaurium umbellatum Gilib.

FPN - 357, accepted, in Oregon (implied); IL - 3:352, accepted, in Oregon (explicit); PEK - 604, accepted, in Oregon (explicit); VP - 4:59, accepted, in Oregon (implied).

Centaurium tenuiflorum (Hoffmanns. & Link) Fritsch

Common names: slender centaury

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2004.

JPM2 - 812, accepted, in Oregon (explicit); Pringle, 2010 - accepted, in Oregon (explicit).

Literature cited for Centaurium

(Excluding the standard references unless specifically cited in the flora manuscript.)

Hooker, W.J. 1745. Flora boreali-americana, or, the botany of the northern parts of British America. Volume 2. Henry G. Bohn, London, England.

Pringle, J.S. 2010. The identity and nomenclature of the Pacific North American species Zeltnera muhlenbergii (Gentianaceae) and its distinction from Centaurium tenuiflorum and other species with which it has been confused. Madroño 57(3):184-202.

Cicendia

Checklist contributor: Henrietta Chambers, 4/20/2004

Flora contributor: C. Pringle

Cicendia quadrangularis (Dombey ex Lam.) Griseb.

Common names: timwort

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 361, accepted; FPN2 - 414, accepted, in Oregon (explicit), ; JPM - 667, accepted, in Oregon (explicit); JPM2 - 812, accepted, in Oregon (explicit).

Synonyms:

Microcala quadrangularis (Lam.) Griseb.

FPN - 361, accepted, in Oregon (explicit); IL - 3:351, accepted, in Oregon (explicit); PEK - 605, accepted, in Oregon (explicit); VP - 4:74, accepted, in Oregon (explicit).

Comastoma

Checklist contributor: Flora contributor: C. Pringle

Comastoma tenellum (Rottb.) Toyok.

Common names: slender gentian

Origin: native Voucher: CIC, most recently collected in 1992.

FPN2 - 415, accepted, in Oregon (implied), ; JPM2 - 812, accepted, given distribution: c&s SNH, W&I; to AK, CO; circumpolar..

Synonyms:

Gentiana tenella Rottb.

FPN - 360, accepted, not in Oregon; IL - 3:359, accepted, given distribution: AK s through the Rocky Mts. to Colorado and n. AZ. In Pac States collected in Sierra Nevada from Mono Co. to Mt. Whitney CA; VP - 4:73, accepted, not in Oregon.

Gentianella tenella (Rottb.) Börner

FPN - 360, accepted; IL - 3:359, accepted; IN - 4:14, accepted, in Oregon (explicit); VP - 4:73, synonym for Gentiana tenella.

Gentianella tenella (Rottb.) Börner ssp. tenella

JPM - 669, accepted, in Oregon (implied).

Erythraea

Checklist contributor:

Flora contributor: treatment pending

Erythraea minima Howell

Common names: small centuary

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1883.

Frasera

Checklist contributor: Henrietta Chambers, 4/27/2004

Flora contributor: C. Pringle

Frasera albicaulis Griseb. var. albicaulis

Common names: whitestem frasera, Douglas' frasera

Origin: native Voucher: OSU, most recently collected in 2005.

FPN - 358, accepted, not in Oregon; FPN2 - 415, accepted, not in Oregon, ; VP - 4:62, accepted, not in Oregon.

Synonyms:

Swertia albicaulis (Douglas ex Griseb.) Kuntze var. albicaulis

JPM - 670, accepted, in Oregon (implied).

Frasera albicaulis Griseb. var. cusickii (A. Gray) C.L. Hitchc.

Common names: Cusick's elkweed

Origin: native Voucher: OSU, most recently collected in 2010.

FPN - 358, accepted, in Oregon (explicit); FPN2 - 415, accepted, in Oregon (explicit), ; IN - 4:22, accepted, in Oregon (explicit); VP - 4:62, accepted, in Oregon (explicit).

Synonyms:

Swertia cusickii (A. Gray) H. St. John

IL - 3:363, synonym for Swertia nitida (Benth.) Jepson ssp. cusickii (A. Gray) Abrams, in Oregon (explicit); PEK - 609, accepted, in Oregon (explicit).

Frasera albicaulis Griseb. var. idahoensis (H. St. John) C.L. Hitchc.

Common names: Idaho frasera

Origin: native Voucher: OSU, most recently collected in 1998.

FPN - 358, accepted, in Oregon (explicit); FPN2 - 415, accepted, in Oregon (explicit), ; VP - 4:62, accepted, in Oregon (explicit).

Frasera albicaulis Griseb. var. modocensis (H. St. John) N.H. Holmgren

Common names: Modoc frasera

Origin: native Voucher: OSU, most recently collected in 2018.

IN - 4:22, accepted, in Oregon (explicit); JPM2 - 813, accepted, in Oregon (implied).

Synonyms:

Swertia modocensis H. St. John

IL - 3:363, uncertain, mentioned under S. albicaulis as a recent segregate, but not fully treated, and no definitive acceptance or rejection of the split.; PEK - 609, accepted, in Oregon (explicit).

Frasera albicaulis Griseb. var. nitida (Benth.) C.L. Hitchc.

Common names: whitestem elkweed

Origin: native Voucher: OSU, most recently collected in 2012.

FPN - 358, accepted, in Oregon (explicit); FPN2 - 415, accepted, in Oregon (explicit), ; IN - 4:22, accepted; JPM2 - 813, accepted, in Oregon (explicit); VP - 4:62, accepted, in Oregon (explicit).

Synonyms:

Frasera albicaulis Griseb. var. columbiana (H. St. John) C.L. Hitchc.

FPN - 358, accepted, in Oregon (explicit); FPN2 - 415, accepted, in Oregon (explicit), ; VP - 4:62, accepted, in Oregon (explicit).

Swertia albicaulis (Douglas ex Griseb.) Kuntze var. nitida (Benth.) Jeps.

IL - 3:363, synonym for Swertia nitida (Benth.) Jepson ssp. nitida, in Oregon (explicit); JPM - 670, accepted, in Oregon (explicit); PEK - 608, accepted, in Oregon (explicit).

Swertia columbiana H. St. John

FPN - 358, synonym for Frasera albicaulis var. columbiana, in Oregon (explicit); IL - 3:363, synonym for Swertia nitida (Benth.) Jepson ssp. nitida, in Oregon (explicit); PEK - 609, accepted, in Oregon (explicit).

Swertia nitida (Benth.) Jeps.

IL - 3:363, accepted; PEK - 608, accepted, in Oregon (explicit).

Frasera speciosa Douglas ex Griseb.

FPN - 357, accepted, in Oregon (implied); GWM - 272, synonym for Swertia radiata, in Oregon (explicit); IL - 3:362, accepted; IN - 4:18, accepted, not in Oregon; JPM2 - 814, accepted, in Oregon (implied); VP - 4:63, accepted, in Oregon (implied).

Frasera speciosa Douglas ex Griseb. var. speciosa

Common names: giant frasera

Origin: native

FPN2 - 415, accepted, in Oregon (implied).

Synonyms:

Swertia radiata (Kellogg) Kuntze

FPN - 357, synonym for Frasera speciosa, in Oregon (implied); GWM - 272, accepted; IL - 3:362, accepted, in Oregon (explicit); JPM - 670, accepted, in Oregon (implied); PEK - 608, accepted, in Oregon (explicit).

Frasera umpquaensis M. Peck & Applegate

Common names: Umpqua frasera

Origin: native Voucher: OSU, most recently collected in 1991.

FPN2 - 415, accepted, in Oregon (explicit), ; JPM2 - 814, accepted, in Oregon (explicit).

Synonyms:

Swertia umpquaensis (M. Peck & Applegate) H. St. John

IL - 3:362, accepted, in Oregon (explicit); PEK - 608, accepted, in Oregon (explicit).

Gentiana

Checklist contributor: Henrietta Chambers, 4/13/2004

Flora contributor: C. Pringle

Gentiana affinis Griseb.

FPN - 359, accepted, in Oregon (implied); FPN2 - 417, accepted, in Oregon (explicit), ; GWM - 270, accepted, in Oregon (explicit); PEK - 606, accepted, in Oregon (explicit).

Gentiana affinis Griseb. var. affinis

Common names: pleated gentian, prairie gentian

Origin: native Voucher: OSU, most recently collected in 2002.

Synonyms:

Gentiana affinis Griseb. var. parvidentata Kusn.

IL - 3:356, accepted, in Oregon (explicit).

Gentiana interrupta Greene

PEK - 606, accepted, in Oregon (explicit).

Gentiana affinis Griseb. var. ovata A. Gray

Common names: Oregon gentian

Origin: native Voucher: OSU, most recently collected in 2016.

IL - 3:356, synonym for Gentiana oregana, in Oregon (explicit); JPM - 668, accepted, in Oregon (explicit); JPM2 - 814, accepted, in Oregon (implied).

Synonyms:

Gentiana affinis Griseb. var. oregana Engelm. ex A. Gray

IN - 4:10, accepted, in Oregon (explicit).

Gentiana oregana Engelm.

FPN - 359, synonym for Gentiana affinis, in Oregon (implied); GWM - 271, accepted; IL - 3:356, accepted, in Oregon (explicit); PEK - 606, accepted, in Oregon (explicit).

Gentiana calycosa Griseb.

Common names: explorer's gentian, mountain bog gentian

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 359, accepted, in Oregon (implied); FPN2 - 417, accepted, in Oregon (implied), ; GWM - 270, accepted, in Oregon (explicit); IL - 3:358, accepted, in Oregon (implied); IN - 4:10, accepted, in Oregon (implied); JPM - 668, accepted, in Oregon (implied); JPM2 - 814, accepted, in Oregon (implied); PEK - 607, accepted, in Oregon (explicit); VP - 4:68, accepted.

Synonyms:

Gentiana calycosa Griseb. var. calycosa

FPN - 359, accepted, in Oregon (implied); VP - 4:69, accepted, in Oregon (implied).

Gentiana newberryi A. Gray

FPN - 359, accepted, in Oregon (explicit); IL - 3:356, accepted, in Oregon (explicit); IN - 4:12, accepted, in Oregon (explicit); JPM - 668, accepted, in Oregon (explicit); PEK - 607, accepted, in Oregon (explicit).

Gentiana newberryi A. Gray var. newberryi

Common names: Newberry's gentian

Origin: native Voucher: OSU, most recently collected in 2017.

FPN2 - 416, accepted, in Oregon (explicit), ; JPM - 668, accepted, in Oregon (explicit); JPM2 - 816, accepted, in Oregon (explicit).

Gentiana plurisetosa C.T. Mason

Common names: bristly gentian, Klamath gentian, elegant gentian

Origin: native Voucher: OSU, most recently collected in 2003.

JPM - 668, accepted, in Oregon (explicit); JPM2 - 816, accepted, in Oregon (explicit).

Gentiana prostrata Haenke

FPN - 359, accepted, given distribution: Alas s in RM to Colo,w to Utah, Nev, and c Ida; no Cal; FPN2 - 416, accepted, in Oregon (explicit), ours var. prostrata; IN - 4:8, accepted, in Oregon (explicit); JPM - 669, accepted, in Oregon (implied); JPM2 - 816, accepted, in Oregon (implied); VP - 4:72, accepted, in Oregon (implied).

Gentiana prostrata Haenke var. prostrata

Common names: moss gentian

Origin: native

Gentiana sceptrum Griseb.

Common names: king's gentian, staff gentian

Origin: native Voucher: OSU, most recently collected in 2016.

FPN - 359, accepted, in Oregon (implied); FPN2 - 416, accepted, in Oregon (implied), ; IL - 3:356, accepted; JPM - 669, accepted, in Oregon (implied); JPM2 - 816, accepted, in Oregon (implied); VP - 4:72, accepted, in Oregon (implied).

Synonyms:

Gentiana menziesii Griseb.

PEK - 606, accepted, in Oregon (explicit).

Gentiana sceptrum Griseb. var. cascadensis M. Peck

PEK - 606, accepted, in Oregon (explicit).

Gentiana sceptrum Griseb. var. humilis Engelm.

IL - 3:358, accepted, in Oregon (explicit).

Gentiana sceptrum Griseb. var. sceptrum

IL - 3:356, (subtaxon implied), accepted, in Oregon (explicit); PEK - 606, (subtaxon implied), accepted, in Oregon (explicit).

Gentiana setigera A. Gray

Common names: elegant gentian, Mendocino gentian

Origin: native Voucher: OSU, most recently collected in 2016.

IL - 3:358, accepted, not in Oregon; JPM - 669, accepted, in Oregon (explicit); JPM2 - 816, accepted, in Oregon (explicit).

Synonyms:

Gentiana bisetaea Howell

IL - 3:358, accepted, in Oregon (explicit); PEK - 607, accepted, in Oregon (explicit).

Literature cited for Gentiana

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. and J. Greenleaf. 1989. Gentiana setigera is the correct name for G. bisetaea (Gentianaceae). Madroño 36(1):49-50.

Mason, C.T. 1960. Studies in the perennial Gentians: G. newberryi and G. tiogana. Madroño 15:233-239.

Mason, C.T. 1990. A new Gentiana (Gentianaceae) from Northern California and Southern Oregon. Madroño 37:289-292.

Gentianella

Checklist contributor: Henrietta Chambers, 4/13/2004

Flora contributor: C. Pringle

Gentianella amarella (L.) Börner

FPN - 360, accepted; GWM - 271, synonym for Gentiana amarella var. acuta, in Oregon (explicit); IN - 4:12, accepted, in Oregon (implied).

Gentianella amarella (L.) Börner ssp. acuta (Michx.) J.M. Gillett

Common names: northern gentian, felwort

Origin: native Voucher: OSU, most recently collected in 2015.

JPM - 669, accepted, in Oregon (implied); JPM2 - 816, accepted, in Oregon (implied).

Synonyms:

Gentiana amarella L.

FPN - 360, accepted, in Oregon (implied); VP - 4:66, accepted, in Oregon (implied).

Gentiana amarella L. var. acuta (Michx.) Herder

GWM - 271, accepted, in Oregon (explicit); IL - 3:359, accepted, in Oregon (implied); PEK - 605, accepted, in Oregon (explicit).

Literature cited for Gentianella

(Excluding the standard references unless specifically cited in the flora manuscript.)

Gillett, J.M. 1957. A revision of the North American species of Gentianella Moerch. Annals of the Missouri Botanical Garden 44:195-269.

Gentianopsis

Checklist contributor: Henrietta Chambers, 4/13/2004

Flora contributor: C. Pringle

Gentianopsis simplex (A. Gray) H.H. Iltis

Common names: one flowered gentian

Origin: native Voucher: OSU, most recently collected in 2016.

FPN2 - 417, accepted, in Oregon (explicit), ; IN - 4:16, accepted, in Oregon (explicit); JPM - 669, accepted, not in Oregon; JPM2 - 816, accepted, in Oregon (explicit).

Synonyms:

Gentiana simplex A. Gray

FPN - 359, accepted, in Oregon (explicit); GWM - 271, synonym for Gentianella simplex, in Oregon (explicit); IL - 3:360, accepted, in Oregon (explicit); PEK - 606, accepted, in Oregon (explicit); VP - 4:73, accepted, in Oregon (explicit).

Gentianella simplex (A. Gray) J.M. Gillett

GWM - 271, accepted.

Literature cited for Gentianopsis

(Excluding the standard references unless specifically cited in the flora manuscript.)

Iltis, H.H. 1965. The genus Gentianopsis Moerch. Sida 2:129-154.

Swertia

Checklist contributor: Henrietta Chambers, 4/20/2004

Flora contributor: C. Pringle

Swertia perennis L.

Common names: swertia

Origin: native Voucher: OSU, most recently collected in 2019.

FPN - 361, accepted, in Oregon (implied); FPN2 - 418, accepted, in Oregon (explicit), ; GWM - 272, accepted; IN - 4:16, accepted, in Oregon (explicit); JPM - 670, accepted, in Oregon (explicit); JPM2 - 817, accepted, in Oregon (explicit); KZ - 1:322, accepted; PEK - 608, accepted, in Oregon (explicit); St. John, 1941 - 26:1-29, accepted; VP - 4:76, accepted, in Oregon (implied).

Synonyms:

Swertia perennis L. var. obtusa (Ledeb.) Ledeb. ex Griseb.

IL - 3:362, accepted, in Oregon (explicit).

Literature cited for Swertia

(Excluding the standard references unless specifically cited in the flora manuscript.)

St. John, H. 1941. Revision of the genus Swertia (Gentianaceae) of the Americas and the reduction of Frasera. American Midland Naturalist 26:1-29.

Zeltnera

Checklist contributor: Stephen Meyers, 1/5/2011

Flora contributor: C. Pringle

Zeltnera exaltata (Griseb.) Mansion

Common names: western centaury, Great Basin centaury

Origin: native Voucher: OSU, most recently collected in 2019.

FPN2 - 418, accepted, in Oregon (implied), ; JPM2 - 817, accepted, in Oregon (implied); Mansion, 2004 - .

Synonyms:

Centaurium exaltatum (Griseb.) W. Wight ex Piper

FPN - 357, accepted, in Oregon; IL - 3:354, accepted, in Oregon (explicit); IN - 4:6, accepted, in Oregon (implied); JPM - 667, accepted, in Oregon (implied); PEK - 604, accepted, in Oregon (explicit); VP - 4:58, accepted, in Oregon

(implied).

Zeltnera muehlenbergii (Griseb.) Mansion

Common names: Monterey centaury, Muehlenberg's centaury

Origin: native Voucher: OSU, most recently collected in 2021.

FPN2 - 418, accepted, in Oregon (explicit), ; JPM2 - 817, accepted, in Oregon (implied); Mansion, 2004 - .

Synonyms:

Centaurium muehlenbergii (Griseb.) W. Wight ex Piper

Grisebach, 1839 - ; IN - 4:5, accepted, in Oregon (explicit); JPM - 667, accepted, not in Oregon.

Centaurium muhlenbergii (Griseb.) W. Wight ex Piper

orthographic variant

FPN - 357, accepted, in Oregon (explicit); IL - 3:352, accepted, in Oregon (explicit); PEK - 604, accepted, in Oregon (explicit); VP - 4:58, accepted, in Oregon (explicit).

Literature cited for Zeltnera

(Excluding the standard references unless specifically cited in the flora manuscript.)

Grisebach, A.H.R. 1839. Genera et Species Gentianearum adjectis Observationibus Quibusdam Phytogeographicis. J.G. Cottae, Stuttgart, Germany.

Mansion, G. 2004. A new classification of the polyphyletic genus Centaurium Hill (Chironiinae, Gentianaceae): description of the New World endemic Zeltnera, and reinstatement of Gyrandra Griseb. and Schenkia Griseb. Taxon 53:719-740.

Excluded names:

Centaurium pulchellum (Sw.) Druce

FPN2 - 414, accepted, in Oregon (explicit), ; Hooker, 1745 - ; JPM2 - 812, accepted, in Oregon (implied).

Frasera fastigiata (Pursh) A. Heller

FPN - 358, accepted, in Oregon (explicit); FPN2 - 415, accepted, in Oregon (explicit), ; IL - 3:362, accepted, in Oregon (explicit); VP - 4:62, accepted, in Oregon (explicit), Blue Mts. of Oregon.

Synonyms:

Swertia fastigiata Pursh

IL - 3:362, accepted, in Oregon (explicit); JPM - 670, accepted, in Oregon (explicit); PEK - 608, accepted, in Oregon (explicit).

Literature cited for Gentianaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. and J. Greenleaf. 1989. Gentiana setigera is the correct name for G. bisetaea (Gentianaceae). Madroño 36(1):49-50.

Gillett, J.M. 1957. A revision of the North American species of Gentianella Moerch. Annals of the Missouri Botanical Garden 44:195-269.

Grisebach, A.H.R. 1839. Genera et Species Gentianearum adjectis Observationibus Quibusdam Phytogeographicis. J.G. Cottae, Stuttgart, Germany.

Hooker, W.J. 1745. Flora boreali-americana, or, the botany of the northern parts of British America. Volume 2. Henry G. Bohn, London, England.

Iltis, H.H. 1965. The genus Gentianopsis Moerch. Sida 2:129-154.

Mansion, G. 2004. A new classification of the polyphyletic genus Centaurium Hill (Chironiinae, Gentianaceae): description of the New World endemic Zeltnera, and reinstatement of Gyrandra Griseb. and Schenkia Griseb. Taxon 53:719-740.

Mason, C.T. 1960. Studies in the perennial Gentians: G. newberryi and G. tiogana. Madroño 15:233-239.

Mason, C.T. 1990. A new Gentiana (Gentianaceae) from Northern California and Southern Oregon. Madroño 37:289-292.

Pringle, J.S. 2010. The identity and nomenclature of the Pacific North American species Zeltnera muhlenbergii (Gentianaceae) and its distinction from Centaurium tenuiflorum and other species with which it has been confused. Madroño 57(3):184-202.

St. John, H. 1941. Revision of the genus Swertia (Gentianaceae) of the Americas and the reduction of Frasera. American Midland Naturalist 26:1-29.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon GWM = Guide to the plants of the Wallowa Mountains of northeastern IL = An Illustrated Flora of the Pacific States IN = Intermountain Flora IPNI = The International Plant Names Index

JPM = The Jepson manual
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
PLANTS = http://plants.usda.gov
VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference a+ = authority in the reference matches checklist a \pm = authority abbreviation in the reference differs sa = authority at the specific level in the reference ssa = authority at the subspecific level in the reference