Checklist of Oregon Grossulariaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds. Version 2.1 © 2023 Oregon Flora Project



Ribes

Checklist contributor: Henrietta Chambers, Scott Sundberg, 4/18/2007

Flora contributor: Christian Feuillet

Ribes acerifolium Howell

Common names: mapleleaf currant

Origin: native Voucher: OSU, most recently collected in 1978.

FN - 8:25, accepted, in Oregon; FPN - 204, synonym for Ribes howellii, in Oregon (explicit); FPN2 - 105, accepted, in Oregon (explicit), ; IL - 2:391, accepted, in Oregon (explicit); PEK - 418, accepted, in Oregon (explicit).

Synonyms:

Ribes howellii Greene

FPN - 204, accepted, in Oregon (explicit); IL - 2:391, synonym for Ribes acerifolium, in Oregon (explicit); VP - 3:73, accepted, in Oregon (explicit).

Ribes aureum Pursh

FN - 8:15, accepted, in Oregon; FPN - 202, accepted, in Oregon (implied); IL - 2:392, accepted, in Oregon (implied); IN - 3a:23, accepted, in Oregon (explicit); JPM - 677, accepted, in Oregon (implied); PEK - 417, accepted, in Oregon (explicit); VP - 3:67, accepted, in Oregon (implied).

Ribes aureum Pursh var. aureum

Common names: golden currant

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 8:15, accepted, in Oregon; FPN2 - 104, accepted, in Oregon (implied), ; JPM - 677, accepted, in Oregon (implied); JPM2 - 824, accepted, in Oregon (implied).

Ribes binominatum A. Heller

Common names: Siskiyou gooseberry, trailing gooseberry

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 8:27, accepted, in Oregon; FPN2 - 104, accepted, in Oregon (implied), ; IL - 2:399, synonym for Grossularia binominata, in Oregon (explicit); JPM - 677, accepted, in Oregon (explicit); JPM2 - 824, accepted, in Oregon (explicit); PEK - 414, accepted, in Oregon (explicit).

Synonyms:

Grossularia binominata (A. Heller) Coville & Britton

FN - 8:27, synonym for Ribes binominatum, in Oregon; IL - 2:399, accepted, in Oregon (explicit).

Ribes bracteosum Douglas

Common names: stink currant, blue currant

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 8:18, accepted, in Oregon (explicit); FPN - 203, accepted, in Oregon (implied); FPN2 - 105, accepted, in Oregon (implied), ; IL - 2:390, accepted, in Oregon (implied); JPM - 678, accepted, in Oregon (implied); JPM2 - 824, accepted, in Oregon (implied); PEK - 417, accepted, in Oregon (explicit); VP - 3:69, accepted, in Oregon (implied).

Ribes cereum Douglas

FN - 8:22, accepted, in Oregon; FPN - 202, accepted, in Oregon (implied); GWM - 192, accepted, in Oregon (explicit); IL - 2:391, accepted, in Oregon (implied); IN - 3a:24, accepted, in Oregon (explicit); JPM - 678, accepted, in Oregon (implied); PEK - 418, accepted, in Oregon (explicit).

Ribes cereum Douglas var. cereum

Common names: wax currant

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 8:23, accepted, in Oregon; FPN - 202, accepted, in Oregon (implied); FPN2 - 104, accepted, in Oregon (implied); JPM - 678, accepted, in Oregon (implied); JPM2 - 824, accepted, in Oregon (implied); VP - 3:70, accepted, in Oregon (implied).

Synonyms:

Ribes reniforme Nutt.

FN - 8:23, synonym for Ribes cereum var. cereum, in Oregon; FPN - 202, synonym for Ribes cereum var. cereum, in Oregon (implied); IL - 2:392, accepted, in Oregon (explicit).

Ribes cereum Douglas var. colubrinum C.L. Hitchc.

Common names: serpent wax currant

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 8:23, accepted, in Oregon; FPN - 202, accepted, in Oregon (explicit); FPN2 - 104, accepted, in Oregon (explicit), ; VP - 3:70, accepted, in Oregon (explicit).

Ribes divaricatum Douglas

FN - 8:38, accepted, in Oregon; FPN - 201, accepted, in Oregon (implied); IL - 2:396, synonym for Grossularia divaricata, in Oregon (implied); JPM - 678, accepted, in Oregon (implied); VP - 3:71, accepted, in Oregon (implied).

Synonyms:

Grossularia divaricata (Douglas) Coville & Britton

FN - 8:38, synonym for Ribes divaricatum, in Oregon; IL - 2:396, accepted, in Oregon (implied).

Ribes divaricatum Douglas var. divaricatum

Common names: straggly gooseberry

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 8:38, accepted, in Oregon; FPN2 - 103, accepted, in Oregon (explicit), ; PEK - 415, (subtaxon implied), accepted, in Oregon (explicit).

Synonyms:

Ribes divaricatum Douglas var. glabriflorum Koehne

PEK - 415, accepted, in Oregon (explicit).

Ribes divaricatum Douglas var. rigidum M. Peck

PEK - 415, accepted, in Oregon (explicit).

Ribes divaricatum Douglas var. pubiflorum Koehne

Common names: coastal black gooseberry, small flowered straggly gooseberry

Origin: native Voucher: OSU, most recently collected in 1990.

FN - 8:38, accepted, in Oregon; FPN2 - 103, accepted, in Oregon (explicit), ; JPM - 678, accepted, in Oregon (explicit); JPM2 - 824, accepted, in Oregon (explicit).

Ribes erythrocarpum Coville & Leiberg

Common names: Crater Lake currant

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 8:25, accepted, in Oregon; FPN - 204, accepted, in Oregon (explicit); FPN2 - 105, accepted, in Oregon (explicit), ; IL - 2:391, accepted, in Oregon (explicit); PEK - 419, accepted, in Oregon (explicit).

Ribes hudsonianum Richardson

Common names: northern black currant, western black currant

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 8:17, accepted, in Oregon; FPN - 203, accepted, in Oregon; FPN2 - 104, accepted, in Oregon (implied), ; IN - 3a:20, accepted, in Oregon (explicit).

Synonyms:

Ribes hudsonianum Richardson var. petiolare (Douglas) Jancz.

FN - 8:17, synonym for Ribes hudsonianum, in Oregon; FPN - 203, accepted, in Oregon (explicit); GWM - 192, accepted, in Oregon (explicit); IL - 2:390, synonym for Ribes petiolare, in Oregon (explicit); IN - 3a:20, accepted; JPM - 678, accepted, in Oregon (implied); JPM2 - 826, accepted, in Oregon (implied); VP - 3:74, accepted, in Oregon (explicit).

Ribes petiolare Douglas

FN - 8:17, synonym for Ribes hudsonianum, in Oregon; FPN - 203, synonym for Ribes hudsonianum var. petiolare, in Oregon (explicit); IL - 2:390, accepted, in Oregon (explicit); PEK - 417, accepted, in Oregon (explicit).

Ribes inerme Rydb.

FN - 8:35, accepted, in Oregon; FPN - 201, accepted, in Oregon (implied); IL - 2:396, synonym for Grossularia inermis, in Oregon (explicit); IN - 3a:17, accepted, in Oregon (explicit); JPM - 678, accepted, in Oregon (implied); VP - 3:74, accepted, in Oregon (implied).

Ribes inerme Rydb. var. inerme

Common names: whitestem gooseberry

Origin: native Voucher: OSU, most recently collected in 1995.

FN - 8:36, accepted, in Oregon; FPN2 - 103, accepted, in Oregon (implied); GWM - 192, accepted, in Oregon (explicit); IN - 3a:18, accepted; JPM - 678, accepted, in Oregon (implied); JPM2 - 826, accepted, in Oregon (implied); PEK - 416, (subtaxon implied), accepted, in Oregon (explicit).

Synonyms:

Grossularia inermis (Rvdb.) Coville & Britton

FN - 8:35, synonym for Ribes inerme, in Oregon; IL - 2:396, accepted, in Oregon (explicit).

Ribes inerme Rydb. var. subarmatum M. Peck

PEK - 416, accepted, in Oregon (explicit).

Ribes inerme Rydb. var. klamathense (Coville) Fedde

Common names: Klamath gooseberry

Origin: native Voucher: OSU, most recently collected in 1980.

FN - 8:36, accepted, in Oregon; FPN2 - 103, accepted, in Oregon (explicit), ; IL - 2:397, synonym for Grossularia klamathensis, in Oregon (explicit); JPM - 678, accepted, in Oregon (explicit); JPM2 - 826, accepted, in Oregon (explicit).

Synonyms:

Grossularia klamathensis Coville

FN - 8:36, synonym for Ribes inerme var. klamathense, in Oregon; IL - 2:397, accepted, in Oregon (explicit).

Ribes klamathense (Coville & Britton) Fedde

FN - 8:36, synonym for Ribes inerme var. klamathense, in Oregon; FPN - 201, accepted, in Oregon (explicit); IL - 2:397, synonym for Grossularia klamathensis, in Oregon (explicit); PEK - 416, accepted, in Oregon (explicit); VP - 3:75, accepted, in Oregon (explicit).

Ribes lacustre (Pers.) Poir.

Common names: swamp gooseberry, swamp currant

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 8:26, accepted, in Oregon; FPN - 200, accepted, in Oregon (implied); FPN2 - 102, accepted, in Oregon (implied), ; GWM - 193, accepted, in Oregon (explicit); IL - 2:390, accepted, in Oregon (implied); IN - 3a:20, accepted, in Oregon (explicit); JPM - 678, accepted, in Oregon (implied); JPM2 - 826, accepted, in Oregon (implied); PEK - 417, accepted, in Oregon (explicit); VP - 3:76, accepted, in Oregon (implied).

Ribes laxiflorum Pursh

Common names: trailing black currant, coast trailing currant

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 8:24, accepted, in Oregon; FPN - 204, accepted, in Oregon (explicit); FPN2 - 105, accepted, in Oregon (explicit), ; IL - 2:391, accepted, in Oregon (implied); IN - 3a:22, accepted, in Oregon (implied); JPM - 678, accepted, in Oregon (implied); JPM2 - 826, accepted, in Oregon (implied); JPM2 - 826, accepted, in Oregon (implied); JPM3 - 878, accepted, in Oregon (implied); JPM3 - 878, accepted, in Oregon (implied); JPM4 - 878, accepted, in Oregon (implied); JPM5 - 878, accepted, in Oregon (implied); JPM6 - 878, accepted, in Oregon (implied); JPM6 - 878, accepted, in Oregon (implied); JPM6 - 878, accepted, in Oregon (implied); JPM7 - 878, accepted, in Oregon (implied); JPM8 - 878, accepted, in Oregon (i

(implied); PEK - 418, accepted, in Oregon (explicit); VP - 3:76, accepted, in Oregon (explicit).

Ribes lobbii A. Gray

Common names: gummy gooseberry, Lobb's gooseberry

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 8:33, accepted, in Oregon; FPN - 202, accepted, in Oregon (implied); FPN2 - 103, accepted, in Oregon (implied); JL - 2:401, synonym for Grossularia lobbii, in Oregon (implied); JPM - 678, accepted, in Oregon (implied); JPM2 - 826, accepted, in Oregon (implied); PEK - 414, accepted, in Oregon (explicit); VP - 3:78, accepted, in Oregon (implied).

Synonyms:

Grossularia lobbii (A. Gray) Coville & Britton

FN - 8:33, synonym for Ribes lobbii, in Oregon; IL - 2:401, accepted, in Oregon (implied).

Ribes marshallii Greene

Common names: Applegate's gooseberry, Marshall's gooseberry

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 8:33, accepted, in Oregon; IL - 2:401, synonym for Grossularia marshallii, not in Oregon; JPM - 679, accepted, in Oregon (explicit); JPM2 - 826, accepted, in Oregon (explicit); PEK - 415, accepted, in Oregon (explicit).

Synonyms:

Grossularia marshallii (Greene) Coville & Britton

FN - 8:33, synonym for Ribes marshallii, in Oregon; IL - 2:401, accepted, not in Oregon.

Ribes menziesii Pursh

Common names: coast prickly gooseberry

Origin: native

Voucher: OSU, most recently collected in 1980.

FN - 8:32, accepted, in Oregon; FPN - 201, accepted, in Oregon (explicit); FPN2 - 103, accepted, in Oregon (explicit), ; IL - 2:401, synonym for Grossularia menziesii, in Oregon (explicit); JPM - 679, accepted, in Oregon (explicit); PEK - 414, accepted, in Oregon (explicit); VP - 3:78, accepted, in Oregon (explicit).

Synonyms:

Grossularia menziesii (Pursh) Coville & Britton

FN - 8:32, synonym for Ribes menziesii, in Oregon; IL - 2:401, accepted, in Oregon (explicit).

Ribes menziesii Pursh var. menziesii

FN - 8:32, synonym for Ribes menziesii, in Oregon; JPM2 - 826, accepted, in Oregon (explicit).

Ribes montigenum McClatchie

Common names: alpine prickly currant

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 8:26, accepted, in Oregon; FPN - 200, accepted, in Oregon (implied); FPN2 - 102, accepted, in Oregon (implied), ; GWM - 193, accepted, in Oregon (explicit); IL - 2:390, accepted, in Oregon (implied); IN - 3a:19, accepted, in Oregon (explicit); JPM - 679, accepted, in Oregon (implied); JPM2 - 826, accepted, in Oregon (implied); PEK - 417, accepted, in Oregon (explicit); VP - 3:79, accepted, in Oregon (implied).

Ribes niveum Lindl.

Common names: snow gooseberry, Snake River gooseberry

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 8:37, accepted, in Oregon; FPN - 200, accepted, in Oregon (explicit); FPN2 - 103, accepted, in Oregon (explicit), ; IN - 3a:18, accepted, in Oregon (explicit); PEK - 416, accepted, in Oregon (explicit); VP - 3:80, accepted, in Oregon (explicit).

Ribes oxyacanthoides L.

FN - 8:39, accepted, in Oregon; FPN - 201, accepted, not in Oregon; IN - 3a:16, accepted, in Oregon (explicit); VP - 3:80, accepted, not in Oregon.

Ribes oxyacanthoides L. ssp. cognatum (Greene) Sinnott

Common names: Umatilla gooseberry

Origin: native Voucher: OSU, most recently collected in 2001.

FN - 8:40, synonym for Ribes oxyacanthoides var. cognatum, in Oregon.

Synonyms

Grossularia cognata (Greene) Coville & Britton

FN - 8:40, synonym for Ribes oxyacanthoides var. cognatum, in Oregon; IL - 2:398, accepted, in Oregon (explicit).

Ribes cognatum Greene

FN - 8:40, synonym for Ribes oxyacanthoides var. cognatum, in Oregon; FPN - 201, accepted, in Oregon (explicit); IL - 2:398, synonym for Grossularia cognata, in Oregon (explicit); PEK - 415, accepted, in Oregon (explicit); VP - 3:70, accepted, in Oregon (explicit).

Ribes oxyacanthoides L. var. cognatum Sinnott

invalid name

FN - 8:40, accepted, in Oregon; FPN2 - 103, accepted, in Oregon (explicit), .

Ribes oxyacanthoides L. ssp. irriguum (Douglas) Sinnott

Common names: Idaho gooseberry

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 8:40, synonym for Ribes oxyacanthoides var. irriguum, in Oregon.

Synonyms:

Grossularia irrigua (Douglas) Coville & Britton

FN - 8:40, synonym for Ribes oxyacanthoides var. irriguum, in Oregon; IL - 2:398, accepted, in Oregon (explicit).

Ribes irriguum Douglas

FN - 8:40, synonym for Ribes oxyacanthoides var. irriguum, in Oregon; FPN - 201, accepted, in Oregon (explicit); GWM - 192, accepted, in Oregon (explicit); IL - 2:398, synonym for Grossularia irrigua, in Oregon (explicit); PEK - 415, accepted, in Oregon (explicit); VP - 3:75, accepted, in Oregon (explicit).

Ribes oxyacanthoides L. var. irriguum (Douglas) Jancz.

FN - 8:40, accepted, in Oregon; FPN2 - 102, accepted, in Oregon (explicit), ; VP - 3:75, synonym for Ribes irriguum, in Oregon (explicit).

Ribes roezlii Regel var. cruentum (Greene) Rehder

Common names: shinyleaf gooseberry, Sierra gooseberry

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 8:32, accepted, in Oregon; FPN2 - 103, accepted, in Oregon (explicit), ; IL - 2:403, synonym for Grossularia cruenta, in Oregon (explicit); JPM - 679, accepted, in Oregon (explicit); JPM2 - 826, accepted, in Oregon (explicit).

Synonyms:

Grossularia cruenta (Greene) Coville & Britton

FN - 8:32, synonym for Ribes roezlii var. cruentum, in Oregon; IL - 2:403, accepted, in Oregon (explicit).

Ribes cruentum Greene

FN - 8:32, synonym for Ribes roezlii var. cruentum, in Oregon; FPN - 201, accepted, in Oregon (explicit); IL - 2:403, synonym for Grossularia cruenta, in Oregon (explicit); PEK - 415, accepted, in Oregon (explicit); VP - 3:70, accepted, in Oregon (explicit).

Ribes sanguineum Pursh

FN - 8:21, accepted, in Oregon; FPN - 203, accepted, in Oregon (explicit); IL - 2:394, accepted, in Oregon (implied); JPM - 679, accepted, in Oregon (implied); VP - 3:81, accepted, in Oregon (explicit).

Ribes sanguineum Pursh var. glutinosum (Benth.) Loudon

Common names: pink flowering currant

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 8:21, accepted, in Oregon; FPN2 - 104, accepted, in Oregon (explicit), ; IL - 2:394, synonym for Ribes glutinosum, not in Oregon; JPM - 679, accepted, in Oregon (explicit); JPM2 - 826, accepted, in Oregon (explicit); PEK - 417, accepted, in Oregon (explicit); VP - 3:81, accepted.

Synonyms:

Ribes glutinosum Benth.

FN - 8:21, synonym for Ribes sanguineum var. glutinosum, in Oregon; IL - 2:394, accepted, not in Oregon.

Ribes sanguineum Pursh var. sanguineum

Common names: red flowering currant

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 8:21, accepted, in Oregon; FPN2 - 104, accepted, in Oregon (implied); JPM - 679, accepted, in Oregon (implied); JPM2 - 826, accepted, in Oregon (implied); PEK - 417, (subtaxon implied), accepted, in Oregon (explicit); VP - 3:81, (subtaxon implied), accepted.

Ribes triste Pall.

Common names: American red currant, western red currant

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 8:14, accepted, in Oregon; FPN - 203, accepted, in Oregon (explicit); FPN2 - 105, accepted, in Oregon (explicit), ; IL - 2:391, accepted, in Oregon (explicit); PEK - 418, accepted, in Oregon (explicit); VP - 3:83, accepted, in Oregon (explicit).

Ribes velutinum Greene

Common names: desert gooseberry

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 8:27, accepted, in Oregon; FPN - 200, accepted, in Oregon (implied); FPN2 - 102, accepted, in Oregon (explicit), ; IL - 2:399, synonym for Grossularia velutina, in Oregon (explicit); IN - 3a:16, accepted, in Oregon (explicit); JPM - 679, accepted, not in Oregon; JPM2 - 827, accepted, not in Oregon; PEK - 416, accepted, in Oregon (explicit).

Synonyms:

Grossularia velutina (Greene) Coville & Britton

FN - 8:27, synonym for Ribes velutinum, in Oregon; IL - 2:399, accepted, in Oregon (explicit).

Ribes gooddingii M. Peck

FN - 8:27, synonym for Ribes velutinum, in Oregon; FPN - 200, synonym for Ribes velutinum var. gooddingii, in Oregon (explicit); PEK - 416, accepted, in Oregon (explicit).

Ribes velutinum Greene var. gooddingii (M. Peck) C.L. Hitchc.

FN - 8:27, synonym for Ribes velutinum, in Oregon; FPN - 200, accepted, in Oregon (explicit); VP - 3:84, accepted, in Oregon (explicit).

Ribes velutinum Greene var. velutinum

FN - 8:27, synonym for Ribes velutinum, in Oregon; FPN - 200, accepted, in Oregon (explicit); VP - 3:84, accepted.

Ribes viscosissimum Pursh

Common names: sticky currant

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 8:22, accepted, in Oregon; FPN - 202, accepted, in Oregon (explicit); FPN2 - 104, accepted, in Oregon (implied), ; GWM - 193, accepted, in Oregon (explicit); IL - 2:392, accepted, in Oregon (implied); IN - 3a:26, accepted, in Oregon (explicit); JPM - 680, accepted, in Oregon (implied); JPM2 - 827, accepted, in Oregon (implied); PEK - 418, accepted, in Oregon (explicit).

Synonyms:

Ribes viscosissimum Pursh var. hallii Jancz.

FN - 8:22, synonym for Ribes viscosissimum, in Oregon; FPN - 202, accepted, in Oregon (implied); IL - 2:392, accepted, in Oregon (explicit); VP - 3:85, accepted, in Oregon (explicit).

Ribes viscosissimum Pursh var. viscosissimum

FN - 8:22, synonym for Ribes viscosissimum, in Oregon; FPN - 203, accepted, in Oregon (explicit); IL - 2:392, (subtaxon implied), accepted, in Oregon (implied); VP - 3:85, accepted, in Oregon (explicit).

Ribes watsonianum Koehne

Common names: spiny gooseberry, Watson's gooseberry

Origin: native Voucher: OSU, most recently collected in 1938.

FN - 8:34, accepted, in Oregon; FPN - 202, accepted, in Oregon (explicit); FPN2 - 104, accepted, in Oregon (explicit), ; IL - 2:399, synonym for Grossularia watsoniana, not in Oregon; PEK - 414, accepted, in Oregon (explicit); VP - 3:85, accepted, in Oregon (explicit).

Synonyms:

Grossularia watsoniana (Koehne) Coville & Britton

FN - 8:34, synonym for Ribes watsonianum, in Oregon; IL - 2:399, accepted, not in Oregon.

Ribes wolfii Rothr.

Common names: Wolf's currant, Winaha currant

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 8:19, accepted, in Oregon; FPN - 203, accepted, in Oregon (explicit); FPN2 - 104, accepted, in Oregon (explicit), ; IN - 3a:22, accepted, in Oregon (explicit); PEK - 418, accepted, in Oregon (explicit).

Synonyms:

Ribes mogollonicum Pursh

FN - 8:19, synonym for Ribes wolfii, in Oregon; FPN - 203, synonym for Ribes wolfii, in Oregon (explicit); VP - 3:79, accepted, not in Oregon.

Literature cited for Ribes

(Excluding the standard references unless specifically cited in the flora manuscript.)

Sinnott, Q.P. 1985. A revision of Ribes L. Subg. Grossularia (Mill.) Pers. sect. Grossularia (Mill.) Nutt. (Grossulariaceae) in North America. Rhodora 87:189-292.

Excluded names:

Ribes lasianthum Greene

FN - 8:28, accepted, not in Oregon; IL - 2:398, synonym for Grossularia lasiantha (Greene) Cov. & Britt., not in Oregon; IN - 3a:16, accepted, in Oregon, in notes section of RIBVEL; JPM - 678, accepted, in Oregon (explicit); JPM2 - 826, accepted, in Oregon (explicit).

Ribes nigrum L.

FN - 8:18, accepted, not in Oregon, "R. nigrum is the source of the cultivated black currant."; FPN - 203, accepted, no geog. info. given, occ escaped; FPN2 - 104, accepted, given distribution: cult black c, occ escaped from cult, ; GWM - 193, accepted, in Oregon (explicit), escaped from cultivation..

Literature cited for Grossulariaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Sinnott, Q.P. 1985. A revision of Ribes L. Subg. Grossularia (Mill.) Pers. sect. Grossularia (Mill.) Nutt. (Grossulariaceae) in North America. Rhodora 87:189-292.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon GWM = Guide to the plants of the Wallowa Mountains of northeastern IL = An Illustrated Flora of the Pacific States IN = Intermountain Flora IPNI = The International Plant Names Index

JPM = The Jepson manual
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
PLANTS = http://plants.usda.gov
VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference
a+ = authority in the reference matches checklist
a± = authority abbreviation in the reference differs
sa = authority at the specific level in the reference
ssa = authority at the subspecific level in the reference