

# Checklist of Oregon Lamiaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds.  
Version 2.1 © 2023 Oregon Flora Project



## Agastache

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Alexander Abair

---

### *Agastache cusickii* (Greenm.) A. Heller

Common names: Cusick's horsemint, Cusick's giant hyssop

Origin: native

Voucher: OSU, most recently collected in 1993.

FPN - 401, accepted, in Oregon (explicit), ours the var. *parva* Cronq.; FPN2 - 478, accepted, in Oregon (explicit); IL - 3:626, accepted, in Oregon (explicit); IN - 4:316, accepted, in Oregon (explicit); PEK - 673, accepted, in Oregon (explicit); VP - 4:249, accepted, in Oregon (explicit).

Synonyms:

*Agastache cusickii* (Greenm.) A. Heller var. *cusickii*

VP - 4:249, accepted, in Oregon (explicit).

*Agastache cusickii* (Greenm.) A. Heller var. *parva* Cronquist

FPN - 401, accepted, in Oregon (explicit); VP - 4:249, accepted, not in Oregon.

---

### *Agastache occidentalis* (Piper) A. Heller

Common names: western giant hyssop, giant horsemint

Origin: native

Voucher: OSU, most recently collected in 2004.

FPN - 401, accepted, not in Oregon; FPN2 - 478, accepted, not in Oregon; IL - 3:626, accepted, not in Oregon; VP - 4:249, accepted, in Oregon (implied).

---

### *Agastache urticifolia* (Benth.) Kuntze

FPN - 401, accepted, given distribution: widespread cordilleran sp. of open places from foothills to rather high elev, wholly E Cas, and in Wn w only to Grand Coulee; GWM - 298, accepted, in Oregon (explicit); IL - 3:624, accepted, in Oregon (explicit); IN - 4:316, accepted, in Oregon (implied); JPM - 713, accepted, in Oregon (implied); JPM2 - 837, accepted, in Oregon (implied); PEK - 673, accepted, in Oregon (explicit).

---

### *Agastache urticifolia* (Benth.) Kuntze var. *urticifolia*

Common names: nettle-leaved horsemint, nettle-leaved giant hyssop

Origin: native

Voucher: OSU, most recently collected in 2018.

FPN - 401, accepted, given distribution: widespread cordilleran sp. of open places from foothills to rather high elev, wholly E Cas, and in Wn w only to Grand Coulee; FPN2 - 479, accepted, in Oregon (implied); VP - 4:250, accepted, in Oregon (implied).

---

## Literature cited for Agastache

(Excluding the standard references unless specifically cited in the flora manuscript.)

Cronquist, A. 1943. The legitimacy of *Thalictrum polycarpum* Wats. *Madroño* 7(3):81.

Lint, H. and C. Epling. 1945. A revision of *Agastache*. *American Midland Naturalist* 33:207-230.

---

## Ajuga

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Alexander Abair

---

### *Ajuga reptans* L.

Common names: common bugle, ajuga, bugleweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2015.

FPN - 401, accepted, in Oregon (implied); FPN2 - 479, accepted, in Oregon (explicit); IN - 4:302, accepted, not in Oregon; VP - 4:280, accepted, not in Oregon.

# Ballota

Checklist contributor: Henrietta Chambers, 3/7/1997

Flora contributor: Alexander Abair

---

## *Ballota nigra* L. ssp. *foetida* Hayek

Common names: black horehound

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1902.

FPN2 - 478, accepted, given distribution: uncommon weed on both sides Cas, .

---

# Clinopodium

Checklist contributor:

Flora contributor: Alexander Abair

---

## *Clinopodium douglasii* (Benth.) Kuntze

Common names: yerba buena, Oregon tea

Origin: native

Voucher: OSU, most recently collected in 2016.

FPN2 - 479, accepted, in Oregon (implied), ; JPM2 - 837, accepted, in Oregon (implied).

Synonyms:

*Satureja douglasii* (Benth.) Briq.

FPN - 407, accepted, in Oregon (implied); IL - 3:646, accepted, in Oregon (implied); JPM - 729, accepted, in Oregon (implied); PEK - 679, accepted, in Oregon (explicit); VP - 4:270, accepted, in Oregon (implied).

---

## *Clinopodium vulgare* L.

Common names: wild basil, savory

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FPN2 - 479, accepted, in Oregon (explicit), ; KZ - 1:345, accepted.

Synonyms:

*Satureja vulgaris* (L.) Fritsch

Halse, 1992A - , "First report for Oregon." Halse 4057; IN - 4:308, accepted, in Oregon (implied).

---

## Literature cited for Clinopodium

(Excluding the standard references unless specifically cited in the flora manuscript.)

Halse, R.R. 1992A. Noteworthy collections - Oregon. Madroño 39(2):159.

---

# Dracocephalum

Checklist contributor: Henrietta Chambers, 6/13/1995

Flora contributor: Stephen Meyers

---

## *Dracocephalum parviflorum* Nutt.

Common names: American dragonhead, small-flowered dragonhead

Origin: native

Voucher: OSU, most recently collected in 2015.

FPN - 401, accepted, in Oregon (implied); FPN2 - 479, accepted, in Oregon (explicit), ; IN - 4:318, accepted, not in Oregon; PEK - 674, accepted, in Oregon (explicit).

Synonyms:

*Moldavica parviflora* (Nutt.) Britton

FPN - 401, synonym for *Dracocephalum parviflorum*, in Oregon (implied); IL - 3:627, accepted, in Oregon (explicit); VP - 4:262, accepted, in Oregon (explicit).

---

# Galeopsis

Checklist contributor:

Flora contributor: treatment pending

---

***Galeopsis tetrahit* L. var. *tetrahit***

Common names: brittlestem hempnettle

Origin: exotic, not naturalized

FPN - 402, accepted, no geog. info. given; FPN2 - 480, accepted, not in Oregon, ; VP - 4:251, accepted, not in Oregon.

---

## Glechoma

Checklist contributor: Henrietta Chambers, 6/13/1995

Flora contributor: Alexander Abair

---

***Glechoma hederacea* L.**

Common names: ground ivy, gill-over-the-ground, creeping charlie

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2015.

FPN2 - 480, accepted, in Oregon (implied), ; IN - 4:318, accepted, in Oregon (implied); JPM2 - 837, accepted, in Oregon (implied); PEK - 674, accepted, in Oregon (explicit); VP - 4:253, accepted, in Oregon (implied).

Synonyms:

***Glechoma hederacea* L.**

orthographic variant

FPN - 402, accepted, in Oregon (implied); IL - 3:627, accepted, in Oregon (implied); IN - 4:318, accepted; JPM - 714, accepted, in Oregon (implied); VP - 4:253, accepted.

---

## Hedeoma

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Alexander Abair

---

***Hedeoma pulegioides* (L.) Pers.**

Common names: American pennyroyal

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1931.

FPN2 - 480, accepted, in Oregon (explicit), in genus desc. ; Gleason & Cronquist, 1991 - 438, accepted, not in Oregon.

---

### Literature cited for Hedeoma

(Excluding the standard references unless specifically cited in the flora manuscript.)

Gleason, H.A. and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. 2nd Ed. The New York Botanical Garden, NY.

---

## Lallemantia

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Stephen Meyers

---

***Lallemantia peltata* (L.) Fisch. & C.A. Mey.**

Common names: lion's heart

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1991.

FPN2 - 481, accepted, in Oregon (explicit), .

---

## Lamiaeum

Checklist contributor: , 2/23/2010

Flora contributor: Alexander Abair

---

***Lamiaeum galeobdolon* (L.) Ehrend. & Polatschek**

Common names: yellow archangel

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2017.

JPM2 - accepted, in Oregon (implied), waif.

---

# Lamium

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Alexander Abair

---

## *Lamium amplexicaule* L.

Common names: common deadnettle, henbit

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FPN - 403, accepted, no geog. info. given; FPN2 - 481, accepted, in Oregon (implied), ; IL - 3:630, accepted, in Oregon (implied); IN - 4:324, accepted, in Oregon (implied); JPM - 714, accepted, in Oregon (implied); JPM2 - 838, accepted, in Oregon (implied); PEK - 675, accepted, in Oregon (explicit); VP - 4:254, accepted, in Oregon (implied).

---

## *Lamium maculatum* L.

Common names: spotted deadnettle

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1926.

FPN - 403, accepted, in Oregon (implied); FPN2 - 481, accepted, given distribution: occ weed, mostly w Cas, also in AK and e N Am, ; IL - 3:630, accepted, in Oregon (explicit); PEK - 676, accepted, in Oregon (explicit); VP - 4:254, accepted, in Oregon (explicit).

---

## *Lamium purpureum* L.

Common names: red deadnettle, purple deadnettle

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FPN - 403, accepted, no geog. info. given; FPN2 - 481, accepted, in Oregon (implied), ; IL - 3:630, accepted, not in Oregon; IN - 4:324, accepted, not in Oregon; JPM - 714, accepted, in Oregon (implied); JPM2 - 838, accepted, in Oregon (implied); PEK - 675, accepted, in Oregon (explicit); VP - 4:256, accepted, in Oregon (implied).

Synonyms:

*Lamium purpureum* L. var. *incisum* (Willd.) Pers.

KZ - 2:418, accepted.

*Lamium purpureum* L. var. *purpureum*

---

# Lavandula

Checklist contributor: Richard Halse, 4/15/2009

Flora contributor: Alexander Abair

---

## *Lavandula angustifolia* Mill.

Common names: English lavender

Origin: exotic, not naturalized

FPN2 - 477, accepted, given distribution: Eurasian intro, rarely escaping cult; several spp. Recorded from our area, not bolded in Lavandula spp. Desc. in genus list .

---

## *Lavandula stoechas* L.

Common names: Spanish lavender, butterfly lavender, French lavender, bract lavender

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2019.

FPN2 - 477, accepted, given distribution: Eurasian intro, rarely escaping cult; several spp. Recorded from our area, not bolded in Lavandula spp. Desc. in genus list .

---

# Leonurus

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Alexander Abair

---

## *Leonurus cardiaca* L.

Common names: motherwort

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1996.

FPN - 403, accepted, given distribution: ...casual with us...; FPN2 - 482, accepted, in Oregon (implied), ; IN - 4:324, accepted, in Oregon (implied); VP - 4:256, accepted, in Oregon (implied).

---

# Lycopus

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Alexander Abair

---

## *Lycopus americanus* Muhl. ex W.P.C. Barton

Common names: American water horehound, American bugleweed, cutleaf water horehound

Origin: native

Voucher: OSU, most recently collected in 2019.

FPN - 403, accepted, in Oregon (implied); FPN2 - 482, accepted, in Oregon (implied); ; IL - 3:659, accepted, in Oregon (implied); IN - 4:314, accepted, in Oregon (implied); JPM - 715, accepted, in Oregon (implied); JPM2 - 839, accepted, in Oregon (implied); PEK - 682, accepted, in Oregon (explicit); VP - 4:257, accepted, in Oregon (implied).

---

## *Lycopus asper* Greene

Common names: rough bugleweed, Pacific water horehound

Origin: native

Voucher: OSU, most recently collected in 2002.

FPN - 403, accepted, in Oregon (implied); FPN2 - 482, accepted, in Oregon (implied); ; IN - 4:313, accepted, in Oregon (implied); JPM - 715, accepted, in Oregon (implied); JPM2 - 839, accepted, in Oregon (implied); VP - 4:257, accepted, in Oregon (implied).

Misapplied names:

### *Lycopus lucidus* Turcz.

FPN - 403, synonym for *Lycopus asper*, in Oregon (implied), misapplied; IL - 3:659, accepted, in Oregon (explicit);  
PEK - 682, accepted, in Oregon (explicit).

---

## *Lycopus europaeus* L.

Common names: European water horehound, European bugleweed

Origin: exotic, not naturalized

FPN2 - 482, accepted, in Oregon (explicit).

---

## *Lycopus uniflorus* Michx.

Common names: northern bugleweed

Origin: native

Voucher: OSU, most recently collected in 2016.

FPN - 403, accepted, in Oregon (implied); FPN2 - 482, accepted, in Oregon (implied); ; GWM - 298, accepted, in Oregon (explicit); IL - 3:658, accepted, in Oregon (implied); JPM - 715, accepted, in Oregon (implied); JPM2 - 839, accepted, in Oregon (implied); PEK - 682, accepted, in Oregon (explicit); VP - 4:257, accepted, in Oregon (implied).

---

## Literature cited for *Lycopus*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Nelson, J.C. 1918A. Additions to the flora of western Oregon. *Torreyana* 18:21-35.

---

# Marrubium

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Alexander Abair

---

## *Marrubium vulgare* L.

Common names: common horehound, white horehound

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FPN - 404, accepted, in Oregon (implied); FPN2 - 482, accepted, in Oregon (implied); ; GWM - 298, accepted, in Oregon (explicit); IL - 3:624, accepted, in Oregon (implied); IN - 4:308, accepted, in Oregon (implied); JPM - 715, accepted, in Oregon (implied); JPM2 - 839, accepted, given distribution: CA-FP, uncommon DMtns; widespread worldwide.; PEK - 673, accepted, in Oregon (explicit).

---

# Melissa

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora contributor: Alexander Abair

---

## ***Melissa officinalis* L.**

Common names: lemon balm, garden balm

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FPN - 404, accepted, in Oregon (implied); FPN2 - 483, accepted, in Oregon (implied); ; IL - 3:645, accepted, in Oregon (explicit); JPM - 716, accepted, given distribution: NW, CaRF, n SNF, CW; native to s Eur; JPM2 - 839, accepted, no geog. info. given; PEK - 679, accepted, in Oregon (explicit); VP - 4:259, accepted, in Oregon (implied).

---

## **Mentha**

Checklist contributor: Henrietta Chambers, 10/20/1995

Flora contributor: Alexander Abair

---

### ***Mentha canadensis* L.**

Common names: field mint, corn mint

Origin: native

Voucher: OSU, most recently collected in 2016.

FPN - 404, synonym for *Mentha arvensis*, in Oregon (implied); FPN2 - 483, accepted, in Oregon (implied); ; IL - 3:662, synonym for *Mentha arvensis* var. *canadensis*, in Oregon (implied); JPM2 - 840, accepted, not in Oregon; KZ - 2:488, accepted.

Synonyms:

#### ***Mentha arvensis* L.**

FPN - 404, accepted, in Oregon (implied); IN - 4:312, accepted, not in Oregon; JPM - 716, accepted, in Oregon (implied); JPM2 - 840, accepted, in Oregon (implied).

#### ***Mentha arvensis* L. var. *arvensis***

IL - 3:662, (subtaxon implied), accepted, in Oregon (implied); PEK - 681, (subtaxon implied), accepted, in Oregon (explicit); VP - 4:260, accepted, not in Oregon.

#### ***Mentha arvensis* L. var. *canadensis* (L.) Kuntze**

IL - 3:662, accepted, in Oregon (implied); PEK - 681, accepted, in Oregon (explicit).

#### ***Mentha arvensis* L. var. *glabrata* (Benth.) Fernald**

FPN - 404, accepted, in Oregon (implied); IL - 3:662, accepted, in Oregon (implied); PEK - 681, accepted, in Oregon (explicit); VP - 4:261, accepted, in Oregon (implied).

#### ***Mentha arvensis* L. var. *lanata* Piper**

IL - 3:662, accepted, in Oregon (implied); PEK - 681, accepted, in Oregon (explicit).

---

### ***Mentha longifolia* (L.) Huds.**

Common names: horsemint

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1930.

FPN2 - 483 & 484, accepted, given distribution: , listed in desc. of *M. canadensis* and *M. spicata* as a part of the hybrid cross these species are also known as maybe; JPM2 - 840, accepted, in Oregon (implied).

---

### ***Mentha* × *piperita* L.**

FPN - 405, matched with *Mentha piperita* (named hybrid), accepted, in Oregon (implied), expressed as *Mentha piperita*; FPN2 - 483, accepted, in Oregon (implied); ; IL - 3:661, accepted, in Oregon (implied); IN - 4:312, accepted; JPM - 716, accepted, in Oregon (implied); JPM2 - 840, accepted, in Oregon (implied); PEK - 680, accepted, in Oregon (explicit); VP - 4:261, accepted, in Oregon (implied).

---

### ***Mentha* × *piperita* L. ssp. *piperita***

Common names: peppermint

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2016.

Synonyms:

#### ***Mentha citrata* Ehrh.**

FPN - 405, accepted, in Oregon (implied); IL - 3:661, accepted, in Oregon (implied); IN - 4:312, accepted; PEK - 681, accepted, in Oregon (explicit); VP - 4:261, accepted.

#### ***Mentha* × *piperita* L. ssp. *citrata* (Ehrh.) Briq.**

Misapplied names:

#### ***Mentha aquatica* L.**

FPN2 - 483, accepted, not in Oregon; ; JPM2 - 840, accepted, in Oregon (implied); KZ - 2:347, accepted.

---

### ***Mentha pulegium* L.**

Common names: pennyroyal

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2021.

FPN - 404, accepted, in Oregon (implied); FPN2 - 483, accepted, in Oregon (implied); ; IL - 3:661, accepted, in Oregon (explicit); JPM - 716, accepted, in Oregon (explicit); JPM2 - 840, accepted, in Oregon (explicit); PEK - 681, accepted, in Oregon (explicit).

---

### ***Mentha spicata* L.**

Common names: spearmint

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FPN - 404, accepted, in Oregon (implied); FPN2 - 484, accepted, given distribution: occ on both sides Cas , ; IL - 3:659, accepted, in Oregon (implied); IN - 4:312, accepted, in Oregon (implied); JPM2 - 842, accepted, not in Oregon; PEK - 680, accepted, in Oregon (explicit); VP - 4:262, accepted, in Oregon (implied).

Synonyms:

***Mentha spicata* L. var. *spicata***

JPM - 716, accepted, given distribution: CA-FP, W&I, DMtns (uncommon), cult elsewhere; to e US; native to Eur.

---

### ***Mentha suaveolens* Ehrh.**

Common names: apple mint, round-leaved mint

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2015.

FPN2 - 484, accepted, in Oregon (implied); ; JPM - 716, accepted, given distribution: NW, SN, CW, SCo, SNE, expected elsewhere; native to s Eur; JPM2 - 842, accepted, no geog. info. given.

Misapplied names:

***Mentha rotundifolia* (L.) Huds.**

FPN - 404, accepted, in Oregon (implied); FPN2 - 484, accepted, given distribution: uncommon in VI and sw BC, also s and e N Am, in the book as *M. ×rotundifolia*; IL - 3:661, accepted, in Oregon (explicit); JPM2 - 840, accepted, in Oregon (implied); PEK - 681, accepted, in Oregon (explicit); VP - 4:262, accepted, in Oregon (explicit).

---

### ***Mentha* × *villosa* Huds.**

JPM2 - 842, accepted, in Oregon (implied).

---

### ***Mentha* × *villosa* Huds. var. *alopecuroides* (Hull) Briq.**

Common names: woolly mint

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1922.

Synonyms:

***Mentha alopecuroides* Hull**

FPN - 404, accepted, in Oregon (implied); IL - 3:661, accepted, in Oregon (explicit); VP - 4:262, accepted.

---

## **Moluccella**

Checklist contributor: Henrietta Chambers, 10/20/1995

Flora contributor: Alexander Abair

---

### ***Moluccella laevis* L.**

Common names: shellflower, bells of Ireland

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1997.

IN - 4:324, accepted, in Oregon (explicit); JPM - 716, accepted, in Oregon (implied).

---

## **Monardella**

Checklist contributor: Henrietta Chambers, 6/3/1997

Flora contributor: Mark Elvin

---

### ***Monardella angustifolia* Elvin, Ertter & Mansfield**

Common names: narrow-leaved monardella, Leslie Gulch monardella

Origin: native

Voucher: OSU, most recently collected in 2021.

---

### ***Monardella odoratissima* Benth.**

Common names: mountain monardella, mountain coyotemint, western mountain balm, mountain pennyroyal

Origin: native

Voucher: OSU, most recently collected in 2016.

FPN - 405, accepted, in Oregon (explicit); IN - 4:308, accepted, in Oregon (implied); JPM - 721, accepted, in Oregon (implied); PEK - 678, accepted; VP - 4:265, accepted, in Oregon (implied).

Synonyms:

#### ***Monardella glauca* Greene**

IL - 3:654, synonym for *Monardella odoratissima* ssp. *glauca*, in Oregon (explicit); JPM - 720, accepted, not in Oregon.

#### ***Monardella odoratissima* Benth. ssp. *discolor* (Greene) Epling**

FPN2 - 484, accepted, in Oregon (explicit), not bolded in *M. odoratissima* desc. ; IL - 3:654, accepted, in Oregon (explicit); KZ - 1:348, accepted; PEK - 679, accepted, in Oregon (explicit).

#### ***Monardella odoratissima* Benth. var. *discolor* (Greene) H. St. John**

FPN - 405, accepted, in Oregon (explicit); VP - 4:265, accepted.

#### ***Monardella odoratissima* Benth. ssp. *glauca* (Greene) Epling**

IL - 3:654, accepted, in Oregon (explicit); JPM2 - 848, accepted, in Oregon (explicit); KZ - 1:349, accepted; PEK - 678, accepted, in Oregon (explicit).

#### ***Monardella odoratissima* Benth. var. *glauca* (Greene) H. St. John**

IN - 4:310, accepted.

#### ***Monardella odoratissima* Benth. ssp. *odoratissima***

FPN2 - 484, accepted, in Oregon (explicit), not bolded in *M. odoratissima* desc. ; IL - 3:651, (subtaxon implied), accepted, in Oregon (implied); JPM - 721, accepted, in Oregon (implied); KZ - 1:349, accepted; PEK - 678, (subtaxon implied), accepted, in Oregon (explicit).

#### ***Monardella odoratissima* Benth. var. *odoratissima***

FPN - 405, accepted, in Oregon (explicit); VP - 4:265, accepted.

#### ***Monardella odoratissima* Benth. var. *ovata* Jeps.**

IN - 4:310, accepted.

#### ***Monardella odoratissima* Benth. ssp. *pallida* (A. Heller) Epling**

IL - 3:654, accepted, not in Oregon; JPM - 721, accepted, not in Oregon; JPM2 - 848, accepted, in Oregon (explicit); KZ - 1:349, accepted; PEK - 678, accepted, in Oregon (explicit).

---

### ***Monardella purpurea* Howell**

Common names: Siskiyou monardella

Origin: native

Voucher: OSU, most recently collected in 2017.

IL - 3:651, accepted, in Oregon (explicit); JPM - 721, accepted, in Oregon (explicit); JPM2 - 848, accepted, in Oregon (explicit); PEK - 679, accepted, in Oregon (explicit).

---

### ***Monardella sheltonii* Torr.**

Common names: Shelton's coyotemint

Origin: native

Voucher: OSU, most recently collected in 2017.

IL - 3:650, synonym for *Monardella villosa* ssp. *sheltonii*, in Oregon (explicit); JPM - 722, accepted, in Oregon (explicit); JPM2 - 848, accepted, not in Oregon.

Synonyms:

#### ***Monardella villosa* Benth. ssp. *sheltonii* (Torr.) Epling**

IL - 3:650, accepted, in Oregon (explicit); PEK - 678, accepted, in Oregon (explicit).



## ***Monardella villosa* Benth. ssp. *villosa***

Common names: coyotemint

Origin: native

Voucher: OSU, most recently collected in 2017.

JPM - 722, accepted, not in Oregon; JPM2 - 849, accepted, not in Oregon.

Synonyms:

***Monardella villosa* Benth. ssp. *subserata* (Greene) Epling**

IL - 3:650, accepted, in Oregon (explicit); KZ - 1:349, accepted; PEK - 678, accepted, in Oregon (explicit).

---

## **Literature cited for *Monardella***

(Excluding the standard references unless specifically cited in the flora manuscript.)

Epling, C. 1925. Monograph of the genus *Monardella*. *Annals of the Missouri Botanical Garden* 12:1-106.

---

## **Nepeta**

Checklist contributor: Henrietta Chambers, 12/6/1995

Flora contributor: Stephen Meyers

---

### ***Nepeta cataria* L.**

Common names: catnip, catmint

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FPN - 405, accepted, in Oregon (implied); FPN2 - 485, accepted, in Oregon (implied), ; GWM - 300, accepted, in Oregon (explicit); IL - 3:627, accepted, in Oregon (implied); IN - 4:318, accepted, in Oregon (implied); JPM - 722, accepted, in Oregon (implied); JPM2 - 850, accepted, in Oregon (implied); PEK - 674, accepted, in Oregon (explicit); VP - 4:266, accepted, in Oregon (implied).

---

## **Origanum**

Checklist contributor: Henrietta Chambers, 12/6/1995

Flora contributor: Alexander Abair

---

### ***Origanum vulgare* L.**

Common names: oregano, wild marjoram

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FPN - 406, accepted, in Oregon (implied); FPN2 - 485, accepted, in Oregon (implied), ; IL - 3:648, accepted, in Oregon (explicit); JPM - 724, accepted, given distribution: NCo, SnFrB, n SCo (near Ventura); native to Medit Eur; PEK - 679, accepted, in Oregon (explicit); VP - 4:266, accepted, in Oregon (explicit).

---

## **Physostegia**

Checklist contributor: Henrietta Chambers, 5/26/2002

Flora contributor: Alexander Abair

---

### ***Physostegia parviflora* Nutt. ex A. Gray**

Common names: purple dragonhead, western false dragonhead

Origin: native

Voucher: OSU, most recently collected in 1928.

FPN - 406, accepted, in Oregon (implied); FPN2 - 485, accepted, in Oregon (explicit), ; IN - 4:320, accepted, in Oregon (explicit); PEK - 675, accepted, in Oregon (explicit).

Synonyms:

***Dracocephalum nuttallii* Britton**

IL - 3:628, accepted, in Oregon (explicit); VP - 4:250, accepted, in Oregon (explicit).

---

## **Pogogyne**

Checklist contributor: Henrietta Chambers, 1/14/1997

Flora contributor: Alexander Abair

---

### ***Pogogyne floribunda* Jokerst**

Common names: profuse-flowered pogogyne, profuse-flowered mesamint

Origin: native

Voucher: OSU, most recently collected in 2016.

JPM - 724, accepted, not in Oregon; JPM2 - 851, accepted, not in Oregon.

---

### ***Pogogyne serpylloides* (Torr.) A. Gray**

Common names: thyme-leaf mesamint

Origin: native

Voucher: OSU, most recently collected in 1999.

---

### ***Pogogyne zizyphoroides* Benth.**

Common names: bristly pogogyne, Sacramento mesamint, Sacramento pogogyne

Origin: native

Voucher: OSU, most recently collected in 1979.

IL - 3:648, accepted, in Oregon (explicit); JPM - 724, accepted, in Oregon (explicit); JPM2 - 851, accepted, in Oregon (explicit).

Synonyms:

***Pogogyne zizyphoroides* Benth.**

orthographic variant

PEK - 680, accepted, in Oregon (explicit).

---

## **Literature cited for *Pogogyne***

(Excluding the standard references unless specifically cited in the flora manuscript.)

Jokerst, J.D. 1992. *Pogogyne floribunda* (Lamiaceae), a new species from the Great Basin in northeastern California. *Aliso* 13(2):347-353.

---

## **Prunella**

Checklist contributor: Henrietta Chambers, 12/13/1995

Flora contributor: Alexander Abair

---

### ***Prunella vulgaris* L.**

FPN - 406, accepted, in Oregon (implied); GWM - 300, accepted, in Oregon (explicit); IN - 4:322, accepted, in Oregon (implied); JPM - 725, accepted, in Oregon (implied); PEK - 674, accepted.

---

### ***Prunella vulgaris* L. var. *lanceolata* (W.P.C. Barton) Fernald**

Common names: native self-heal, lance-leaved heal-all, lance-leaved self-heal

Origin: native

Voucher: OSU, most recently collected in 2019.

FPN - 406, accepted, in Oregon (implied); FPN2 - 486, accepted, in Oregon (implied), range of sp.: AK s, both sides Cas, to CA, e to Atl; 2 weak vars. In our area; JPM - 725, accepted, in Oregon (implied); JPM2 - 852, accepted, in Oregon (implied); PEK - 675, accepted, in Oregon (explicit); VP - 4:268, accepted, in Oregon (implied).

Synonyms:

***Prunella vulgaris* L. ssp. *lanceolata* (W.P.C. Barton) Hultén**

IL - 3:628, accepted, in Oregon (implied); KZ - 1:350, accepted.

---

### ***Prunella vulgaris* L. var. *vulgaris***

Common names: Eurasian self-heal, common heal-all, common self-heal

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FPN - 406, accepted, in Oregon (implied); FPN2 - 486, accepted, in Oregon (implied), range of sp.: AK s, both sides Cas, to CA, e to Atl; 2 weak vars. In our area; JPM - 725, accepted, given distribution: NCo, CCo, SCo; e US; native to Eur; JPM2 - 852, accepted, not in Oregon; PEK - 675, (subtaxon implied), accepted, in Oregon (explicit); VP - 4:268, accepted, in Oregon (implied).

Synonyms:

***Prunella vulgaris* L. var. *calvescens* Fernald**

PEK - 675, accepted, in Oregon (explicit).

***Prunella vulgaris* L. var. *hispida* Benth.**

PEK - 675, accepted, in Oregon (explicit).

***Prunella vulgaris* L. ssp. *vulgaris***

IL - 3:628, (subtaxon implied), accepted, in Oregon (explicit).

---

## **Pycnanthemum**

Checklist contributor:

Flora contributor: treatment pending

---

### ***Pycnanthemum californicum* Torr. ex Durand**

Common names: California mountainmint

Origin: exotic

Voucher: SOC, most recently collected in 2017.

JPM2 - 852, accepted.

---

## **Rosmarinus**

Checklist contributor:

Flora contributor: treatment pending

---

### ***Rosmarinus officinalis* L.**

Common names: rosemary

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2017.

---

## **Salvia**

Checklist contributor: Henrietta Chambers, 1/23/1996

Flora contributor: Alexander Abair

---

### ***Salvia aethiopis* L.**

Common names: African sage, Mediterranean sage

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FPN - 407, accepted, in Oregon (explicit); FPN2 - 486, accepted, in Oregon (implied), ; IN - 4:328, accepted, in Oregon (explicit); JPM - 726, accepted, given distribution: MP; native to Eur; JPM2 - 854, accepted, no geog. info. given; PEK - 677, accepted, in Oregon (explicit); VP - 4:269, accepted, in Oregon (explicit).

Synonyms:

***Salvia aethiopsis* L.**

orthographic variant

IL - 3:636, accepted, in Oregon (explicit); PEK - 677, accepted, in Oregon (explicit).

---

### ***Salvia dorrii* (Kellogg) Abrams var. *dorrii***

Common names: gray ball sage

Origin: native

Voucher: OSU, most recently collected in 2013.

FPN2 - 486, accepted, in Oregon (explicit); JPM - 728, accepted, in Oregon (explicit); JPM2 - 854, accepted, in Oregon (explicit).

Synonyms:

***Salvia dorrii* (Kellogg) Abrams ssp. *dorrii***

IL - 3:639, (subtaxon implied), accepted, in Oregon (explicit).

***Salvia dorrii* (Kellogg) Abrams var. *gracilior* M. Peck**

IN - 4:330, accepted; PEK - 678, accepted, in Oregon (explicit).

---

### ***Salvia dorrii* (Kellogg) Abrams var. *incana* (Benth.) Strachan**

Common names: fleshy sage

Origin: native

Voucher: OSU, most recently collected in 2017.

FPN2 - 486, accepted, in Oregon (explicit); JPM - 728, accepted, in Oregon (implied); JPM2 - 854, accepted, in Oregon (implied).

Synonyms:

***Salvia dorrii* (Kellogg) Abrams ssp. *carnosa* (Douglas ex Greene) Abrams**

IL - 3:639, accepted, in Oregon (explicit); PEK - 677, accepted, in Oregon (explicit).

***Salvia dorrii* (Kellogg) Abrams var. *carnosa* (Douglas ex Greene) Cronquist**

FPN - 407, accepted, in Oregon (implied); VP - 4:269, accepted.

---

### ***Salvia reflexa* Hornem.**

Common names: lanceleaf sage, mintweed

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1999.

FPN2 - 486, accepted, in Oregon (explicit); IN - 4:328, accepted, in Oregon (explicit).

---

### ***Salvia sclarea* L.**

Common names: clary sage, Europe sage, eye-bright, clear-eye

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2004.

FPN - 407, accepted, in Oregon (implied); FPN2 - 486, accepted, in Oregon (implied); IN - 4:328, accepted, given distribution: native of the Medit. Region, occasionally found in the US along roadsides and in other disturbed habitats and well established at least in Emigration Canyon, Salk Lake Co., Utah.; VP - 4:270, accepted, not in Oregon.

---

### ***Salvia sonomensis* Greene**

Common names: creeping sage, Sonoma sage

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2007.

IL - 3:639, accepted, not in Oregon; JPM - 728, accepted, not in Oregon; JPM2 - 855, accepted, not in Oregon.

---

### **Literature cited for *Salvia***

(Excluding the standard references unless specifically cited in the flora manuscript.)

Strachan, J.L. 1982. A revision of the *Salvia dorrii* complex (Lamiaceae). *Brittonia* 34:151-169.

Strachan, J.L. 1983. A revision of the *Salvia dorrii* complex (Lamiaceae). *Brittonia* 35:170.

---

## **Scutellaria**

Checklist contributor: Henrietta Chambers, 12/27/1995

Flora contributor: Alexander Abair

---

### ***Scutellaria angustifolia* Pursh**

FPN - 408, accepted, in Oregon (implied); IL - 3:623, accepted, in Oregon (explicit); IN - 4:306, accepted, in Oregon (explicit); VP - 4:272, accepted.

---

***Scutellaria angustifolia* Pursh ssp. *angustifolia***

Common names: narrow-leaved skullcap

Origin: native

Voucher: OSU, most recently collected in 2019.

FPN2 - 487, accepted, in Oregon (explicit), .

Synonyms:

***Scutellaria angustifolia* Pursh var. *angustifolia***

PEK - 672, (subtaxon implied), accepted, in Oregon (explicit).

---

***Scutellaria angustifolia* Pursh ssp. *micrantha* Olmstead**

Common names: small-flowered skullcap

Origin: native

Voucher: OSU, most recently collected in 2010.

FPN2 - 487, accepted, in Oregon (explicit), .

---

***Scutellaria antirrhinoides* Benth.**

Common names: snapdragon skullcap

Origin: native

Voucher: OSU, most recently collected in 2018.

Burkhart et al., 1996 - ; FPN - 408, accepted, in Oregon (explicit); FPN2 - 487, accepted, in Oregon (explicit), ; IL - 3:623, accepted, in Oregon (explicit); IN - 4:306, accepted, in Oregon (explicit); JPM - 730, accepted, in Oregon (implied); JPM2 - 856, accepted, in Oregon (implied); PEK - 672, accepted, in Oregon (explicit); VP - 4:273, accepted, in Oregon (explicit).

---

***Scutellaria galericulata* L.**

Common names: willow-weed skullcap, marsh skullcap

Origin: native

Voucher: OSU, most recently collected in 2013.

FPN - 408, accepted, in Oregon (implied); FPN2 - 487, accepted, in Oregon (implied), ; IL - 3:621, accepted, in Oregon (implied); JPM - 730, accepted, in Oregon (implied); JPM2 - 856, accepted, in Oregon (implied); VP - 4:273, accepted, in Oregon (implied).

Synonyms:

***Scutellaria epilobifolia* A. Ham.**

PEK - 672, accepted, in Oregon (explicit).

---

***Scutellaria lateriflora* L.**

Common names: mad-dog skullcap, hoodwort

Origin: native

Voucher: OSU, most recently collected in 2016.

FPN - 408, accepted, in Oregon; FPN2 - 487, accepted, in Oregon (implied), ; IL - 3:624, accepted, in Oregon (explicit); JPM - 730, accepted, in Oregon (implied); JPM2 - 856, accepted, in Oregon (implied); PEK - 672, accepted, in Oregon (explicit); VP - 4:273, accepted, in Oregon (implied).

---

***Scutellaria nana* A. Gray**

Common names: dwarf skullcap

Origin: native

Voucher: OSU, most recently collected in 2015.

FPN - 408, accepted, in Oregon (explicit); FPN2 - 487, accepted, in Oregon (explicit), ; IL - 3:621, accepted, in Oregon (explicit); IN - 4:306, accepted, in Oregon (explicit); JPM - 730, accepted, in Oregon (explicit); JPM2 - 856, accepted, in Oregon (explicit); PEK - 673, accepted, in Oregon (explicit); VP - 4:273, accepted, in Oregon (explicit).

Synonyms:

***Scutellaria nana* A. Gray var. *nana***

FPN - 408, accepted, in Oregon (explicit); IN - 4:306, accepted; VP - 4:275, accepted.

---

***Scutellaria tuberosa* Benth.**

Common names: blue skullcap

Origin: native

Voucher: OSU, most recently collected in 2003.

IL - 3:621, accepted, in Oregon (explicit); JPM - 730, accepted, in Oregon (explicit); JPM2 - 856, accepted, in Oregon (explicit); PEK - 672, accepted, in Oregon (explicit).

---

## Literature cited for *Scutellaria*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Epling, C. 1942. The American species of *Scutellaria*. University of California Publications in Botany 20:1-146.

Olmstead, R.G. 1990. Systematics of the *Scutellaria angustifolia* complex (Labiatae). Contributions from the University of Michigan Herbarium 17:223-265.

---

## Stachys

Checklist contributor: Henrietta Chambers, 2/6/1996

Flora contributor: Alexander Abair

---

### *Stachys arvensis* L.

Common names: staggerweed, field woundwort

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1912.

FPN2 - 488, accepted, in Oregon (implied), .

---

### *Stachys byzantina* C. Koch

Common names: lamb's ear, woolly hedgenettle

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2011.

FPN2 - 487, accepted, not in Oregon, in genus desc..

---

### *Stachys cooleyae* A. Heller

Common names: Cooley's hedge nettle, great hedge nettle, great betony

Origin: native

Voucher: OSU, most recently collected in 2016.

Chambers & Chambers, 1997A - accepted, in Oregon (explicit); FPN - 408, accepted, in Oregon (explicit); FPN2 - 488, accepted, in Oregon (explicit), ; IL - 3:632, synonym for *Stachys ciliata*, in Oregon (explicit).

---

### *Stachys cooleyae* A. Heller × *Stachys mexicana* Benth.

Origin: native

Voucher: OSU, most recently collected in 1964.

---

### *Stachys mexicana* Benth.

Common names: Mexican betony, great betony, coast hedge nettle, Mexican hedge nettle

Origin: native

Voucher: OSU, most recently collected in 2016.

Chambers & Chambers, 1997A - accepted, in Oregon (explicit); FPN - 408, accepted, in Oregon (implied); FPN2 - 488, accepted, in Oregon (implied), ; JPM2 - 858, accepted, in Oregon (explicit); VP - 4:276, accepted, in Oregon (explicit).

Synonyms:

#### *Stachys emersonii* Piper

FPN - 408, synonym for *Stachys mexicana*, in Oregon (implied); IL - 3:632, accepted, in Oregon (explicit); PEK - 676, accepted, in Oregon (explicit).

Misapplied names:

#### *Stachys ajugoides* Benth.

*Stachys ajugoides* Benth. var. *rigida* (Nutt. ex Benth.) Jeps. & Hoover

---

## *Stachys pilosa* Nutt.

Common names: marsh betony, prairie woundwort, marsh hedge nettle, woundwort

Origin: native

Voucher: OSU, most recently collected in 2018.

Chambers & Chambers, 1997A - accepted, in Oregon (explicit); FPN - 408, synonym for *Stachys palustris* var. *pilosa*, in Oregon (implied); IL - 3:632, synonym for *Stachys palustris* ssp. *pilosa*, in Oregon (explicit); JPM2 - 859, accepted, in Oregon (implied).

Synonyms:

### *Stachys palustris* L.

Chambers & Chambers, 1997A - ; FPN - 408, accepted, in Oregon (implied), ours is var. *pilosa*; IN - 4:320, accepted, in Oregon (explicit); VP - 4:276, accepted, in Oregon (explicit).

### *Stachys palustris* L. ssp. *pilosa* (Nutt.) Epling

Chambers & Chambers, 1997A - synonym, in Oregon (explicit); IL - 3:632, accepted, in Oregon (explicit); JPM - 731, accepted, in Oregon (implied); PEK - 677, accepted, in Oregon (explicit).

### *Stachys palustris* L. var. *pilosa* (Nutt.) Fernald

FPN - 408, accepted, in Oregon (implied); VP - 4:277, accepted.

### *Stachys pilosa* Nutt. var. *pilosa*

FPN2 - 488, accepted, given distribution: AK s, mostly e Cas in our area, e across much of N Am to Atl, .

---

## *Stachys rigida* Nutt. ex Benth.

Common names: rigid betony, rigid hedge nettle

Origin: native

Voucher: OSU, most recently collected in 2019.

Chambers & Chambers, 1997A - accepted, in Oregon (explicit); Epling, 1938 - ; FPN - 408, accepted, in Oregon (implied); VP - 4:277, accepted, in Oregon (explicit).

Synonyms:

### *Stachys ajugoides* Benth.

### *Stachys ajugoides* Benth. var. *rigida* (Nutt. ex Benth.) Jeps. & Hoover

### *Stachys rigida* Nutt. ex Benth. ssp. *quercetorum* (A. Heller) Epling

IL - 3:633, accepted, in Oregon (explicit); PEK - 677, accepted, in Oregon (explicit).

### *Stachys rigida* Nutt. ex Benth. var. *quercetorum* (A. Heller) Epling ex Munz

JPM2 - 859, accepted, in Oregon (explicit).

### *Stachys rigida* Nutt. ex Benth. ssp. *rigida*

IL - 3:633, (subtaxon implied), accepted, in Oregon (explicit); PEK - 677, accepted, in Oregon (explicit).

### *Stachys rigida* Nutt. ex Benth. var. *rigida*

FPN - 408, accepted, in Oregon (implied); FPN2 - 488, accepted, in Oregon (implied), ours var. *rigida*; JPM2 - 859, accepted, in Oregon (implied); VP - 4:277, accepted.

### *Stachys rigida* Nutt. ex Benth. ssp. *rivularis* (A. Heller) Epling

IL - 3:634, accepted, in Oregon (explicit); PEK - 677, accepted, in Oregon (explicit).

Misapplied names:

### *Stachys ajugoides* Benth. var. *ajugoides*

JPM - 731, accepted, in Oregon (implied).

### *Stachys ciliata* Douglas ex Benth.

FPN - 408, ambiguous synonym for *Stachys mexicana*, in Oregon (implied), misapplied to *Stachys cooleyae* and synonym of *S. mexicana*; IL - 3:632, accepted, in Oregon (explicit); KZ - 1:353, accepted; PEK - 676, accepted, in Oregon (explicit).

---

## Literature cited for *Stachys*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. and H.L. Chambers. 1997A. Hedgenettles for the Oregon Flora Checklist. Oregon Flora Newsletter 3(1):4.

Epling, C. 1938. Notes on *Stachys rigida* Nutt. Madroño 4:270-272.

# Thymus

Checklist contributor: Henrietta Chambers, 2/9/1996

Flora contributor: Alexander Abair

---

## *Thymus serpyllum* L.

Common names: creeping thyme

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2018.

FPN - 409, accepted, in Oregon (implied); FPN2 - 488, accepted, not in Oregon, in genus desc.; IL - 3:659, accepted, in Oregon (explicit);

PEK - 680, accepted, in Oregon (explicit); VP - 4:279, accepted, in Oregon (implied).

---

# Trichostema

Checklist contributor: Henrietta Chambers, 2/13/1996

Flora contributor: Alexander Abair

---

## *Trichostema lanatum* Benth.

Common names: woolly bluecurls

Origin: exotic, not naturalized

Voucher: SOC, most recently collected in 1939.

---

## *Trichostema lanceolatum* Benth.

Common names: vinegar weed, terpetine weed, camphor weed, bluecurls

Origin: native

Voucher: OSU, most recently collected in 2016.

FPN - 409, accepted, in Oregon (implied); FPN2 - 489, accepted, in Oregon (explicit); ; IL - 3:619, accepted, in Oregon (explicit); JPM - 732, accepted, in Oregon (explicit); JPM2 - 860, accepted, in Oregon (explicit); PEK - 671, accepted, in Oregon (explicit); VP - 4:280, accepted, in Oregon (explicit).

---

## *Trichostema oblongum* Benth.

Common names: mountain bluecurls, downy bluecurls, oblong bluecurls

Origin: native

Voucher: OSU, most recently collected in 2007.

FPN - 409, accepted, given distribution: Wn and adj Ida to Cal and w Nev; FPN2 - 489, accepted, in Oregon (explicit); ; IL - 3:618, accepted, in Oregon (implied); JPM - 734, accepted, in Oregon (implied); JPM2 - 860, accepted, in Oregon (implied); PEK - 671, accepted, in Oregon (explicit); VP - 4:280, accepted, in Oregon (explicit).

---

## *Trichostema simulatum* Jeps.

Common names: Siskiyou bluecurls

Origin: native

Voucher: OSU, most recently collected in 1967.

IL - 3:619, accepted, in Oregon (explicit); JPM - 734, accepted, in Oregon (explicit); JPM2 - 860, accepted, in Oregon (explicit).

Synonyms:

### *Trichostemma simulans* Jeps.

orthographic variant

PEK - 671, accepted, in Oregon (explicit).

---

## Literature cited for Trichostema

(Excluding the standard references unless specifically cited in the flora manuscript.)

Lewis, H. 1945. A revision of the genus Trichostema. Brittonia 5:276-303.

---



---

## Excluded names:

---

### ***Salvia pratensis* L.**

FPN - 407, accepted, in Oregon (implied); FPN2 - 487, accepted, given distribution: uncommon in our area, most reports are misidentifications of other spp., ; VP - 4:270, accepted, not in Oregon.

### ***Satureja acinos* (L.) Scheele**

FPN - 407, accepted, in Oregon (implied).

### ***Scutellaria angustifolia* Pursh var. *canescens* A. Gray**

Epling, 1942 - accepted, not in Oregon; Olmstead, 1990 - accepted, not in Oregon; PEK - 672, accepted, in Oregon (explicit).

### ***Teucrium canadense* L. var. *occidentale* (A. Gray) E.M. McClint. & Epling**

FPN - 409, accepted, in Oregon (implied), occ. in our range; FPN2 - 488, accepted, not in Oregon, ; IN - 4:304, accepted, in Oregon (implied).

Synonyms:

***Teucrium canadense* L. ssp. *occidentale* (A. Gray) W.A. Weber**

VP - 4:279, accepted, in Oregon (explicit).

***Teucrium occidentale* A. Gray**

FPN - 409, synonym for *Teucrium canadense* var. *occidentale*, in Oregon (implied); IL - 3:615, accepted, in Oregon (explicit); PEK - 670, accepted, in Oregon (explicit).

### ***Trichostema laxum* A. Gray**

IL - 3:619, accepted, in Oregon (explicit); JPM - 732, accepted, not in Oregon; JPM2 - 860, accepted, not in Oregon; PEK - 671, accepted, in Oregon (explicit).

---

## Literature cited for Lamiaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

---

Chambers, K.L. and H.L. Chambers. 1997A. Hedgenettles for the Oregon Flora Checklist. Oregon Flora Newsletter 3(1):4.

Cronquist, A. 1943. The legitimacy of *Thalictrum polycarpum* Wats. Madroño 7(3):81.

Epling, C. 1925. Monograph of the genus *Monardella*. Annals of the Missouri Botanical Garden 12:1-106.

Epling, C. 1938. Notes on *Stachys rigida* Nutt. Madroño 4:270-272.

Epling, C. 1942. The American species of *Scutellaria*. University of California Publications in Botany 20:1-146.

Gleason, H.A. and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. 2nd Ed. The New York Botanical Garden, NY.

Halse, R.R. 1992A. Noteworthy collections - Oregon. Madroño 39(2):159.

Jokerst, J.D. 1992. *Pogogyne floribunda* (Lamiaceae), a new species from the Great Basin in northeastern California. Aliso 13(2):347-353.

Lewis, H. 1945. A revision of the genus *Trichostema*. Brittonia 5:276-303.

Lint, H. and C. Epling. 1945. A revision of *Agastache*. American Midland Naturalist 33:207-230.

McClintock, E. and C. Epling. 1942. A review of the genus *Monarda* (Labiatae). University of California Publications in Botany 20:147-194.

McClintock, E. and C. Epling. 1946. A revision of *Teucrium* in the New World, with observations on its variation, geographical distribution and history. Brittonia 5:491-510.

Nelson, J.C. 1918A. Additions to the flora of western Oregon. Torreya 18:21-35.

Olmstead, R.G. 1990. Systematics of the *Scutellaria angustifolia* complex (Labiatae). Contributions from the University of Michigan Herbarium 17:223-265.

Scora, R.W. 1967. Interspecific relationships in the genus *Monarda* (Labiatae). University of California Publications in Botany 41:1-71.

Strachan, J.L. 1982. A revision of the *Salvia dorrii* complex (Lamiaceae). Brittonia 34:151-169.

Strachan, J.L. 1983. A revision of the *Salvia dorrii* complex (Lamiaceae). Brittonia 35:170.

---

## Abbreviations Used

FN = Flora of North America

FPN = Flora of the Pacific Northwest

FOO = Flora of Oregon

GWM = Guide to the plants of the

Wallowa Mountains of northeastern

IL = An Illustrated Flora of the Pacific States

IN = Intermountain Flora

IPNI = The International Plant Names Index

JPM = The Jepson manual

KZ = A synonymized checklist...(Kartesz)

PEK = A manual of the higher plants of Oregon

PLANTS = <http://plants.usda.gov>

VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference

a+ = authority in the reference matches checklist

a± = authority abbreviation in the reference differs

sa = authority at the specific level in the reference

ssa = authority at the subspecific level in the reference