Checklist of Oregon Orchidaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds. Version 2.1 © 2023 Oregon Flora Project



Calypso

Checklist contributor: Kenton Chambers, 12/21/2000

Flora contributor: James Riser

Calypso bulbosa (L.) Oakes

FPN - 700, accepted, in Oregon (implied); GWM - 100, accepted, in Oregon (explicit); IL - 1:482, accepted, in Oregon (implied); IN - 6:565, accepted, in Oregon (implied); JPM - 1212, accepted, in Oregon (implied); Oregon Flora Project, 1999G - ; PEK - 240, accepted, in Oregon (explicit); VP - 1:828, accepted, in Oregon (implied).

Calypso bulbosa (L.) Oakes var. occidentalis (Holz.) B. Boivin

Common names: fairy slipper, calypso orchid

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 26:623, accepted, in Oregon (explicit); FOO - 1:319, accepted, in Oregon (explicit); FPN2 - 689, accepted, in Oregon (explicit), ; JPM2 - 1400, accepted, in Oregon (implied).

Literature cited for Calypso

(Excluding the standard references unless specifically cited in the flora manuscript.)

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Cephalanthera

Checklist contributor: Kenton Chambers, 11/6/1996

Flora contributor: James Riser

Cephalanthera austiniae (A. Gray) A. Heller

Common names: phantom orchid, snow orchid

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 26:584, accepted, in Oregon; FOO - 1:319, accepted, in Oregon (explicit); FPN - 701, synonym for Eburophyton austiniae, in Oregon (implied); FPN2 - 689, accepted, in Oregon (explicit), ; JPM - 1212, accepted, in Oregon (implied); JPM2 - 1400, accepted, in Oregon (implied).

Synonyms:

Eburophyton austiniae (A. Gray) A. Heller

FN - 26:584, synonym for Cephalanthera austiniae, in Oregon; FPN - 701, accepted, in Oregon (implied); GWM - 102, accepted, in Oregon (explicit); IL - 1:478, matched with Eburophyton austinae (minor spelling difference), accepted, in Oregon (implied); PEK - 239, accepted, in Oregon (explicit); VP - 1:835, accepted, in Oregon (implied).

Corallorhiza

Checklist contributor: Kenton Chambers, 12/21/2000

Flora contributor: James Riser

Corallorhiza maculata (Raf.) Raf.

Common names: spotted coralroot

Origin: native Voucher: OSU, most recently collected in 2018.

FOO - 1:320, accepted, in Oregon (explicit); FPN - 700, accepted, in Oregon (implied); GWM - 100, accepted, in Oregon (explicit); IL - 1:483, accepted, in Oregon (explicit); IN - 6:564, accepted, in Oregon (implied); JPM - 1212, accepted, in Oregon (implied); VP - 1:829, accepted, in Oregon (implied).

Synonyms:

Corallorhiza maculata (Raf.) Raf. var. immaculata M. Peck

FN - 26:637, synonym for Corallorhiza maculata var. occidentalis, in Oregon; FPN - 700, synonym for Corallorhiza maculata, in Oregon (implied); PEK - 239, accepted, in Oregon (explicit).

Corallorhiza maculata (Raf.) Raf. var. maculata

FN - 26:637, accepted, in Oregon; FPN2 - 690, accepted, in Oregon (implied), sp. Range: widespread, c BC to Newf, s to s CA, AZ, NM, IN, and GA; JPM2 - 1400, accepted, in Oregon (implied); PEK - 239, (subtaxon implied), accepted, in Oregon (explicit).

Corallorhiza maculata (Raf.) Raf. var. occidentalis (Lindl.) Ames

FN - 26:634, accepted, in Oregon; FPN2 - 690, accepted, in Oregon (implied), sp. Range: widespread, c BC to Newf, s to s CA, AZ, NM, IN, and GA; JPM2 - 1400, accepted, in Oregon (implied).

Corallorhiza mertensiana Bong.

Common names: western coralroot, Mertens' coralroot

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 26:638, accepted, in Oregon; FOO - 1:320, accepted, in Oregon (explicit); FPN - 700, accepted, in Oregon (implied); FPN2 - 690, accepted, in Oregon (implied), ; GWM - 100, accepted, in Oregon (explicit); IL - 1:484, matched with Corallorrhiza mertensiana (minor spelling difference), accepted, in Oregon (implied); JPM - 1212, accepted, in Oregon (implied); JPM2 - 1400, accepted, in Oregon (implied); PEK - 239, accepted, in Oregon (explicit); VP - 1:829, accepted, in Oregon (implied).

Corallorhiza striata Lindl.

FOO - 1:321, accepted, in Oregon (explicit); FPN - 700, accepted, in Oregon (implied); GWM - 100, accepted, in Oregon (explicit); IL - 1:484, matched with Corallorrhiza striata (minor spelling difference), accepted, in Oregon (implied); IN - 6:564, accepted, in Oregon (implied); JPM - 1212, accepted, in Oregon (implied); JPM2 - 1400, accepted, in Oregon (implied); PEK - 238, accepted, in Oregon (explicit); VP - 1:831, accepted, in Oregon (implied).

Corallorhiza striata Lindl. var. striata

Common names: striped coralroot

Origin: native Voucher: OSU, most recently collected in 2009.

FN - 26:634, accepted, in Oregon; FOO - 1:321, accepted, in Oregon (explicit); FPN2 - 689, accepted, in Oregon (implied).

Corallorhiza striata Lindl. var. vreelandii (Rydb.) L.O. Williams

Common names: Vreeland's striped coralroot

Origin: native Voucher: OSU, most recently collected in 1982.

FN - 26:634, accepted, in Oregon; FOO - 1:321, accepted, in Oregon (explicit); FPN2 - 689, accepted, in Oregon (explicit), .

Synonyms:

Corallorhiza bigelovii S. Watson

FN - 26:634, synonym for Corallorhiza striata var. vreelandii, in Oregon; IL - 1:484, matched with Corallorrhiza bigelovii (minor spelling difference), accepted, not in Oregon.

Corallorhiza trifida Châtel.

Common names: early coralroot, northern coralroot, yellow coralroot

Origin: native Voucher: OSU, most recently collected in 1991.

FN - 26:636, accepted, in Oregon; FOO - 1:321, accepted, in Oregon (explicit); FPN - 700, accepted, in Oregon (explicit); FPN2 - 689, accepted, in Oregon (implied), ; GWM - 102, accepted, in Oregon (explicit); IN - 6:564, accepted, in Oregon (explicit); JPM - 1212, accepted, in Oregon (implied); JPM2 - 1400, accepted, in Oregon (implied); PEK - 239, accepted, in Oregon (explicit); VP - 1:831, accepted, in Oregon (explicit).

Synonyms:

Corallorhiza corallorhiza (L.) H. Karst.

FN - 26:636, synonym for Corallorhiza trifida, in Oregon; IL - 1:483, matched with Corallorrhiza corallorrhiza (minor spelling difference), accepted, not in Oregon.

Corallorhiza wisteriana Conrad

Common names: Wister's coralroot, spring coralroot

Origin: native Voucher: OSU, most recently collected in 1882.

FN - 26:636, accepted, in Oregon, no record in Oregon; FOO - 1:321, accepted, in Oregon (explicit); FPN - 700, accepted, not in Oregon; FPN2 - 689, accepted, not in Oregon, ; IN - 6:564, accepted, not in Oregon; VP - 1:831, accepted, not in Oregon.

Cypripedium

Checklist contributor: Scott Sundberg, 3/25/2002

Flora contributor: James Riser

Cypripedium californicum A. Gray

Common names: California lady slipper

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 26:503, accepted, in Oregon; FOO - 1:322, accepted, in Oregon (explicit); IL - 1:470, accepted, in Oregon (explicit); JPM - 1214, accepted, in Oregon (explicit); JPM2 - 1401, accepted, in Oregon (explicit); PEK - 235, accepted, in Oregon (explicit).

Cypripedium fasciculatum Kellogg ex S. Watson

Common names: clustered lady slipper

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 26:501, accepted, in Oregon; FOO - 1:323, accepted, in Oregon (explicit); FPN - 701, accepted, in Oregon (implied); FPN2 - 690, accepted, in Oregon (explicit), ; GWM - 102, accepted, in Oregon (explicit); IL - 1:471, accepted, in Oregon (implied); IN - 6:548, accepted, in Oregon (implied); JPM - 1214, accepted, in Oregon (implied); JPM2 - 1401, accepted, in Oregon (implied); PEK - 235, accepted, in Oregon (explicit); VP - 1:833, accepted, in Oregon (explicit).

Cypripedium montanum Douglas ex Lindl.

Common names: mountain lady slipper

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 26:504, accepted, in Oregon; FOO - 1:323, accepted, in Oregon (explicit); FPN - 701, accepted, in Oregon (implied); FPN2 - 690, accepted, in Oregon (explicit), ; GWM - 102, accepted, in Oregon (explicit); IL - 1:471, accepted, in Oregon (implied); JPM - 1214, accepted, in Oregon (implied); JPM2 - 1401, accepted, in Oregon (implied); PEK - 234, accepted, in Oregon (explicit); VP - 1:833, accepted, in Oregon (explicit).

Literature cited for Cypripedium

(Excluding the standard references unless specifically cited in the flora manuscript.)

Cribb, P. 1997. The Genus Cypripedium. Green, P., Ed. Timber Press, Portland, OR.

Luer, C.A. 1975. The Native Orchids of the United States and Canada Excluding Florida. The New York Botanical Garden, Bronx, NY.

Epipactis

Checklist contributor: Kenton Chambers, 12/21/2000

Flora contributor: James Riser

Epipactis gigantea Douglas ex Hook.

Common names: chatterbox, giant helleborine, stream orchid

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 26:585, accepted, in Oregon; FOO - 1:323, accepted, in Oregon (explicit); FPN - 701, accepted, in Oregon (implied); FPN2 - 691, accepted, in Oregon (implied), ; IL - 1:478, accepted, in Oregon (implied); IN - 6:549, accepted, in Oregon (implied); JPM - 1214, accepted, in Oregon (implied); JPM2 - 1401, accepted, in Oregon (implied); PEK - 237, accepted, in Oregon (explicit); VP - 1:837, accepted, in Oregon (implied).

Epipactis helleborine (L.) Crantz

Common names: broad-leaved helleborine, helleborine

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2015.

FN - 26:586, accepted, in Oregon; FOO - 1:323, accepted, in Oregon (explicit); FPN - 701, accepted, not in Oregon; FPN2 - 691, accepted, in Oregon (explicit), ; JPM - 1214, accepted, not in Oregon; JPM2 - 1401, accepted, not in Oregon.

Goodyera

Checklist contributor: Kenton Chambers, 12/21/2000

Flora contributor: James Riser

Goodyera oblongifolia Raf.

Common names: giant rattlesnake plantain, Menzies' rattlesnake plantain, western rattlesnake plantain

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 26:515, accepted, in Oregon; FOO - 1:324, accepted, in Oregon (explicit); FPN - 702, accepted, in Oregon (implied); FPN2 - 691, accepted, in Oregon (implied), ; GWM - 103, accepted, in Oregon (explicit); IN - 6:554, accepted, in Oregon (implied); JPM - 1214, accepted, in Oregon (implied); JPM2 - 1401, accepted, in Oregon (implied); PEK - 237, accepted, in Oregon (explicit); VP - 1:838, accepted, in Oregon (implied).

Synonyms:

Peramium decipiens (Hook.) Piper

FN - 26:515, synonym for Goodyera oblongifolia, in Oregon; IL - 1:481, accepted, in Oregon (implied).

Neottia

Checklist contributor:

Flora contributor: James Riser

Neottia banksiana Rchb.f.

Common names: northwestern twayblade

Origin: native Voucher: OSU, most recently collected in 2013.

FOO - 1:324, accepted, in Oregon (explicit); FPN2 - 692, accepted, in Oregon (implied),

Synonyms:

Listera banksiana Lindl.

JPM2 - 1402, accepted, in Oregon (implied).

Listera caurina Piper

FN - 26:591, accepted, in Oregon; FPN - 704, accepted, in Oregon (implied); GWM - 105, accepted, in Oregon (explicit); JPM - 1215, accepted, in Oregon (implied); PEK - 238, accepted, in Oregon (explicit); VP - 1:852, accepted, in Oregon (implied).

Ophrys caurina (Piper) Rydb.

FN - 26:591, synonym for Listera caurina, in Oregon; IL - 1:480, accepted, in Oregon (explicit).

Neottia borealis (Morong) Szlach.

Common names: northern twayblade

Origin: native Voucher: OSU, most recently collected in 2010.

FOO - 1:324, accepted, in Oregon (explicit); FPN2 - 692, accepted, in Oregon (explicit), .

Synonyms:

Listera borealis Morong

FN - 26:590, accepted, in Oregon; FPN - 704, accepted, not in Oregon; GWM - 105, accepted, in Oregon (explicit); IN - 6:550, accepted, not in Oregon; VP - 1:851, accepted, not in Oregon.

Neottia convallarioides (Sw.) Rich.

Common names: broad-lipped twayblade

Origin: native Voucher: OSU, most recently collected in 2010.

FOO - 1:324, accepted, in Oregon (explicit); FPN2 - 692, accepted, in Oregon (implied), .

Synonyms:

Listera convallarioides (Sw.) Nutt. ex Elliott

FN - 26:590, accepted, in Oregon; FPN - 704, accepted, in Oregon (explicit); GWM - 105, accepted, in Oregon (explicit); IN - 6:550, accepted, in Oregon (implied); JPM - 1215, accepted, in Oregon (implied); JPM2 - 1402, accepted, in Oregon (implied); PEK - 238, accepted, in Oregon (explicit); VP - 1:852, accepted, in Oregon (implied).

Ophrys convallarioides (Sw.) W. Wight

FN - 26:590, synonym for Listera convallarioides, in Oregon; IL - 1:480, accepted, in Oregon (implied).

Neottia cordata (L.) Rich.

Common names: western heart-leaved twayblade

Origin: native Voucher: OSU, most recently collected in 2018.

FOO - 1:325, accepted, in Oregon (explicit); FPN2 - 692, accepted, in Oregon (implied), .

Synonyms:

Listera cordata (L.) R. Br.

FPN - 704, accepted, in Oregon (explicit); GWM - 105, accepted, in Oregon (explicit); IN - 6:552, accepted, in Oregon (implied); JPM - 1215, accepted, in Oregon (implied); JPM2 - 1402, accepted, in Oregon (implied); PEK - 238, accepted, in Oregon (explicit); VP - 1:852, accepted, in Oregon (implied).

Listera cordata (L.) R. Br. var. cordata

FN - 26:588, accepted, not in Oregon; KZ - 1:408, accepted.

Listera cordata (L.) R. Br. var. nephrophylla (Rydb.) Hultén

FN - 26:589, accepted, in Oregon; KZ - 1:408, accepted.

Ophrys cordata L.

FN - 26:588, synonym for Listera cordata, in Oregon; IL - 1:480, accepted, in Oregon (explicit).

Platanthera

Checklist contributor: Kenton Chambers, 12/21/2000

Flora contributor: James Riser

Platanthera aquilonis Sheviak

Common names: northern green bog orchid

Origin: native Voucher: OSU, most recently collected in 1989.

FOO - 1:326, accepted, in Oregon (explicit); FPN2 - 694, accepted, in Oregon (explicit), .

Platanthera dilatata (Pursh) Lindl. ex Beck var. albiflora (Cham.) Ledeb.

Common names: short-spurred bog orchid

Origin: native Voucher: OSU, most recently collected in 1996.

FN - 26:557, accepted, in Oregon; FOO - 1:326, accepted, in Oregon (explicit); FPN2 - 694, accepted, given distribution: largely RM, rarely w to coast, .

Synonyms:

Habenaria dilatata (Pursh) Hook. var. albiflora (Cham.) Correll

FN - 26:557, synonym for Platanthera dilatata var. albiflora, in Oregon; FPN - 703, accepted, not in Oregon; IN - 6:558, accepted, in Oregon (implied); PEK - 236, accepted, in Oregon (explicit); VP - 1:843, accepted.

Platanthera dilatata (Pursh) Lindl. ex Beck var. dilatata

Common names: white bog orchid, bog candles, rein orchid

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 26:557, accepted, not in Oregon, not in Oregon; FOO - 1:327, accepted, in Oregon (explicit); FPN2 - 694, accepted, in Oregon (implied), .

Synonyms:

Habenaria dilatata (Pursh) Hook. var. dilatata

FPN - 703, accepted, in Oregon (implied); IN - 6:558, accepted, in Oregon (implied), implied; PEK - 236, (subtaxon implied), accepted, in Oregon (explicit); VP - 1:843, accepted, implied.

Limnorchis dilatata (Pursh) Rydb.

FN - 26:556, synonym for Platanthera dilatata, in Oregon; IL - 1:473, accepted, in Oregon (explicit).

Platanthera dilatata (Pursh) Lindl. ex Beck var. leucostachys (Lindl.) Luer

Common names: long-spurred bog orchid, Sierra rein orchid

Origin: native Voucher: OSU, most recently collected in 2021.

FN - 26:557, accepted, in Oregon; FOO - 1:327, accepted, in Oregon (explicit); FPN2 - 694, accepted, in Oregon (implied), ; JPM2 - 1405, accepted, in Oregon (implied).

Synonyms:

Habenaria dilatata (Pursh) Hook. var. leucostachys (Lindl.) Ames

FN - 26:557, synonym for Platanthera dilatata var. leucostachys, in Oregon; FPN - 703, accepted, in Oregon (implied);

IN - 6:558, accepted, in Oregon (implied); PEK - 236, accepted, in Oregon (explicit); VP - 1:843, accepted.

Habenaria leucostachys (Lindl.) S. Watson

FN - 26:557, synonym for Platanthera dilatata var. leucostachys, in Oregon; GWM - 104, accepted, in Oregon (explicit).

Limnorchis leucostachys (Lindl.) Rydb. var. leucostachys

IL - 1:474, accepted, in Oregon (implied), var. implied in IL.

Limnorchis leucostachys (Lindl.) Rydb. var. robusta Rydb.

IL - 1:474, accepted, in Oregon (explicit).

Platanthera leucostachys Lindl.

FN - 26:557, synonym for Platanthera dilatata var. leucostachys, in Oregon; JPM - 1216, accepted, in Oregon (implied);

KZ - 1:410, accepted.

Platanthera elegans Lindl.

Common names: elegant rein orchid, hillside rein orchid

Origin: native Voucher: OSU, most recently collected in 2020.

FOO - 1:327, accepted, in Oregon (explicit).

Synonyms:

Habenaria elegans (Lindl.) Bol.

Habenaria greenei Jeps.

FN - 26:573, synonym for Piperia elegans ssp. elegans, in Oregon; FPN - 703, accepted, in Oregon (explicit); PEK - 236, accepted, in Oregon (explicit); VP - 1:845, accepted, in Oregon (explicit).

Habenaria unalascensis (Spreng.) S. Watson var. elata (Jeps.) Correll

in part

Piperia elegans (Lindl.) Rydb.

in part

FN - 26:573, accepted, in Oregon.

Piperia elegans (Lindl.) Rydb. ssp. elegans

FN - 26:573, accepted, in Oregon; JPM2 - 1404, accepted, in Oregon (implied).

Piperia maritima (Greene) Rydb.

FN - 26:573, synonym for Piperia elegans ssp. elegans, in Oregon; IL - 1:477, accepted, not in Oregon.

Piperia multiflora Rydb.

FN - 26:573, synonym for Piperia elegans ssp. elegans, in Oregon; IL - 1:476, accepted, in Oregon (implied).

Platanthera elegans Lindl. ssp. elegans

FPN2 - 693, accepted, in Oregon (explicit).

Platanthera elongata (Rydb.) R.M. Bateman

Common names: long-spurred piperia, chaparral orchid, wood rein orchid

Origin: native Voucher: OSU, most recently collected in 2018.

FOO - 1:328, accepted, in Oregon (explicit); FPN2 - 693, accepted, in Oregon (implied), .

Synonyms:

Habenaria elegans (Lindl.) Bol.

in part

Habenaria unalascensis (Spreng.) S. Watson var. elata (Jeps.) Correll

in part

Piperia elegans (Lindl.) Rydb.

in part

Piperia elongata Rydb.

FN - 26:576, accepted, in Oregon; FPN - 702, synonym for Habenaria elegans, in Oregon (implied); JPM - 1215, accepted, in Oregon (implied); JPM2 - 1404, accepted, in Oregon (implied).

Platanthera ephemerantha R.M. Bateman

Common names: white-flowered piperia

Origin: native Voucher: OSU, most recently collected in 1998.

FOO - 1:328, accepted, in Oregon (explicit); FPN2 - 693, accepted, in Oregon (implied), .

Synonyms:

Habenaria unalascensis (Spreng.) S. Watson

in part

Piperia candida Rand. Morgan & Ackerman

FN - 26:574, accepted, in Oregon; JPM - 1215, accepted, in Oregon (implied); JPM2 - 1404, accepted, in Oregon (implied).

Platanthera huronensis (Nutt.) Lindl.

Common names: green bog orchid

Origin: native Voucher: OSU, most recently collected in 2002.

FN - 26:558, accepted, in Oregon; FOO - 1:328, accepted, in Oregon (explicit); FPN2 - 694, accepted, in Oregon (explicit), .

Synonyms:

Platanthera hyperborea (L.) Lindl.

FN - 26:559, accepted, not in Oregon, only in Greenland and Iceland; JPM - 1216, accepted, in Oregon (implied).

Misapplied names:

Habenaria hyperborea (L.) R. Br.

FN - 26:558, synonym for Platanthera huronensis, not in Oregon, misapplied in Oregon; FPN - 704, accepted, in Oregon (implied); GWM - 104, accepted, in Oregon (explicit); IL - 1:472, accepted; IN - 6:558, accepted, in Oregon (implied); JPM - 1216, synonym for Platanthera hyperborea; PEK - 235, accepted, in Oregon (explicit); VP - 1:845, accepted, in Oregon (implied).

Platanthera obtusata (Banks ex Pursh) Lindl.

Common names: small northern bog orchid, blunt-leafed rein orchid

Origin: native Voucher: OSU, most recently collected in 2001.

FN - 26:556, accepted, in Oregon; FOO - 1:328, accepted, in Oregon (explicit).

Synonyms:

Habenaria obtusata (Banks ex Pursh) Richardson

FN - 26:556, synonym for Platanthera obtusata, in Oregon; FPN - 702, accepted, in Oregon (explicit); GWM - 104, accepted, in Oregon (explicit); IN - 6:556, accepted, in Oregon (explicit); PEK - 236, accepted, in Oregon (explicit); VP - 1:845, accepted, in Oregon (explicit).

Platanthera obtusata (Banks ex Pursh) Lindl. ssp. obtusata

FPN2 - 693, accepted, in Oregon (explicit), .

Platanthera sparsiflora (S. Watson) Schltr.

Common names: sparse-flowered bog orchid, few-flowered rein orchid

Origin: native Voucher: OSU, most recently collected in 2006.

FN - 26:561, accepted, in Oregon; FOO - 1:328, accepted, in Oregon (explicit); FPN2 - 694, accepted, in Oregon (explicit), ; JPM - 1216, accepted, in Oregon (implied); JPM2 - 1405, accepted, in Oregon (explicit).

Synonyms:

Habenaria dilatata (Pursh) Hook.

in part

Habenaria dilatata (Pursh) Hook. var. laxiflora (Rydb.) Correll ex M. Peck

illegitimate name

PEK - 236, accepted, in Oregon (explicit).

Habenaria sparsiflora S. Watson

FN - 26:561, synonym for Platanthera sparsiflora, in Oregon; FPN - 704, accepted, in Oregon (explicit); GWM - 104, accepted, in Oregon (explicit); PEK - 236, accepted, in Oregon (explicit); VP - 1:848, accepted, in Oregon (explicit).

Habenaria sparsiflora S. Watson var. laxiflora (Rydb.) Correll

FN - 26:561, synonym for Platanthera sparsiflora, in Oregon; IN - 6:558, accepted, in Oregon (implied).

Habenaria sparsiflora S. Watson var. sparsiflora

IN - 6:558, accepted, in Oregon (explicit); KZ - 1:410, accepted.

Limnorchis sparsiflora (S. Watson) Rydb.

FN - 26:561, synonym for Platanthera sparsiflora, in Oregon; IL - 1:473, accepted, in Oregon (explicit).

Platanthera stricta Lindl.

Common names: slender bog orchid

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 26:561, accepted, in Oregon; FOO - 1:328, accepted, in Oregon (explicit); FPN2 - 694, accepted, in Oregon (explicit), ; JPM - 1216, accepted, in Oregon (implied); JPM2 - 1405, accepted, in Oregon (implied).

Synonyms:

Habenaria saccata Greene

FN - 26:560, synonym for Platanthera stricta, in Oregon; FPN - 703, accepted, in Oregon (implied); GWM - 104, accepted, in Oregon (explicit); IN - 6:561, accepted, in Oregon (implied); PEK - 235, accepted, in Oregon (explicit); VP - 1:846, accepted, in Oregon (implied).

Limnorchis stricta (Lindl.) Rvdb.

FN - 26:560, synonym for Platanthera stricta, in Oregon; IL - 1:472, accepted, in Oregon (explicit).

Misapplied names:

Limnorchis viridiflora (Cham.) Rydb.

IL - 1:472, accepted, not in Oregon.

Platanthera transversa (Suksd.) R.M. Bateman

Common names: flat-spurred piperia, Suksdorf's piperia

Origin: native Voucher: OSU, most recently collected in 2015.

FOO - 1:329, accepted, in Oregon (explicit); FPN2 - 693, accepted, in Oregon (explicit),

Synonyms:

Habenaria elegans (Lindl.) Bol.

in part

Habenaria unalascensis (Spreng.) S. Watson var. elata (Jeps.) Correll

in par

Piperia transversa Suksd.

FN - 26:573, accepted, in Oregon; FPN - 702, synonym for Habenaria elegans, in Oregon (implied); JPM - 1216, accepted, in Oregon (implied); JPM2 - 1404, accepted, in Oregon (implied).

Platanthera unalascensis (Spreng.) Kurtz

Common names: Alaska rein orchid, short-spurred piperia

Origin: native Voucher: OSU, most recently collected in 2018.

FOO - 1:329, accepted, in Oregon (explicit); FPN2 - 693, accepted, in Oregon (implied), .

Synonyms:

Habenaria unalascensis (Spreng.) S. Watson

in part

FPN - 702, accepted, in Oregon (implied); PEK - 236, matched with Habenaria unalaschensis (minor spelling difference), accepted, in Oregon (explicit).

Piperia unalascensis (Spreng.) Rydb.

FN - 26:575, accepted, in Oregon; IL - 1:474, matched with Piperia unalaschensis (minor spelling difference), accepted, in Oregon (implied); JPM - 1216, accepted, in Oregon (implied); JPM2 - 1404, accepted, in Oregon (implied).

Spiranthes

Checklist contributor: Kenton Chambers, 12/21/2000

Flora contributor: James Riser

Spiranthes porrifolia Lindl.

Common names: western ladies tresses

Origin: native Voucher: OSU, most recently collected in 1993.

FN - 26:544, accepted, in Oregon; FOO - 1:330, accepted, in Oregon (explicit); FPN - 705, synonym for Spiranthes romanzoffiana var. porrifolia, in Oregon (explicit); FPN2 - 695, accepted, in Oregon (explicit), ; IL - 1:479, accepted, in Oregon (implied); JPM - 1216, accepted, in Oregon (implied); JPM2 - 1405, accepted, in Oregon (implied); PEK - 237, accepted, in Oregon (explicit).

Synonyms:

Spiranthes romanzoffiana Cham. var. porrifolia (Lindl.) Ames & Correll

FPN - 705, accepted, in Oregon (explicit); IN - 6:554, accepted, in Oregon (explicit); VP - 1:855, accepted, in Oregon (explicit).

Spiranthes romanzoffiana Cham.

Common names: hooded ladies tresses

Origin: native Voucher: OSU, most recently collected in 1998.

Brown, Dueck & Cameron, 2008 - accepted; FOO - 1:330, accepted, in Oregon (explicit).

Synonyms:

Spiranthes romanzoffiana Cham. var. romanzoffiana

Spiranthes stellata P.M. Brown, L.A. Dueck & K.M. Cameron

Common names: starry ladies tresses

Origin: native Voucher: OSU, most recently collected in 2021.

Brown, Dueck & Cameron, 2008 - accepted, in Oregon (explicit); FOO - 1:330, accepted, in Oregon (explicit); FPN2 - 695, accepted, in Oregon (explicit), .

Misapplied names:

Spiranthes romanzoffiana Cham.

Spiranthes romanzoffiana Cham. var. romanzoffiana

Literature cited for Spiranthes

(Excluding the standard references unless specifically cited in the flora manuscript.)

Brown, P.M., L.A. Dueck, and K.M. Cameron. 2008. Spiranthes stellata (Orchidaceae), a new species of ladies'-tresses from the western United States. North American Native Orchid Journal 14(1):3-21.

Excluded names:

Cypripedium calceolus L.

FPN - 701, accepted, in Oregon (explicit); IN - 6:548, accepted, in Oregon (explicit); VP - 1:832, accepted, in Oregon (explicit).

Malaxis monophyllos (L.) Sw. ssp. brachypoda (A. Gray) Á. Löve & D. Löve

FN - 26:629, excluded, not in Oregon; JPM - 1215, accepted, in Oregon (implied).

Synonyms:

Malaxis monophyllos (L.) Sw. var. brachypoda (A. Gray) F. Morris & E.A. Eames

FPN2 - 692, accepted, not in Oregon, ; JPM2 - 1402, accepted, in Oregon (implied).

Piperia leptopetala Rvdb.

FN - 26:577, accepted, not in Oregon, not in Oregon; IL - 1:475, accepted, in Oregon (implied); JPM - 1216, accepted, in Oregon (implied); JPM2 - 1404, accepted, in Oregon (implied).

Piperia michaeli (Greene) Rydb.

IL - 1:477, accepted, in Oregon (implied).

Platanthera orbiculata (Pursh) Lindl.

FN - 26:555, accepted, in Oregon; FPN2 - 693, accepted, not in Oregon, .

Synonyms:

Habenaria orbiculata (Pursh) Torr.

FN - 26:555, synonym for Platanthera orbiculata, in Oregon; FPN - 702, accepted, in Oregon (explicit); VP - 1:846, accepted, in Oregon (explicit).

Literature cited for Orchidaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Ackerman, J.D. and M.R. Mesler. 1979. Pollination biology of Listera cordata (Orchidaceae). American Journal of Botany 66:820-824.

Bateman, R.M., P.M. Hollingsworth, J. Preston, L. Yi-bo, A.M. Pridgeon, and M.W. Chase. 2003. Molecular phylogenetics and evolution of Orchidinae and selected Habenariinae (Orchidaeae). Botanical Journal of the Linnean Society 142:1-40.

Brown, P.M., L.A. Dueck, and K.M. Cameron. 2008. Spiranthes stellata (Orchidaceae), a new species of ladies'-tresses from the western United States. North American Native Orchid Journal 14(1):3-21.

Cribb, P. 1997. The Genus Cypripedium. Green, P., Ed. Timber Press, Portland, OR.

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Luer, C.A. 1975. The Native Orchids of the United States and Canada Excluding Florida. The New York Botanical Garden, Bronx, NY.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon

GWM = Guide to the plants of the Wallowa Mountains of northeastern IN = Intermountain Flora

PLANTS = http://plants.usda.gov IPNI = The International Plant Names Index VP = Vascular Plants of the Pacific Northwest

KZ = A synonymized checklist...(Kartesz)

JPM = The Jepson manual

a- = no authority given in the reference a+ = authority in the reference matches checklist IL = An Illustrated Flora of the Pacific States PEK = A manual of the higher plants of Oregon a± = authority abbreviation in the reference differs sa = authority at the specific level in the reference ssa = authority at the subspecific level in the reference