Checklist of Oregon Amaranthaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Allenrolfea

Checklist contributor: Richard Halse, 11/6/1996
Flora of Oregon author: Bridget Chipman

Allenrolfea occidentalis (S. Watson) Kuntze

Common names: iodine bush
Origin: native Voucher: OSC, most recently collected in 2017
FN 4:321; FOO 2:64; FPN 93; FPN2 358; IL 2:91; IN 2a:532; JPM 501; JPM2 630; PEK 291.

Amaranthus

Checklist contributor: Scott Sundberg, Henrietta Chambers, 4/17/2006
Flora of Oregon author: Bridget Chipman

Amaranthus albus L.

Common names: white pigweed, tumbling pigweed
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FN 4:434-435; FOO 2:65; FPN 102; FPN2 360; IL 2:99 synonym for *Amaranthus graecizans*; IN 2a:560; JPM 132; JPM2 167; VP 2:217.

Amaranthus blitoides S. Watson

Common names: prostrate pigweed, tumbleweed amaranth
Origin: uncertain Voucher: OSC, most recently collected in 2018
FN 4:434; FOO 2:65; FPN 102 synonym for *Amaranthus graecizans*; FPN2 360; IL 2:99; IN 2a:558; JPM 132; JPM2 167; PEK 293.

Misapplied names:

***Amaranthus graecizans* L.**

FN 4:433; FPN 102; IL 2:99; JPM 132 synonym for *Amaranthus blitoides*; PEK 293; VP 2:217.

Amaranthus californicus (Moq.) S. Watson

Common names: California amaranth
Origin: native Voucher: OSC, most recently collected in 2016
FN 4:431; FOO 2:65; FPN 102; FPN2 360; IL 2:99; IN 2a:558; JPM 132; JPM2 167; PEK 293; VP 2:217.

Amaranthus deflexus L.

Common names: largefruit amaranth
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1915
FN 4:430; FOO 2:64 uncertain status; FPN2 360; IL 2:99; IN 2a:560; JPM 132; JPM2 167.

Amaranthus hybridus L.

Common names: slim amaranth, slender pigweed
Origin: uncertain Voucher: OSC, most recently collected in 2020
FN 4:423; FOO 2:66; FPN2 361; IL 2:98; IN 2a:554; JPM 132; JPM2 167.

Amaranthus hypochondriacus L.

Common names: prince's-feather
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2002
FN 4:424; FOO 2:64 uncertain status; FPN2 361; IL 2:98 synonym for *Amaranthus hybridus*; IN 2a:555; JPM2 167.

Amaranthus palmeri S. Watson

Common names: Palmer's amaranth
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2023

Amaranthus powellii S. Watson

Common names: Powell's amaranth

Origin: native Voucher: OSC, most recently collected in 2021

FN 4:424; FOO 2:66; FPN 102; FPN2 361; IL 2:98 synonym for *Amaranthus retroflexus*; IN 2a:552; JPM 132; JPM2 167; VP 2:219.

Amaranthus retroflexus L.

Common names: redroot amaranth, rough pigweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:421; FOO 2:66; FPN 102; FPN2 361; GWM 131; IL 2:98; IN 2a:552; JPM 134; JPM2 167; PEK 293; VP 2:219.

Amaranthus viridis L.

Common names: slender amaranth

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1911

FN 4:429; FOO 2:64 uncertain status.

Atriplex

Checklist contributor: Henrietta Chambers, 3/16/2001

Flora of Oregon author: Bridget Chipman

Atriplex argentea Nutt.

FN 4:350; FPN 96; IL 2:79; IN 2a:511; JPM 503; PEK 289; VP 2:185.

Atriplex argentea Nutt. var. *hillmanii* M.E. Jones

Common names: Hillman's silverscale

Origin: native Voucher: OSC, most recently collected in 2006

FN 4:351; FOO 2:68; FPN 96; FPN2 361; IL 2:79; JPM 503; JPM2 633.

Atriplex canescens (Pursh) Nutt.

FN 4:379; FPN 95; IL 2:87; IN 2a:522; JPM 503; PEK 290.

Atriplex canescens (Pursh) Nutt. var. *canescens*

Common names: four-winged saltbush, shadscale

Origin: native Voucher: OSC, most recently collected in 2016

FN 4:379; FOO 2:68; FPN 95; FPN2 361; JPM2 633; VP 2:186.

Synonyms:

Atriplex canescens* (Pursh) Nutt. ssp. *canescens

FN 4:379 synonym for *Atriplex canescens* var. *canescens*; FOO 2:68 synonym for *Atriplex canescens var. canescens*; JPM 503.

Atriplex confertifolia (Torr. & Frém.) S. Watson

Common names: spiny saltbush, sheepfat

Origin: native Voucher: OSC, most recently collected in 2023

FN 4:376; FOO 2:68; FPN 94; FPN2 362; IL 2:87; IN 2a:524; JPM 503; JPM2 633; PEK 289; VP 2:186.

Atriplex dioica Raf.

Common names: rillscale, thickleaf orache

Origin: native Voucher: OSC, most recently collected in 2023

FN 4:336; FOO 2:69; FPN 95; FPN2 363; IN 2a:506; JPM2 634; VP 2:188.

Atriplex gardneri (Moq.) D. Dietr.

FN 4:371; IN 2a:518.

Atriplex gardneri (Moq.) D. Dietr. var. ***falcata*** (M.E. Jones) S.L. Welsh

Common names: Nuttall's saltbush

Origin: native Voucher: OSC, most recently collected in 2007

FN 4:373; FOO 2:69; FPN2 361; JPM 504; JPM2 634.

Synonyms:

***Atriplex nuttallii* S. Watson var. *falcata* M.E. Jones**

FN 4:373 synonym for *Atriplex gardneri* var. *falcata*; FOO 2:69 synonym for *Atriplex gardneri var. falcata*; FPN 95; IL 2:87; PEK 289; VP 2:189.

Atriplex gmelinii C.A Meyer

FN 4:333; FPN 96 synonym for *Atriplex patula* var. *obtusa*; IL 2:78; PEK 288.

Atriplex gmelinii C.A Meyer var. ***gmelinii***

Common names: Gmelin's saltbush

Origin: native Voucher: OSC, most recently collected in 2023

FN 4:334; FOO 2:69; FPN2 362; IL 2:78; JPM2 634.

Synonyms:

***Atriplex patula* L. var. *obtusa* (Cham.) C.L. Hitchc.**

FN 4:334 synonym for *Atriplex gmelinii* var. *gmelinii*; FOO 2:69 synonym for *Atriplex gmelinii var. gmelinii*; FPN 96; JPM 505; VP 2:191.

Atriplex hortensis L.

Common names: orache, garden orache

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2009

FN 4:332; FOO 2:69; FPN 95; FPN2 362; IL 2:77; IN 2a:504; JPM 504; JPM2 634; PEK 288; VP 2:188.

Atriplex hymenelytra (Torr.) S. Watson

Common names: desert-holly

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 1950

FOO 2:67 uncertain status; IN 2a:526; JPM2 634.

Atriplex micrantha Ledeb.

Common names: twoscale saltbush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2011

FOO 2:70; IN 2a:505; JPM2 634; KZ 1:208.

Synonyms:

***Atriplex heterosperma* Bunge**

FN 4:336; FOO 2:70 synonym for *Atriplex micrantha*; FPN 95; FPN2 362; JPM 504.

Atriplex oblongifolia Waldst. & Kit.

Common names: oblongleaf orache

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FPN2 362.

Atriplex patula L.

Common names: spear orache, spearscale

Origin: native Voucher: OSC, most recently collected in 2010

FN 4:333; FOO 2:70; FPN 95; FPN2 362; IL 2:78; IN 2a:506; JPM 504; JPM2 636; PEK 288.

Synonyms:

Atriplex patula* L. var. *patula

FN 4:333 synonym for *Atriplex patula*; FOO 2:70 synonym for *Atriplex patula*; FPN 96; JPM 505; KZ 1:209; VP 2:191.

Atriplex powellii S. Watson

Common names: Powell's saltweed

Origin: native Voucher: OSC, most recently collected in 2004

FN 4:3522; FOO 2:70; FPN 96; FPN2 361; IN 2a:512.

Synonyms:

Atriplex powellii* S. Watson var. *powellii

FN 4:353; FOO 2:70 synonym for *Atriplex powellii*.

Atriplex prostrata DC.

Common names: fat hen, thinleaf orache

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:337; FOO 2:71; FPN2 362; IN 2a:507; JPM2 636.

Synonyms:

***Atriplex hastata* L.**

FOO 2:71 synonym for *Atriplex prostrata*; FPN 96 synonym for *Atriplex patula* var. *hastata*; IL 2:78; PEK 288.

***Atriplex patula* L. var. *hastata* (L.) A. Gray**

FOO 2:71 synonym for *Atriplex prostrata*; FPN 96; IL 2:78 synonym for *Atriplex hastata*; VP 2:191.

Atriplex pusilla (Torr.) S. Watson

Common names: dwarf orache

Origin: native Voucher: OSC, most recently collected in 1984

FN 4:356; FOO 2:71; FPN 96; FPN2 361; IL 2:83; IN 2a:514; JPM 505; JPM2 636; PEK 289.

Atriplex rosea L.

Common names: red orache, tumbling orache

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 4:340; FOO 2:71; FPN 96; FPN2 362; IL 2:79; IN 2a:508; JPM 505; JPM2 636; PEK 289; VP 2:191.

Atriplex truncata (Torrey) A. Gray

Common names: wedgescale orache, truncate saltbrush

Origin: native Voucher: OSC, most recently collected in 2013

FN 4:354; FOO 2:72; FPN 96; FPN2 362; IL 2:79; IN 2a:512; JPM 505; JPM2 638; PEK 289; VP 2:191; Welsh, 2000 .

Bassia

Checklist contributor: Richard Halse, 11/6/1996

Flora of Oregon author: Bridget Chipman

Bassia hyssopifolia (Pall.) Kuntze

Common names: fivehook bassia, hyssop bassia

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2004

FN 4:310; FOO 2:72; FPN 97; FPN2 363; IL 2:90 synonym for *Echinopsilon hyssopifolium*; IN 2a:538; JPM 506; JPM2 638; VP 2:192.

Synonyms:

***Echinopsilon hyssopifolium* (Pall.) Moq.**

FN 4:310 synonym for *Bassia hyssopifolia*; FOO 2:72 synonym for *Bassia hyssopifolia*; IL 2:90; PEK 287.

Bassia scoparia (L.) A.J. Scott

Common names: mock cypress, burning bush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FOO 2:72; FPN2 363.

Synonyms:

***Chenopodium scoparium* L.**

***Kochia scoparia* (L.) Schrad.**

FN 4:311; FOO 2:72 synonym for *Bassia scoparia*; FPN 100; JPM 511; VP 2:207.

Kochia scoparia* (L.) Schrad. ssp. *scoparia

FN 4:309; FOO 2:72 synonym for *Bassia scoparia*.

Beta

Checklist contributor: Richard Halse, 11/6/1996

Flora of Oregon author: treatment pending

Beta vulgaris L.

Common names: beet, garden beet

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FN 4:266; FOO 2:62 uncertain status; IL 2:68; IN 2a:473; JPM 506.

Synonyms:

Beta vulgaris* L. ssp. *vulgaris

FN 4:266; FPN2 359.

Blitum

Checklist contributor:

Flora of Oregon author: Bridget Chipman

Blitum nuttallianum Schult.

Common names: Nuttall's povertyweed

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:73; FPN2 363.

Synonyms:

***Monolepis nuttalliana* (Schult.) Greene**

FN 4:301; FOO 2:73 synonym for *Blitum nuttallianum*; FPN 100; GWM 130; IL 2:74; IN 2a:488; JPM 512; JPM2 645; PEK 286; VP 2:208.

Blitum spathulatum (A.Gray) S.Fuentes

Common names: prostrate povertyweed, beaver povertyweed

Origin: native Voucher: OSC, most recently collected in 2016

FOO 2:73; FPN2 363.

Synonyms:

***Monolepis spathulata* A. Gray**

FN 4:301; FOO 2:73 synonym for *Blitum spathulatum*; FPN 93; IL 2:75; JPM 512; JPM2 645; PEK 286; VP 2:208.

Chenopodium

Checklist contributor: Henrietta Chambers, 2/12/2001

Flora of Oregon author: Bridget Chipman

Chenopodium album L.

sensu stricto,

Common names: lamb's quarters, pigweed

Origin: exotic, naturalized

FN 4:297; FOO 2:75; IL 2:70; JPM 508; JPM2 640.

Synonyms:

Chenopodium album **L. var.** ***album***

FN 4:297 synonym for *Chenopodium album*; FOO 2:75 synonym for *Chenopodium album*; IL 2:70; KZ 1:210; PEK 285.

Chenopodium atrovirens Rydb.

Common names: green goosefoot

Origin: native Voucher: OSC, most recently collected in 2012

FN 4:290; FOO 2:75; FPN 99 synonym for *Chenopodium fremontii* var. *atrovirens*; FPN2 365; IN 2a:485; JPM 508; JPM2 640.

Synonyms:

Chenopodium fremontii **S. Watson var.** ***atrovirens*** **(Rydb.) Fosberg**

FN 4:290 synonym for *Chenopodium atrovirens*; FOO 2:75 synonym for *Chenopodium atrovirens*; FPN 98; VP 2:198.

Chenopodium berlandieri Moq.

IL 2:70; IN 2a:482; JPM 508.

Chenopodium berlandieri Moq. var. ***zschackei*** (Murr) Murr

Common names: Berlandier's pigweed, pitseed goosefoot, lamb's quarters

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:295; FOO 2:75; FPN2 364; JPM2 640.

Synonyms:

Chenopodium album **L.**

in part

Chenopodium capitatum (L.) Asch.

FN 4:280; FPN 97; GWM 130; IL 2:71; IN 2a:477; PEK 284; VP 2:196.

Synonyms:

Blitum capitatum **L.**

FPN2 363.

Chenopodium capitatum (L.) Asch. var. ***capitatum***

Common names: strawberry blite

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1888

FN 4:280; FOO 2:76 uncertain status; JPM2 640.

Chenopodium capitatum (L.) Asch. var. ***parvicapitatum*** S.L. Welsh

Common names: mountain strawberry blite, blite goosefoot

Origin: native Voucher: OSC, most recently collected in 2010

FN 4:280; FOO 2:76; JPM2 640.

Synonyms:

Blitum hastatum **Rydb.**

FPN2 363.

Chenopodium chenopodioides (L.) Aellen

Common names: low goosefoot

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1991

FN 4:282; FOO 2:76; FPN 98; IN 2a:478; JPM 508; JPM2 640; VP 2:198.

Synonyms:

Oxybasis chenopodioides **(L.) S. Fuentes, Uotila & Borsch**

FPN2 368.

Chenopodium desiccatum A. Nelson

Common names: aridland goosefoot

Origin: native Voucher: OSC, most recently collected in 2020

FN 4:288; FOO 2:76; FPN 98 synonym for *Chenopodium leptophyllum var. oblongifolium*; FPN2 365; IN 2a:486; JPM 508; JPM2 640.

Synonyms:

***Chenopodium leptophyllum* (Moq.) S. Watson var. *oblongifolium* S. Watson**

FN 4:288 synonym for *Chenopodium desiccatum*; FOO 2:76 synonym for *Chenopodium desiccatum*; FPN 98; VP 2:201.

Chenopodium foliosum (Moench) Asch.

Common names: leafy goosefoot

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2011

FN 4:281; FOO 2:77; FPN 98; IN 2a:478; JPM 508; JPM2 640; VP 2:198.

Synonyms:

***Blitum virgatum* L.**

FPN2 363.

***Chenopodium virgatum* (L.) Ambrosi**

FOO 2:77 synonym for *Chenopodium foliosum*; IL 2:72.

Chenopodium fremontii S. Watson

Common names: Fremont's goosefoot

Origin: native Voucher: OSC, most recently collected in 2009

FN 4:291; FOO 2:77; FPN 98; FPN2 364; IL 2:71; IN 2a:484; JPM 510; JPM2 640; PEK 285.

Synonyms:

Chenopodium fremontii* S. Watson var. *fremontii

FN 4:291 synonym for *Chenopodium fremontii*; FOO 2:77 synonym for *Chenopodium fremontii*; FPN 99; VP 2:199.

Chenopodium glaucum L.

Common names: oakleaf goosefoot

Origin: uncertain Voucher: OSC, most recently collected in 2019

FN 4:283; FOO 2:77; FPN 98; IL 2:71; IN 2a:480; JPM 510; VP 2:199.

Synonyms:

***Chenopodium glaucum* L. var. *salinum* (Standl.) B. Boivin**

FN 4:284; FOO 2:77 synonym for *Chenopodium glaucum*; JPM2 640.

***Chenopodium salinum* Standl.**

FN 4:284 synonym for *Chenopodium glaucum* var. *salinum*; FOO 2:77 synonym for *Chenopodium glaucum*; FPN 98 synonym for *Chenopodium glaucum*; PEK 284.

Oxybasis glauca* (L.) S. Fuentes, Uotila & Borsch ssp. *glauca

FPN2 368.

***Oxybasis glauca* (L.) S. Fuentes, Uotila & Borsch ssp. *salina* (Standl.) Verloove**

FPN2 368.

Chenopodium incanum (S. Watson) A. Heller var. ***occidentale*** D.J. Crawford

Common names: mealy goosefoot

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2011

FN 4:292; FOO 2:74 uncertain status; JPM2 .

Chenopodium incognitum Wahl

Common names: hians goosefoot

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1954

FPN2 365.

Chenopodium leptophyllum (Moq.) S. Watson

Common names: slimleaf goosefoot

Origin: native Voucher: OSC, most recently collected in 2013

FN 4:290; FOO 2:77; FPN 98; FPN2 365; IL 2:70; IN 2a:486; JPM 510; JPM2 641.

Synonyms:

Chenopodium leptophyllum* (Moq.) S. Watson var. *leptophyllum

FN 4:290 synonym for *Chenopodium leptophyllum*; FOO 2:77 synonym for *Chenopodium leptophyllum*; FPN 98; PEK 285; VP 2:201.

Chenopodium murale L.

Common names: nettle leaved goosefoot

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1990

FN 4:287; FOO 2:74 uncertain status; FPN 98; IL 2:70; IN 2a:480; JPM 510; JPM2 641; PEK 285; VP 2:201.

Chenopodium nevadense Standl.

Common names: Nevada goosefoot

Origin: native Voucher: OSC, most recently collected in 1989

FN 4:292; FOO 2:77; IN 2a:484; JPM 510; JPM2 641; PEK 285.

Chenopodium polyspermum L.

FN 4:286; FPN 98; IL 2:70; PEK 285.

Chenopodium polyspermum L. var. ***acutifolium*** (Sm.) Gaud.

Common names: manyseed goosefoot

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1912

FN 4:286; FOO 2:74 uncertain status; JPM2 641.

Synonyms:

***Lipandra polysperma* (L.) S. Fuentes, Uotila & Borsch var. *acutifolia* Moyakin**

FPN2 367.

Chenopodium pratericola Rydb.

Common names: narrowleaf goosefoot

Origin: native Voucher: CIC, most recently collected in 2005

FN 4:288; FOO 2:77; FPN 98 synonym for *Chenopodium leptophyllum var oblongifolium*; FPN2 365; IN 2a:486; JPM 510; JPM2 641.

Chenopodium rubrum L.

FN 4:283; FOO 2:78; FPN 97; GWM 130; IL 2:71; IN 2a:478; JPM 510; PEK 284; VP 2:201.

Chenopodium rubrum L. var. ***humile*** (Hook.) S. Watson

Common names: low red goosefoot, low red pigweed

Origin: native Voucher: OSC, most recently collected in 2018

FN 4:283; FOO 2:78; FPN 97; IL 2:71 synonym for *Chenopodium humile*; JPM2 641.

Synonyms:

***Chenopodium humile* Hook.**

FN 4:283 synonym for *Chenopodium rubrum* var. *humile*; FOO 2:78 synonym for *Chenopodium rubrum var. humile*; FPN 97 synonym for *Chenopodium rubrum*; IL 2:71; PEK 284.

***Oxybasis rubra* (L.) S. Fuentes, Uotila & Borsch var. *humilis* (Hook.) Mosyakin**

FPN2 368.

Chenopodium rubrum L. var. ***rubrum***

Common names: red goosefoot, red pigweed

Origin: native Voucher: OSC, most recently collected in 2013

FN 4:283; FOO 2:78; JPM2 641.

Chenopodium simplex (Torr.) Raf.

Common names: mapleleaf goosefoot, sowbane

Origin: native Voucher: OSC, most recently collected in 1980

FN 4:284; FOO 2:78; IN 2a:480; JPM 510; JPM2 641.

Synonyms:

***Chenopodiastrum simplex* (Torr.) S. Fuentes, Uotila & Borsch**

FPN2 364.

Misapplied names:

***Chenopodium hybridum* L.**

FN 4:285 uncertain status; FPN 98; IL 2:92; PEK 284; VP 2:199.

Chenopodium strictum Roth

FN 4:299; FPN2 364.

Chenopodium strictum Roth var. ***glaucophyllum*** (Aellen) Wahl

Common names: lateflowering goosefoot

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2004

FN 4:299 synonym for *Chenopodium strictum*; FOO 2:74 uncertain status; JPM 510; JPM2 641.

Chenopodium subglabrum (S. Watson) A. Nelson

Common names: smooth goosefoot

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2004

FN 4:289; FOO 2:74 uncertain status; FPN 98 synonym for *Chenopodium leptophyllum* var. *subglabrum*; FPN2 365; IL 2:70; IN 2a:488.

Misapplied names:

***Chenopodium leptophyllum* (Moq.) S. Watson var. *subglabrum* S. Watson**

FN 4:289 synonym for *Chenopodium subglabrum*; FPN 98; IL 2:70 synonym for *Chenopodium subglabrum*; PEK 285; VP 2:201.

Chenopodium vulvaria L.

Common names: stinking goosefoot

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1955

FN 4:299; FOO 2:74 uncertain status; FPN2 364 excluded; IL 2:70; JPM 510; JPM2 641.

Corispermum

Checklist contributor: Henrietta Chambers, 2/17/2004

Flora of Oregon author: Bridget Chipman

Corispermum americanum (Nutt.) Nutt.

FN 4:314; FPN 99 synonym for *Corispermum hyssopifolium*; IL 2:90 synonym for *Corispermum hyssopifolium*; IN 2a:530.

Corispermum americanum (Nutt.) Nutt. var. ***americanum***

Common names: American bugseed, common bugseed

Origin: native Voucher: OSC, most recently collected in 1992

FN 4:316; FOO 2:79; FPN2 366; JPM2 642.

Misapplied names:

***Corispermum hyssopifolium* L.**

Corispermum pacificum Mosyakin

Common names: Pacific bugseed

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:319-320; FOO 2:79; FPN2 365.

Misapplied names:

***Corispermum hyssopifolium* L.**

Corispermum pacificum Mosyakin × ***Corispermum villosum*** Rydb.

Origin: native Voucher: OSC, most recently collected in 1952

FN 4:320.

Corispermum villosum Rydb.

Common names: hairy bugseed

Origin: native Voucher: OSC, most recently collected in 2020

FN 4:313-321; FOO 2:79; FPN 99 synonym for *Corispermum hyssopifolium*; FPN2 365; IN 2a:531.

Dysphania

Checklist contributor: Stephen Meyers, Henrietta Chambers, 10/1/2008

Flora of Oregon author: Bridget Chipman

Dysphania ambrosioides (L.) Mosyakin & Clemants

Common names: Mexican tea, epazote, wormseed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 4:270; FOO 2:80; FPN2 366; IN 2a:491; JPM2 642.

Synonyms:

***Chenopodium ambrosioides* L.**

FN 4:270 synonym for *Dysphania ambrosioides*; FOO 2:80 synonym for *Dysphania ambrosioides*; FPN 97; IL 2:72; JPM 508; PEK 283; VP 2:195.

Chenopodium ambrosioides* L. var. *ambrosioides

FN 4:270 synonym for *Dysphania ambrosioides*; FOO 2:80 synonym for *Dysphania ambrosioides*; IL 2:72; KZ 1:210.

***Chenopodium ambrosioides* L. var. *anthelminticum* (L.) A. Gray**

FN 4:270 synonym for *Dysphania anthelmintica*; FOO 2:80 synonym for *Dysphania ambrosioides*; IL 2:72.

***Dysphania anthelmintica* (L.) Mosyakin & Clemants**

FOO 2:80 synonym for *Dysphania ambrosioides*; JPM2 642.

Dysphania botrys (L.) Mosyakin & Clemants

Common names: Jerusalem oak, feather geranium

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 4:272; FOO 2:80; FPN2 366; IN 2a:492; JPM2 642.

Synonyms:

***Chenopodium botrys* L.**

FN 4:272 synonym for *Dysphania botrys*; FOO 2:80 synonym for *Dysphania botrys*; FPN 97; IL 2:72; JPM 508; PEK 283; VP 2:196.

Dysphania multifida (L.) Mosyakin & Clemants

Common names: many-cleft goosefoot, cut-leaf goosefoot, small-leaved wormseed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1922

FN 4:271; FOO 2:80 uncertain status; FPN2 366; JPM2 642.

Synonyms:

***Chenopodium multifida* L.**

FPN 97.

***Chenopodium multifidum* L.**

FN 4:271 synonym for *Dysphania multifida*; IL 2:74 synonym for *Roubieva multifida*; JPM 510.

***Roubieva multifida* (L.) Moq.**

FN 4:271 synonym for *Dysphania multifida*; IL 2:74; PEK 286.

Dysphania pumilio (R. Br.) Mosyakin & Clemants

Common names: clammy goosefoot, small crumbweed, Australian goosefoot

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 4:274; FOO 2:80; FPN2 366; IN 2a:492; JPM2 642.

Synonyms:

Chenopodium pumilio **R. Br.**

FN 4:274 synonym for *Dysphania pumilio*; FOO 2:80 synonym for *Dysphania pumilio*; FPN 97; JPM 510.

Grayia

Checklist contributor: Richard Halse, 11/6/1996

Flora of Oregon author: Bridget Chipman

Grayia spinosa (Hook.) Moq.

Common names: hopsage

Origin: native Voucher: OSC, most recently collected in 2023

FN 4:307; FOO 2:81; FPN 94 synonym for *Atriplex spinosa*; FPN2 367; IL 2:89; IN 2a:498; JPM 511; JPM2 644; PEK 290; VP 2:204.

Halogeton

Checklist contributor: Richard Halse, 11/6/1996

Flora of Oregon author: Bridget Chipman

Halogeton glomeratus (M. Bieb.) C.A. Mey.

Common names: halogeton

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 4:404; FOO 2:81; FPN 99; FPN2 367; IN 2a:545; JPM 511; JPM2 644; VP 2:206.

Krascheninnikovia

Checklist contributor: Richard Halse, 11/6/1996

Flora of Oregon author: Bridget Chipman

Krascheninnikovia lanata (Pursh) A. Meeuse & A. Smit

Common names: winter fat, winter sage

Origin: native Voucher: OSC, most recently collected in 2021

FN 4:308; FOO 2:82; FPN2 367; IN 2a:528; JPM 512; JPM2 645; Meeuse & Smit, 1971 .

Synonyms:

Eurotia lanata **(Pursh) Moq.**

FN 4:308 synonym for *Krascheninnikovia lanata*; FOO 2:82 synonym for *Krascheninnikovia lanata*; FPN 99; IL 2:89; PEK 290; VP 2:204.

Micromonolepis

Checklist contributor:

Flora of Oregon author: Bridget Chipman

Micromonolepis pusilla (Torrey) Ulbrich

Common names: tiny povertyweed, red povertyweed

Origin: native Voucher: OSC, most recently collected in 2005

FN 4:302; FOO 2:82; FPN2 367; IN 2a:490; JPM2 645.

Synonyms:

Monolepis pusilla **Torr. ex S. Watson**

FN 4:302 synonym for *Micromonolepis pusilla*; FOO 2:82 synonym for *Micromonolepis pusilla*; FPN 100; IL 2:75; JPM 512; PEK 286; VP 2:208.

Neokochia

Checklist contributor: Richard Halse, 8/17/2009
Flora of Oregon author: Bridget Chipman

Neokochia americana (S. Watson) G.L. Chu & S.C. Sand.

Common names: red sage, hairy kochia
Origin: native Voucher: OSC, most recently collected in 2020
Chu & Sanderson, 2008 ; FOO 2:83; FPN2 367; IN 2a:541.

Synonyms:

***Kochia americana* S. Watson**
FN 4:312; FOO 2:83 synonym for *Neokochia americana*; FPN 100; IL 2:89; JPM 511; JPM2 644; VP 2:207.

***Kochia vestita* (S. Watson) Rydb.**
FN 4:312 synonym for *Kochia americana*; FOO 2:83 synonym for *Neokochia americana*; FPN 100 synonym for *Kochia americana*; PEK 287.

Nitrophila

Checklist contributor: Richard Halse, 11/6/1996
Flora of Oregon author: Bridget Chipman

Nitrophila occidentalis (Moq.) S. Watson

Common names: niterwort, borax weed
Origin: native Voucher: OSC, most recently collected in 2018
FN 4:263; FOO 2:83; FPN 100; FPN2 368; IL 2:67; IN 2a:546; JPM 512; JPM2 168; PEK 283; VP 2:208.

Salicornia

Checklist contributor: Henrietta Chambers, 2/16/2004
Flora of Oregon author: Bridget Chipman

Salicornia rubra A. Nelson

Common names: red glasswort
Origin: native Voucher: OSC, most recently collected in 2018
FN 4:383; FOO 2:84; FPN 100; FPN2 369; IL 2:94 synonym for *Salicornia europaea*; IN 2a:533; JPM2 646; VP 2:210.

Salsola

Checklist contributor: Richard Halse, 1/2/1997
Flora of Oregon author: Bridget Chipman

Salsola kali L. ssp. ***pontica*** (Pall.) Mosyakin

Common names: Russian thistle
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2014
FN 4:400-401; FOO 2:84 uncertain status; FPN2 369.

Salsola tragus L.

Common names: prickly Russian thistle, tumbleweed
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021
FN 4:401; FOO 2:84; FPN2 369; JPM 514; JPM2 648.

Synonyms:

Salsola kali* L. ssp. *kali
FN 4:400; FOO 2:84 synonym for *Salsola tragus*.

Misapplied names:

***Salsola kali* L.**
FPN 101.

***Salsola kali* L. var. *tenuifolia* Moq.**
FN 4:401 synonym for *Salsola tragus*; GWM 130; IL 2:96; PEK 291.

Sarcocornia

Checklist contributor: Henrietta Chambers, 2/17/2004
Flora of Oregon author: Bridget Chipman

Sarcocornia perennis (Miller) A.J. Scott

Common names: pickleweed, Pacific swampfire, woody glasswort

Origin: native Voucher: OSC, most recently collected in 2023

FN 4:386; FOO 2:85; FPN2 369.

Synonyms:

***Salicornia ambigua* Michx.**

FN 4:386 synonym for *Sarcocornia pacifica*; FOO 2:85 synonym for *Sarcocornia perennis*; FPN 100 synonym for *Salicornia virginica*; IL 2:91; PEK 291.

***Salicornia pacifica* Standl.**

FN 4:386 synonym for *Sarcocornia pacifica*; FOO 2:85 synonym for *Sarcocornia perennis*; FPN 100 synonym for *Salicornia virginica*; IL 2:91 synonym for *Salicornia ambigua*; JPM2 646; PEK 291 synonym for *Salicornia ambigua*; VP 2:210 synonym for *Salicornia virginica*.

***Salicornia perennis* Mill.**

FOO 2:85 synonym for *Sarcocornia perennis*; JPM2 646.

Suaeda

Checklist contributor: Henrietta Chambers, 2/16/2004
Flora of Oregon author: Bridget Chipman

Suaeda calceoliformis (Hook.) Moq.

Common names: Pahute weed, horned seablite

Origin: native Voucher: OSC, most recently collected in 2018

FN 4:393; FOO 2:85; FPN2 369; IN 2a:536; JPM 515; JPM2 648; KZ 1:213.

Synonyms:

***Suaeda depressa* (Pursh) S. Watson**

FN 4:393 synonym for *Suaeda calceoliformis*; FOO 2:85 synonym for *Suaeda calceoliformis*; FPN 101; IL 2:95; PEK 292; VP 2:214.

Suaeda depressa* (Pursh) S. Watson var. *depressa

FOO 2:85 synonym for *Suaeda calceoliformis*; IL 2:95.

***Suaeda depressa* (Pursh) S. Watson var. *erecta* S. Watson**

FN 4:393 synonym for *Suaeda calceoliformis*; FOO 2:85 synonym for *Suaeda calceoliformis*; IL 2:95.

***Suaeda maritima* (L.) Dumort.**

FN 4:392; FOO 2:85 synonym for *Suaeda calceoliformis*; FPN 101; FPN2 369; VP 2:214.

***Suaeda occidentalis* S. Watson**

FN 4:394; FOO 2:85 synonym for *Suaeda calceoliformis*; FPN 101; FPN2 369; IL 2:95; IN 2a:536; JPM2 649; PEK 292; VP 2:216.

Suaeda nigra (Raf.) J.F. Macbr.

Common names: tall seablite, shrubby seablite

Origin: native Voucher: OSC, most recently collected in 2008

FN 4:396; FOO 2:85; FPN 101; FPN2 369; IL 2:95; IN 2a:535; JPM2 649; PEK 292; VP 2:214.

Synonyms:

***Suaeda fruticosa* (L.) Forssk.**

FN 4:397 synonym for *Suaeda nigra*; FOO 2:85 synonym for *Suaeda nigra*; IL 2:96; PEK 292.

***Suaeda intermedia* S. Watson**

FN 4:396 synonym for *Suaeda nigra*; FOO 2:85 synonym for *Suaeda nigra*; FPN 101; IL 2:96 synonym for *Suaeda fruticosa*; VP 2:214.

***Suaeda moquinii* (Torr.) Greene**

FOO 2:85 synonym for *Suaeda nigra*; IL 2:96 synonym for *Suaeda fruticosa*; JPM 515; KZ 1:213.

***Suaeda torreyana* S. Watson**

FN 4:396 synonym for *Suaeda nigra*; FOO 2:85 synonym for *Suaeda nigra*; IL 2:95; PEK 292.

Excluded names:

Amaranthus caudatus L.
FN 4:420; FPN2 361.

Amaranthus cruentus L.
FN 4:423-424; FPN2 361; IL 2:98; IN 2a:554; JPM 132; JPM2 167.

Atriplex argentea Nutt. var. argentea
FN 4:350; FPN2 362; IL 2:79; JPM 503; JPM2 633.

Atriplex covillei (Standl.) J. F. Macbr.
FN 4:369; IL 2:79 synonym for <I>Atriplex phyllostegia</I>; JPM2 633.

Atriplex patula L. var. littoralis (L.) A. Gray
FN 4:332 synonym for Atriplex littoralis; VP 2:190.

Atriplex phyllostegia (Torr. ex S. Watson) S. Watson
FN 4:368; FPN 95; FPN2 361; IL 2:79; IN 2a:516; JPM 505; PEK 288.

Chenopodium album L. var. viride (L.) Moq.
IL 2:70; PEK 285.

Chenopodium berlandieri Moq. var. sinuatum (Murr) Wahl
FN 4:294; JPM2 640.

Chenopodium ficifolium Sm.
FN 4:293; FPN2 364.

Chenopodium hians Standl.
FN 4:289; FPN2 364; IN 2a:486; JPM 510; JPM2 640.

Chenopodium macrospermum Hook. f.
JPM2 641.

Chenopodium macrospermum Hook. f. var. halophilum Standl.
JPM 510.

Chenopodium urbicum L.
FN 4:286; FPN 98.

Dysphania chilensis (Schrad.) Mosyakin & Clemants
FN 4:270; JPM2 642.

Salicornia depressa Standl.
FN 4:384; FPN2 369; IL 2:94; JPM2 646.

Synonyms:
***Salicornia europaea* L.**
FN 4:384; FPN 100; IL 2:94; JPM 514; VP 2:210.

Spinacia oleracea L.
FN 4:302; FPN2 359; IL 2:75.

Literature cited for Amaranthaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chu, G.L., and S.C. Sanderson. 2008. The genus *Kochia* (Chenopodiaceae) in North America. Madroño 55(4):251-256.

Frankton, C., and I.J. Bassett. 1968. The genus *Atriplex* (Chenopodiaceae) in Canada. I. Three introduced species: *A. heterosperma, A. oblongifolia*, and *A. hortensis*. Canadian Journal of Botany 46:1309-1313.

Frankton, C., and I.J. Bassett. 1970. The genus *Atriplex* (Chenopodiaceae) in Canada. II. Four native western annuals: *A. argenta*, *A. truncata*, *A. powellii*, and *A. dioica*. Canadian Journal of Botany 48:981-989.

Kadereit, G., P. Ball, S. Beer, L. Mucina, D. Sokoloff, P. Teege, A.E. Yaprak, and H. Freitag. 2007. A taxonomic nightmare comes true: phylogeny and biogeography of glassworts (*Salicornia* L., Chenopodiaceae). Taxon 56(4):1143-1170.

McNeill, J., I.J. Bassett, and C.W. Crompton. 1977. *Suaeda calceoliformis*, the correct name for *Suaeda depressa* Auct. Rhodora 79:133-138.

McNeill, J., I.J. Bassett, C.W. Crompton, and P.M. Taschereau. 1983. Taxonomic and nomenclatural notes on *Atriplex* L. (Chenopodiaceae). Taxon 32 (4):549-556.

Meeuse, A.D.J., and A. Smit. 1971. A new combination in *Krascheninnikovia*. Taxon 20:644.

Mosyakin, S.L. 1995. New taxa of *Corispermum* L. (Chenopodiacea) with preliminary comments on the taxonomy of the genus in North America. Novon 5:340-353.

Mosyakin, S.L. 1996. A taxonomic synopsis of the genus *Salsola* (Chenopodiaceae) in North America. Annals of the Missouri Botanical Garden 83:387-395.

Mosyakin, S.L., and S.E. Clemants. 2002. New nomenclatural combinations in *Dysphania* R. Br. (Chenopodiaceae); taxa occurring in North America. The Ukrainian Botanical Journal 59(4):380-385.

Nelson, J.C. 1918B. Some Oregon exotics. American Botanist 24:126-129.

Scott, A.J. 1977. Reinstatement and revision of Salicorniaceae J. Agardh (Caryophyllales). Botanical Journal of the Linnean Society 75:357-374.

Standley, P.C. 1916. Chenopodiaceae. North American Flora 21:41.

Stutz, H.C., G. Chu, and S.C. Sanderson. 1993. Resurrection of the genus *Endolepis* and clarification of *Atriplex phyllostegia* (Chenopodiaceae). American Journal of Botany 80(5):592-597.

Welsh, S.L. 2000. *Atriplex*, draft treatment. In: Flora of North America North of Mexico, Volume 4. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest