Checklist of Oregon Apiaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Aegopodium

Checklist contributor: Henrietta Chambers, 4/29/2005
Flora of Oregon author: treatment pending

Aegopodium podagraria L.

Common names: gout weed, bishop's gout weed
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019
FOO 2:88 uncertain status; FPN2 637.

Anethum

Checklist contributor: Henrietta Chambers, 4/29/2005
Flora of Oregon author: Stephen Meyers

Anethum graveolens L.

Common names: dill
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019
FOO 2:88; FPN2 636; IL 3:246; JPM 139; JPM2 174; PEK 569.

Angelica

Checklist contributor: Henrietta Chambers, 5/9/2005
Flora of Oregon author: Stephen Meyers

Angelica arguta Nutt.

Common names: shining angelica, sharptooth angelica
Origin: native Voucher: OSC, most recently collected in 2019
FOO 2:90; FPN 320; FPN2 641; GWM 248; IL 3:272; IN 3a:421; JPM 140; JPM2 174; PEK 568; VP 3:514.

Angelica canbyi J.M. Coult. & Rose

Common names: Canby's angelica
Origin: native Voucher: OSC, most recently collected in 2020
FOO 2:90; FPN 320; FPN2 641; IL 3:272; PEK 568; VP 3:514.

Angelica genuflexa Nutt.

Common names: kneeling angelica
Origin: native Voucher: OSC, most recently collected in 2023
FOO 2:91; FPN 320; FPN2 641; IL 3:272; JPM 140; JPM2 175; PEK 569; VP 3:515.

Angelica hendersonii J.M. Coult. & Rose

Common names: Henderson's angelica
Origin: native Voucher: OSC, most recently collected in 2008
FOO 2:91; FPN 320; FPN2 641; IL 3:269; JPM 140; JPM2 175; PEK 568; VP 3:515.

Angelica lucida L.

Common names: seawatch
Origin: native Voucher: OSC, most recently collected in 2017
FOO 2:91; FPN 320; FPN2 641; IL 3:269; JPM 140; JPM2 175; PEK 569; VP 3:515.

Angelica tomentosa S. Watson

Common names: California angelica
Origin: native Voucher: OSC, most recently collected in 1986
FOO 2:91; IL 3:269; JPM 140; JPM2 175; PEK 568.

Anthriscus

Checklist contributor: Scott Sundberg, 5/9/2005
Flora of Oregon author: Stephen Meyers

Anthriscus caucalis M. Bieb.

Common names: bur chervil
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FOO 2:92; FPN2 642; JPM 141; JPM2 175; Peck, 1936 559; VP 3:519.

Synonyms:
***Anthriscus scandicina* (Weber ex F.H. Wigg.) Mansf.**
FOO 2:92 synonym for *Anthriscus caucalis*; FPN 321; IL 3:224; PEK 559; VP 3:519.

Anthriscus sylvestris (L.) Hoffm.

Common names: wild chervil
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021
FOO 2:92; FPN 321; FPN2 642; VP 3:519.

Apium

Checklist contributor: Henrietta Chambers, 6/1/2005
Flora of Oregon author: treatment pending

Apium graveolens L.

Common names: celery, smallage
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1961
FOO 2:88 uncertain status; IL 3:228; IN 3a:352; JPM 141; JPM2 175; PEK 561.

Synonyms:
***Apium graveolens* L. var. *dulce* (P. Mill.) DC.**
FPN2 636.

Berula

Checklist contributor: Scott Sundberg, 5/9/2005
Flora of Oregon author: Stephen Meyers

Berula erecta (Huds.) Coville

Common names: cutleaf water parsnip
Origin: native Voucher: OSC, most recently collected in 2008
FOO 2:93; FPN 321; IL 3:231; IN 3a:358; JPM 141; JPM2 176; PEK 564; VP 3:519.

Synonyms:
***Berula erecta* (Huds.) Coville var. *incisa* (Torr.) Cronquist**
FOO 2:93 synonym for *Berula erecta*; FPN 321; VP 3:519.
***Berula incisa* (Torr.) G.N. Jones**
FPN2 642.

Bupleurum

Checklist contributor: Henrietta Chambers, 5/9/2005
Flora of Oregon author: Stephen Meyers

Bupleurum americanum J.M. Coult. & Rose

Common names: American thorow wax
Origin: native Voucher: OSC, most recently collected in 2008
FOO 2:93; FPN 321; FPN2 642; VP 3:520.

Bupleurum odontites L.

Common names: narrowleaf thorow wax

Origin: exotic, not naturalized

Voucher: WS, most recently collected in 1912

KZ 2:119; Kartesz & Meacham, 2007 .

Synonyms:

Bupleurum fontanesii **Caruel**

KZ 1:41 synonym; PEK 561.

Bupleurum rotundifolium L.

Common names: hare's ear

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2009

Carum

Checklist contributor: Scott Sundberg, 10/10/1996

Flora of Oregon author: treatment pending

Carum carvi L.

Common names: caraway

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 1996

FPN 322; FPN2 643; IL 3:231; IN 3a:354; VP 3:520.

Chaerophyllum

Checklist contributor:

Flora of Oregon author: treatment pending

Chaerophyllum temulum L.

Common names: rough chervil

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2021

FOO 2:88 uncertain status; FPN2 643.

Cicuta

Checklist contributor: Henrietta Chambers, Richard Halse, 5/9/2005

Flora of Oregon author: Richard (Rick) McNeill

Cicuta bulbifera L.

Common names: bulb-bearing water hemlock

Origin: native

Voucher: OSC, most recently collected in 1916

FOO 2:94; FPN 322; FPN2 643; IL 3:237; PEK 565; VP 3:522.

Cicuta douglasii (DC.) J.M. Coult. & Rose

Common names: western water hemlock

Origin: native

Voucher: OSC, most recently collected in 2024

FOO 2:94; FPN 322; FPN2 643; IL 3:238; JPM 142; JPM2 176; PEK 564; VP 3:523.

Cicuta maculata L. var. ***angustifolia*** Hook.

Common names: spotted water hemlock

Origin: native

Voucher: RENO, most recently collected in 2016

FOO 2:94; FPN2 643; IN 3a:356 synonym for *Cicuta maculata*; JPM 142; JPM2 176.

Cnidium

Checklist contributor:

Flora of Oregon author: treatment pending

Cnidium monnieri (L.) Cusson ex Juss.

Common names: Monnier's snowparsley

Origin: exotic, not naturalized Voucher: WS, most recently collected in 1900

Conioselinum

Checklist contributor: Henrietta Chambers, 5/9/2005

Flora of Oregon author: Stephen Meyers

Conioselinum pacificum (S. Watson) J.M. Coult. & Rose

Common names: Pacific hemlock parsley

Origin: native Voucher: OSC, most recently collected in 2007

FOO 2:95; FPN 323; FPN2 643; JPM 144; JPM2 176; VP 3:525.

Synonyms:

***Conioselinum chinense* (L.) Britton, Sterns & Poggenb.**

FOO 2:95 synonym for *Conioselinum pacificum*; IL 3:273; PEK 567.

***Conioselinum gmelinii* (Cham. & Schltdl.) Steud.**

FOO 2:95 synonym for *Conioselinum pacificum*; IL 3:273 synonym for *Conioselinum chinense*; KZ 1:41; PEK 567 synonym for *Conioselinum chinense*; VP 3:525.

Conioselinum scopulorum (A. Gray) J.M. Coult. & Rose

Common names: Rocky Mountain hemlock parsley

Origin: native Voucher: OSC, most recently collected in 1961

FOO 2:95; FPN2 644; GWM 248; IN 3a:364.

Conium

Checklist contributor: Henrietta Chambers, 5/9/2005

Flora of Oregon author: Stephen Meyers

Conium maculatum L.

Common names: poison hemlock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FOO 2:96; FPN 323; FPN2 644; IL 3:231; IN 3a:354; JPM 144; JPM2 178; PEK 561; VP 3:525.

Coriandrum

Checklist contributor: Henrietta Chambers, 5/9/2005

Flora of Oregon author: treatment pending

Coriandrum sativum L.

Common names: coriander, cilantro

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2010

FOO 2:88 uncertain status; FPN2 636; IL 3:228; JPM 144; JPM2 178.

Cyclospermum

Checklist contributor:

Flora of Oregon author: treatment pending

Cyclospermum leptophyllum (Pers.) Sprague ex Britton & Wilson

Common names: marsh parsley

Origin: exotic, not naturalized Voucher: WS, most recently collected in 1910

JPM2 178.

Cymopterus

Checklist contributor: James Kagan, Henrietta Chambers, 7/1/2005

Flora of Oregon author: Stephen Meyers

Cymopterus corrugatus M.E. Jones

Common names: corrugated spring parsley, wrinkle-wing spring parsley

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:97; FPN2 644; IL 3:277; IN 3a:388; PEK 566.

Synonyms:

***Rhysopterus plurijugus* J.M. Coult. & Rose**

FOO 2:97 synonym for *Cymopterus corrugatus*; FPN 336; IL 3:239; PEK 560; VP 3:578.

Cymopterus glomeratus (Nutt.) DC.

Common names: plains spring parsley

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:97; FPN2 644; Sun et al., 2005 .

Synonyms:

***Cymopterus acaulis* (Pursh) Raf.**

FPN 323; IL 3:277; PEK 566; VP 3:526.

Cymopterus acaulis* (Pursh) Raf. var. *acaulis

FOO 2:97 synonym for *Cymopterus glomeratus*; IN 3a:392.

***Cymopterus acaulis* (Pursh) Raf. var. *greeleyorum* J.W. Grimes & P.L. Packard**

FOO 2:97 synonym for *Cymopterus glomeratus*; Grimes & Packard, 1981 ; IN 3a:392.

Cymopterus longipes S. Watson var. ***ibapensis*** (M.E. Jones) Cronquist

Common names: sprawling spring parsley

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:97; IN 3a:392.

Synonyms:

***Cymopterus ibapensis* M.E. Jones**

FPN2 644.

***Cymopterus watsonii* (J.M. Coult. & Rose) M.E. Jones**

FOO 2:97 synonym for *Cymopterus longipes var. ibapensis*; IL 3:277; PEK 566.

Cymopterus nivalis S. Watson

Common names: Elko spring parsley

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:97; FPN 323; FPN2 645; IN 3a:380; VP 3:527.

Synonyms:

***Cymopterus bipinnatus* S. Watson**

FOO 2:97 synonym for *Cymopterus nivalis*; FPN 323; IL 3:278; PEK 566; VP 3:527.

Cymopterus petraeus M.E. Jones

Common names: rock spring parsley

Origin: native Voucher: OSC, most recently collected in 2016

FOO 2:97; FPN 324; FPN2 645; IN 3a:378; VP 3:529.

Synonyms:

***Cymopterus terebinthinus* (Hook.) Torr. & A. Gray var. *petraeus* (Jones) S. Goodrich**

FOO 2:97 synonym for *Cymopterus petraeus*; JPM 145; JPM2 180.

***Pteryxia petraea* (M.E. Jones) J.M. Coult. & Rose**

FOO 2:97 synonym for *Cymopterus petraeus*; IL 3:274; KZ 1:46; PEK 567.

Cymopterus purpurascens (A. Gray) M.E. Jones

Common names: widewing spring parsley

Origin: native Voucher: OSC, most recently collected in 2005

FOO 2:97; IL 3:278; IN 3a:394; JPM 145; JPM2 180.

Cymopterus terebinthinus (Hook.) Torr. & A. Gray

FOO 2:98; FPN 324; FPN2 645; JPM 145.

Synonyms:

***Pteryxia terebinthina* (Hook.) J.M. Coult. & Rose**

GWM 255.

Cymopterus terebinthinus (Hook.) Torr. & A. Gray var. ***foeniculaceus*** (Torr. & A. Gray) Cronquist

Common names: fennel spring parsley, fennel wavewing

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:98; FPN 324; IN 3a:376; VP 3:530.

Synonyms:

***Cymopterus foeniculaceus* Torr. & A. Gray**

FPN2 645.

***Pteryxia terebinthina* (Hook.) J.M. Coult. & Rose var. *foeniculacea* (Nutt. ex Torr. & A.**

FOO 2:98 synonym for *Cymopterus terebinthinus var. foeniculaceus*; IL 3:274; PEK 567.

Cymopterus terebinthinus (Hook.) Torr. & A. Gray var. ***terebinthinus***

Common names: aromatic spring parsley, turpentine wavewing

Origin: native Voucher: OSC, most recently collected in 2020

FOO 2:98; FPN 324; IN 3a:376; VP 3:529.

Synonyms:

Pteryxia terebinthina* (Hook.) J.M. Coult. & Rose var. *terebinthina

FOO 2:98 synonym for *Cymopterus terebinthinus var. terebinthinus*; IL 3:274; IN 3a:376 excluded; PEK 567; VP 3:530 excluded.

Daucus

Checklist contributor: Scott Sundberg, 10/10/1996

Flora of Oregon author: David Spooner, Philipp Simon

Daucus carota L.

Common names: Queen Anne's lace, wild carrot

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FOO 2:99; FPN 324; FPN2 645; IL 3:228; IN 3a:350; JPM 146; JPM2 181; PEK 559; VP 3:530.

Daucus pusillus Michx.

Common names: rattlesnake weed, American wild carrot

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:99; FPN 324; FPN2 645; IL 3:228; JPM 146; JPM2 181; PEK 559; VP 3:531.

Eryngium

Checklist contributor: Henrietta Chambers, Kenton Chambers, 5/11/2005

Flora of Oregon author: Stephen Meyers

Eryngium alismifolium Greene

Common names: Modoc eryngo, plantain-leaved eryngo

Origin: native Voucher: OSC, most recently collected in 2013

FOO 2:100; FPN 325; FPN2 646; IN 3a:346; JPM 146; JPM2 181; PEK 580.

Eryngium articulatum Hook.

Common names: bee-thistle eryngo, beethistle, blue-topped eryngo

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:100; FPN 325; FPN2 646; IL 3:279; JPM 147; JPM2 182; PEK 580; VP 3:531.

Eryngium petiolatum Hook.

Common names: Oregon eryngo, coyote thistle, rush-leaf eryngo

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:100; FPN 325; FPN2 646; IL 3:281; PEK 580; VP 3:533.

Foeniculum

Checklist contributor: Henrietta Chambers, 5/11/2005

Flora of Oregon author: Stephen Meyers

Foeniculum vulgare Mill.

Common names: fennel

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FOO 2:101; FPN 325; FPN2 646; IL 3:241; IN 3a:356; JPM 148; JPM2 183; PEK 560; VP 3:533.

Glehnia

Checklist contributor: Henrietta Chambers, 5/11/2005

Flora of Oregon author: Stephen Meyers

Glehnia leiocarpa Mathias

Common names: beach silvertop

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:101; FPN 325; FPN2 646; IL 3:273; PEK 565; VP 3:533.

Synonyms:

Glehnia littoralis **F. Schmidt ex Miq.**

Glehnia littoralis **F. Schmidt ex Miq. ssp.** ***leiocarpa*** **(Mathias) Hultén**

FOO 2:101 synonym for *Glehnia leiocarpa*; FPN 325 synonym for *Glehnia leiocarpa*; JPM 148; JPM2 183.

Heracleum

Checklist contributor: Henrietta Chambers, 5/11/2005

Flora of Oregon author: Stephen Meyers

Heracleum mantegazzianum Sommier & Levier

Common names: giant hogweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018

FOO 2:102 uncertain status; FPN2 647; Simpson, 2001A ; Simpson, 2001B .

Heracleum maximum W. Bartram

Common names: common cow parsnip

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:102; FPN2 647; JPM2 183; KZ 1:43.

Synonyms:

Heracleum lanatum **Michx.**

FOO 2:102 synonym for *Heracleum maximum*; FPN 326; GWM 248; IL 3:268; IN 3a:426; JPM 148; PEK 580; Simpson, 2001B ; VP 3:535.

Ligusticum

Checklist contributor: Henrietta Chambers, 5/13/2005

Flora of Oregon author: Stephen Meyers

Ligusticum apiifolium (Nutt.) A. Gray

Common names: celery-leaved licorice-root, parsley-leaved lovage

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:103; FPN 327; FPN2 647; IL 3:235; JPM 150; JPM2 184; PEK 563; VP 3:537.

Ligusticum californicum J.M. Coult. & Rose

Common names: California licorice-root, California lovage

Origin: native Voucher: OSC, most recently collected in 2015

FOO 2:103; IL 3:237; JPM 150; JPM2 184.

Ligusticum canbyi J.M. Coult. & Rose

Common names: Canby's licorice-root

Origin: native Voucher: OSC, most recently collected in 2015

FOO 2:103; FPN 326; FPN2 647; GWM 249; IL 3:235; PEK 563; VP 3:538.

Ligusticum filicinum S. Watson

Common names: fern-leaved licorice-root, fern-leaf lovage

Origin: native Voucher: OSC, most recently collected in 2015

FOO 2:103; FPN 326; FPN2 647; IN 3a:366; PEK 563; VP 3:538.

Synonyms:

Ligusticum filicinum* S. Watson var. *filicinum

FOO 2:103 synonym for *Ligusticum filicinum*; PEK 564.

Ligusticum grayi J.M. Coult. & Rose

Common names: Gray's licorice-root, Gray's lovage

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:104; FPN 327; FPN2 647; GWM 249; IL 3:237; IN 3a:366; JPM 150; JPM2 184; PEK 563; VP 3:538.

Ligusticum tenuifolium S. Watson

Common names: slender licorice-root, slender-leaf lovage

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:104; FPN 326; FPN2 647; IL 3:235 synonym for *Ligusticum filicinum* var. *tenuifolium*; IN 3a:368; VP 3:540.

Synonyms:

***Ligusticum filicinum* S. Watson var. *tenuifolium* (S. Watson) Mathias & Constance**

FOO 2:104 synonym for *Ligusticum tenuifolium*; FPN 326 synonym for *Ligusticum tenuifolium*; GWM 249; IL 3:235; PEK 564.

Lilaeopsis

Checklist contributor: Henrietta Chambers, 5/13/2005

Flora of Oregon author: Stephen Meyers

Lilaeopsis occidentalis J.M. Coult. & Rose

Common names: western grasswort, western lilaeopsis

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:104; FPN 327; FPN2 648; IL 3:218; JPM 150; JPM2 184; PEK 565; VP 3:540.

Lomatium

Checklist contributor: James Kagan, Henrietta Chambers, 12/9/2005

Flora of Oregon author: Jason Alexander

Lomatium ambiguum (Nutt.) J.M. Coult. & Rose

Common names: swale desert parsley, Wyeth biscuitroot

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:110; FPN 328; FPN2 651; IL 3:253; IN 3a:416; PEK 572; VP 3:546.

Lomatium bentonitum K. Carlson & Mansfield

Common names: bentonite biscuitroot

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:110.

Lomatium bradshawii (Rose ex Mathias) Mathias & Constance

Common names: Bradshaw's desert parsley, Bradshaw's lomatium

Origin: native Voucher: OSC, most recently collected in 2003

FOO 2:110; FPN 330; FPN2 656; IL 3:257; PEK 578; VP 3:546.

Lomatium brunsfeldianum Kemper & R.P. McNeill

Common names: Brunsfeld's desert parsley

Origin: native Voucher: OSC, most recently collected in 2015

FOO 2:111; FPN2 651; McNeill, 2012 .

Synonyms:

Lomatium filicinum **(M.E. Jones) Mansfield & McK. Stevens**

Lomatium californicum (Nutt.) Mathias & Constance

Common names: California lomatium

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:111; IL 3:267; JPM 152; JPM2 187; PEK 579.

Lomatium canbyi (J.M. Coult. & Rose) J.M. Coult. & Rose

Common names: Canby's lomatium

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:112; FPN 332; FPN2 652; IL 3:252; IN 3a:412; JPM 153; JPM2 187; PEK 572; VP 3:548.

Lomatium columbianum Mathias & Constance

Common names: Columbia desert parsley, purple lomatium

Origin: native Voucher: OSC, most recently collected in 2017

FOO 2:112; FPN 330; FPN2 651; IL 3:261; PEK 578; VP 3:548.

Lomatium cookii Kagan

Common names: Cook's lomatium, agate desert parsley

Origin: native Voucher: OSC, most recently collected in 2013

FOO 2:112.

Lomatium cous (S. Watson) J.M. Coult. & Rose

Common names: cous, cous-root desert parsley

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:113; FPN 329; FPN2 653; IL 3:253; IN 3a:414; PEK 573; VP 3:548.

Synonyms:

Lomatium circumdatum **(S. Watson) J.M. Coult. & Rose**

FOO 2:113 synonym for *Lomatium cous*; FPN 329 synonym for *Lomatium cous*; IL 3:253; IN 3a:414 synonym for *Lomatium cous*; PEK 573.

Lomatium montanum **J.M. Coult. & Rose**

FOO 2:113 synonym for *Lomatium cous*; FPN 329 synonym for *Lomatium cous*; GWM 251; IL 3:253; IN 3a:414 synonym for *Lomatium cous*; PEK 573; VP 3:548 synonym for *Lomatium cous*.

Lomatium cusickii (S. Watson) J.M. Coult. & Rose

Common names: Cusick's lomatium, Cusick's biscuitroot

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:113; FPN 329; FPN2 652; GWM 250; IL 3:266; PEK 577; VP 3:549.

Lomatium dissectum (Nutt.) Mathias & Constance

FOO 2:114; FPN 330; FPN2 655; IL 3:261; IN 3a:398; JPM 153; PEK 578; VP 3:551.

Lomatium dissectum (Nutt.) Mathias & Constance var. ***dissectum***

Common names: fernleaf biscuitroot, fernleaf desert parsley

Origin: native Voucher: OSC, most recently collected in 2017

FOO 2:114; FPN 330; IL 3:261; JPM 153; JPM2 188; PEK 578; VP 3:551.

Lomatium dissectum (Nutt.) Mathias & Constance var. ***multifidum*** (Nutt.) Mathias & Constance

Common names: carrotleaf biscuitroot

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:114; FPN 330; IL 3:261; IN 3a:398; JPM 153; JPM2 188; PEK 578; VP 3:551.

Synonyms:

Lomatium dissectum **(Nutt.) Mathias & Constance var.** ***eatonii*** **(J.M. Coult. & Rose)**

FOO 2:114 synonym for *Lomatium dissectum var. multifidum*; FPN 330; IN 3a:399; VP 3:551.

Lomatium multifidum **(Nutt.) R.P. McNeill & Darrach**

FPN2 651.

Lomatium donnellii (J.M. Coult. & Rose) J.M. Coult. & Rose

Common names: Donnell's lomatium

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:114; FPN 333; FPN2 654; IL 3:263; IN 3a:410; PEK 576; VP 3:551.

Lomatium engelmannii Mathias

Common names: Engelmann's lomatium, Engelmann's desert parsley

Origin: native Voucher: OSC, most recently collected in 2016

FOO 2:115; IL 3:261; JPM 153; JPM2 188; PEK 575.

Lomatium erythrocarpum Meinke & Constance

Common names: red-fruited lomatium

Origin: native Voucher: OSC, most recently collected in 2001

FOO 2:115; FPN2 654.

Lomatium farinosum (Geyer ex Hook.) J.M. Coult. & Rose

Common names: Hamblen's lomatium

Origin: native Voucher: WS, most recently collected in 2004

FPN 329; FPN2 650; IL 3:250; VP 3:552.

Synonyms:

Lomatium farinosum **(Geyer ex Hook.) J.M. Coult. & Rose var.** ***hambleniae*** **(Mathias &**

FOO 2:115.

Lomatium hambleniae **Mathias & Constance**

FOO 2:115 synonym for *Lomatium farinosum var. hambleniae*; FPN 329; IL 3:250; VP 3:556.

Lomatium foeniculaceum (Nutt.) J.M. Coult. & Rose

FOO 2:116; FPN 331; IN 3a:404; JPM 153; VP 3:552.

Lomatium foeniculaceum (Nutt.) J.M. Coult. & Rose var. ***fimbriatum*** (W.L. Theob.) B. Boivin

Common names: desert biscuitroot, fringed desert parsley

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:116; IN 3a:406.

Synonyms:

Lomatium fimbriatum **(W.L.Theob.) Botello & J.F.Sm.**

Lomatium foeniculaceum (Nutt.) J.M. Coult. & Rose var. ***macdougalii*** (J.M. Coult. & Rose) Cronquist

Common names: MacDougal's biscuitroot

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:116; FPN 331; FPN2 655; IN 3a:406; VP 3:552.

Synonyms:

***Lomatium foeniculaceum* (Nutt.) J.M. Coult. & Rose ssp. *macdougalii* (J.M. Coult. & Rose)**

FOO 2:116 synonym for *Lomatium foeniculaceum var. macdougalii*; JPM2 188.

***Lomatium jonesii* J.M. Coult. & Rose**

FOO 2:116 synonym for *Lomatium foeniculaceum var. macdougalii*.

***Lomatium macdougalii* J.M. Coult. & Rose**

FOO 2:116 synonym for *Lomatium foeniculaceum var. macdougalii*; FPN 331 synonym for *Lomatium foeniculaceum* var. *macdougalii*; IL 3:258; IN 3a:404 synonym for *Lomatium foeniculaceum*; PEK 574; VP 3:552 synonym for *Lomatium foeniculaceum* var. *macdougalii*.

Lomatium gormanii (Howell) J.M. Coult. & Rose

Common names: Gorman's lomatium, Gorman's biscuitroot

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:116; FPN 329; FPN2 650; IL 3:250; IN 3a:412; PEK 572; VP 3:554.

Lomatium greenmanii Mathias

Common names: Greenman's lomatium, Greenman's biscuitroot

Origin: native Voucher: OSC, most recently collected in 2010

FOO 2:117; FPN 331; FPN2 654; GWM 251; IL 3:264; PEK 576; VP 3:555.

Lomatium hallii (S. Watson) J.M. Coult. & Rose

Common names: Hall's lomatium, Hall's biscuitroot

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:117; FPN 334; FPN2 657; IL 3:264; JPM 153; JPM2 188; PEK 576; VP 3:555.

Synonyms:

***Lomatium nelsonianum* J.F. Macbr.**

FOO 2:117 synonym for *Lomatium hallii*; IL 3:264; JPM 154 synonym for *Lomatium hallii*; PEK 576.

Lomatium hendersonii (J.M. Coult. & Rose) J.M. Coult. & Rose

Common names: Henderson's lomatium, Henderson's biscuitroot

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:118; FPN 332; FPN2 654; IL 3:252; IN 3a:412; JPM2 188; PEK 578; VP 3:556.

Lomatium howellii (S. Watson) Jeps.

Common names: Howell's biscuitroot, Howell's lomatium

Origin: native Voucher: OSC, most recently collected in 2016

FOO 2:118; IL 3:249; JPM 154; JPM2 189; PEK 571.

Lomatium klickitatense J.A. Alexander & W. Whaley

Common names: Klickitat biscuitroot, Klickitat lomatium

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:119; Galash, 2024 .

Lomatium laevigatum (Nutt.) J.M. Coult. & Rose

Common names: smooth lomatium

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:119; FPN 330; FPN2 651; IL 3:267; PEK 577; VP 3:556.

Lomatium leptocarpum (Torr. & A. Gray) J.M. Coult. & Rose

Common names: gumbo lomatium, slender-fruited lomatium

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:119; FPN 328; FPN2 651; IL 3:252; IN 3a:414; JPM 152 synonym for *Lomatium bicolor* var. *leptocarpum*; PEK 572; VP 3:558.

Synonyms:

***Lomatium ambiguum* (Nutt.) J.M. Coult. & Rose var. *leptocarpum* (Torr. & Gray) Jeps.**

FOO 2:119 synonym for *Lomatium leptocarpum*.

***Lomatium bicolor* (S. Watson) J.M. Coult. & Rose var. *leptocarpum* (Torr. & A. Gray)**

FOO 2:119 synonym for *Lomatium leptocarpum*; JPM 152; JPM2 187.

Lomatium macrocarpum (Torr. & A. Gray) J.M. Coult. & Rose

Common names: large-fruited desert parsley, bigseed lomatium

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:120; FPN 333; FPN2 653; GWM 251; IL 3:260; IN 3a:406; JPM 154; JPM2 189; PEK 575; VP 3:559.

Synonyms:

***Lomatium artemisiarum* (Piper) Piper**

FOO 2:120 synonym for *Lomatium macrocarpum*.

***Lomatium ellipticum* (Torr. & A. Gray) J.M. Coult. & Rose**

FOO 2:120 synonym for *Lomatium macrocarpum*.

***Lomatium macrocarpum* (Torr. & A. Gray) J.M. Coult. & Rose var. *artemisiarum* Piper**

FOO 2:120 synonym for *Lomatium macrocarpum*.

***Lomatium macrocarpum* (Torr. & A. Gray) J.M. Coult. & Rose var. *ellipticum* (Torr. & A.**

FOO 2:120 synonym for *Lomatium macrocarpum*.

***Lomatium macrocarpum* (Torr. & A. Gray) J.M. Coult. & Rose var. *semivittatum* Piper**

FOO 2:120 synonym for *Lomatium macrocarpum*.

Lomatium martindalei (J.M. Coult. & Rose) J.M. Coult. & Rose

Common names: Cascade desert parsley, Martindale's lomatium, Coast Range lomatium

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:120; FPN 327; FPN2 648; IL 3:264; JPM 154; JPM2 189; PEK 576; VP 3:559.

Synonyms:

***Lomatium angustatum* (J.M. Coult. & Rose) H. St. John**

FOO 2:120 synonym for *Lomatium martindalei*; IL 3:261; PEK 575; VP 3:559 synonym for *Lomatium martindalei* var. *angustatum*.

***Lomatium angustatum* (J.M. Coult. & Rose) H. St. John var. *flavum* G.N. Jones**

FOO 2:120 synonym for *Lomatium martindalei*; FPN 327 synonym for *Lomatium martindalei* var. *flavum*; IL 3:261; VP 3:559 synonym for *Lomatium martindalei* var. *flavum*.

***Lomatium martindalei* (J.M. Coult. & Rose) J.M. Coult. & Rose var. *angustatum* (J.M.**

FOO 2:120 synonym for *Lomatium martindalei*; FPN 327; VP 3:559.

***Lomatium martindalei* (J.M. Coult. & Rose) J.M. Coult. & Rose var. *flavum* (G.N. Jones)**

FOO 2:120 synonym for *Lomatium martindalei*; FPN 327; VP 3:559.

Lomatium martindalei* (J.M. Coult. & Rose) J.M. Coult. & Rose var. *martindalei

FOO 2:120 synonym for *Lomatium martindalei*; FPN 327; VP 3:559.

Lomatium minus (Rose ex Howell) Mathias & Constance

Common names: John Day Valley desert parsley

Origin: native Voucher: OSC, most recently collected in 2020

FOO 2:121; FPN 332; FPN2 652; IL 3:263; PEK 579; VP 3:559.

Lomatium nevadense (S. Watson) J.M. Coult. & Rose

FPN 331; IL 3:257; IN 3a:408; JPM 154; Liston, 1997 ; PEK 574; VP 3:560.

Lomatium nevadense (S. Watson) J.M. Coult. & Rose var. ***nevadense***

Common names: Nevada desert parsley, Nevada biscuitroot

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:121; FPN2 655; IL 3:257; IN 3a:408; JPM 154; JPM2 189.

Lomatium nudicaule (Pursh) J.M. Coult. & Rose

Common names: barestem lomatium, barestem biscuitroot

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:121; FPN 328; FPN2 648; IL 3:268; IN 3a:418; JPM 154; JPM2 189; PEK 578; VP 3:560.

Lomatium ochocense Helliwell & Constance

Common names: Ochoco lomatium

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:122; FPN2 652.

Lomatium oreganum (J.M. Coult. & Rose) J.M. Coult. & Rose

Common names: Blue Mountain biscuitroot, Wallowa lomatium, Oregon lomatium

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:122; FPN 331; FPN2 654; GWM 251; IL 3:264; PEK 576; VP 3:562.

Lomatium papilioniferum J.A. Alexander & W. Whaley

Common names: butterfly-bearing biscuitroot

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:122.

Misapplied names:

Lomatium grayi **(J.M. Coult & Rose) J.M. Coult & Rose**

FPN 333; FPN2 654; GWM 250; IL 3:261; IN 3a:404; JPM2 188; PEK 575; VP 3:555.

Lomatium grayi **(J.M. Coult & Rose) J.M. Coult & Rose var.** ***grayi***

IN 3a:404.

Lomatium pastorale M.E. Darrach & D.H. Wagner

Common names: Umatilla biscuitroot

Origin: native Voucher: OSC, most recently collected in 2011

Darrach & Wagner, 2011 ; FOO 2:123; FPN2 649; Galash, 2024 .

Synonyms:

Lomatium tarantuloides **Darrach & Hinchliff**

Darrach & Hinchliff, 2014 ; FOO 2:123 synonym for *Lomatium pastorale*; FPN2 652.

Lomatium peckianum Mathias & Constance

Common names: Peck's desert parsley

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:123; IL 3:257; IN 3a:410; JPM 156; JPM2 190; PEK 574.

Lomatium piperi J.M. Coult. & Rose

Common names: Indian biscuitroot, Piper's desert parsley

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:124; FPN 329 synonym for *Lomatium gormanii*; FPN2 650; IL 3:250; IN 3a:412 synonym for *Lomatium gormanii*; JPM 156; JPM2 190; PEK 572; VP 3:554 synonym for *Lomatium gormanii*.

Lomatium ravenii Mathias & Constance

IN 3a:408 synonym for *Lomatium nevadense*; JPM 156; JPM2 190; Liston, 1997 .

Lomatium ravenii Mathias & Constance var. ***paiutense*** K. Carlson & Mansfield

Common names: Raven's biscuitroot, Lassen parsley

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:124; FPN2 653.

Lomatium rollinsii Mathias & Constance

Common names: Rollins' biscuitroot, Rollins' desert parsley

Origin: native Voucher: OSC, most recently collected in 2013

FOO 2:124; FPN 329; FPN2 651; IL 3:253; PEK 573; VP 3:562.

Lomatium roseanum Cronquist

Common names: adobe parsley, adobe lomatium

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:124; FPN2 654; IN 3a:412.

Lomatium serpentinum (M.E. Jones) Mathias

Common names: Snake Canyon desert parsley, sweetscented biscuitroot

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:125; FPN 334; FPN2 657; IL 3:263; PEK 575; VP 3:563.

Lomatium suksdorfii (S. Watson) J.M. Coult. & Rose

Common names: Suksdorf's desert parsley, Suksdorf's lomatium

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:125; FPN 330; FPN2 651; Galash, 2024 ; IL 3:267; VP 3:563.

Lomatium triternatum (Pursh) J.M. Coult. & Rose

Common names: nineleaf lomatium, broad-fruit lomatium, Packard's lomatium, broad nineleaf lomatium

Origin: native Voucher: OSC, most recently collected in 2025

FOO 2:126; FPN 327; FPN2 649; GWM 251; IL 3:266; IN 3a:416; JPM 157; PEK 577; VP 3:565.

Synonyms:

***Lomatium alatum* (J.M. Coult. & Rose) J.M. Coult. & Rose**

FOO 2:126 synonym for *Lomatium triternatum*.

***Lomatium anomalum* M.E. Jones ex J.M. Coult. & Rose**

FPN2 648.

***Lomatium brevifolium* (J.M. Coult. & Rose) J.M. Coult. & Rose Rose, Joseph Nelson**

FPN2 649.

***Lomatium packardiae* Cronquist**

FOO 2:126 synonym for *Lomatium triternatum*; FPN2 649; IN 3a:402.

***Lomatium platycarpum* J.M. Coult. & Rose**

FOO 2:126 synonym for *Lomatium triternatum*; IN 3a:416 synonym for *Lomatium triternatum* ssp. *platycarpum*; PEK 577 synonym for *Lomatium simplex* var. *simplex*; VP 3:565 synonym for *Lomatium triternatum* ssp. *platycarpum*.

***Lomatium robustius* (J.M. Coult. & Rose) J.M. Coult. & Rose**

FOO 2:126 synonym for *Lomatium triternatum*.

***Lomatium simplex* (Nutt. ex S. Watson) J.F. Macbr.**

FOO 2:126 synonym for *Lomatium triternatum*; FPN2 649.

***Lomatium simplex* (Nutt. ex S. Watson) J.F. Macbr. var. *leptophyllum* (Hook.) Mathias**

FOO 2:126 synonym for *Lomatium triternatum*; IL 3:266; IN 3a:416 synonym for *Lomatium triternatum*; PEK 577; VP 3:565 synonym for *Lomatium triternatum*.

Lomatium simplex* (Nutt. ex S. Watson) J.F. Macbr. var. *simplex

FOO 2:126 synonym for *Lomatium triternatum*; IL 3:266; PEK 577.

***Lomatium triternatum* (Pursh) J.M. Coult. & Rose var. *alatum* (J.M. Coult. & Rose) Mathias**

FOO 2:126 synonym for *Lomatium triternatum*; PEK 577; VP 3:565 synonym for *Lomatium triternatum* ssp. *platycarpum*.

***Lomatium triternatum* (Pursh) J.M. Coult. & Rose var. *anomalum* (M.E. Jones ex J.M.**

FOO 2:126 synonym for *Lomatium triternatum*; FPN 328; IL 3:266; IN 3a:418 for *Lomatium triternatum*; JPM 157 excluded; PEK 577; VP 3:566 for *Lomatium triternatum* ssp. *platycarpum*.

***Lomatium triternatum* (Pursh) J.M. Coult. & Rose var. *brevifolium* (J.M. Coult. & Rose)**

FPN 328 synonym for *Lomatium triternatum* var. *triternatum*; IL 3:266; PEK 577; VP 3:565 synonym for *Lomatium triternatum* ssp. *platycarpum*.

***Lomatium triternatum* (Pursh) J.M. Coult. & Rose var. *macrocarpum* (J.M. Coult. & Rose)**

FOO 2:126 synonym for *Lomatium triternatum*; FPN 328 synonym for *Lomatium triternatum* var. *triternatum*; IL 3:266; IN 3a:417 synonym for *Lomatium triternatum*; JPM 157; JPM2 192; KZ 2:447; PEK 577; VP 3:565 synonym for *Lomatium triternatum* ssp. *platycarpum*.

***Lomatium triternatum* (Pursh) J.M. Coult. & Rose ssp. *platycarpum* (Torr.) Cronquist**

FOO 2:126 synonym for *Lomatium triternatum*; FPN 328; IN 3a:418; VP 3:566.

Lomatium triternatum* (Pursh) J.M. Coult. & Rose ssp. *triternatum

FOO 2:126 synonym for *Lomatium triternatum*; IN 3a:418; VP 3:566.

Lomatium triternatum* (Pursh) J.M. Coult. & Rose var. *triternatum

FOO 2:126 synonym for *Lomatium triternatum*; FPN 328; IL 3:266; JPM 157; JPM2 192; PEK 577.

Lomatium utriculatum (Nutt. ex Torr. & A. Gray) J.M. Coult. & Rose

Common names: spring gold, fine-leaved desert parsley, common lomatium, pomo-celery lomatium

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:127; FPN 330; FPN2 656; JPM 157; JPM2 192; PEK 574; VP 3:568.

Synonyms:

Lomatium utriculatum* (Nutt. ex Torr. & A. Gray) J.M. Coult. & Rose var. *anthemifolium

FOO 2:127 synonym for *Lomatium utriculatum*.

***Lomatium utriculatum* (Nutt. ex Torr. & A. Gray) J.M. Coult. & Rose var. *glabrum* Jeps.**

FOO 2:127 synonym for *Lomatium utriculatum*.

Lomatium utriculatum* (Nutt. ex Torr. & A. Gray) J.M. Coult. & Rose var. *utriculatum

FOO 2:127 synonym for *Lomatium utriculatum*; IL 3:255.

Lomatium vaginatum J.M. Coult. & Rose

Common names: broadsheath lomatium, broadsheath desert parsley

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:127; FPN 331; FPN2 657; IL 3:253; IN 3a:410; JPM 157; JPM2 192; PEK 573; VP 3:568.

Synonyms:

***Lomatium utriculatum* (Nutt. ex Torr. & A. Gray) J.M. Coult. & Rose var. *papillatum* (L.F.**

FOO 2:127 synonym for *Lomatium vaginatum*; IL 3:255.

Lomatium watsonii (J.M. Coult. & Rose) J.M. Coult. & Rose

Common names: Watson's desert parsley, Watson's lomatium

Origin: native Voucher: OSC, most recently collected in 1980

FOO 2:127; FPN 331; FPN2 653; IL 3:252; PEK 572; VP 3:568.

Synonyms:

***Lomatium frenchii* Math. & Const.**

FOO 2:127 synonym for *Lomatium watsonii*; FPN 331 synonym for *Lomatium watsonii*; VP 3:568 synonym for *Lomatium watsonii*.

Myrrhis

Checklist contributor: Henrietta Chambers, 5/24/2005

Flora of Oregon author: treatment pending

Myrrhis odorata (L.) Scop.

Common names: sweet cicely

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018

FOO 2:88 uncertain status; FPN2 636.

Oenanthe

Checklist contributor: Scott Sundberg, Henrietta Chambers, 5/24/2005

Flora of Oregon author: Stephen Meyers

Oenanthe sarmentosa de Candolle

Common names: water parsley

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:128; FPN 3:334; FPN2 658; IL 3:238; JPM 157; JPM2 192; PEK 565; VP 3:570.

Orogenia

Checklist contributor: Scott Sundberg, Henrietta Chambers, 5/24/2005

Flora of Oregon author: Stephen Meyers

Orogenia fusiformis S. Watson

Common names: California Indian potato, turkey peas, mountain orogenia

Origin: native Voucher: OSC, most recently collected in 2011

FOO 2:129; FPN 334; IL 3:241; JPM 158; JPM2 193; PEK 556; VP 3:570.

Synonyms:

***Lomatium fusiformis* (S. Watson) J.F. Smith & Mansfield**

FPN2 652.

Orogenia linearifolia S. Watson

Common names: Great Basin Indian potato, narrow-leaved orogenia

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:129; FPN 334; GWM 252; IL 3:241; IN 3a:420; VP 3:570.

Synonyms:

***Lomatium linearifolium* (S. Watson) J.F. Smith & Mansfield**

FPN2 650.

Osmorhiza

Checklist contributor: Henrietta Chambers, Scott Sundberg, 5/24/2005

Flora of Oregon author: Katie Mitchell

Osmorhiza berteroi DC.

Common names: mountain sweet cicely

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:129; FPN2 658; IL 3:226 synonym for *Osmorhiza chilensis*; JPM2 193.

Synonyms:

***Osmorhiza chilensis* Hook. & Arn.**

FOO 2:129 synonym for *Osmorhiza berteroi*; FPN 335; GWM 252; IL 3:226; IN 3a:348; JPM 158; PEK 557; VP 3:572.

Osmorhiza depauperata Phil.

Common names: blunt-fruited sweet cicely, bluntseed sweetroot

Origin: native Voucher: OSC, most recently collected in 2020

FOO 2:129; FPN 335; FPN2 658; GWM 252; IN 3a:350; JPM 158; JPM2 193; VP 3:573.

Synonyms:

***Osmorhiza obtusa* (J.M. Coult. & Rose) Fernald**

FOO 2:129 synonym for *Osmorhiza depauperata*; FPN 335 synonym for *Osmorhiza depauperata*; IL 3:227; PEK 557.

Osmorhiza occidentalis (Nuttall) Torrey

Common names: western sweet cicely

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:130; FPN 335; FPN2 658; GWM 254; IL 3:226; IN 3a:348; JPM 158; JPM2 193; PEK 557; VP 3:573.

Osmorhiza purpurea (J.M. Coult. & Rose) Suksd.

Common names: purple sweet cicely

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:130; FPN 335; FPN2 658; IL 3:226; JPM 159; JPM2 193; PEK 557; VP 3:574.

Oxypolis

Checklist contributor: Henrietta Chambers, 5/24/2005

Flora of Oregon author: Stephen Meyers

Oxypolis occidentalis J.M. Coult. & Rose

Common names: western cow bane, western oxypolis

Origin: native Voucher: OSC, most recently collected in 2015

FOO 2:130; FPN2 659; IL 3:245; JPM 159; JPM2 194; PEK 570.

Pastinaca

Checklist contributor: Henrietta Chambers, 5/24/2005
Flora of Oregon author: Stephen Meyers

Pastinaca sativa L.

Common names: common parsnip
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021
FOO 2:131; FPN 335; FPN2 659; IL 3:245; IN 3a:426; JPM 159; JPM2 194; PEK 579; VP 3:574.

Perideridia

Checklist contributor: Scott Sundberg, 5/24/2003
Flora of Oregon author: Stephen Meyers

Perideridia bolanderi (A. Gray) A. Nelson & J.F. Macbr.

FPN 336; IL 3:234; IN 3a:360; JPM 160; PEK 562; VP 3:576.

Perideridia bolanderi (A. Gray) A. Nelson & J.F. Macbr. ssp. ***bolanderi***

Common names: Bolander's yampah, olasi
Origin: native Voucher: OSC, most recently collected in 2016
FOO 2:132; FPN2 659; JPM 160; JPM2 196.

Perideridia erythrorhiza (Piper) T.I. Chuang & Constance

Common names: red root yampah
Origin: native Voucher: OSC, most recently collected in 2023
FOO 2:132; FPN2 659; Galash, 2024 .

Perideridia gairdneri (Hook. & Arn.) Mathias

Common names: Gairdner's yampah, western false caraway
Origin: native Voucher: OSC, most recently collected in 2020
FOO 2:132; FPN 336; FPN2 659 synonym for *Perideridia montana*; IL 3:233; JPM 160; PEK 562; VP 3:576.

Synonyms:

***Perideridia gairdneri* (Hook. & Arn.) Mathias ssp. *borealis* T.I. Chuang & Constance**
FOO 2:132 synonym for *Perideridia gairdneri*; FPN 336; JPM 160; JPM2 196.

***Perideridia lemmonii* (J.M. Coult. & Rose) T.I. Chuang & Constance**
FOO 2:132 synonym for *Perideridia gairdneri*; IN 3a:361; JPM 160; JPM2 196.

***Perideridia montana* (Blank.) Dorn**
FOO 2:132 synonym for *Perideridia gairdneri*; FPN2 659; IN 3a:360.

Perideridia howellii (J.M. Coult. & Rose) Mathias

Common names: Howell's yampah
Origin: native Voucher: OSC, most recently collected in 2004
FOO 2:133; FPN2 659; IL 3:233; JPM 160; JPM2 196; PEK 562.

Perideridia oregana (S. Watson) Mathias

Common names: Oregon yampah, eppaw
Origin: native Voucher: OSC, most recently collected in 2017
FOO 2:133; FPN 336; FPN2 659; IL 3:234; JPM 162; JPM2 196; PEK 562; VP 3:576.

Petroselinum

Checklist contributor: Aaron Liston, Richard Halse, 1/1/2008
Flora of Oregon author: Stephen Meyers

Petroselinum segetum (L.) Koch

Common names: garden parsley

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2024

FOO 2:133; Liston & Halse, 2007 ; Oregon Flora Project, 2007C .

Pimpinella

Checklist contributor: , 2/24/2010

Flora of Oregon author: treatment pending

Pimpinella saxifraga L.

Common names: Burnet saxifrage

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FOO 2:88 uncertain status; VP 3:578.

Sanicula

Checklist contributor: Henrietta Chambers, 6/2/2005

Flora of Oregon author: Rory Nichols

Sanicula arctopoides Hook. & Arn.

Common names: footsteps of spring, bear's foot sanicle

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:134; FPN 337; FPN2 680; IL 3:220; JPM 163; JPM2 198; PEK 555; VP 3:579.

Synonyms:

Sanicula crassicaulis **Poepp. ex DC. var.** ***howellii*** **(J.M. Coult. & Rose) Mathias**

FOO 2:134 synonym for *Sanicula arctopoides*; FPN 337 synonym for *Sanicula arctopoides*; IL 3:221; PEK 555.

Sanicula bipinnatifida Douglas ex Hook.

Common names: purple sanicle, purple snakeroot

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:134; FPN 337; FPN2 680; IL 3:221; JPM 163; JPM2 198; PEK 554; VP 3:581.

Sanicula bipinnatifida Douglas ex Hook. × ***Sanicula crassicaulis*** Poepp. ex DC.

Origin: native Voucher: OSC, most recently collected in 2018

Sanicula crassicaulis Poepp. ex DC.

Common names: Pacific snakeroot, western snakeroot

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:134; FPN 337; JPM 163; JPM2 198; VP 3:581.

Synonyms:

Sanicula crassicaulis **Poepp. ex DC. var.** ***crassicaulis***

FOO 2:134 synonym for *Sanicula crassicaulis*; FPN 337; FPN2 680; IL 3:221; PEK 555; VP 3:581.

Sanicula crassicaulis **Poepp. ex DC. var.** ***tripartita*** **(Suksd.) H. Wolff**

FOO 2:134 synonym for *Sanicula crassicaulis*; FPN 337; FPN2 680; VP 3:581.

Sanicula graveolens Poepp.

Common names: Sierra sanicle

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:135; FPN 337; FPN2 680; GWM 255; IL 3:220; IN 3a:346; JPM 163; JPM2 198; PEK 555; VP 3:581.

Synonyms:

Sanicula graveolens **Poepp. var.** ***graveolens***

FOO 2:135 synonym for *Sanicula graveolens*; PEK 555.

Sanicula graveolens **Poepp. var.** ***septentrionalis*** **(Greene) Mathias**

FOO 2:135 synonym for *Sanicula graveolens*; FPN 337 synonym for *Sanicula graveolens*; PEK 555.

Sanicula laciniata Hook. & Arn.

Common names: coast snakeroot

Origin: native Voucher: OSC, most recently collected in 2005

FOO 2:135; IL 3:221; JPM 164; JPM2 198; PEK 555.

Sanicula peckiana J.F. Macbr.

Common names: Peck's snakeroot

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:135; IL 3:221; JPM 164; JPM2 198; PEK 554.

Sanicula tuberosa Torr.

Common names: turkey pea

Origin: native Voucher: OSC, most recently collected in 1981

FOO 2:135; IL 3:222; JPM 164; JPM2 199; PEK 555.

Scandix

Checklist contributor: Scott Sundberg, Henrietta Chambers, 5/13/2005

Flora of Oregon author: Stephen Meyers

Scandix pecten-veneris L.

Common names: Venus' comb, shepherd's needle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FOO 2:136; FPN 337; FPN2 681; IL 3:224; JPM 164; JPM2 199; PEK 558; VP 3:582.

Sium

Checklist contributor: Scott Sundberg, Henrietta Chambers, 5/13/2005

Flora of Oregon author: Stephen Meyers

Sium suave Walter

Common names: hemlock water parsnip

Origin: native Voucher: OSC, most recently collected in 2014

FOO 2:137; FPN 338; FPN2 661; IL 3:231; IN 3a:356; JPM 164; JPM2 199; PEK 564; VP 3:584.

Sphenosciadium

Checklist contributor: Scott Sundberg, Henrietta Chambers, 5/13/2005

Flora of Oregon author: Stephen Meyers

Sphenosciadium capitellatum A. Gray

Common names: ranger's buttons, woolly-head parsnip

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:137; FPN 338; FPN2 681; GWM 256; IL 3:273; IN 3a:362; JPM 165; JPM2 199; PEK 569; VP 3:584.

Synonyms:

***Angelica capitellata* (A. Gray) Spalik, Reduron & S. R. Downie**

Tauschia

Checklist contributor: Henrietta Chambers, 6/6/2005

Flora of Oregon author: Stephen Meyers

Tauschia glauca (J.M. Coult. & Rose) Mathias & Constance

Common names: glaucous tauschia, glaucous umbrellawort

Origin: native Voucher: OSC, most recently collected in 2006

FOO 2:138; IL 3:242; JPM 165; JPM2 200; PEK 556.

Tauschia howellii (J.M. Coult. & Rose) J.F. Macbr.

Common names: Howell's tauschia, Howell's umbrellawort

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:138; IL 3:243; JPM 165; JPM2 200; PEK 556.

Tauschia kelloggii (A. Gray) J.F. Macbr.

Common names: Kellogg's tauschia, Kellogg's umbrellawort

Origin: native Voucher: OSC, most recently collected in 2014

FOO 2:138; IL 3:243; JPM 165; JPM2 200; PEK 556.

Tauschia stricklandii (J.M. Coult. & Rose) Mathias & Constance

Common names: Strickland's tauschia, Strickland's umbrellawort

Origin: native Voucher: OSC, most recently collected in 2020

FOO 2:138; FPN 338; FPN2 661; IL 3:242; VP 3:585.

Torilis

Checklist contributor: Stephen Meyers, 3/14/2006

Flora of Oregon author: Stephen Meyers

Torilis arvensis (Huds.) Link

Common names: field hedge parsley, tall sock-destroyer

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FOO 2:138; IL 3:224; IN 3a:352; JPM 166; JPM2 200; PEK 558.

Synonyms:

Torilis arvensis* (Huds.) Link ssp. *arvensis

FPN2 662; Tutin et al., 1969-1980 .

Torilis henryi Norman

Common names: rough hedgeparsley

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1903

FPN2 662.

Torilis japonica (Houtt.) DC.

Common names: Japanese hedge parsley, Japanese sock-destroyer

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FOO 2:139; FPN2 662; IL 3:224.

Torilis nodosa (L.) Gaertn.

Common names: knotted hedge parsley, short sock-destroyer

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FOO 2:139; FPN2 662; IL 3:224; JPM 166; JPM2 202; PEK 558.

Yabea

Checklist contributor: Henrietta Chambers, 6/3/2005

Flora of Oregon author: Stephen Meyers

Yabea microcarpa (Hook. & Arn.) Koso-Pol.

Common names: California hedge parsley

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:140; FPN 322; FPN2 662; IN 3a:352; JPM 166; JPM2 202.

Synonyms:

***Caucalis microcarpa* Hook. & Arn.**

FOO 2:140 synonym for *Yabea microcarpa*; FPN 322; IL 3:222; PEK 559; VP 3:522.

Zizia

Checklist contributor: Henrietta Chambers, 6/3/2005
Flora of Oregon author: Stephen Meyers

Zizia aptera (A. Gray) Fernald

Common names: golden Alexanders

Origin: native

Voucher: OSC, most recently collected in 1903

FOO 2:140; FPN 338; IL 3:241; IN 3a:364; VP 3:586.

Synonyms:

***Zizia aperta* (Gray) Fern.**

PEK 560.

***Zizia aptera* (A. Gray) Fernald var. *occidentalis* Fernald**

FPN 338; FPN2 662; IN 3a:364; VP 3:586.

Excluded names:

Ammi majus L.
IL 3:230; JPM 139; JPM2 173.

Ammi visnaga (L.) Lam.
IL 3:230; JPM 139; JPM2 173; PEK 561.

Cymopterus terebinthinus (Hook.) Torr. & A. Gray var. albiflorus (Torr. & A. Gray) M.E. Jones
IN 3a:378.

Eryngium planum L.
FPN 325; FPN2 646; VP 3:531.

Lomatium idahoense Mathias & Constance
FPN 328; FPN2 652; IL 3:267; VP 3:556.

Lomatium nevadense (S. Watson) J.M. Coult. & Rose var. parishii Jeps.
IL 3:258; IN 3a:408; JPM 154; JPM2 189.

Lomatium salmoniflorum (J.M. Coult. & Rose) Mathias & Constance
FPN 331; FPN2 656; IL 3:263; PEK 579; VP 3:563.

Lomatium tracyi Mathias & Constance
IL 3:255; JPM 156; JPM2 190; PEK 574.

Perideridia parishii (J.M. Coult. & Rose) A. Nelson & J.F. Macbr.
IL 3:234; IN 3a:362; JPM 162; PEK 562.

Literature cited for Apiaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Bell, C.R. 1954. The *Sanicula crassicaulis* complex (Umbelliferae): A study of variation and polyploidy. University of California Publications in Botany 27(3):133-230.

Coulter, J.M., and J.N. Rose. 1900. Monograph of the North American Umbelliferae. Contributions from the United States National Herbarium 7(1):204-240.

Darrach, M., K.K. Thie, B.L. Wilson, R.E. Brainerd, and N. Otting. 2010. *Lomatium tamanitchii* (Apiaceae) a new species from Oregon and Washington State, USA. Madroño 57(3):203-208.

Darrach, M.E., and C.E. Hinchliff. 2014. *Lomatium tarantuloides*. (Apiaceae), a new narrowly endemic species from northeast Oregon. Phytoneuron 27:1-8.

Darrach, M.E., and D.H. Wagner. 2011. *Lomatium pastoralis* (Apiaceae), a new narrow endemic species from northeast Oregon. Journal of the Botanical Research Institute of Texas 5(2):427-435.

DiTomaso, J.M. 1984. Realignments in northern California *Angelica* (Umbelliferae). Madroño 31(2):69-79.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Grimes, J.W., and P.L. Packard. 1981. New taxa of Apiaceae, Hydrophyllaceae, and Saxifragaceae from Oregon and Idaho. Brittonia 33:430-434.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Liston, A., and R. Halse. 2007. 21st century plant identification. Oregon Flora Newsletter 13(1):1-2.

Mathias, M. 1938. A revision of the genus *Lomatium*. Annals of the Missouri Botanical Garden 25:225-297.

McNeill, R.P. 2012. *Lomatium brunsfeldianum*: A new species of *Lomatium* (Umbelliferae) from northern Idaho. Journal of the Botanical Research Institute of Texas 6(1):29-36.

Ohwi, J. 1965. Flora of Japan. Meyer, F.G., and E.H. Walker, Eds. Smithsonian Institution, Washington, DC.

Peck, M. 1936. Six new plants from Oregon. Proceedings of the Biological Society of Washington 1949:109-112.

Pujadas Savalà, A.J. 2002. El complejo*Daucus carota* L. (Apiaceae) en la flora Ibérica. Anales del Jardín Botánico de Madrid 59:368-375.

Sáenz Laín, C. 1981. Research on *Daucus* L. (Umbelliferae). Anales del Jardín Botánico de Madrid 37:497-198.

Schlessman, M.A. 1982. Taxonomy of *Lomatium bicolor* (Umbelliferae). Madroño 29(2):118-119.

Schlessman, M.A. 1984. Systematics of tuberous lomatiums (Umbelliferae). Systematic Botany Monographs 4:1-55.

Shah, R.H., and L. Constance. 1951. The genus *Sanicula* (Umbelliferae) in the old world and new. University of California Publications in Botany 25(1):1-78.

Simpson, C. 2001B. Giant hogweed found in Oregon! Oregon Flora Newsletter 7(2):9.

Small, E. 1978. A numerical taxonomic analysis of the *Daucus carota* complex. Canadian Journal of Botany 56:248-279.

Spalik, K., and S.R. Downie. 2007. Intercontinental disjunctions in *Cryptotaenia* (Apiaceae, Oenantheae): an appraisal using molecular data. Journal of Biogeography 34:2039-2054.

Sun, F., G.A. Levin, and S.R. Downie. 2005. A multivariate analysis of *Cymopterus glomeratus*, formerly known as *C. acaulis* (Apiaceae). Rhodora 107(932):359-385.

Tutin, T.G., V.H. Heywood, N.A. Burges, D.M. Moore, D.H. Valentine, S.M. Walters, and D.A. Webb, Eds. 1969-1980. Flora Europaea. 5 volumes. Cambridge University Press, Cambridge, United Kingdom.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest