Checklist of Oregon Asparagaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Asparagus

Checklist contributor: Henrietta Chambers, 10/9/2006
Flora of Oregon author: Stephen Meyers

Asparagus officinalis L.

Common names: asparagus
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019
FN 26:214; FOO 1:152; FPN 685; FPN2 704; IL 1:452; IN 6:491; PEK 227; VP 1:760.

Synonyms:
Asparagus officinalis* L. ssp. *officinalis
JPM 1179; JPM2 1303.

Brodiaea

Checklist contributor: Henrietta Chambers, 9/22/2006
Flora of Oregon author: Stephen Meyers

Brodiaea californica Lindl.

Chambers, 1995B uncertain status; FN 26:323; IL 1:406; JPM 1182; JPM2 1510; Niehaus, 1971 60:1-66; PEK 216.

Brodiaea californica Lindl. ssp. ***californica***

Common names: California brodiaea, California cluster-lily
Origin: native Voucher: OSC, most recently collected in 2007
FN 26:322; FOO 1:154.

Brodiaea coronaria (Salisb.) Engl.

Common names: crown brodiaea, harvest cluster-lily, harvest brodiaea
Origin: native Voucher: OSC, most recently collected in 2020
FN 26:324; FOO 1:154; FPN 685; FPN2 705; JPM 1182; JPM2 1510; VP 1:762.

Synonyms:
Brodiaea coronaria* (Salisb.) Engl. ssp. *coronaria
Chambers, 1995B ; FN 26:324; JPM 1182.
Brodiaea coronaria* (Salisb.) Engl. var. *coronaria
PEK 215.
Brodiaea rosea* (Greene) Baker ssp. *rosea
Brodiaea rosea* (Greene) Baker var. *rosea
FPN2 705.

Brodiaea elegans Hoover

Common names: elegant brodiaea, elegant cluster-lily, harvest brodiaea
Origin: native Voucher: OSC, most recently collected in 2024
FOO 1:154; FPN 685; JPM 1182; PEK 215; VP 1:763.

Synonyms:
Brodiaea elegans* Hoover ssp. *elegans
Chambers, 1995B ; FN 26:325; JPM 1182; JPM2 1510.
***Brodiaea elegans* Hoover ssp. *hooveri* T.F. Niehaus**
Chambers, 1995B ; FN 26:325; FPN2 705; JPM 1182.

Brodiaea minor (Benth.) S. Watson

Common names: small brodiaea, dwarf brodiaea, vernalpool brodiaea
Origin: uncertain Voucher: OSC, most recently collected in 2007
JPM 1182; JPM2 1511.

Brodiaea nana Hoover

Common names: vernalpool brodiaea, dwarf brodiaea
Origin: uncertain Voucher: OSC, most recently collected in 2011

Brodiaea terrestris Kellogg

Common names: dwarf brodiaea, dwarf cluster-lily
Origin: native Voucher: OSC, most recently collected in 2001
FOO 1:154; JPM 1183.

Synonyms:

Brodiaea coronaria **(Salisb.) Engl. var.** ***macropoda*** **(Torr.) Hoover**
FN 26:327 synonym for *Brodiaea terrestris* ssp. *terrestris*; PEK 215.

Brodiaea terrestris **Kellogg ssp.** ***terrestris***
Chambers, 1995B ; FN 26:327; FPN2 705; JPM 1183; JPM2 1511.

Camassia

Checklist contributor: Henrietta Chambers, 5/18/2004
Flora of Oregon author: Susan Kephart

Camassia cusickii S. Watson

Common names: Cusick's camas
Origin: native Voucher: OSC, most recently collected in 2017
FN 26:307; FOO 1:155; FPN 688; FPN2 705; GWM 92; IL 1:415; PEK 218; VP 1:779.

Camassia howellii S. Watson

Common names: Howell's camas
Origin: native Voucher: OSC, most recently collected in 2016
FN 26:306; FOO 1:155; IL 1:416; PEK 218.

Camassia leichtlinii (Baker) S. Watson

FOO 1:155; FPN 688; IL 1:416; IN 6:504; PEK 218; VP 1:780.

Camassia leichtlinii (Baker) S. Watson ssp. ***leichtlinii***

Common names: Leichtlin's camas, great white camas, large camas
Origin: native Voucher: OSC, most recently collected in 2024
FN 26:306; FOO 1:155; FPN 688 excluded.

Synonyms:

Camassia leichtlinii **(Baker) S. Watson var.** ***leichtlinii***
FPN 688; PEK 218; VP 1:780.

Camassia leichtlinii (Baker) S. Watson ssp. ***suksdorfii*** (Greenm.) Gould

Common names: great camas
Origin: native Voucher: OSC, most recently collected in 2024
FN 26:306; FOO 1:156; FPN 688 synonym for *Camassia leichtlinii* var. *suksdorfii*; FPN2 705; JPM2 1284; PEK 218.

Synonyms:

Camassia leichtlinii **(Baker) S. Watson var.** ***suksdorfii*** **(Greenm.) C.L. Hitchc.**
FPN 688; VP 1:780.

Camassia quamash (Pursh) Greene

FOO 1:156; FPN 688; GWM 93; IL 1:415; IN 6:506; JPM 1189; PEK 218.

Camassia quamash (Pursh) Greene ssp. ***breviflora*** Gould

Common names: small camas

Origin: native Voucher: OSC, most recently collected in 2022

FN 26:306; FOO 1:156; FPN 689 synonym for *Camassia quamash* var. *breviflora*; FPN2 706; JPM 1189; JPM2 1284; PEK 218.

Synonyms:

***Camassia quamash* (Pursh) Greene var. *breviflora* (Gould) C.L. Hitchc.**

FN 26:306 excluded; FPN 689; VP 1:782.

Camassia quamash (Pursh) Greene ssp. ***intermedia*** Gould

Common names: common camas

Origin: native Voucher: OSC, most recently collected in 2016

FN 26:305; FOO 1:156; FPN 689 synonym for *Camassia quamash* var. *intermedia*; FPN2 706; PEK 218.

Synonyms:

***Camassia quamash* (Pursh) Greene var. *intermedia* (Gould) C.L. Hitchc.**

FPN 689; VP 1:782.

Camassia quamash (Pursh) Greene ssp. ***maxima*** Gould

Common names: common camas

Origin: native Voucher: OSC, most recently collected in 2016

FN 26:305; FOO 1:157; FPN 689 synonym for *Camassia quamash* var. *maxima*; FPN2 706.

Synonyms:

***Camassia quamash* (Pursh) Greene var. *maxima* (Gould) C.L. Hitchc.**

FPN 689; VP 1:782.

Camassia quamash (Pursh) Greene ssp. ***quamash***

Common names: common camas

Origin: native Voucher: OSC, most recently collected in 2004

FN 26:305; FOO 1:157; FPN2 705; JPM 1189.

Synonyms:

Camassia quamash* (Pursh) Greene var. *quamash

FPN 689; PEK 218; VP 1:782.

Camassia quamash (Pursh) Greene ssp. ***utahensis*** Gould

Common names: Utah camas

Origin: native Voucher: OSC, most recently collected in 2008

FN 26:306; FOO 1:157; FPN 688 synonym for *Camassia quamash* var. *utahensis*; FPN2 706.

Synonyms:

***Camassia quamash* (Pursh) Greene var. *utahensis* (Gould) C.L. Hitchc.**

FPN 688; VP 1:782.

Camassia quamash (Pursh) Greene ssp. ***walpolei*** (Piper) Gould

Common names: Walpole's camas

Origin: native Voucher: OSC, most recently collected in 2014

FN 26:305; FOO 1:157; PEK 218.

Chlorogalum

Checklist contributor: Kenton Chambers, 4/13/2000

Flora of Oregon author: Frank Callahan

Chlorogalum angustifolium Kellogg

Common names: narrowleaf amole, narrowleaf soap plant

Origin: native Voucher: OSC, most recently collected in 2009

FN 26:308; FOO 1:158; JPM 1189; JPM2 1285.

Chlorogalum grandiflorum Hoover

Common names: Red Hills soap plant

Origin: native Voucher: OSC, most recently collected in 2009

FOO 1:158; JPM2 1285.

Chlorogalum pomeridianum (DC.) Kunth

FOO 1:158; JPM 1190; PEK 217.

Chlorogalum pomeridianum (DC.) Kunth ssp. ***austrooreganum*** Callahan

Common names: southern Oregon amole

Origin: native Voucher: OSC, most recently collected in 2009

FOO 1:159.

Chlorogalum pomeridianum (DC.) Kunth var. ***minus*** Hoover

Common names: small amole

Origin: native Voucher: OSC, most recently collected in 2011

FOO 1:159; JPM 1190; JPM2 1285; KZ 1:362.

Chlorogalum pomeridianum (DC.) Kunth var. ***pomeridianum***

Common names: amole, wavyleaf soap plant

Origin: native Voucher: OSC, most recently collected in 2012

FN 26:308; FOO 1:159; JPM 1190; JPM2 1285.

Dichelostemma

Checklist contributor: Henrietta Chambers, 9/22/2006

Flora of Oregon author: Stephen Meyers

Dichelostemma congestum (Sm.) Kunth

Common names: ookow

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 1995B ; FN 26:330; FOO 1:160; FPN 685; FPN2 706; JPM 1192; JPM2 1512.

Synonyms:

Brodiaea congesta **Sm.**

FN 26:330 synonym for *Dichelostemma congestum*; FPN 685; VP 1:762.

Dichelostemma ida-maia (A.W. Wood) Greene

Common names: firecracker flower

Origin: native Voucher: OSC, most recently collected in 1998

Chambers, 1995B ; FN 26:330; FOO 1:160; JPM 1192; JPM2 1512; Oregon Flora Project, 1996J .

Synonyms:

Brodiaea ida-maia **(A.W. Wood) Greene**

FN 26:330 synonym for *Dichelostemma ida-maia*; PEK 216.

Dichelostemma multiflorum (Benth.) A. Heller

Common names: round tooth snakelily, round-toothed ookow, wild hyacinth

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 1995B ; FN 26:331; FOO 1:160; IL 1:409; JPM 1192; JPM2 1512.

Synonyms:

Brodiaea multiflora **Benth.**

FN 26:331 synonym for *Dichelostemma multiflorum*; PEK 216.

Dichelostemma × ***venustum*** (Greene) Hoover

Common names: snakelily

Origin: native Voucher: OSC, most recently collected in 1975

Chambers, 1995B excluded; FN 26:331 synonym for *Dichelostemma ida-maia*.

Dichelostemma volubile (Kellogg) A. Heller

Common names: twining snakelily, twining brodiaea

Origin: uncertain Voucher: OSC, most recently collected in 2010

FN 26:331; JPM 1192; JPM2 1512.

Dipterostemon

Checklist contributor:

Flora of Oregon author: not applicable

Dipterostemon capitatus (Benth.) Rydb. ssp. ***capitatus***

Common names: bluedicks

Origin: native Voucher: OSC, most recently collected in 2012

Preston, 2017 4.

Synonyms:

Brodiaea capitata **Benth.**

FN 26:329 synonym for *Dichelostemma capitatum*; PEK 216.

Brodiaea pulchella **(Salisb.) Greene**

PEK 216.

Dichelostemma capitatum **(Benth.) A.W. Wood ssp.** ***capitatum***

Chambers, 1995B ; FN 26:330; FOO 1:159; FPN2 706; JPM 1192; JPM2 1512.

Dichelostemma pulchellum **(Salisb.) A. Heller**

Chambers, 1995B ambiguous synonym; IL 1:408; IN 6:524.

Hastingsia

Checklist contributor: Kenton Chambers, 4/18/2000

Flora of Oregon author: Kathryn Theiss

Hastingsia alba (Durand) S. Watson

Common names: white-flowered rush-lily

Origin: native Voucher: OSC, most recently collected in 2018

Becking, 1989 ; FN 26:311; FOO 1:160; JPM 1196; JPM2 1285.

Synonyms:

Hastingsia serpentinicola **Becking**

Becking, 1989 ; FN 26:312; JPM 1196; JPM2 1285.

Schoenolirion album **Durand**

IL 1:412; PEK 217.

Hastingsia bracteosa S. Watson

FN 26:312; FOO 1:161; Lang & Zika, 1997 .

Hastingsia bracteosa S. Watson var. ***atropurpurea*** (Becking) F.A. Lang & Zika

Common names: purple-flowered rush-lily

Origin: native Voucher: OSC, most recently collected in 2018

FOO 1:161; Willis, 2025 .

Synonyms:

Hastingsia atropurpurea **Becking**

Becking, 1986 ; FN 26:312; Lang & Zika, 1997 .

Hastingsia bracteosa S. Watson var. ***bracteosa***

Common names: large-flowered rush-lily

Origin: native

Voucher: OSC, most recently collected in 2014

FOO 1:161.

Synonyms:

Schoenolirion bracteosum **(S. Watson) Jeps.**

IL 1:413; PEK 217.

Hyacinthoides

Checklist contributor: Henrietta Chambers, 10/9/2006

Flora of Oregon author: Stephen Meyers

Hyacinthoides × ***massartiana*** Geerinck

Common names: variable hyacinthoides

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2021

FPN2 706.

Synonyms:

Hyacinthoides × ***variabilis*** **P.D. Sell**

FN 26:315.

Hyacinthoides non-scripta (L.) Chouard

Common names: English bluebell

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2021

FN 26:316; FOO 1:161; FPN2 706.

Synonyms:

Scilla non-scripta **(L.) Hoffmanns. & Link**

FN 26:316 synonym for *Hyacinthoides non-scripta*.

Leucocrinum

Checklist contributor: Kenton Chambers, 2/20/1999

Flora of Oregon author: Stephen Meyers

Leucocrinum montanum Nutt.

Common names: sand-lily

Origin: native

Voucher: OSC, most recently collected in 2022

FN 26:218; FOO 1:161; FPN 691; FPN2 707; IL 1:411; IN 6:482; JPM 1198; JPM2 1286; PEK 216; VP 1:793.

Maianthemum

Checklist contributor: Kenton Chambers, 10/29/1998

Flora of Oregon author: Thea Jaster

Maianthemum dilatatum (A.W. Wood) A. Nelson & J.F. Macbr.

Common names: false lily-of-the-valley, beadruby

Origin: native

Voucher: OSC, most recently collected in 2022

Chambers, 2003A ; FN 26:208; FOO 1:162; FPN 692; FPN2 707; IL 1:455; JPM 1202; JPM2 1504; LaFrankie, 1986 ; VP 1:798.

Synonyms:

Maianthemum bifolium **DC. var.** ***kamtschaticum*** **(J.F. Gmel.) Jeps.**

FN 26:208 synonym for *Maianthemum dilatatum*; FPN 692 synonym for *Maianthemum dilatatum*; PEK 229.

Maianthemum racemosum (L.) Link

JPM2 1504.

Maianthemum racemosum (L.) Link ssp. ***amplexicaule*** (Nutt.) LaFrankie

Common names: large false Solomon's seal, western Solomon plume

Origin: native Voucher: OSC, most recently collected in 2022

FN 26:209; FOO 1:163; FPN2 707.

Synonyms:

Smilacina amplexicaulis **Nutt. var.** ***amplexicaulis***

FN 26:718 excluded; IL 1:453; PEK 228.

Smilacina amplexicaulis **Nutt. var.** ***glabra*** **J.F. Macbr.**

FN 26:718 excluded; IL 1:453; PEK 228.

Smilacina racemosa **(L.) Desf.**

FN 26:208 synonym for *Maianthemum racemosum*; FPN 693; GWM 94; IN 6:482; JPM 1204; VP 1:800.

Maianthemum stellatum (L.) Link

Common names: starry false Solomon's seal, small false Solomon's seal

Origin: native Voucher: OSC, most recently collected in 2024

FN 26:209; FOO 1:163; FPN2 707; JPM2 1504.

Synonyms:

Smilacina liliacea **(Greene) F.L. Wynd**

FN 26:209 synonym for *Maianthemum stellatum*; IL 1:454; PEK 229.

Smilacina sessilifolia **(Baker) S. Watson**

FN 26:718 excluded; FPN 693 synonym for *Smilacina stellata*; IL 1:454; PEK 228.

Smilacina stellata **(L.) Desf.**

FN 26:209 synonym for *Maianthemum stellatum*; FPN 693; GWM 96; IN 6:484; JPM 1204; VP 1:800.

Muilla

Checklist contributor:

Flora of Oregon author: not applicable

Muilla transmontana Greene

Common names: Great Basin muilla

Origin: uncertain Voucher: OSC, most recently collected in 2017

Muscari

Checklist contributor: Henrietta Chambers, 10/9/2006

Flora of Oregon author: Tamra Prior

Muscari armeniacum Baker

Common names: garden grape hyacinth

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FPN2 707.

Muscari botryoides (L.) Mill.

Common names: common grape hyacinth, grape hyacinth

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 26:317; FOO 1:163; FPN2 707; IN 6:508; JPM 1202.

Synonyms:

Hyacinthus botryoides **L.**

Muscari comosum (L.) Mill.

Common names: tassel hyacinth, tassel grape hyacinth

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008

FN 26:317; FOO 1:163; FPN2 707.

Synonyms:

Hyacinthus comosus **L.**

Leopoldia comosa **(L.) Parl.**

Ornithogalum

Checklist contributor: Scott Sundberg, 10/1/2002

Flora of Oregon author: Stephen Meyers

Ornithogalum nutans L.

Common names: drooping star of Bethlehem

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1991

FN 26:319; FPN2 708; Zika, 1992 .

Ornithogalum umbellatum L.

Common names: star of Bethlehem, nap-at-noon, sleepy dick

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2023

FN 26:319; FOO 1:164; FPN2 708; IN 6:506.

Triteleia

Checklist contributor: Henrietta Chambers, 9/22/2006

Flora of Oregon author: Stephen Meyers

Triteleia bridgesii (S. Watson) Greene

Common names: Bridges' triteleia

Origin: native Voucher: OSC, most recently collected in 2022

Chambers, 1995B ; FN 26:340; FOO 1:165; IL 1:404; JPM 1207; JPM2 1513; PEK 215.

Synonyms:

Brodiaea bridgesii **S. Watson**

FN 26:340 synonym for *Triteleia bridgesii*; PEK 215.

Triteleia crocea (A.W. Wood) Greene

Common names: yellow triteleia

Origin: native Voucher: OSC, most recently collected in 2009

Chambers, 1995B ; FN 26:340; FOO 1:165; IL 1:403; JPM 1207; JPM2 1513.

Synonyms:

Brodiaea crocea **(A.W. Wood) S. Watson**

FN 26:340 synonym for *Triteleia crocea*; PEK 215.

Triteleia crocea **(A.W. Wood) Greene var.** ***crocea***

JPM 1207.

Triteleia grandiflora Lindl.

Common names: large-flowered triteleia, Howell's triteleia

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 1995B ; FN 26:341; FOO 1:165; FPN 686 synonym for *Brodiaea douglasii*; IL 1:401; IN 6:523; JPM2 1513.

Synonyms:

***Brodiaea douglasii* S. Watson**

FPN 686; GWM 92; PEK 214; VP 1:763.

Brodiaea douglasii* S. Watson var. *douglasii

PEK 214.

***Brodiaea douglasii* S. Watson var. *howellii* (S. Watson) M. Peck**

FN 26:341 synonym for *Triteleia grandiflora*; FPN 686 synonym for *Brodiaea howellii*; GWM 92; PEK 214.

***Brodiaea howellii* S. Watson**

FN 26:341 synonym for *Triteleia grandiflora*; FPN 686; VP 1:765.

Triteleia grandiflora* Lindl. ssp. *grandiflora

FN 26:341 excluded; IN 6:523.

Triteleia grandiflora* Lindl. var. *grandiflora

FN 26:341 excluded; FPN2 708.

***Triteleia grandiflora* Lindl. ssp. *howellii* (S. Watson) Hoover**

FN 26:341 excluded; JPM 1207.

***Triteleia grandiflora* Lindl. var. *howellii* (S. Watson) Hoover**

FN 26:341 synonym for *Triteleia grandiflora*; FPN 686 synonym for *Brodiaea howellii*; FPN2 708; VP 1:765 synonym for *Brodiaea howellii*.

***Triteleia howellii* (S. Watson) Greene**

Chambers, 1995B ; FN 26:341 synonym for *Triteleia grandiflora*; IL 1:402; VP 1:765 synonym for *Brodiaea howellii*.

Triteleia hendersonii Greene

Common names: Henderson's triteleia

Origin: native Voucher: OSC, most recently collected in 2016

FN 26:342; FOO 1:166; FPN2 708; JPM2 1513.

Synonyms:

***Brodiaea hendersonii* S. Watson**

FN 26:342 synonym for *Triteleia hendersonii*; FPN 685; VP 1:763.

***Brodiaea hendersonii* S. Watson var. *galeae* M. Peck**

PEK 214.

Brodiaea hendersonii* S. Watson var. *hendersonii

PEK 214.

***Brodiaea leachiae* M. Peck**

FN 26:342 synonym for *Triteleia hendersonii*; PEK 215.

Triteleia hyacinthina (Lindl.) Greene

Common names: hyacinth triteleia, white triteleia, hyacinth cluster-lily, fool's-onion

Origin: native Voucher: OSC, most recently collected in 2029

Chambers, 1995B ; FN 26:342; FOO 1:166; FPN2 708; IN 6:524; JPM 1207; JPM2 1513.

Synonyms:

***Brodiaea dissimulata* M. Peck**

Chambers, 1995B excluded; FN 26:342 synonym for *Triteleia hyacinthina*; PEK 214.

***Brodiaea hyacinthina* (Lindl.) Baker**

FN 26:342 synonym for *Triteleia hyacinthina*; FPN 685; PEK 214; VP 1:765.

***Hesperoscordum hyacinthinum* Lindl.**

FN 26:342 synonym for *Triteleia hyacinthina*; FPN 685 synonym for *Brodiaea hyacinthina*; IL 1:400.

Triteleia ixioides (W.T. Aiton) Greene

Common names: prettyface

Origin: native Voucher: OSC, most recently collected in 2017

FN 26:342; FOO 1:166; JPM 1207.

Synonyms:

***Brodiaea scabra* (Greene) Baker var. *analina* (Greene) M. Peck**

PEK 214.

***Brodiaea scabra* (Greene) Baker var. *anilina* (Greene) Munz**

PEK 214.

***Calliprora scabra* Greene**

FN 26:344 synonym for *Triteleia ixioides* ssp. *scabra*; IL 1:400.

***Triteleia ixioides* (W.T. Aiton) Greene ssp. *anilina* (Greene) L.W. Lenz**

Chambers, 1995B ; FN 26:343; JPM 1207; JPM2 1514.

***Triteleia ixioides* (W.T. Aiton) Greene ssp. *scabra* (Greene) L.W. Lenz**

FN 26:344; JPM 1208; JPM2 1514.

Triteleia laxa Benth.

Common names: triplet lily, Ithuriel's spear

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 1995B ; FN 26:344; FOO 1:166; JPM 1208; JPM2 1514.

Synonyms:

***Brodiaea laxa* (Benth.) S. Watson**

FN 26:344 synonym for *Triteleia laxa*; PEK 215.

Triteleia peduncularis Lindl.

Common names: long rayed brodiaea

Origin: uncertain Voucher: OSC, most recently collected in 2010

IL 1:403; JPM 1208; JPM2 1514.

Excluded names:

Triteleia ixioides (W.T. Aiton) Greene ssp. unifolia L.W. Lenz

FN 26:344; JPM2 1514.

Literature cited for Asparagaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Becking, R.W. 1986. *Hastingsia atropurpurea* (Liliaceae: Asphodeleae), a new species from southwestern Oregon. Madroño 33:175-181.

Becking, R.W. 1989. Segregation of *Hastingsia serpentinicola*, sp. nov. from *Hastingsia alba* (Liliaceae: Asphodeleae). Madroño 36:208-216.

Fishbein, M., S.R. Kephart, M. Wilder, K.M. Halpin, and S.L. Datwyler. 2010. Phylogeny of *Camassia* (Agavaceae) inferred from plastid rpl16 intron and trnD-trnY-trnE-trnT intergenic spacer DNA sequences: Implications for species delimitation. Systematic Botany 35(1):77-85.

LaFrankie, J.V., Jr. 1986. Morphology and taxonomy of the New World species of *Maianthemum* (Liliaceae). Journal of the Arnold Arboretum 67:371-439.

Lang, F.A., and P.F. Zika. 1997. A nomenclatural note on *Hastingsia bracteosa* and *Hastingsia atropurpurea* (Liliaceae). Madroño 44:189-192.

Niehaus, T.F. 1971. A biosystematic study of the genus *Brodiaea* (Amaryllidaceae). University of California Publications in Botany 60:1-66.

Ornduff, R., and M.S. Cave. 1975. Geography of pollen and chromosomal heteromorphism in *Leucocrinum montanum* (Liliaceae). Madroño 23:65-67.

Preston, R.E. 2017. New nomenclatural combinations for blue dicks (*Dipterostemon capitatus*; Asparagaceae: Brodiaeoideae). Phytoneuron 2017-15:1-11.

Sherman, H.L., and R.W. Becking. 1991. The generic distinctness of *Schoenolirion* and *Hastingsia*. Madroño 38:130-138.

Willis, G. 2025. Personal communication, rare plant abstracts, draft content. .

Zika, P.F. 1992. Noteworthy collections - Oregon. Madroño 39(1):80.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest