Checklist of Oregon Asteraceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Acanthospermum

Checklist contributor: Scott Sundberg, 3/29/1995
Flora of Oregon author: treatment pending

Acanthospermum hispidum DC.

Common names: hispid starburr
Origin: exotic, not naturalized — Voucher: WTU, most recently collected in 1900
FN 21:37; FPN2 518.

Achillea

Checklist contributor: Kenton Chambers, 2/12/1995
Flora of Oregon author: Kenton Chambers

Achillea filipendulina Lam.

Common names: fernleaf yarrow
Origin: exotic, not naturalized — Voucher: OSC, most recently collected in 2012
FOO 2:163 uncertain status; FPN2 533; JPM2 .

Achillea millefolium L.

Common names: common yarrow, milfoil
Origin: exotic, naturalized — Voucher: OSC, most recently collected in 2024
FN 19:493; FOO 2:163; FPN 478; FPN2 534; GWM 340; IN 5:134; JPM 189; JPM2 230; PEK 821; VP 5:21.

Synonyms:

***Achillea borealis* Bong.**

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; FPN 478 ambiguous synonym for *Achillea millefolium* var. *californica*; PEK 821.

***Achillea lanulosa* Nutt. var. *eradiata* (Piper) M. Peck**

FOO 2:163 synonym for *Achillea millefolium*; PEK 822.

Achillea lanulosa* Nutt. var. *lanulosa

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; PEK 822.

***Achillea millefolium* L. var. *alpicola* (Rydb.) Garrett**

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; FPN 478; GWM 340; IL 4:390; KZ 1:59; VP 5:23.

***Achillea millefolium* L. var. *californica* (Pollard) Jeps.**

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; FPN 478; IL 4:391; KZ 1:59; VP 5:23.

***Achillea millefolium* L. ssp. *lanulosa* (Nutt.) Piper**

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; IN 5:134.

***Achillea millefolium* L. var. *lanulosa* (Nutt.) Piper**

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; FPN 478; GWM 340; IL 4:390.

***Achillea millefolium* L. var. *litoralis* Ehrend. ex Nobs**

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; IL 4:391; KZ 1:59.

Achillea millefolium* L. var. *millefolium

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; IL 4:390; KZ 1:59.

***Achillea millefolium* L. var. *pacifica* (Rydb.) G.N. Jones**

FN 19:493 synonym for *Achillea millefolium*; FOO 2:163 synonym for *Achillea millefolium*; IL 4:391; KZ 1:60.

Achillea ptarmica L.

Common names: sneezewort yarrow, sneezeweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015

FN 19:494; FOO 2:163 uncertain status; FPN2 533.

Achyrachaena

Checklist contributor: Scott Sundberg, 1/30/1998

Flora of Oregon author: Bruce Baldwin, Gerald Carr

Achyrachaena mollis Schauer

Common names: blow wives

Origin: native Voucher: OSC, most recently collected in 2022

FN 21:259; FOO 2:163; IL 4:154; JPM 189; JPM2 230; PEK 808.

Adenocaulon

Checklist contributor: Scott Sundberg, 3/17/1995

Flora of Oregon author: Kenton Chambers

Adenocaulon bicolor Hook.

Common names: trailplant, pathfinder

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:75; FOO 2:165; FPN 478; FPN2 534; GWM 340; IL 4:416; JPM 189; JPM2 231; PEK 801; VP 5:23.

Ageratina

Checklist contributor: Scott Sundberg, 3/29/1995

Flora of Oregon author: Kenton Chambers

Ageratina occidentalis (Hook.) R.M. King & H. Rob.

Common names: western boneset, western snakeroot

Origin: native Voucher: OSC, most recently collected in 2018

FN 21:552; FOO 2:165; FPN2 534; JPM 190; JPM2 232.

Synonyms:

Eupatorium occidentale **Hook.**

FN 21:552 synonym for *Ageratina occidentalis*; FOO 2:165 synonym for *Ageratina occidentalis*; FPN 521; GWM 365; IL 4:498; IN 5:377; PEK 764; VP 5:197.

Agoseris

Checklist contributor: Kenton Chambers, 1/29/2001

Flora of Oregon author: Kenton Chambers

Agoseris apargioides (Less.) Cronquist

FN 19:331; FPN 479; JPM 192; PEK 859; VP 5:24.

Agoseris apargioides (Less.) Cronquist var. ***maritima*** (E. Sheld.) G.I. Baird

Common names: seaside agoseris, Oregon agoseris

Origin: native Voucher: OSC, most recently collected in 1997

FN 19:332; FOO 2:167; FPN 479; FPN2 535; JPM2 234.

Synonyms:

Agoseris apargioides **(Less.) Cronquist ssp.** ***maritima*** **(E. Sheld.) Q. Jones ex Cronquist**

FN 19:332 synonym for *Agoseris apargioides* var. *maritima*; FOO 2:167 synonym for *Agoseris apargioides var. maritima*; IL 4:566; VP 5:24.

Misapplied names:

Agoseris apargioides **(Less.) Cronquist var.** ***eastwoodiae*** **(Fedde) Munz**

FN 19:332; IL 4:566; JPM 192; JPM2 234.

Agoseris aurantiaca (Hook.) Greene

FN 19:327; FPN 479; GWM 341; IL 4:564; JPM 192; PEK 860.

Agoseris aurantiaca (Hook.) Greene var. ***aurantiaca***

Common names: orange agoseris

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:327; FOO 2:167; FPN 479; FPN2 535; IN 5:432; JPM2 234.

Agoseris elata (Nutt.) Greene

Common names: tall agoseris

Origin: native Voucher: OSC, most recently collected in 2008

FN 19:334; FOO 2:167; FPN 479; FPN2 535; IL 4:564; JPM 192; JPM2 235; PEK 859; VP 5:25.

Agoseris glauca (Pursh) Raf. × ***Agoseris grandiflora*** (Nutt.) Greene

Origin: native Voucher: OSC, most recently collected in 1937

Agoseris glauca (Pursh) Raf. var. ***dasycephala*** (Torr. & A. Gray) Jeps.

Common names: arctic agoseris

Origin: native

FN 19:326; FOO 2:168; FPN 479.

Agoseris glauca (Pursh) Raf. var. ***glauca***

Common names: pale agoseris, prairie agoseris, field agoseris

Origin: native Voucher: OSC, most recently collected in 2019

FN 19:326; FOO 2:168; FPN 479; FPN2 535; GWM 341; IL 4:563; IN 5:430; JPM 192; JPM2 235; PEK 859; VP 5:27.

Agoseris glauca (Pursh) Raf. var. ***glauca*** × ***Agoseris parviflora*** (Nutt.) D. Dietr.

Origin: native Voucher: OSC, most recently collected in 1935

FOO 2:168.

Agoseris grandiflora (Nutt.) Greene

FN 19:329; FOO 2:168; FPN 479; GWM 341; IL 4:565; IN 5:432; JPM 192; PEK 860; VP 5:27.

Agoseris grandiflora (Nutt.) Greene var. ***grandiflora***

Common names: large-flowered agoseris

Origin: native Voucher: OSC, most recently collected in 2017

FN 19:330; FOO 2:169; FPN2 535; JPM2 235.

Synonyms:

Agoseris laciniata **(Nutt.) Greene**

FN 19:334 synonym for *Agoseris elata*; FOO 2:169 synonym for *Agoseris grandiflora var. grandiflora*; PEK 860.

Agoseris plebeja **Greene**

FN 19:330 synonym for *Agoseris grandiflora* var. *grandiflora*; FOO 2:169 synonym for *Agoseris grandiflora var. grandiflora*; PEK 860.

Agoseris grandiflora (Nutt.) Greene var. ***leptophylla*** G.I. Baird

Common names: feather-leaf agoseris

Origin: native Voucher: OSC, most recently collected in 2019

FN 19:330; FOO 2:169; FPN2 535; JPM2 235; Plant Names Project, 2004-present .

Agoseris heterophylla (Nutt.) Greene

FN 19:332; FPN 478; IL 4:566; IN 5:432; JPM 192.

Agoseris heterophylla (Nutt.) Greene var. *heterophylla*

Common names: annual agoseris

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:333; FOO 2:169; FPN 478; FPN2 534; JPM2 235; PEK 861; VP 5:29.

Synonyms:

***Agoseris heterophylla* (Nutt.) Greene var. *crenulata* Jeps.**

FN 19:333 synonym for *Agoseris heterophylla* var. *cryptopleura*; FOO 2:169 synonym for *Agoseris heterophylla var. heterophylla*; IL 4:566 synonym for *Agoseris heterophylla*; KZ 1:61; PEK 861.

***Agoseris heterophylla* (Nutt.) Greene var. *cryptopleura* Jeps.**

FN 19:333; FOO 2:169 synonym for *Agoseris heterophylla var. heterophylla*; JPM2 235; PEK 861.

***Agoseris heterophylla* (Nutt.) Greene ssp. *normalis* Piper**

FN 19:333 synonym for *Agoseris heterophylla* var. *heterophylla*; FOO 2:169 synonym for *Agoseris heterophylla var. heterophylla*; PEK 861.

***Agoseris heterophylla* (Nutt.) Greene var. *turgida* (H.M. Hall) Jeps.**

FN 19:333 synonym for *Agoseris heterophylla* var. *cryptopleura*; FOO 2:169 synonym for *Agoseris heterophylla var. heterophylla*; KZ 1:61; PEK 861.

Misapplied names:

***Agoseris heterophylla* (Nutt.) Greene ssp. *californica* (Nutt.) Piper**

FN 19:333 synonym for *Agoseris heterophylla* var. *cryptopleura*; PEK 861.

Agoseris monticola Greene

Common names: mountain agoseris

Origin: native Voucher: OSC, most recently collected in 2019

FN 19:329; FOO 2:170; FPN2 534; JPM2 236.

Synonyms:

***Agoseris glauca* (Pursh) Raf. var. *aspera* (Rydb.) Cronquist**

FN 19:326 synonym for *Agoseris glauca* var. *dasycephala*; FOO 2:170 synonym for *Agoseris monticola*; PEK 859.

***Agoseris glauca* (Pursh) Raf. var. *monticola* (Greene) Q. Jones ex Cronquist**

FN 19:329 synonym for *Agoseris monticola*; FOO 2:170 synonym for *Agoseris monticola*; FPN 479; GWM 341; IL 4:564; IN 5:430; JPM 192; KZ 1:61; VP 5:27.

Misapplied names:

***Agoseris glauca* (Pursh) Raf.**

***Agoseris glauca* (Pursh) Raf. var. *dasycephala* (Torr. & A. Gray) Jeps.**

PEK 859.

Agoseris parviflora (Nutt.) D. Dietr.

Common names: sagebrush agoseris, steppe agoseris

Origin: native Voucher: OSC, most recently collected in 2016

FN 19:328; FOO 2:170; FPN 479 synonym for *Agoseris glauca* var. *laciniata*; FPN2 535; JPM2 236.

Synonyms:

***Agoseris glauca* (Pursh) Raf.**

in part

***Agoseris glauca* (Pursh) Raf. var. *laciniata* (D.C. Eaton) Smiley**

FN 19:328 synonym for *Agoseris parviflora*; FOO 2:170 synonym for *Agoseris parviflora*; FPN 479; IL 4:564; IN 5:430; JPM 192; KZ 1:61; PEK 859; VP 5:27.

***Agoseris glauca* (Pursh) Raf. var. *parviflora* (Nutt.) Rydb.**

FOO 2:170 synonym for *Agoseris parviflora*; PEK 859.

Agoseris retrorsa (Benth.) Greene

Common names: spearleaf agoseris

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:330; FOO 2:170; FPN 479; FPN2 535; IL 4:565; JPM 192; JPM2 236; PEK 860; VP 5:29.

Ambrosia

Checklist contributor: Kenton Chambers, 2/12/1995
Flora of Oregon author: Kenton Chambers

Ambrosia acanthicarpa Hook.

Common names: bur ragweed, annual bur-sage
Origin: native Voucher: OSC, most recently collected in 2021
FN 21:15; FOO 2:171; FPN 480; FPN2 536; IN 5:62; JPM 193; JPM2 238.

Synonyms:

***Franseria acanthicarpa* (Hook.) Coville**

FN 21:15 synonym for *Ambrosia acanthicarpa*; FOO 2:171 synonym for *Ambrosia acanthicarpa*; IL 4:149; PEK 813; VP 5:198.

Ambrosia artemisiifolia L.

Common names: annual ragweed, common ragweed
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018
FN 21:15; FOO 2:171; FPN 480; FPN2 536; IL 4:147; IN 5:62; JPM 193; JPM2 239; PEK 813; VP 5:30.

Ambrosia chamissonis (Less.) Greene

FN 21:16; FOO 2:172; FPN 480; FPN2 536; JPM 193; JPM2 239.

Ambrosia chamissonis (Less.) Greene var. ***bipinnatisecta*** (Less.) J.T. Howell

Common names: cutleaf beach bur
Origin: native Voucher: OSC, most recently collected in 2024
FN 21:16 synonym for *Ambrosia chamissonis*; FOO 2:172; FPN 480.

Synonyms:

***Franseria chamissonis* Less. ssp. *bipinnatisecta* (Less.) Wiggins & Stockw.**

FN 21:16 synonym for *Ambrosia chamissonis*; FOO 2:172 synonym for *Ambrosia chamissonis var. bipinnatisecta*; IL 4:150.

***Franseria chamissonis* Less. var. *bipinnatisecta* Less.**

FN 21:16 synonym for *Ambrosia chamissonis*; FOO 2:172 synonym for *Ambrosia chamissonis var. bipinnatisecta*; PEK 813; VP 5:199.

Ambrosia chamissonis (Less.) Greene var. ***chamissonis***

Common names: silver beach-weed, silver beach bur
Origin: native Voucher: OSC, most recently collected in 2012
FOO 2:172; FPN 480.

Synonyms:

Franseria chamissonis* Less. ssp. *chamissonis

FN 21:16 synonym for *Ambrosia chamissonis*; FOO 2:172 synonym for *Ambrosia chamissonis var. chamissonis*; IL 4:150.

Franseria chamissonis* Less. var. *chamissonis

FN 21:16 synonym for *Ambrosia chamissonis*; FOO 2:172 synonym for *Ambrosia chamissonis var. chamissonis*; PEK 813; VP 5:199.

Ambrosia grayi (A. Nelson) Shinners

Common names: woollyleaf bur ragweed
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008
FN 21:11; FOO 2:171 uncertain status.

Ambrosia psilostachya DC.

Common names: western ragweed, perennial ragweed
Origin: native Voucher: OSC, most recently collected in 2015
FN 21:18; FOO 2:172; FPN 480; FPN2 536; IL 4:148; IN 5:64; JPM 194; JPM2 239; VP 5:30.

Ambrosia trifida L.

Common names: giant ragweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2007

FN 21:14; FOO 2:171 uncertain status; FPN 480; FPN2 536; IL 4:146; IN 5:62; JPM 194; JPM2 239; VP 5:31.

Synonyms:

Ambrosia trifida* L. var. *trifida

FN 21:14 synonym for *Ambrosia trifida*; FPN 480; KZ 1:62.

Anaphalis

Checklist contributor: Scott Sundberg, 3/17/1995

Flora of Oregon author: Kenton Chambers

Anaphalis margaritacea (L.) Benth. & Hook. f.

Common names: pearly everlasting

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:427; FOO 2:172; FPN 480; FPN2 536; GWM 342; IL 4:485; IN 5:366; JPM 194; JPM2 240; VP 5:32.

Synonyms:

Anaphalis margaritacea* (L.) Benth. & Hook. f. var. *margaritacea

FN 19:427 synonym for *Anaphalis margaritacea*; FOO 2:172 synonym for *Anaphalis margaritacea*; PEK 797.

***Anaphalis margaritacea* (L.) Benth. & Hook. f. var. *occidentalis* Greene**

FN 19:427 synonym for *Anaphalis margaritacea*; FOO 2:172 synonym for *Anaphalis margaritacea*; PEK 797.

***Anaphalis margaritacea* (L.) Benth. & Hook. f. var. *subalpina* A. Gray**

FN 19:427 synonym for *Anaphalis margaritacea*; FOO 2:172 synonym for *Anaphalis margaritacea*; PEK 797.

Ancistrocarphus

Checklist contributor: Kenton Chambers, 5/23/1995

Flora of Oregon author: Kenton Chambers

Ancistrocarphus filagineus A. Gray

Common names: woolly fishhooks, hooked groundstar, woolly hook-fruit

Origin: native Voucher: OSC, most recently collected in 2016

FN 19:466; FOO 2:173; FPN2 536; IN 5:359; JPM 196; JPM2 240.

Synonyms:

***Stylocline filaginea* (A. Gray) A. Gray**

FN 19:466 synonym for *Ancistrocarphus filagineus*; FOO 2:173 synonym for *Ancistrocarphus filagineus*; FPN 552; IL 4:488; VP 5:318.

***Stylocline filaginea* (A. Gray) A. Gray var. *depressa* Jeps.**

FN 19:466 synonym for *Ancistrocarphus filagineus*; FOO 2:173 synonym for *Ancistrocarphus filagineus*; IL 4:488 synonym for *Stylocline filaginea*; PEK 794.

Anisocarpus

Checklist contributor: Kenton Chambers, 1/29/2001

Flora of Oregon author: Bruce Baldwin, Gerald Carr

Anisocarpus madioides Nutt.

Common names: woodland tarweed

Origin: native Voucher: OSC, most recently collected in 2021

Chambers, 2009A ; FN 21:301; FOO 2:174; FPN2 537; JPM2 242.

Synonyms:

***Madia madioides* (Nutt.) Greene**

FN 21:301 synonym for *Anisocarpus madioides*; FOO 2:174 synonym for *Anisocarpus madioides*; FPN 539; IL 4:166; JPM 313; KZ 1:117; PEK 810; VP 5:263.

Antennaria

Checklist contributor: Kenton Chambers, 5/9/1997
Flora of Oregon author: Katie Mitchell, Stephen Meyers

Antennaria anaphaloides Rydb.

Common names: tall pussytoes, pearly pussytoes
Origin: native Voucher: OSC, most recently collected in 2023
FN 19:399; FOO 2:176; FPN 482; FPN2 538; GWM 343; IL 4:475; IN 5:370; PEK 798; VP 5:35.

Antennaria argentea Benth.

Common names: silvery pussytoes, silvery everlasting
Origin: native Voucher: OSC, most recently collected in 2025
FN 19:397; FOO 2:176; FPN 482; FPN2 538; IL 4:476; JPM 197; JPM2 243; PEK 798; VP 5:36.

Antennaria corymbosa E.E. Nelson

Common names: meadow pussytoes, flat topped pussytoes
Origin: native Voucher: OSC, most recently collected in 2025
Chambers, 1998E ; FN 19:407; FOO 2:176; FPN 481; FPN2 539; IL 4:480; IN 5:374; JPM 197; JPM2 243; VP 5:36.

Antennaria dimorpha (Nutt.) Torr. & A. Gray

Common names: low pussytoes
Origin: native Voucher: OSC, most recently collected in 2016
Chambers, 1998E ; FN 19:398; FOO 2:176; FPN 481; FPN2 537; IL 4:484; IN 5:372; JPM 197; JPM2 243; VP 5:36.

Synonyms:

Antennaria dimorpha* (Nutt.) Torr. & A. Gray var. *dimorpha
FOO 2:176 synonym for *Antennaria dimorpha*; PEK 800.

***Antennaria dimorpha* (Nutt.) Torr. & A. Gray var. *latisquama* (Piper) M. Peck**
PEK 800.

Antennaria flagellaris (A. Gray) A. Gray

Common names: flagellate pussytoes, stoloniferous everlasting
Origin: native Voucher: OSC, most recently collected in 2023
FN 19:399; FOO 2:177; FPN 481; FPN2 537; GWM 343; IL 4:485; IN 5:372; JPM 197; JPM2 243; PEK 800; VP 5:36.

Antennaria geyeri A. Gray

Common names: pinewoods pussytoes, Geyer's pussytoes
Origin: native Voucher: OSC, most recently collected in 2021
Chambers, 1998E ; FN 19:396; FOO 2:177; FPN 482; FPN2 537; IL 4:478; JPM 197; JPM2 243; PEK 800; VP 5:37.

Antennaria howellii Greene

FN 19:403; FOO 2:177; FPN 481 synonym for *Antennaria neglecta* var. *howellii*; IL 4:482.

Synonyms:

***Antennaria neglecta* Greene**
FN 19:403; FPN 481; FPN2 538; IN 5:372.

Antennaria howellii Greene ssp. ***howellii***

Common names: Howell's pussytoes
Origin: native Voucher: OSC, most recently collected in 2010
FN 19:404; FOO 2:177; FPN2 539; JPM 197; JPM2 243.

Synonyms:

***Antennaria neglecta* Greene var. *howellii* (Greene) Cronquist**
FN 19:403 synonym for *Antennaria howellii*; FOO 2:177 synonym for *Antennaria howellii ssp. howellii*; FPN 481; IL 4:482 synonym for *Antennaria howellii*; IN 5:372; PEK 798; VP 5:38.

Antennaria howellii Greene ssp. *neodioica* (Greene) R.J. Bayer

Common names: field pussytoes

Origin: native Voucher: OSC, most recently collected in 2017

FN 19:405; FOO 2:177; FPN2 539.

Synonyms:

***Antennaria neglecta* Greene var. *attenuata* (Fernald) Cronquist**

in part

PEK 798.

***Antennaria neglecta* Greene var. *neodioica* (Greene) Cronquist**

FN 19:405 synonym for *Antennaria howellii* ssp. *neodioica*; FOO 2:177 synonym for *Antennaria howellii ssp. neodioica*; IN 5:372.

Antennaria howellii Greene ssp. *petaloidea* (Fernald) R.J. Bayer

Common names: Howell's pussytoes

Origin: native Voucher: OSC, most recently collected in 1980

FN 19:405; FOO 2:177.

Synonyms:

***Antennaria neglecta* Greene var. *attenuata* (Fernald) Cronquist**

in part

FOO 2:177 ambiguous synonym for *Antennaria howellii ssp. petaloidea*.

***Antennaria pedicellata* Greene**

FN 19:405 synonym for *Antennaria howellii* ssp. *petaloidea*; FOO 2:177 synonym for *Antennaria howellii ssp. petaloidea*; IL 4:482 synonym for *Antennaria racemosa*; PEK 798.

Antennaria lanata (Hook.) Greene

Common names: woolly pussytoes, woolly everlasting

Origin: native Voucher: OSC, most recently collected in 2002

FN 19:399; FOO 2:178; FPN 482; FPN2 538; GWM 343; IL 4:478; VP 5:37.

Synonyms:

***Antennaria carpathica* (Wahlenb.) Hook. var. *lanata* Hook.**

PEK 799.

Antennaria luzuloides Torr. & A. Gray

FN 19:397; FOO 2:178; FPN 482; GWM 343; IL 4:476; JPM 197; PEK 799; VP 5:37.

Antennaria luzuloides Torr. & A. Gray ssp. *aberrans* (E.E. Nelson) R.J. Bayer & Stebbins

Common names: small-flowered everlasting

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:398; FOO 2:178; FPN2 537; JPM2 243.

Synonyms:

***Antennaria luzuloides* Torr. & A. Gray var. *microcephala* (A. Gray) Cronquist**

FN 19:398 synonym for *Antennaria luzuloides* ssp. *aberrans*; FOO 2:178 synonym for *Antennaria luzuloides ssp. aberrans*; IN 5:371.

***Antennaria microcephala* A. Gray**

FN 19:398 synonym for *Antennaria luzuloides* ssp. *aberrans*; FOO 2:178 synonym for *Antennaria luzuloides ssp. aberrans*; IL 4:476; PEK 799.

Antennaria luzuloides Torr. & A. Gray ssp. *luzuloides*

Common names: woodrush pussytoes, silvery brown everlasting

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:398; FOO 2:178; FPN2 538; JPM2 243.

Synonyms:

Antennaria luzuloides* Torr. & A. Gray var. *luzuloides

FN 19:398 synonym for *Antennaria luzuloides* ssp. *luzuloides*; FOO 2:178 synonym for *Antennaria luzuloides ssp. luzuloides*; IN 5:371.

Antennaria media Greene

Common names: alpine pussytoes

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 1998E ; FN 19:411; FOO 2:178; FPN 481 synonym for *Antennaria alpina*; FPN2 539; GWM 343 synonym for *Antennaria alpina*; IL 4:478; IN 5:376; JPM 197; JPM2 244; PEK 799.

Synonyms:

***Antennaria alpina* (L.) Gaertn. var. *media* (Greene) Jeps.**

FN 19:411 synonym for *Antennaria media*; FOO 2:178 synonym for *Antennaria media*; FPN 481; IL 4:478 synonym for *Antennaria media*; VP 5:35.

Misapplied names:

***Antennaria alpina* (L.) Gaertn.**

FN 19:414; FPN 481; FPN2 539; GWM 343; VP 5:35.

Antennaria microphylla Rydb.

Common names: littleleaf pussytoes, rosy pussytoes

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 1998E ; FN 19:407; FOO 2:178; FPN 481; FPN2 543; IL 4:480 synonym for *Antennaria rosea*; IN 5:374; JPM2 244.

Synonyms:

***Antennaria rosea* Greene**

Chambers, 1998E ; FN 19:408; FOO 2:178 synonym for *Antennaria microphylla*; FPN 481 synonym for *Antennaria microphylla*; GWM 344; IL 4:480; JPM 197; PEK 799; VP 5:40.

***Antennaria rosea* Greene ssp. *arida* (E.E. Nelson) R.J. Bayer**

FN 19:409; FOO 2:178 synonym for *Antennaria microphylla*.

***Antennaria rosea* Greene ssp. *confinis* (Greene) R.J. Bayer**

FN 19:409; FOO 2:178 synonym for *Antennaria microphylla*; JPM 197; JPM2 244; KZ 1:64.

Antennaria rosea* Greene ssp. *rosea

FN 19:410; FOO 2:178 synonym for *Antennaria microphylla*; JPM 197; JPM2 244; KZ 1:65.

Antennaria pulvinata Greene

Common names: pulvinate pussytoes, aromatic pussytoes

Origin: native Voucher: OSC, most recently collected in 1987

FOO 2:179.

Synonyms:

***Antennaria aromatica* Evert**

Chambers, 1998E ; Chmielewski, 1993 ; FN 19:408; FOO 2:179 synonym for *Antennaria pulvinata*; FPN2 539.

***Antennaria rosea* Greene ssp. *pulvinata* (Greene) R.J. Bayer**

FN 19:410; FOO 2:179 synonym for *Antennaria pulvinata*; IN 5:375 synonym for *Antennaria umbrinella*.

Antennaria racemosa Hook.

Common names: racemose pussytoes

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 1998E ; FN 19:401; FOO 2:179; FPN 481; FPN2 538; GWM 344; IL 4:482; JPM 197; JPM2 244; PEK 798; VP 5:40.

Antennaria stenophylla (A. Gray) A. Gray

Common names: narrow-leaved pussytoes

Origin: native Voucher: OSC, most recently collected in 2019

FN 19:398; FOO 2:179; FPN 481; FPN2 538; IL 4:478; IN 5:371; PEK 799; VP 5:41.

Antennaria suffrutescens Greene

Common names: Siskiyou everlasting, shrubby pussytoes

Origin: native Voucher: OSC, most recently collected in 2004

Chambers, 1998E ; FN 19:408; FOO 2:179; IL 4:484; JPM 197; JPM2 244; PEK 800.

Antennaria umbrinella Rydb.

Common names: umber pussytoes

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 1998E ; FN 19:408; FOO 2:179; FPN 481; FPN2 537; GWM 344; IL 4:480; IN 5:375; JPM 197; JPM2 244; PEK 800; VP 5:41.

Anthemis

Checklist contributor: Kenton Chambers, 9/19/1995

Flora of Oregon author: Kenton Chambers

Anthemis arvensis L.

Common names: corn chamomile, field chamomile

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 19:538; FOO 2:180; FPN 482; FPN2 540; GWM 344; IL 4:388; JPM 198; JPM2 245; PEK 822; VP 5:42.

Anthemis cotula L.

Common names: dog-fennel, stinking chamomile, mayweed chamomile

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:538; FOO 2:180; FPN 482; FPN2 540; GWM 346; IL 4:388; IN 5:134; JPM 198; JPM2 245; PEK 822; VP 5:42.

Arctium

Checklist contributor: Kenton Chambers, 10/24/1995

Flora of Oregon author: Kenton Chambers

Arctium lappa L.

Common names: greater burdock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1962

FN 19:169; FOO 2:181; FPN 483; FPN2 540; IL 4:508; IN 5:388; JPM 198; JPM2 245; PEK 841; VP 5:45.

Arctium minus (Hill) Bernh.

Common names: common burdock, lesser burdock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:170; FOO 2:181; FPN 483; FPN2 540; IL 4:508; IN 5:388; JPM 198; JPM2 245; PEK 841; VP 5:45.

Arctium tomentosum Mill.

Common names: woolly burdock, cotton burdock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1956

FN 19:169; FOO 2:181; FPN2 540; Gleason & Cronquist, 1991 .

Arctotheca

Checklist contributor:

Flora of Oregon author: treatment pending

Arctotheca calendula (L.) Levyns

Common names: Cape weed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015

JPM2 245.

Arnica

Checklist contributor: Kenton Chambers, 3/20/1997

Flora of Oregon author: Kenton Chambers

Arnica cernua Howell

Common names: nodding arnica, serpentine arnica

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:374; FOO 2:183; IL 4:424; JPM 201; JPM2 248; PEK 832; Wolf & Denford, 1984A .

Arnica chamissonis Less.

Common names: Chamisso arnica, meadow arnica

Origin: native Voucher: OSC, most recently collected in 2017

FN 21:372; FOO 2:183; FPN 483; FPN2 541; IN 5:94; JPM2 248.

Synonyms:

***Arnica chamissonis* Less. ssp. *foliosa* (Nutt.) Maguire**

FN 21:372 synonym for *Arnica chamissonis*; FOO 2:183 synonym for *Arnica chamissonis*; FPN 483; JPM 201; PEK 833.

***Arnica chamissonis* Less. var. *foliosa* (Nutt.) Maguire**

FN 21:372 synonym for *Arnica chamissonis*; FOO 2:183 synonym for *Arnica chamissonis*; FPN 483; IL 4:420; IN 5:94; VP 5:48.

***Arnica chamissonis* Less. ssp. *incana* (A. Gray) Maguire**

FN 21:372 synonym for *Arnica chamissonis*; FOO 2:183 synonym for *Arnica chamissonis*; PEK 833.

***Arnica chamissonis* Less. var. *incana* (A. Gray) Hultén**

FN 21:372 synonym for *Arnica chamissonis*; FOO 2:183 synonym for *Arnica chamissonis*; FPN 483; IL 4:420; IN 5:94; KZ 1:66; VP 5:48.

Arnica cordifolia Hook.

Common names: heart-leaved arnica

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:374; FOO 2:183; FPN 485; FPN2 542; JPM 201; JPM2 248; VP 5:48.

Synonyms:

Arnica cordifolia* Hook. var. *cordifolia

FOO 2:183 synonym for *Arnica cordifolia*; FPN 485; GWM 347; IL 4:424; IN 5:98; PEK 832; VP 5:49.

***Arnica cordifolia* Hook. var. *pumila* (Rydb.) Maguire**

FN 21:374 synonym for *Arnica cordifolia*; FOO 2:183 synonym for *Arnica cordifolia*; FPN 485; GWM 347; IL 4:425; IN 5:98; PEK 832; VP 5:49; Wolf & Denford, 1984A .

Arnica discoidea Benth.

Common names: rayless arnica

Origin: native Voucher: OSC, most recently collected in 2022

FN 21:375; FOO 2:184; FPN 484; FPN2 541; JPM 201; JPM2 249; VP 5:49; Wolf & Denford, 1984A .

Synonyms:

***Arnica discoidea* Benth. var. *eradiata* (A. Gray) Cronquist**

FN 21:375 synonym for *Arnica discoidea*; FOO 2:184 synonym for *Arnica discoidea*; FPN 484; IL 4:426; VP 5:49.

***Arnica grayi* A. Heller**

FOO 2:184 synonym for *Arnica discoidea*; PEK 831.

***Arnica parviflora* A. Gray ssp. *alata* (Rydb.) Maguire**

FOO 2:184 synonym for *Arnica discoidea*; PEK 831; Wolf & Denford, 1984B .

Arnica parviflora* A. Gray ssp. *parviflora

FN 21:375 synonym for *Arnica discoidea*; FOO 2:184 synonym for *Arnica discoidea*; PEK 831.

Arnica diversifolia Greene

Common names: sticky arnica

Origin: native Voucher: OSC, most recently collected in 2019

FN 21:372 synonym for *Arnica ovata*; FOO 2:184; FPN 484; GWM 347; IL 4:421; IN 5:96; JPM 201; PEK 833; VP 5:49.

Synonyms:

***Arnica ovata* Greene**

FN 21:372; FOO 2:184 synonym for *Arnica diversifolia*; FPN2 541; JPM2 249.

Arnica fulgens Pursh

Common names: hillside arnica, orange arnica

Origin: native Voucher: OSC, most recently collected in 2014

FN 21:370; FOO 2:184; FPN 485; FPN2 542; IL 4:422; IN 5:100; JPM 201; JPM2 249; PEK 834; VP 5:51.

Arnica gracilis Rydb.

Common names: slender arnica

Origin: native Voucher: OSC, most recently collected in 2002

FN 21:376; FOO 2:184; FPN 484 synonym for *Arnica latifolia* var. *gracilis*; FPN2 542; PEK 832; Wolf & Denford, 1984B .

Synonyms:

***Arnica latifolia* Bong. var. *gracilis* (Rydb.) Cronquist**

FN 21:376 synonym for *Arnica gracilis*; FOO 2:184 synonym for *Arnica gracilis*; FPN 484; GWM 347; IL 4:424; IN 5:98; VP 5:52.

Arnica lanceolata Nutt. ssp. ***prima*** (Maguire) Strother & S.J. Wolf

Common names: clasping arnica, streambank arnica

Origin: native Voucher: OSC, most recently collected in 2022

FN 21:373; FOO 2:184; FPN2 541; JPM2 249.

Synonyms:

***Arnica amplexicaulis* Nutt.**

FN 21:373 synonym for *Arnica lanceolata* ssp. *prima*; FOO 2:184 synonym for *Arnica lanceolata ssp. prima*; FPN 483; GWM 346; IN 5:94; JPM 201; PEK 833.

Arnica amplexicaulis* Nutt. var. *amplexicaulis

FN 21:373 synonym for *Arnica lanceolata* ssp. *prima*; FOO 2:184 synonym for *Arnica lanceolata ssp. prima*; FPN 484; IL 4:420; IN 5:96; VP 5:47.

***Arnica amplexicaulis* Nutt. var. *piperi* H. St. John & F.A. Warren**

FN 21:373 synonym for *Arnica lanceolata* ssp. *prima*; FOO 2:184 synonym for *Arnica lanceolata ssp. prima*; FPN 484; IL 4:420; VP 5:47.

Arnica latifolia Bong.

Common names: broadleaf arnica, mountain arnica

Origin: native Voucher: OSC, most recently collected in 2018

FN 21:376; FOO 2:185; FPN 484; FPN2 542; JPM 201; JPM2 249; PEK 832.

Synonyms:

Arnica latifolia* Bong. var. *latifolia

FN 21:376 synonym for *Arnica latifolia*; FOO 2:185 synonym for *Arnica latifolia*; FPN 484; GWM 347; IL 4:423; IN 5:98; VP 5:52.

Arnica longifolia D.C. Eaton

Common names: longleaf arnica, seep-spring arnica

Origin: native Voucher: OSC, most recently collected in 2018

FN 21:374; FOO 2:185; FPN 483; FPN2 541; GWM 347; IN 5:94; JPM 201; JPM2 249; PEK 834; VP 5:52.

Synonyms:

***Arnica longifolia* D.C. Eaton ssp. *myriadenia* (Piper) Maguire**

FN 21:374 synonym for *Arnica longifolia*; FOO 2:185 synonym for *Arnica longifolia*; IL 4:420.

Arnica mollis Hook.

Common names: hairy arnica, cordilleran arnica

Origin: native Voucher: OSC, most recently collected in 2025

FN 21:372; FOO 2:185; FPN 484; FPN2 541; GWM 348; IL 4:420; IN 5:96; JPM 201; JPM2 249; PEK 833; VP 5:53.

Arnica nevadensis A. Gray

Common names: Sierra arnica, Nevada arnica

Origin: native Voucher: OSC, most recently collected in 2014

FN 21:374; FOO 2:185; FPN 484; FPN2 542; IL 4:424; JPM 202; JPM2 249; PEK 832; VP 5:53; Wolf & Denford, 1984A .

Synonyms:

***Arnica tomentella* Greene**

FN 21:374 synonym for *Arnica nevadensis*; FOO 2:185 synonym for *Arnica nevadensis*; IL 4:424; JPM 202.

Arnica parryi A. Gray

Common names: Parry's arnica

Origin: native Voucher: OSC, most recently collected in 2020

FN 21:373; FOO 2:186; FPN 484; FPN2 541; GWM 348; JPM 202; JPM2 249; PEK 831; VP 5:53.

Synonyms:

Arnica parryi* A. Gray var. *parryi

FN 21:373 synonym for *Arnica parryi*; FOO 2:186 synonym for *Arnica parryi*; FPN 484; IL 4:422; IN 5:100; VP 5:53.

***Arnica parryi* A. Gray var. *sonnei* (Greene) Cronquist**

FN 21:373 synonym for *Arnica parryi*; FOO 2:186 synonym for *Arnica parryi*; IL 4:422; IN 5:100.

Arnica rydbergii Greene

Common names: Rydberg's arnica, subalpine arnica

Origin: native Voucher: OSC, most recently collected in 2019

Downie & Denford, 1988 ; FN 21:371; FOO 2:186; FPN 485; FPN2 542; GWM 348; IL 4:422; IN 5:100; PEK 834; VP 5:54.

Arnica sororia Greene

Common names: twin arnica, bunch arnica

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:370; FOO 2:186; FPN 485; FPN2 542; GWM 348; IL 4:422; IN 5:100; JPM 202; JPM2 249; PEK 834; VP 5:54.

Arnica spathulata Greene

Common names: Klamath arnica, spatulate arnica

Origin: native Voucher: OSC, most recently collected in 2006

FN 21:376; FOO 2:186; JPM 202; JPM2 249; PEK 832; Wolf & Denford, 1984A .

Synonyms:

***Arnica spathulata* Greene ssp. *eastwoodiae* (Rydb.) Maguire**

FN 21:376 synonym for *Arnica spathulata*; FOO 2:186 synonym for *Arnica spathulata*; IL 4:426; Wolf & Denford, 1984A .

Arnica spathulata* Greene ssp. *spathulata

FN 21:376 synonym for *Arnica spathulata*; FOO 2:186 synonym for *Arnica spathulata*; IL 4:426.

Arnica viscosa A. Gray

Common names: Shasta arnica

Origin: native Voucher: OSC, most recently collected in 1996

FN 21:377; FOO 2:186; FPN2 541; IL 4:426; JPM 202; JPM2 250.

Artemisia

Checklist contributor: Kenton Chambers, 3/19/1996

Flora of Oregon author: Kenton Chambers

Artemisia abrotanum L.

Common names: southernwood, garden sagebrush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1951

FN 19:522; FOO 2:187 uncertain status; FPN2 546.

Artemisia absinthium L.

Common names: absinthe, wormwood, absinthium

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 19:519; FOO 2:189; FPN 487; FPN2 546; GWM 349; IL 4:410; IN 5:150; PEK 826; VP 5:58.

Artemisia arbuscula Nutt.

FN 19:511; FOO 2:189; FPN 488; IN 5:160; JPM 203; PEK 828; VP 5:58.

Artemisia arbuscula Nutt. ssp. *arbuscula*

Common names: low sagebrush, little sagebrush

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:511; FOO 2:189; FPN2 544; IL 4:412; JPM 203; JPM2 251; Winward, 1980 .

Synonyms:

Artemisia arbuscula* Nutt. var. *arbuscula

FOO 2:189 synonym for *Artemisia arbuscula ssp. arbuscula*; FPN 488; VP 5:58.

***Artemisia arbuscula* Nutt. ssp. *longicaulis* Winward & McArthur**

FN 19:511 uncertain status; FOO 2:189 synonym for *Artemisia arbuscula ssp. arbuscula*; FPN2 544; Schultz, 2009 ; Winward & McArthur, 1995 .

Artemisia arbuscula Nutt. ssp. *longiloba* (Osterh.) L.M. Schultz

Common names: early sagebrush, alkali sagebrush

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:511; FOO 2:190; FPN2 544; JPM2 251.

Artemisia arbuscula Nutt. ssp. *thermopola* Beetle

Common names: cutleaf sagebrush, hot springs sagebrush

Origin: native Voucher: OSC, most recently collected in 2009

FN 19:512; FOO 2:190; FPN2 544; JPM 203; Winward, 1980 .

Artemisia biennis Willd.

Common names: biennial wormwood

Origin: native Voucher: OSC, most recently collected in 1990

FN 19:523; FOO 2:190; FPN 487; FPN2 546; IL 4:408; IN 5:154; JPM 203; JPM2 251; PEK 826; VP 5:59; Ward, 1953 .

Artemisia campestris L. ssp. *pacifica* (Nutt.) H.M. Hall & Clem.

Common names: Pacific sagewort

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:508; FOO 2:190; FPN 488 synonym for *Artemisia campestris* var. *scouleriana*; IL 4:410; KZ 1:68.

Synonyms:

***Artemisia campestris* L. var. *purshii* (Hook.) Cronquist**

FN 19:506 synonym for *Artemisia borealis ssp. borealis*; FOO 2:190 synonym for *Artemisia campestris ssp. pacifica*; FPN 488.

***Artemisia campestris* L. var. *scouleriana* (Besser) Cronquist**

FN 19:508 synonym for *Artemisia campestris* ssp. *pacifica*; FOO 2:190 synonym for *Artemisia campestris ssp. pacifica*; FPN 488; FPN2 545; PEK 827; VP 5:60.

Artemisia campestris L. var. *wormskioldii* (Besser) Cronquist

Common names: boreal sagewort, Columbia Islands sagewort

Origin: native Voucher: OSC, most recently collected in 1955

FOO 2:190; FPN 488; FPN2 545; VP 5:60.

Synonyms:

Artemisia borealis* Pall. ssp. *borealis

Arnett, 2012 ; FOO 2:190 synonym for *Artemisia campestris var. wormskioldii*; JPM2 251.

***Artemisia campestris* L. ssp. *borealis* (Pall.) H.M. Hall & Clem.**

Arnett, 2012 ; FN 19:505 synonym for *Artemisia borealis*; FOO 2:190 synonym for *Artemisia campestris var. wormskioldii*; FPN 488; IL 4:410; IN 5:156; JPM 204; KZ 1:67; VP 5:59 synonym for *Artemisia campestris*.

Artemisia cana Pursh

FN 19:512; FPN 488; IN 5:162; PEK 828; VP 5:60; Ward, 1953 .

Artemisia cana Pursh ssp. *bolanderi* (A. Gray) G.H. Ward

Common names: silver sagebrush, Bolander's sagebrush

Origin: native Voucher: OSC, most recently collected in 2015

FN 19:513; FOO 2:190; FPN2 544; IL 4:414; JPM 204; JPM2 252; Schultz, 2009 .

Artemisia douglasiana Besser

Common names: Douglas' sagewort, northwest mugwort

Origin: native Voucher: OSC, most recently collected in 2021

Estes, 1969 ; FN 19:524; FOO 2:190; FPN 487; FPN2 547; IL 4:406; IN 5:151; JPM 204; JPM2 252; PEK 825; VP 5:60.

Artemisia dracunculus L.

Common names: tarragon, dragon sagewort

Origin: native Voucher: OSC, most recently collected in 2020

FN 19:508; FOO 2:191; FPN 487; FPN2 545; GWM 349; IL 4:410; IN 5:154; JPM 204; JPM2 252; PEK 827; VP 5:62.

Synonyms:

Artemisia dracunculus* L. var. *dracunculus

FN 19:508 synonym for *Artemisia dracunculus*; FOO 2:191 synonym for *Artemisia dracunculus*; FPN 487.

Artemisia estesii K.L Chambers

Common names: Estes' artemisia, Estes' mugwort

Origin: native Voucher: OSC, most recently collected in 2007

FOO 2:191; FPN2 543.

Synonyms:

***Artemisia ludoviciana* Nutt. ssp. *estesii* K.L. Chambers**

Artemisia ludoviciana Nutt. ssp. *candicans* (Rydb.) D.D. Keck

Common names: gray sagewort

Origin: native Voucher: OSC, most recently collected in 2020

FN 19:529; FOO 2:191; FPN2 547; GWM 249; IL 4:405; JPM 204; JPM2 252; PEK 826.

Synonyms:

***Artemisia ludoviciana* Nutt. var. *latiloba* Nutt.**

FN 19:529 synonym for *Artemisia ludoviciana* ssp. *candicans*; FOO 2:191 synonym for *Artemisia ludoviciana ssp. candicans*; FPN 486; IN 5:152; VP 5:64.

Artemisia ludoviciana Nutt. ssp. *incompta* (Nutt.) D.D. Keck

Common names: mountain wormwood, intermediate sagewort

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:529; FOO 2:192; FPN2 547; GWM 349; IL 4:405; JPM 204; JPM2 252; PEK 826.

Synonyms:

***Artemisia ludoviciana* Nutt. var. *incompta* (Nutt.) Cronquist**

FN 19:529 synonym for *Artemisia ludoviciana* ssp. *incompta*; FOO 2:192 synonym for *Artemisia ludoviciana ssp. incompta*; FPN 487; IN 5:152; VP 5:64.

Artemisia ludoviciana Nutt. ssp. *lindleyana* (Besser) Lesica

Common names: Columbia River mugwort

Origin: native Voucher: OSC, most recently collected in 2020

FOO 2:192.

Synonyms:

***Artemisia lindleyana* Besser**

FN 19:529 synonym for *Artemisia ludoviciana* ssp. *incompta*; FOO 2:192 synonym for *Artemisia ludoviciana ssp. lindleyana*; FPN 486; IL 4:407; PEK 826; VP 5:62.

Artemisia ludoviciana Nutt. ssp. *ludoviciana*

Common names: western mugwort

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:528; FOO 2:192; FPN2 547; IL 4:405; IN 5:152; JPM 204; JPM2 252; PEK 825.

Synonyms:

Artemisia ludoviciana* Nutt. var. *ludoviciana

FN 19:528 synonym for *Artemisia ludoviciana* ssp. *ludoviciana*; FOO 2:192 synonym for *Artemisia ludoviciana ssp. ludoviciana*; FPN 486; VP 5:64.

Artemisia michauxiana Besser

Common names: lemon sagewort, Michaux's mugwort

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:530; FOO 2:192; FPN 486; FPN2 546; GWM 350; IL 4:408; IN 5:152; JPM 204; JPM2 252; PEK 826; VP 5:66.

Artemisia nova A. Nelson

Common names: black sagebrush

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:513; FOO 2:192; FPN 488 synonym for *Artemisia arbuscula* var. *nova*; FPN2 544; IL 4:413 synonym for *Artemisia arbuscula* ssp. *nova*; IN 5:162; JPM 204; JPM2 252.

Synonyms:

***Artemisia arbuscula* Nutt. ssp. *nova* (A. Nelson) G.H. Ward**

FN 19:513 synonym for *Artemisia nova*; FOO 2:192 synonym for *Artemisia nova*; IL 4:413.

***Artemisia arbuscula* Nutt. var. *nova* (A. Nelson) Cronquist**

FN 19:513 synonym for *Artemisia nova*; FOO 2:192 synonym for *Artemisia nova*; FPN 488; VP 5:58.

Artemisia packardiae J.W. Grimes & Ertter

Common names: Packard's artemisia, Packard's wormwood

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:531; FOO 2:193; Grimes & Ertter, 1979 ; IN 5:154.

Artemisia papposa S.F. Blake & Cronquist

Common names: Owyhee sagebrush

Origin: native Voucher: OSC, most recently collected in 2009

FN 19:531; FOO 2:193; FPN 485; FPN2 543; IN 5:148; VP 5:66.

Artemisia pycnocephala (Less.) DC.

Common names: beach wormwood, coastal sagewort

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:509; FOO 2:193; IL 4:412; JPM 204; JPM2 252.

Artemisia rigida (Nutt.) A. Gray

Common names: stiff sagebrush, scabland sagebrush

Origin: native Voucher: OSC, most recently collected in 2020

FN 19:515; FOO 2:193; FPN 488; FPN2 544; GWM 350; IL 4:414; IN 5:164; PEK 828; VP 5:67.

Artemisia spiciformis Osterh.

Common names: snowfield sagebrush

Origin: native Voucher: OSC, most recently collected in 1985

FN 19:515; FOO 2:193; FPN2 545; IN 5:160; JPM 205; JPM2 253.

Artemisia spinescens D.C. Eaton

Common names: spring sagebrush, bud sagebrush

Origin: native Voucher: OSC, most recently collected in 2020

FN 19:499 synonym for *Picrothamnus desertorum*; FOO 2:194; FPN 487; FPN2 543; IL 4:412; IN 5:156; JPM 205; JPM2 253; PEK 827; VP 5:68.

Synonyms:

***Picrothamnus desertorum* Nutt.**

FN 19:499; FOO 2:194 synonym for *Artemisia spinescens*.

Artemisia suksdorfii Piper

Common names: Suksdorf's sagewort, coastal wormwood, coastal mugwort

Origin: native Voucher: OSC, most recently collected in 2019

FN 19:533; FOO 2:194; FPN 487; FPN2 547; IL 4:406; JPM 205; JPM2 253; PEK 825; VP 5:68.

Artemisia tilesii Ledeb.

FN 19:533; FPN 486; FPN2 547; GWM 350; PEK 825; VP 5:68.

Artemisia tilesii Ledeb. ssp. *unalaschcensis* (Besser) Hultén

Common names: Aleutian mugwort, Tilesius' wormwood, Cascade wormwood

Origin: native Voucher: OSC, most recently collected in 1985

FOO 2:194; IL 4:406.

Synonyms:

***Artemisia tilesii* Ledeb. var. *unalaschcensis* Besser**

FN 19:533 synonym for *Artemisia tilesii*; FOO 2:194 synonym for *Artemisia tilesii ssp. unalaschcensis*; FPN 486; IL 4:406 synonym for *Artemisia tilesii* ssp. *unalaschcensis*; PEK 825; VP 5:69.

Artemisia tridentata Nutt.

FN 19:516; FOO 2:194; FPN 488; GWM 350; JPM 205; PEK 827; VP 5:70.

Artemisia tridentata Nutt. ssp. *tridentata*

Common names: big sagebrush

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:516; FOO 2:195; FPN2 545; IL 4:412; JPM 205; JPM2 253.

Synonyms:

Artemisia tridentata* Nutt. var. *tridentata

FOO 2:195 synonym for *Artemisia tridentata ssp. tridentata*; IN 5:158.

Artemisia tridentata Nutt. ssp. *vaseyana* (Rydb.) Beetle

Common names: mountain big sagebrush, Vasey sagebrush

Origin: native Voucher: OSC, most recently collected in 2022

FN 19:517; FOO 2:195; FPN2 545; JPM 205; JPM2 253.

Synonyms:

***Artemisia tridentata* Nutt. var. *vaseyana* (Rydb.) B. Boivin**

FN 19:517 synonym for *Artemisia tridentata* ssp. *vaseyana*; FOO 2:195 synonym for *Artemisia tridentata ssp. vaseyana*; IN 5:160.

Artemisia tridentata Nutt. ssp. *wyomingensis* Beetle & A.M. Young

Common names: Wyoming sagebrush

Origin: native Voucher: OSC, most recently collected in 2020

FN 19:517; FOO 2:195; FPN2 545; JPM 205; JPM2 253.

Artemisia tripartita Rydb.

FN 19:518; FPN 488; IL 4:414; VP 5:70.

Artemisia tripartita Rydb. ssp. *tripartita*

Common names: three-tip sagebrush, cutleaf sagebrush

Origin: native Voucher: OSC, most recently collected in 2014

FN 19:518; FOO 2:195; FPN2 544.

Artemisia vulgaris L.

Common names: common mugwort, lobed wormwood

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 19:533; FOO 2:195; FPN 486; FPN2 547; GWM 350; IL 4:406; VP 5:71.

Askellia

Checklist contributor: Kenton Chambers, 9/15/2008

Flora of Oregon author: Kenton Chambers

Askellia pygmaea (Ledeb.) K.L. Chambers & S.C. Meyers

Chambers & Meyers, 2011 ; FPN2 548.

Synonyms:

***Crepis nana* Richardson**

FN 19:231; FPN 507; GWM 360; IN 5:460; JPM 244; JPM2 294; PEK 865; VP 5:154.

Askellia pygmaea (Ledeb.) K.L. Chambers & S.C. Meyers ssp. *ramosa* (Babc.) K.L. Chambers & S.C. Meyers

Common names: dwarf hawksbeard

Origin: native Voucher: OSC, most recently collected in 1987

FOO 2:196.

Synonyms:

***Crepis nana* Richardson ssp. *ramosa* Babc.**

Chambers, 2009B ; FN 19:231 synonym for *Crepis nana*; FOO 2:196 synonym for *Askellia pygmaea ssp. ramosa*; FPN 507; IL 4:605.

***Crepis nana* Richardson var. *ramosa* (Babc.) Cronquist**

FOO 2:196 synonym for *Askellia pygmaea ssp. ramosa*; IN 5:460.

Baccharis

Checklist contributor: Scott Sundberg, 3/24/1995

Flora of Oregon author: Scott Sundberg

Baccharis glutinosa Pers.

Common names: saltmarsh baccharis

Origin: native Voucher: OSC, most recently collected in 1999

FOO 2:197; JPM2 254.

Misapplied names:

***Baccharis douglasii* DC.**

FN 20:27; IL 4:386; JPM 209.

Baccharis pilularis DC.

FN 20:29; FPN 494; JPM 210; Oregon Flora Project, 2008A ; PEK 793; VP 5:98.

Baccharis pilularis DC. ssp. *consanguinea* (DC.) C.B. Wolf

Common names: chaparral broom, coyote brush, dwarf chaparral false willow

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:30; FOO 2:197; FPN2 548; JPM2 254.

Synonyms:

***Baccharis pilularis* DC. var. *consanguinea* (DC.) Kuntze**

FN 20:30 synonym for *Baccharis pilularis* ssp. *consanguinea*; FOO 2:197 synonym for *Baccharis pilularis ssp. consanguinea*; FPN 494; IL 4:386; VP 5:98.

Baccharis salicifolia (Ruiz & Pav.) Pers. ssp. ***salicifolia***

Common names: mule fat

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2017

JPM2 .

Balsamorhiza

Checklist contributor: Kenton Chambers, 11/20/2009

Flora of Oregon author: Abigail (Abby) Moore

Balsamorhiza careyana A. Gray

Common names: Carey's balsamroot

Origin: native Voucher: OSC, most recently collected in 2017

FN 21:95; FOO 2:199; FPN 495; FPN2 549; PEK 804; VP 5:101.

Synonyms:

Balsamorhiza careyana* A. Gray var. *careyana

FOO 2:199 synonym for *Balsamorhiza careyana*; FPN 495; IL 4:108; VP 5:101.

***Balsamorhiza careyana* A. Gray var. *intermedia* Cronquist**

FN 21:95 synonym for *Balsamorhiza careyana*; FOO 2:199 synonym for *Balsamorhiza careyana*; FPN 495; IL 4:108; VP 5:101.

Balsamorhiza deltoidea Nutt.

Common names: deltoid balsamroot

Origin: native Voucher: OSC, most recently collected in 2019

FN 21:95; FOO 2:199; FPN 495; FPN2 549; IL 4:107; JPM 212; JPM2 258; PEK 804; VP 5:101.

Balsamorhiza deltoidea Nutt. × ***Balsamorhiza sericea*** W.A. Weber

Origin: native Voucher: OSC, most recently collected in 1988

FN 21:96; FOO 2:199.

Balsamorhiza hispidula W.M. Sharp

Common names: hispid balsamroot

Origin: native Voucher: OSC, most recently collected in 2003

FN 21:98; FOO 2:200; FPN2 550; IN 5:20 synonym for *Balsamorhiza hookeri* var. *hispidula*.

Synonyms:

***Balsamorhiza hookeri* Nutt. var. *hispidula* (W.M. Sharp) Cronquist**

FN 21:98 synonym for *Balsamorhiza hispidula*; FOO 2:200 synonym for *Balsamorhiza hispidula*; FPN 496; IN 5:22.

Balsamorhiza hookeri Nutt.

Common names: Hooker's balsamroot

Origin: native Voucher: OSC, most recently collected in 1999

FOO 2:200; FPN 496.

Synonyms:

***Balsamorhiza hirsuta* Nutt.**

FN 21:98 synonym for *Balsamorhiza hookeri*; FOO 2:200 synonym for *Balsamorhiza hookeri*; FPN 496; IL 4:109; JPM 212; JPM2 258; PEK 805; VP 5:101.

***Balsamorhiza hookeri* Nutt. var. *hirsuta* (Nutt.) A. Nelson**

FN 21:98 synonym for *Balsamorhiza hookeri*; FOO 2:200 synonym for *Balsamorhiza hookeri*; IL 4:109 synonym for *Balsamorhiza hirsuta*; IN 5:21.

***Balsamorhiza hookeri* Nutt. var. *neglecta* (W.M. Sharp) Cronquist**

FN 21:98 synonym for *Balsamorhiza hookeri*; FOO 2:200 synonym for *Balsamorhiza hookeri*; IL 4:108; IN 5:22.

***Balsamorhiza hookeri* Nutt. var. *platylepis* (W.M. Sharp) Cronquist**

FOO 2:200 synonym for *Balsamorhiza hookeri*; IN 5:22.

***Balsamorhiza macrolepis* W.M. Sharp var. *platylepis* (W.M. Sharp) Ferris**

FOO 2:200 synonym for *Balsamorhiza hookeri*.

***Balsamorhiza platylepis* W.M. Sharp**

FOO 2:200 synonym for *Balsamorhiza hookeri*.

Balsamorhiza incana Nutt.

Common names: hoary balsamroot, woolly balsamroot

Origin: native Voucher: OSC, most recently collected in 2018

FN 21:97; FOO 2:200; FPN 495; FPN2 549; IL 4:109; VP 5:104.

Misapplied names:

***Balsamorhiza hookeri* Nutt.**

PEK 804.

Balsamorhiza lanata (W.M. Sharp) W.A. Weber

Common names: Yreka balsamroot, woolly balsamroot

Origin: uncertain Voucher: OSC, most recently collected in 2001

FN 21:97; Galash, 2024 ; JPM2 258.

Synonyms:

***Balsamorhiza hookeri* Nutt. var. *lanata* W.M. Sharp**

FN 21:97 synonym for *Balsamorhiza lanata*; IL 4:108; JPM 213.

Balsamorhiza macrophylla Nutt.

Common names: large-leaf balsamroot

Origin: native Voucher: OSC, most recently collected in 1975

FN 21:98; FOO 2:200; FPN 495; FPN2 549; Helton et al., 1972 ; IN 5:20; VP 5:104.

Synonyms:

***Balsamorhiza hookeri* Nutt. var. *idahoensis* (W.M. Sharp) Cronquist**

FN 21:98 synonym for *Balsamorhiza macrophylla*; FOO 2:200 synonym for *Balsamorhiza macrophylla*; FPN 496; IN 5:22.

Balsamorhiza rosea A. Nelson & J.F. Macbr.

Common names: rosy balsamroot

Origin: native Voucher: OSC, most recently collected in 1995

FN 21:96; FOO 2:200; FPN 495; FPN2 549; IL 4:110; VP 5:104.

Balsamorhiza sagittata (Pursh) Nutt.

Common names: arrowleaf balsamroot

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:95; FOO 2:201; FPN 495; FPN2 549; GWM 355; IL 4:106; IN 5:20; JPM 213; JPM2 258; PEK 804; VP 5:104.

Balsamorhiza sericea W.A. Weber

Common names: silky balsamroot, silvery balsamroot
Origin: native Voucher: OSC, most recently collected in 2011
FN 21:96; FOO 2:201; JPM 213; JPM2 258.

Misapplied names:

***Balsamorhiza macrolepis* W.M. Sharp var. *platylepis* (W.M. Sharp) Ferris**
IL 4:108.

***Balsamorhiza platylepis* W.M. Sharp**
PEK 805.

Balsamorhiza serrata A. Nelson & J.F. Macbr.

Common names: serrate balsamroot
Origin: native Voucher: OSC, most recently collected in 2024
FN 21:96; FOO 2:201; FPN 495; FPN2 549; IL 4:110; IN 5:20; JPM 213; JPM2 258; PEK 805; VP 5:106.

Balsamorhiza* × *terebinthacea (Hook.) Nutt.

Common names: wormwood balsamroot
Origin: native Voucher: OSC, most recently collected in 1931
FN 21:93; FPN2 549; Ownbey & Weber, 1943 ; PEK 805; Weber, 1953 .

Balsamorhiza* × *tomentosa Rydb.

Common names: woolly hybrid balsamroot
Origin: native Voucher: OSC, most recently collected in 1930
FOO 2:200 uncertain status; FPN2 549; Ownbey & Weber, 1943 ; Weber, 1953 .

Bellis

Checklist contributor: Scott Sundberg, 3/29/1995
Flora of Oregon author: Kenton Chambers

Bellis perennis L.

Common names: English daisy, lawn daisy
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 20:23; FOO 2:202; FPN 496; FPN2 550; IL 4:304; IN 5:288; JPM 213; JPM2 260; PEK 793; VP 5:106.

Bidens

Checklist contributor: Kenton Chambers, 10/24/1995
Flora of Oregon author: Kenton Chambers

Bidens beckii Torr. ex Spreng.

Common names: water-marigold
Origin: native Voucher: OSC, most recently collected in 2004
FN 21:209; FOO 2:202; FPN 496; FPN2 550; Hoeck, 1914 synonym for *Megalodonta beckii*; IL 4:130; VP 5:107.

Synonyms:

***Megalodonta beckii* (Torr. ex Spreng.) Greene**
FN 21:209 synonym for *Bidens beckii*; FOO 2:202 synonym for *Bidens beckii*; Hoeck, 1914 for *Bidens beckii*; PEK 807.

Bidens cernua L.

Common names: nodding beggars-ticks, bur marigold

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:215; FOO 2:203; FPN 496; FPN2 551; IL 4:128; IN 5:46; JPM2 260; VP 5:109.

Synonyms:

Bidens cernua* L. var. *cernua

FN 21:215 synonym for *Bidens cernua*; FOO 2:203 synonym for *Bidens cernua*; JPM 214; PEK 807.

***Bidens cernua* L. var. *elliptica* Wiegand**

FN 21:215 synonym for *Bidens cernua*; FOO 2:203 synonym for *Bidens cernua*; PEK 807.

***Bidens cernua* L. var. *minima* (Huds.) DC.**

FN 21:215 synonym for *Bidens cernua*; FOO 2:203 synonym for *Bidens cernua*; PEK 807.

Bidens frondosa L.

Common names: leafy beggars-ticks, sticktight

Origin: native Voucher: OSC, most recently collected in 2024

FN 21:212; FOO 2:203; FPN 497; FPN2 550; IL 4:129; IN 5:46; JPM 214; JPM2 260; PEK 807; VP 5:109.

Bidens tripartita L.

Common names: three-lobed beggars-ticks

Origin: native Voucher: OSC, most recently collected in 2020

FN 21:217; FOO 2:203; FPN 497; FPN2 550; IL 4:129; JPM 214; JPM2 261; VP 5:109.

Synonyms:

***Bidens connata* Muhl. ex Willd.**

FN 21:217; FOO 2:203 synonym for *Bidens tripartita*; FPN2 550.

Bidens vulgata Greene

Common names: tall beggars-ticks, western sticktight

Origin: uncertain Voucher: OSC, most recently collected in 2004

FN 21:212; FOO 2:203; FPN 497; FPN2 550; IL 4:130; IN 5:48; JPM 214; JPM2 261; PEK 807; VP 5:110.

Blepharipappus

Checklist contributor: Kenton Chambers, 2/12/1995

Flora of Oregon author: Bruce Baldwin, Gerald Carr

Blepharipappus scaber Hook.

Common names: rough eyelashweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:259; FOO 2:204; FPN 497; FPN2 551; IN 5:68; JPM 215; JPM2 261; PEK 808; VP 5:110.

Synonyms:

***Blepharipappus scaber* Hook. ssp. *laevis* (A. Gray) D.D. Keck**

FN 21:259 synonym for *Blepharipappus scaber*; FOO 2:204 synonym for *Blepharipappus scaber*; IL 4:192; KZ 1:78.

Blepharipappus scaber* Hook. ssp. *scaber

FN 21:259 synonym for *Blepharipappus scaber*; FOO 2:204 synonym for *Blepharipappus scaber*; IL 4:192; KZ 1:78.

Blepharipappus scaber* Hook. var. *scaber

FOO 2:204 synonym for *Blepharipappus scaber*; FPN 497.

Boltonia

Checklist contributor: Scott Sundberg, 11/4/1995

Flora of Oregon author: Kenton Chambers

Boltonia asteroides (L.) L'Hér.

FN 20:355; FPN 497; IL 4:304; PEK 793; VP 5:111.

Boltonia asteroides (L.) L'Hér. var. ***recognita*** (Fernald & Griscom) Cronquist

Common names: white doll's-daisy, false aster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1982

FN 20:356; FOO 2:205; FPN 497; FPN2 551.

Brickellia

Checklist contributor: Scott Sundberg, 3/29/1995

Flora of Oregon author: Kenton Chambers

Brickellia californica (Torr. & A. Gray) A. Gray

Common names: California tasselflower, California brickellbush

Origin: native Voucher: OSC, most recently collected in 2015

FN 21:495; FOO 2:206; IL 4:502; IN 5:380; JPM 216; JPM2 264; PEK 765.

Brickellia grandiflora (Hook.) Nutt.

Common names: large-flowered tasselflower, tasselflower brickellbush

Origin: native Voucher: OSC, most recently collected in 2015

FN 21:500; FOO 2:206; FPN 498; FPN2 552; GWM 355; IL 4:502; IN 5:380; JPM 216; JPM2 264; PEK 765; VP 5:112.

Brickellia greenei A. Gray

Common names: Greene's tasselflower, Greene's brickellbush

Origin: native Voucher: OSC, most recently collected in 2011

FN 21:500; FOO 2:206; IL 4:506; JPM 216; JPM2 264; PEK 764.

Brickellia microphylla (Nutt.) A. Gray

FN 21:503; FPN 498; IL 4:504; IN 5:382; JPM 216; PEK 765; VP 5:112.

Brickellia microphylla (Nutt.) A. Gray var. ***microphylla***

Common names: small-leaved brickellia, littleleaf brickellbush

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:503; FOO 2:207; FPN 498; FPN2 552; JPM2 265.

Brickellia oblongifolia Nutt.

FN 21:505; FOO 2:207; FPN 497; GWM 355; IL 4:504; IN 5:380; VP 5:112.

Brickellia oblongifolia Nutt. var. ***linifolia*** (D.C. Eaton) B.L. Rob.

Common names: flax-leaved brickellia

Origin: native Voucher: OSC, most recently collected in 2002

FN 21:505; FOO 2:207; FPN 497; FPN2 551; JPM 216; JPM2 265; PEK 765.

Brickellia oblongifolia Nutt. var. ***oblongifolia***

Common names: narrowleaf brickellbush, Mojave brickellbush, narrowleaf brickellia

Origin: native Voucher: OSC, most recently collected in 2002

FN 21:505; FOO 2:207; FPN 497; FPN2 551; PEK 764.

Cacaliopsis

Checklist contributor: Kenton Chambers, 3/15/1995

Flora of Oregon author: Kenton Chambers

Cacaliopsis nardosmia (A. Gray) A. Gray

Chambers, 2009A ; FN 20:627; FOO 2:207; FPN 536 synonym for *Luina nardosmia*; FPN2 552; JPM 218; JPM2 265; Piper, 1906 .

Cacaliopsis nardosmia (A. Gray) A. Gray ssp. ***glabrata*** (Piper) Piper

Common names: tall silvercrown

Origin: native Voucher: OSC, most recently collected in 2008

FOO 2:208; FPN 536 synonym for *Luina nardosmia* var. *glabrata*; PEK 829; Simpson, 2000 .

Synonyms:

***Luina nardosmia* (A. Gray) Cronquist var. *glabrata* (Piper) Cronquist**

FN 20:627 synonym for *Cacaliopsis nardosmia*; FOO 2:208 synonym for *Cacaliopsis nardosmia ssp. glabrata*; FPN 536; IL 4:457; VP 5:257.

Cacaliopsis nardosmia (A. Gray) A. Gray ssp. ***nardosmia***

Common names: silvercrown

Origin: native Voucher: OSC, most recently collected in 2004

FOO 2:208; PEK 829.

Synonyms:

Luina nardosmia* (A. Gray) Cronquist var. *nardosmia

FN 20:627 synonym for *Cacaliopsis nardosmia*; FOO 2:208 synonym for *Cacaliopsis nardosmia ssp. nardosmia*; IL 4:457.

Calendula

Checklist contributor:

Flora of Oregon author: treatment pending

Calendula officinalis L.

Common names: calendula

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

Calycadenia

Checklist contributor: Kenton Chambers, 3/29/1995

Flora of Oregon author: Gerald Carr, Robert Carr

Calycadenia fremontii A. Gray

Common names: tufted tackweed, Fremont's western rosinweed

Origin: native Voucher: OSC, most recently collected in 2007

Carr & Carr, 1983 ; FN 21:275; FOO 2:209; IL 4:190; JPM 219; JPM2 266.

Synonyms:

***Calycadenia ciliosa* Greene**

FN 21:275 synonym for *Calycadenia fremontii*; FOO 2:209 synonym for *Calycadenia fremontii*; IL 4:188; PEK 810.

Calycadenia truncata DC.

Common names: Oregon western rosinweed, smooth tackweed

Origin: native Voucher: OSC, most recently collected in 2010

Carr & Carr, 1983 ; FN 21:272; FOO 2:209; JPM 219; JPM2 267.

Synonyms:

***Calycadenia truncata* DC. ssp. *scabrella* (Drew) D.D. Keck**

FN 21:272 synonym for *Calycadenia truncata*; IL 4:188.

***Calycadenia truncata* DC. var. *scabrella* (Drew) Jeps.**

FOO 2:209 synonym for *Calycadenia truncata*; PEK 810.

Calycadenia truncata* DC. ssp. *truncata

FN 21:272 synonym for *Calycadenia truncata*; FOO 2:209 synonym for *Calycadenia truncata*; IL 4:187; KZ 1:80.

Canadanthus

Checklist contributor: Kenton Chambers, 4/1/2008

Flora of Oregon author: Kenton Chambers

Canadanthus modestus (Lindl.) G.L. Nesom

Common names: great northern aster, giant mountain aster, few-flowered aster

Origin: native Voucher: OSC, most recently collected in 2014

Chambers, 2009A ; FN 20:459; FOO 2:209; FPN2 552.

Synonyms:

***Aster modestus* Lindl.**

FN 20:459 synonym for *Canadanthus modestus*; FOO 2:209 synonym for *Canadanthus modestus*; FPN 492; GWM 354; IL 4:314; PEK 778; VP 5:89.

Carduus

Checklist contributor: Scott Sundberg, 11/14/1996

Flora of Oregon author: Kenton Chambers

Carduus acanthoides L.

FN 19:92; FPN 498; IL 4:540; IN 5:388; JPM 220; VP 5:114.

Carduus acanthoides L. ssp. ***acanthoides***

Common names: plumeless thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FOO 2:210; FPN2 553; JPM2 268.

Carduus cinereus M. Bieb.

Common names: Turkish thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

Borissova et al., 2001 28:33; Matthews et al., 1975 5:435.

Carduus crispus L.

Common names: curly plumeless thistle

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2016

FN 91; FOO 2:210 uncertain status.

Carduus nutans L.

Common names: musk thistle, nodding thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 19:93; FOO 2:211; FPN 498; FPN2 552; IL 4:539; IN 5:388; JPM 220; JPM2 268; VP 5:114.

Carduus pycnocephalus L.

Common names: Italian thistle, compact-headed thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:93; FOO 2:211; FPN 498; FPN2 553; IL 4:540; JPM 220; VP 5:114.

Synonyms:

Carduus pycnocephalus* L. ssp. *pycnocephalus

FOO 2:211 synonym for *Carduus pycnocephalus*; JPM2 268.

Carduus tenuiflorus Curtis

Common names: slender-flowered thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2001

FN 19:94; FOO 2:211; FPN 498 ambiguous synonym; FPN2 553; IL 4:540; JPM 220; JPM2 268; PEK 845.

Carthamus

Checklist contributor: Scott Sundberg, 11/14/1996

Flora of Oregon author: Kenton Chambers

Carthamus lanatus L.

Common names: woolly distaff thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2004

FN 19:180; FOO 2:212; IL 4:511; JPM 220; JPM2 270.

Carthamus tinctorius L.

Common names: safflower

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:180; FOO 2:212; FPN2 553; IL 4:512; JPM 222; JPM2 270.

Centaurea

Checklist contributor: Scott Sundberg, 4/5/1997

Flora of Oregon author: Bridget Chipman

Centaurea benedicta (L.) L.

Common names: blessed thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2007

FN 19:192; FOO 2:213; FPN2 553; JPM2 271.

Synonyms:

***Cnicus benedictus* L.**

FN 19:192 synonym for *Centaurea benedicta*; FOO 2:213 synonym for *Centaurea benedicta*; FPN 506; IL 4:547; IN 5:422; JPM 239; PEK 848; VP 5:145.

Centaurea calcitrapa L.

Common names: purple starthistle

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1993

FN 19:191; FOO 2:212 uncertain status; FPN 498; FPN2 554; IL 4:542; IN 5:420; JPM 222; JPM2 271; VP 5:116.

Centaurea cyanus L.

Common names: bachelor's button, cornflower

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:184; FOO 2:214; FPN 499; FPN2 554; IL 4:544; IN 5:418; JPM 222; JPM2 271; PEK 847; VP 5:116.

Centaurea diffusa Lam.

Common names: diffuse knapweed, tumble knapweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:190; FOO 2:214; FPN 498; FPN2 554; GWM 356; IL 4:543; IN 5:420; JPM 222; JPM2 271; PEK 847; VP 5:116.

Centaurea* × *gerstlaueri Erdner

Common names: meadow knapweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FOO 2:214; FPN2 555.

Synonyms:

***Centaurea* × *moncktonii* C.E. Britton**

FN 19:187; FOO 2:214.

***Centaurea* × *pratensis* Thuill.**

FN 19:186 excluded; FOO 2:214 synonym for *Centaurea* × *moncktonii*; FPN 499; IL 4:546; Roché, 2002 .

Centaurea iberica Spreng.

Common names: Iberian starthistle

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2009

FN 19:192; FOO 2:212 uncertain status; FPN2 554; IL 4:542; JPM 222; JPM2 271.

Centaurea jacea L.

Common names: brown knapweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015

FN 19:186; FOO 2:214; FPN 499; FPN2 555; IL 4:545; IN 5:420; PEK 847; Roché, 2002 ; VP 5:118.

Synonyms:

Centaurea jacea* L. ssp. *jacea

FOO 2:214 synonym for *Centaurea jacea*; JPM2 271.

***Centaurea jacea* L. ssp. *nigra* (L.) Bonnier & Layens**

FOO 2:214 synonym for *Centaurea jacea*; JPM2 271.

***Centaurea jacea* L. nothossp. *pratensis* (W.D.J. Koch) Čelak.**

FOO 2:214 synonym for *Centaurea jacea*; JPM2 271.

Centaurea* × *kleinii C. Roché & Susanna

Common names: Klein's knapweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2006

FOO 2:214 uncertain status; Roché & Susanna, 2011 .

Centaurea melitensis L.

Common names: tocalote, Maltese starthistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2005

FN 19:193; FOO 2:214; FPN 499; FPN2 554; IL 4:546; IN 5:420; JPM 222; JPM2 272; PEK 846; VP 5:118.

Centaurea montana L.

Common names: mountain cornflower, montane starthistle, mountain bluet, perennial cornflower

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2002

FN 19:185; FOO 2:215; FPN 499; FPN2 554; IN 5:418.

Centaurea nigra L.

Common names: black knapweed, hardheads

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 19:187; FOO 2:215; FPN 499; FPN2 555; IL 4:546; JPM 223; PEK 848; Roché, 2002 ; VP 5:118.

Centaurea nigrescens Willd.

Common names: short fringed knapweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015

FN 19:188; FOO 2:212 uncertain status; FPN2 555; IL 4:546.

Synonyms:

***Centaurea dubia* Suter**

FN 19:188 synonym for *Centaurea nigrescens*; FPN 499; IL 4:546 synonym for *Centaurea nigra*; IN 5:416; VP 5:116.

Centaurea* × *psammogena Gáyer

Common names: diffuse-spotted knapweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

FN 19:190; FOO 2:212 uncertain status.

Synonyms:

***Centaurea varnensis* Velen.**

FPN2 554.

Centaurea solstitialis L.

Common names: yellow starthistle, St. Barnaby's thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2011

FN 19:193; FOO 2:215; FPN 499; FPN2 554; IL 4:546; IN 5:420; JPM 223; JPM2 272; PEK 847; VP 5:119.

Centaurea stoebe L.

Common names: spotted knapweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 19:189.

Synonyms:

***Centaurea maculosa* Lam.**

FN 19:189 synonym for *Centaurea stoebe* ssp. *micranthos*; FOO 2:216 synonym for *Centaurea stoebe ssp. micranthos*; FPN 499; IL 4:544; IN 5:418; Isaacson, 1996 ; JPM 222; VP 5:118.

***Centaurea stoebe* L. ssp. *australis* (Pančić ex A.Kern.) Greuter**

FPN2 555.

***Centaurea stoebe* L. ssp. *micranthos* (Gugler) Hayek**

FN 19:189; FOO 2:216; JPM2 272.

Centaurea virgata Lam.

FN 19:191; IN 5:420; Roché & Roché, 1993 ; Wagenitz, 1975 .

Centaurea virgata Lam. ssp. *squarrosa* (Willd.) Gugler

Common names: squarrose knapweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2003

FN 19:191; FOO 2:216; FPN2 553; JPM2 272.

Synonyms:

***Centaurea squarrosa* Willd.**

FN 19:191 synonym for *Centaurea virgata* ssp. *squarrosa*; FOO 2:216 synonym for *Centaurea virgata ssp. squarrosa*; IL 4:544 synonym for *Centaurea virgata* var. *squarrosa*; JPM 223.

***Centaurea virgata* Lam. var. *squarrosa* (Willd.) Boiss.**

FN 19:191 synonym for *Centaurea virgata* ssp. *squarrosa*; FOO 2:216 synonym for *Centaurea virgata ssp. squarrosa*; IL 4:544.

Centromadia

Checklist contributor: Kenton Chambers, 1/29/2001

Flora of Oregon author: Bruce Baldwin, Gerald Carr

Centromadia fitchii (A. Gray) Greene

Common names: Fitch's spikeweed

Origin: native Voucher: OSC, most recently collected in 2017

Chambers, 2009A ; FN 21:277; FOO 2:217; JPM2 274.

Synonyms:

***Hemizonia fitchii* A. Gray**

FN 21:277 synonym for *Centromadia fitchii*; FOO 2:217 synonym for *Centromadia fitchii*; IL 4:180; JPM 282; KZ 1:105; PEK 809.

Centromadia pungens (Hook. & Arn.) Greene ssp. ***pungens***

Common names: common spikeweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 21:277; FOO 2:217; FPN2 555; JPM2 274.

Synonyms:

***Centromadia pungens* (Hook. & Arn.) Greene ssp. *septentrionalis* (D.D. Keck) B.G. Baldwin**

FN 21:277 synonym for *Centromadia pungens* ssp. *pungens*; FOO 2:217 synonym for *Centromadia pungens ssp. pungens*.

Hemizonia pungens* (Hook. & Arn.) Torr. & A. Gray ssp. *pungens

FN 21:277 synonym for *Centromadia pungens* ssp. *pungens*; FOO 2:217 synonym for *Centromadia pungens ssp. pungens*; IL 4:178; JPM 284; KZ 1:105.

Hemizonia pungens* (Hook. & Arn.) Torr. & A. Gray var. *pungens

FN 21:277 synonym for *Centromadia pungens* ssp. *pungens*; FOO 2:217 synonym for *Centromadia pungens ssp. pungens*; FPN 529; IN 5:66; VP 5:234.

***Hemizonia pungens* (Hook. & Arn.) Torr. & A. Gray ssp. *septentrionalis* D.D. Keck**

FN 21:277 synonym for *Centromadia pungens* ssp. *pungens*; FOO 2:217 synonym for *Centromadia pungens ssp. pungens*; FPN 529 synonym for *Hemizonia pungens* var. *septentrionalis*; IL 4:178; JPM 284; KZ 1:105.

***Hemizonia pungens* (Hook. & Arn.) Torr. & A. Gray var. *septentrionalis* (D.D. Keck)**

FN 21:277 synonym for *Centromadia pungens* ssp. *pungens*; FOO 2:217 synonym for *Centromadia pungens ssp. pungens*; FPN 529; IN 5:66; VP 5:234.

Chaenactis

Checklist contributor: Kenton Chambers, 3/29/1995

Flora of Oregon author: Kenton Chambers

Chaenactis alpina (A. Gray) M.E. Jones

Common names: alpine chaenactis, alpine dusty maidens

Origin: native Voucher: OSC, most recently collected in 2002

FN 21:407 synonym for *Chaenactis douglasii* var. *alpina*; FOO 2:218; FPN 500; GWM 356; IL 4:241 synonym for *Chaenactis douglasii* var. *alpina*; IN 5:118; PEK 818; VP 5:121.

Synonyms:

***Chaenactis douglasii* (Hook.) Hook. & Arn. var. *alpina* A. Gray**

FN 21:407; FOO 2:218 synonym for *Chaenactis alpina*; FPN2 556; IL 4:241; JPM 224; JPM2 276; KZ 1:81.

Chaenactis cusickii A. Gray

Common names: Cusick's pincushion, morning brides

Origin: native Voucher: OSC, most recently collected in 2024

FN 21:410; FOO 2:218; FPN 500; FPN2 556; IL 4:241; IN 5:118; PEK 818; VP 5:121.

Chaenactis douglasii (Hook.) Hook. & Arn.

Common names: Douglas' dusty maidens, hoary false yarrow

Origin: native Voucher: OSC, most recently collected in 2024

FN 21:405; FOO 2:219; FPN 500; IN 5:116; JPM 224.

Synonyms:

***Chaenactis douglasii* (Hook.) Hook. & Arn. var. *achilleaefolia* (Hook. & Arn.) A. Nelson**

FPN 500; IL 4:240; IN 5:118; PEK 818; VP 5:122.

Chaenactis douglasii* (Hook.) Hook. & Arn. var. *douglasii

FN 21:405; FOO 2:219 synonym for *Chaenactis douglasii*; FPN 500; FPN2 556; IL 4:240; JPM 224; JPM2 276; PEK 817; VP 5:122.

***Chaenactis douglasii* (Hook.) Hook. & Arn. var. *glandulosa* Cronquist**

FN 21:405 synonym for *Chaenactis douglasii* var. *douglasii*; FOO 2:219 synonym for *Chaenactis douglasii*; FPN 500; GWM 356; IL 4:240.

Misapplied names:

***Chaenactis douglasii* (Hook.) Hook. & Arn. var. *montana* M.E. Jones**

FN 21:405 synonym for *Chaenactis douglasii* var. *douglasii*; FPN 500; IL 4:240; VP 5:123.

***Chaenactis rubricaulis* Rydb.**

IL 4:240 synonym for *Chaenactis douglasii (Hook.) Hook. & Arn. var. rubricaulis (Rydb.) Ferris*; PEK 818.

Chaenactis macrantha D.C. Eaton

Common names: large-flowered chaenactis, bighead dusty maidens, Mojave pincushion

Origin: native Voucher: OSC, most recently collected in 2011

FN 21:410; FOO 2:219; IL 4:242; IN 5:119; JPM 225; JPM2 277; PEK 819.

Chaenactis nevii A. Gray

Common names: John Day pincushion, Nevius' chaenactis

Origin: native Voucher: OSC, most recently collected in 2010

FN 21:411; FOO 2:219; FPN 500; FPN2 556; IL 4:241; PEK 818; VP 5:123.

Chaenactis stevioides Hook. & Arn.

Common names: broad-flowered chaenactis, desert pincushion, Esteve's pincushion

Origin: native Voucher: OSC, most recently collected in 2011

FN 21:413; FOO 2:219; IN 5:119; JPM 225; JPM2 277; PEK 819.

Synonyms:

Chaenactis stevioides* Hook. & Arn. var. *stevioides

FN 21:413 synonym for *Chaenactis stevioides*; FOO 2:219 synonym for *Chaenactis stevioides*; IL 4:246.

Chaenactis suffrutescens A. Gray

Common names: Shasta chaenactis

Origin: native Voucher: OSC, most recently collected in 2011

FN 21:404; FOO 2:220.

Chaenactis xantiana A. Gray

Common names: fleshy pincushion, Xantus' chaenactis

Origin: native Voucher: OSC, most recently collected in 2000

FN 21:410; FOO 2:220; IL 4:242; IN 5:119; JPM 226; JPM2 278; PEK 818.

Chaetadelpha

Checklist contributor: Kenton Chambers, 12/1/1994

Flora of Oregon author: Kenton Chambers

Chaetadelpha wheeleri A. Gray

Common names: Wheeler's skeletonweed, Wheeler's wirelettuce

Origin: native Voucher: OSC, most recently collected in 2008

FN 19:368; FOO 2:220; IL 4:568; IN 5:444; JPM 226; JPM2 278; PEK 854; Tomb, 1972 .

Chamaemelum

Checklist contributor: Kenton Chambers, 9/28/1995

Flora of Oregon author: treatment pending

Chamaemelum mixtum (L.) All.

Common names: weedy dogfennel

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1916

FN 19:495 synonym for *Cladanthus mixtus*.

Synonyms:

***Anthemis mixta* L.**

FN 19:495 synonym for *Cladanthus mixtus*; IL 4:389.

***Cladanthus mixtus* (L.) Chevall.**

FN 19:495; FPN2 521.

Chondrilla

Checklist contributor: Kenton Chambers, 5/1/1995

Flora of Oregon author: Kenton Chambers

Chondrilla juncea L.

Common names: rush skeletonweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:253; FOO 2:221; FPN 501; FPN2 556; IN 5:470; JPM 228; JPM2 280.

Chrysothamnus

Checklist contributor: Kenton Chambers, 1/1/2009

Flora of Oregon author: Kenton Chambers

Chrysothamnus humilis Greene

Common names: Truckee rabbitbrush

Origin: native Voucher: OSC, most recently collected in 2019

FN 20:189; FOO 2:222; FPN 502; FPN2 557; IN 5:232; JPM 230; JPM2 281; KZ 1:83.

Synonyms:

***Chrysothamnus viscidiflorus* (Hook.) Nutt.**

in part

IL 4:298 synonym for *Chrysothamnus viscidiflorus* ssp. *puberulus*; PEK 767; VP 5:131.

***Chrysothamnus viscidiflorus* (Hook.) Nutt. ssp. *humilis* (Greene) C.L. Hitchc. & Cronquist**

FN 20:189 synonym for *Chrysothamnus humilis*; FOO 2:222 synonym for *Chrysothamnus humilis*; FPN 502 synonym for *Chrysothamnus humilis*; PEK 767.

***Chrysothamnus viscidiflorus* (Hook.) Nutt. var. *humilis* (Greene) Jeps.**

FOO 2:222 synonym for *Chrysothamnus humilis*; VP 5:131.

Chrysothamnus viscidiflorus (Hook.) Nutt. ssp. ***lanceolatus*** (Nutt.) H.M. Hall & Clem.

Common names: lanceleaf green rabbitbrush

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:192; FOO 2:222; FPN2 557; IL 4:299; JPM 232; JPM2 281; KZ 1:84.

Synonyms:

***Chrysothamnus viscidiflorus* (Hook.) Nutt. var. *lanceolatus* (Nutt.) Greene**

FN 20:192 synonym for *Chrysothamnus viscidiflorus* ssp. *lanceolatus*; FOO 2:222 synonym for *Chrysothamnus viscidiflorus ssp. lanceolatus*; FPN 502; IN 5:234; PEK 767; VP 5:131.

Chrysothamnus viscidiflorus (Hook.) Nutt. ssp. ***puberulus*** (D.C. Eaton) H.M. Hall & Clem.

Common names: downy green rabbitbrush

Origin: native Voucher: OSC, most recently collected in 2017

Anderson, 1995 ; FN 20:192; FOO 2:223; FPN2 557; IL 4:299; JPM 232; JPM2 281; KZ 1:84; PEK 767.

Synonyms:

***Chrysothamnus viscidiflorus* (Hook.) Nutt. var. *puberulus* (D.C. Eaton) Jeps.**

FN 20:192 synonym for *Chrysothamnus viscidiflorus* ssp. *puberulus*; FOO 2:223 synonym for *Chrysothamnus viscidiflorus ssp. puberulus*; IN 5:234; VP 5:131.

Chrysothamnus viscidiflorus (Hook.) Nutt. ssp. ***viscidiflorus***

Common names: yellow rabbitbrush, sticky-flowered rabbitbrush

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:193; FOO 2:223; FPN2 557; IL 4:298; JPM 232; JPM2 281; KZ 1:84; PEK 767.

Synonyms:

***Chrysothamnus viscidiflorus* (Hook.) Nutt. ssp. *pumilus* (Nutt.) H.M. Hall & Clem.**

FN 20:193 synonym for *Chrysothamnus viscidiflorus* ssp. *viscidiflorus*; FOO 2:223 synonym for *Chrysothamnus viscidiflorus ssp. viscidiflorus*; IL 4:299.

***Chrysothamnus viscidiflorus* (Hook.) Nutt. var. *pumilus* (Nutt.) Jeps.**

FOO 2:223 synonym for *Chrysothamnus viscidiflorus ssp. viscidiflorus*; PEK 767; VP 5:131.

***Chrysothamnus viscidiflorus* (Hook.) Nutt. ssp. *stenophyllus* (A. Gray) H.M. Hall & Clem.**

FOO 2:223 synonym for *Chrysothamnus viscidiflorus ssp. viscidiflorus*; PEK 767.

***Chrysothamnus viscidiflorus* (Hook.) Nutt. var. *stenophyllus* (A. Gray) H.M. Hall**

FN 20:193 synonym for *Chrysothamnus viscidiflorus* ssp. *viscidiflorus*; FOO 2:223 synonym for *Chrysothamnus viscidiflorus ssp. viscidiflorus*; FPN 502; KZ 1:84; VP 5:131.

Chrysothamnus viscidiflorus* (Hook.) Nutt. var. *viscidiflorus

FOO 2:223 synonym for *Chrysothamnus viscidiflorus ssp. viscidiflorus*; FPN 502; IN 5:234; VP 5:131.

Cichorium

Checklist contributor: Kenton Chambers, 12/1/1994

Flora of Oregon author: Kenton Chambers

Cichorium intybus L.

Common names: chicory

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:222; FOO 2:223; FPN 503; FPN2 557; IL 4:552; IN 5:426; JPM 232; JPM2 281; PEK 849; VP 5:131.

Cirsium

Checklist contributor: Kenton Chambers, 2/14/2007

Flora of Oregon author: Bridget Chipman

Cirsium andersonii (A. Gray) Petr.

Common names: Anderson's thistle

Origin: native Voucher: OSC, most recently collected in 2007

FN 19:145; FOO 2:225; IL 4:536; JPM 235; JPM2 284.

Cirsium arvense (L.) Scop.

Common names: Canada thistle, creeping thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:109; FOO 2:225; FPN 503; FPN2 558; GWM 358; IL 4:516; IN 5:414; JPM 235; JPM2 284; Oregon Flora Project, 1995B ; PEK 845; VP 5:135; Wilson, 1996 .

Synonyms:

Cirsium arvense* (L.) Scop. var. *arvense

FOO 2:225 synonym for *Cirsium arvense*; FPN 503; VP 5:135.

***Cirsium arvense* (L.) Scop. var. *horridum* Wimm. & Grab.**

FN 19:109 synonym for *Cirsium arvense*; FOO 2:225 synonym for *Cirsium arvense*; FPN 503; IL 4:517 uncertain status; VP 5:135.

Cirsium brevifolium Nutt.

Common names: Palouse thistle

Origin: native Voucher: OSC, most recently collected in 2010

FN 19:124; FOO 2:225; FPN 504; FPN2 558; IL 4:518; PEK 845; VP 5:135.

Cirsium brevistylum Cronquist

Common names: short-styled thistle, clustered thistle

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:148; FOO 2:225; FPN 505; FPN2 559; IL 4:528; JPM 235; JPM2 285; PEK 843; VP 5:135.

Cirsium ciliolatum (L.F. Hend.) J.T. Howell

Common names: Ashland thistle

Origin: native Voucher: OSC, most recently collected in 2017

FN 19:121; FOO 2:225; IL 4:518; JPM 235; JPM2 285.

Cirsium cymosum (Greene) J.T. Howell

FN 19:136; FOO 2:225; IL 4:522; IN 5:402; JPM 236; PEK 844.

Cirsium cymosum (Greene) J.T. Howell var. ***canovirens*** (Rydb.) D.J.Keil

Common names: gray green thistle

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:136; FOO 2:226; FPN2 558; JPM2 285.

Synonyms:

***Cirsium canovirens* (Rydb.) Petr.**

FN 19:136 synonym for *Cirsium cymosum* var. *canovirens*; FOO 2:226 synonym for *Cirsium cymosum var. canovirens*; FPN 503; IL 4:521; IN 5:392; JPM 235; PEK 845; VP 5:137.

Cirsium cymosum (Greene) J.T. Howell var. ***cymosum***

Common names: peregrine thistle

Origin: native Voucher: OSC, most recently collected in 1956

FN 19:136; FOO 2:226; JPM2 285.

Cirsium douglasii DC.

FN 19:133; IN 5:392; JPM 236.

Cirsium douglasii DC. var. ***breweri*** (A. Gray) D.J. Keil & C.E. Turner

Common names: Brewer's thistle, swamp thistle

Origin: native Voucher: OSC, most recently collected in 1986

FN 19:133; FOO 2:226; JPM 236; JPM2 285.

Synonyms:

***Cirsium breweri* (A. Gray) Jeps.**

FN 19:133 synonym for *Cirsium douglasii* var. *breweri*; FOO 2:226 synonym for *Cirsium douglasii var. breweri*; PEK 844.

***Cirsium douglasii* DC. var. *canescens* (Petr.) J.T. Howell**

FN 19:133 synonym for *Cirsium douglasii* var. *breweri*; FOO 2:226 synonym for *Cirsium douglasii var. breweri*; IL 4:520; KZ 1:85.

Cirsium eatonii (A. Gray) B.L. Rob.

IN 5:404.

Cirsium eatonii (A. Gray) B.L. Rob. var. ***peckii*** (L.F. Hend.) D.J. Keil

Common names: Steens Mountain thistle, Peck's thistle

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:153; FOO 2:226.

Synonyms:

***Cirsium peckii* L.F. Hend.**

FN 19:153 synonym for *Cirsium eatonii* var. *peckii*; FOO 2:226 synonym for *Cirsium eatonii var. peckii*; IL 4:534; IN 5:404; PEK 843.

Cirsium edule Nutt.

FN 19:146; FOO 2:227; FPN 505; IL 4:528; VP 5:137.

Cirsium edule Nutt. × ***Cirsium remotifolium*** (Hook.) DC.

Origin: native Voucher: OSC, most recently collected in 1963

FOO uncertain status.

Cirsium edule Nutt. var. ***edule***

Common names: Indian thistle, edible thistle

Origin: native Voucher: OSC, most recently collected in 2022

FN 19:147; FOO 2:227; FPN2 559.

Synonyms:

***Cirsium hallii* (A. Gray) M.E. Jones**

FN 19:147 synonym for *Cirsium edule* var. *edule*; FOO 2:227 synonym for *Cirsium edule var. edule*; FPN 505; IL 4:529; KZ 1:85.

Cirsium edule Nutt. var. ***macounii*** (Greene) D.J. Keil

Common names: Macoun's thistle

Origin: native Voucher: OSC, most recently collected in 1997

FN 19:147; FOO 2:227.

Cirsium inamoenum (E.L. Greene) D.J. Keil var. ***inamoenum***

Common names: Jackson Hole thistle, Intermountain thistle

Origin: native Voucher: OSC, most recently collected in 2017

FN 19:135; FOO 2:227; FPN2 559; JPM2 286.

Synonyms:

***Cirsium subniveum* Rydb.**

FN 19:135 ambiguous synonym; FOO 2:227 synonym for *Cirsium inamoenum var. inamoenum*; FPN 504; IL 4:525; IN 5:398; VP 5:141.

Misapplied names:

***Cirsium utahense* Petr.**

FN 19:135-141 ambiguous synonym; FPN 504; IL 4:524; PEK 842; VP 5:143.

Cirsium occidentale (Nutt.) Jeps.

FN 19:137; FOO 2:227; IL 4:525; JPM 238.

Cirsium occidentale (Nutt.) Jeps. var. ***candidissimum*** (Greene) J.F. Macbr.

Common names: snowy thistle, snowwool thistle

Origin: native Voucher: OSC, most recently collected in 2007

FN 19:140; FOO 2:228; FPN2 559; JPM 238; JPM2 286.

Synonyms:

***Cirsium pastoris* J.T. Howell**

FN 19:140 synonym for *Cirsium occidentale* var. *candidissimum*; FOO 2:228 synonym for *Cirsium occidentale var. candidissimum*; IL 4:526; IN 5:410; KZ 1:86; PEK 842.

Cirsium occidentale (Nutt.) Jeps. var. ***venustum*** (Greene) Jeps.

Common names: Venus thistle

Origin: native Voucher: OSC, most recently collected in 1940

FN 19:140; FOO 2:228; JPM 238; JPM2 286.

Synonyms:

***Cirsium proteanum* J.T. Howell**

FN 19:140 synonym for *Cirsium occidentale* var. *venustum*; FOO 2:228 synonym for *Cirsium occidentale var. venustum*; IL 4:526; KZ 1:86.

Cirsium ochrocentrum A. Gray

FN 19:123; IL 4:518; IN 5:392; JPM 238.

Cirsium ochrocentrum A. Gray var. ***ochrocentrum***

Common names: yellowspine thistle

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2003

FOO 2:224 uncertain status; JPM2 288.

Cirsium remotifolium (Hook.) DC.

FN 19:129; FOO 2:228; FPN 505; FPN2 558; IL 4:536; JPM 239; PEK 843; VP 5:141.

Cirsium remotifolium (Hook.) DC. var. ***odontolepis*** Petr.

Common names: mountain thistle, fringe bract thistle

Origin: native Voucher: OSC, most recently collected in 2010

FN 19:130; FOO 2:228; JPM2 288.

Synonyms:

Cirsium callilepis* (Greene) Jeps. var. *callilepis

FN 19:130 synonym for *Cirsium remotifolium* var. *odontolepis*; FOO 2:228 synonym for *Cirsium remotifolium var. odontolepis*; IL 4:534; KZ 1:84.

***Cirsium callilepis* (Greene) Jeps. var. *oregonense* (Petr.) J.T. Howell**

FN 19:130 synonym for *Cirsium remotifolium* var. *odontolepis*; FOO 2:228 synonym for *Cirsium remotifolium var. odontolepis*; FPN 504; IL 4:535; KZ 1:84.

***Cirsium callilepis* (Greene) Jeps. var. *pseudocarlinoides* (Petr.) J.T. Howell**

FN 19:130 synonym for *Cirsium remotifolium* var. *odontolepis*; FOO 2:228 synonym for *Cirsium remotifolium var. odontolepis*; IL 4:535; KZ 1:84.

***Cirsium centaureae* (Rydb.) K. Schum.**

FN 19:128 synonym for *Cirsium clavatum var. americanum*; FOO 2:228 synonym for *Cirsium remotifolium var. odontolepis*; FPN 504 synonym for *Cirsium callilepis*; IN 5:402; PEK 844; VP 5:137.

Cirsium remotifolium (Hook.) DC. var. ***remotifolium***

Common names: few-leaved thistle, weak thistle

Origin: native Voucher: OSC, most recently collected in 2016

FN 19:130; FOO 2:229; JPM2 288; KZ 1:86.

Cirsium remotifolium (Hook.) DC. var. ***rivulare*** Jeps.

Common names: Klamath thistle

Origin: native Voucher: OSC, most recently collected in 1997

FN 19:131; FOO 2:229; JPM2 288.

Synonyms:

***Cirsium acanthodontum* S.F. Blake**

FN 19:131 synonym for *Cirsium remotifolium* var. *rivulare*; FOO 2:229 synonym for *Cirsium remotifolium var. rivulare*; IL 4:535; PEK 844.

Cirsium scariosum Nutt.

Common names: elk thistle, dinnerplate thistle, meadow thistle

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:154; FOO 2:229; FPN 505; FPN2 557; IN 5:406; JPM 239.

Synonyms:

***Cirsium scariosum* Nutt. var. *americanum* (A. Gray) D.J. Keil**

FN 19:156; FOO 2:229 synonym for *Cirsium scariosum*; JPM2 289.

***Cirsium scariosum* Nutt. var. *robustum* D.J. Keil**

FN 19:159; FOO 2:229 synonym for *Cirsium scariosum*; JPM2 289.

Cirsium scariosum* Nutt. var. *scariosum

FN 19:155; FOO 2:229 synonym for *Cirsium scariosum*; JPM2 289; KZ 1:86.

***Cirsium scariosum* Nutt. var. *toiyabense* D.J. Keil**

FN 19:158; FOO 2:229 synonym for *Cirsium scariosum*.

Misapplied names:

***Cirsium foliosum* (Hook.) DC.**

FN 19:159; FPN 505 synonym for *Cirsium scariosum*; FPN2 560; IL 4:532; PEK 843; VP 5:138.

Cirsium undulatum (Nutt.) Spreng.

Common names: wavyleaf thistle

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:120; FOO 2:230; FPN 504; FPN2 558; IL 4:518; IN 5:392; JPM 239; JPM2 289; PEK 844; VP 5:141.

Cirsium vulgare (Savi) Ten.

Common names: bull thistle, common thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 19:109; FOO 2:230; FPN 503; FPN2 558; GWM 358; IL 4:517; IN 5:414; JPM 239; JPM2 289; PEK 843; VP 5:143.

Columbiadoria

Checklist contributor: Scott Sundberg, 2/7/1998

Flora of Oregon author: Kenton Chambers

Columbiadoria hallii (A. Gray) G.L. Nesom

Common names: Hall's goldenweed

Origin: native Voucher: OSC, most recently collected in 2013

Chambers, 2009A ; FN 20:168; FOO 2:230; FPN2 561.

Synonyms:

***Haplopappus hallii* A. Gray**

FN 20:168 synonym for *Columbiadoria hallii*; FOO 2:230 synonym for *Columbiadoria hallii*; FPN 526; IL 4:282; PEK 771; VP 5:216.

Conyza

Checklist contributor: Kenton Chambers, 10/25/1995

Flora of Oregon author: Kenton Chambers

Conyza bonariensis (L.) Cronquist

Common names: South American conyza, flax-leaved horseweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 20:349; FOO 2:231; FPN 506; FPN2 561; IL 4:382; IN 5:352; JPM 240.

Synonyms:

***Conyza floribunda* Kunth**

FN 20:350; FOO 2:231 synonym for *Conyza bonariensis*; FPN 506 synonym for *Conyza bonariensis*; IL 4:382; JPM 240; VP 5:146.

Conyza canadensis (L.) Cronquist

Common names: horseweed, Canadian fleabane

Origin: native Voucher: OSC, most recently collected in 2024

FN 20:350; FOO 2:231; FPN 506; FPN2 561; GWM 358; IN 5:351; JPM 240; PEK 792; VP 5:145.

Synonyms:

Conyza canadensis* (L.) Cronquist var. *canadensis

FN 20:350 synonym for *Conyza canadensis*; FOO 2:231 synonym for *Conyza canadensis*; IL 4:382; KZ 1:87.

***Conyza canadensis* (L.) Cronquist var. *glabrata* (A. Gray) Cronquist**

FN 20:350 synonym for *Conyza canadensis*; FPN 506; GWM 358; IL 4:382; IN 5:351; KZ 1:87; VP 5:146.

***Erigeron canadensis* L.**

FN 20:350 synonym for *Conyza canadensis*; FOO 2:231 synonym for *Conyza canadensis*; FPN 506 synonym for *Conyza canadensis*; IL 4:382 synonym for *Conyza canadensis*; IN 5:351 synonym for *Conyza canadensis*; JPM2 317; PEK 792 synonym for *Conyza canadensis*; VP 5:145 synonym for *Conyza canadensis* var. *glabrata*.

Coreopsis

Checklist contributor: Kenton Chambers, 10/25/1995

Flora of Oregon author: Kenton Chambers

Coreopsis lanceolata L.

Common names: garden coreopsis, lanced-leaved coreopsis, lanceleaf tickseed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 21:195; FOO 2:232; FPN2 562; IL 4:135; JPM 241; JPM2 290.

Coreopsis rosea Nutt.

Common names: pink tickseed

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2009

FN 21:196; FOO 2:232 uncertain status.

Coreopsis tinctoria Nutt.

Common names: Columbia coreopsis, coreopsis, golden tickseed

Origin: native

Voucher: OSC, most recently collected in 2022

FN 21:197; FOO 2:232; FPN 506; FPN2 562; IL 4:136; IN 5:44; JPM 241; JPM2 290; Smith, 1976 ; VP 5:147.

Synonyms:

***Coreopsis atkinsoniana* Douglas ex Lindl.**

FN 21:197 synonym for *Coreopsis tinctoria*; FOO 2:232 synonym for *Coreopsis tinctoria*; FPN 506; IL 4:136; PEK 806; VP 5:146.

***Coreopsis tinctoria* Nutt. var. *atkinsoniana* (Douglas ex Lindl.) H.M. Parker**

FN 21:197 synonym for *Coreopsis tinctoria*; FOO 2:232 synonym for *Coreopsis tinctoria*; Smith, 1975 .

Corethrogyne

Checklist contributor: Scott Sundberg, 6/19/2003

Flora of Oregon author: Kenton Chambers

Corethrogyne filaginifolia (Hook. & Arn.) Nutt.

Common names: California sandaster, prostrate beach aster

Origin: native

Voucher: OSC, most recently collected in 2021

FN 20:451; FOO 2:233; IL 4:340; JPM2 290.

Synonyms:

***Corethrogyne californica* DC.**

FN 20:451 synonym for *Corethrogyne filaginifolia*; FOO 2:233 synonym for *Corethrogyne filaginifolia*; IL 4:338; PEK 775.

***Corethrogyne filaginifolia* (Hook. & Arn.) Nutt. var. *californica* (DC.) Saroyan**

FN 20:451 synonym for *Corethrogyne filaginifolia*; FOO 2:233 synonym for *Corethrogyne filaginifolia*.

***Corethrogyne obovata* Benth.**

FN 20:451 synonym for *Corethrogyne filaginifolia*; FOO 2:233 synonym for *Corethrogyne filaginifolia*; IL 4:337.

***Lessingia filaginifolia* (Hook. & Arn.) M.A. Lane var. *californica* (DC.) M.A. Lane**

FN 20:451 synonym for *Corethrogyne filaginifolia*; FOO 2:233 synonym for *Corethrogyne filaginifolia*; JPM 305; Saroyan et al., 2000 .

Cosmos

Checklist contributor:

Flora of Oregon author: treatment pending

Cosmos bipinnatus Cav.

Common names: cosmos

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2019

Cota

Checklist contributor:

Flora of Oregon author: Kenton Chambers

Cota tinctoria (L.) J. Gay ex Guss.

Common names: golden marguerite, yellow chamomile, golden chamomile

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008

FN 19:547; FOO 2:233; FPN2 562; JPM2 292.

Synonyms:

***Anthemis tinctoria* L.**

FN 19:547 synonym for *Cota tinctoria*; FOO 2:233 synonym for *Cota tinctoria*; FPN 482; GWM 346; IL 4:389; IN 5:132; JPM 198; VP 5:43.

Cotula

Checklist contributor: Kenton Chambers, 9/19/1995

Flora of Oregon author: Kenton Chambers

Cotula australis (Sieber) Hook. f.

Common names: Australian cotula, Australian waterbuttons

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2010

FN 19:544; FOO 2:234; FPN 507; FPN2 562; IL 4:402; JPM 242; JPM2 292; Nelson, 1917 ; VP 5:147.

Cotula coronopifolia L.

Common names: brass buttons

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 19:544; FOO 2:234; FPN 507; FPN2 562; IL 4:402; JPM 242; JPM2 292; PEK 824; VP 5:147.

Cotula mexicana (DC.) Cabrera

Common names: Mexican brassbuttons

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FOO 2:234 uncertain status; JPM2 .

Crepis

Checklist contributor: Kenton Chambers, 10/31/1995

Flora of Oregon author: Kenton Chambers

Crepis acuminata Nutt.

Common names: long-leaved hawksbeard, tapertip hawksbeard

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:225; FOO 2:236; FPN 508; FPN2 564; GWM 360; IL 4:607; IN 5:462; JPM 244; JPM2 293; PEK 867; VP 5:150.

Synonyms:

Crepis acuminata* Nutt. ssp. *acuminata

FN 19:225 synonym for *Crepis acuminata*; FOO 2:236 synonym for *Crepis acuminata*; FPN 508; KZ 1:88.

Crepis atribarba A. Heller

Common names: slender hawksbeard

Origin: native Voucher: OSC, most recently collected in 2013

FN 19:225; FOO 2:236; FPN2 564; VP 5:150.

Synonyms:

Crepis atrabarba* A. Heller ssp. *atrabarba

FPN 508.

***Crepis atrabarba* A. Heller ssp. *originalis* Babc. & Stebbins**

FPN 509.

Crepis atribarba* A. Heller ssp. *atribarba

FN 19:226 synonym for *Crepis atribarba*; FOO 2:236 synonym for *Crepis atribarba*; IL 4:608; KZ 1:88; PEK 867.

***Crepis atribarba* A. Heller ssp. *originalis* Babc. & Stebbins**

FN 19:225 excluded; FOO 2:236 synonym for *Crepis atribarba*; IL 4:608; PEK 867.

Crepis bakeri Greene

Common names: Baker's hawksbeard

Origin: native Voucher: OSC, most recently collected in 2017

FN 19:226; FOO 2:236; FPN 509; FPN2 564; JPM 244.

Synonyms:

Crepis bakeri* Greene ssp. *bakeri

FN 19:226; FOO 2:236 synonym for *Crepis bakeri*; FPN 509; IL 4:606; JPM2 293; KZ 1:88; PEK 868; VP 5:151.

***Crepis bakeri* Greene ssp. *cusickii* (Eastw.) Babc. & Stebbins**

FN 19:226; FOO 2:236 synonym for *Crepis bakeri*; IL 4:606; JPM2 293; PEK 868.

***Crepis bakeri* Greene ssp. *idahoensis* Babc. & Stebbins**

FOO 2:236 synonym for *Crepis bakeri*; JPM2 293.

Crepis barbigera Coville

Common names: bearded hawksbeard

Origin: native Voucher: OSC, most recently collected in 2025

FN 19:227; FOO 2:236; FPN 508; FPN2 564; IL 4:608; IN 5:466; PEK 867; VP 5:151.

Crepis capillaris (L.) Wallr.

Common names: smooth hawksbeard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:228; FOO 2:236; FPN 507; FPN2 563; IL 4:603; IN 5:466; JPM 244; JPM2 293; PEK 866; VP 5:151.

Crepis intermedia A. Gray

Common names: intermediate hawksbeard

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:229; FOO 2:237; FPN 508; FPN2 564; IL 4:608; IN 5:464; JPM 244; JPM2 294; PEK 868; VP 5:152.

Crepis modocensis Greene

Common names: low hawksbeard, Modoc hawksbeard

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:229; FOO 2:237; FPN 508; FPN2 564; IN 5:466; JPM 244.

Synonyms:

Crepis modocensis* Greene ssp. *modocensis

FN 19:230; FOO 2:237 synonym for *Crepis modocensis*; FPN 508; IL 4:606; JPM2 294; KZ 1:88; PEK 867; VP 5:154.

***Crepis modocensis* Greene ssp. *subacaulis* (Kellogg) Babc. & Stebbins**

FN 19:230; FOO 2:237 synonym for *Crepis modocensis*; IL 4:606; JPM2 294; KZ 1:88; PEK 867.

Crepis monticola Coville

Common names: mountain hawksbeard

Origin: native Voucher: OSC, most recently collected in 1997

FN 19:230; FOO 2:237; IL 4:605; JPM 244; JPM2 294; PEK 866.

Crepis nicaeensis Pers.

Common names: French hawksbeard, Turkish hawksbeard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1997

FN 19:232; FOO 2:237; FPN 507; FPN2 563; IL 4:604; VP 5:155.

Crepis occidentalis Nutt.

Common names: western hawksbeard

Origin: native Voucher: OSC, most recently collected in 2022

FN 19:232; FOO 2:237; FPN 509; FPN2 564; GWM 360; JPM 244.

Synonyms:

***Crepis occidentalis* Nutt. ssp. *conjuncta* Babc. & Stebbins**

FN 19:233; FOO 2:237 synonym for *Crepis occidentalis*; FPN 509; IL 4:606; IN 5:464; JPM2 294; KZ 1:89; PEK 868; VP 5:156.

***Crepis occidentalis* Nutt. ssp. *costata* (A. Gray) Babc. & Stebbins**

FN 19:233; FOO 2:237 synonym for *Crepis occidentalis*; FPN 509; IL 4:606; IN 5:464; JPM2 294; KZ 1:89; VP 5:155.

***Crepis occidentalis* Nutt. var. *costata* A. Gray**

FN 19:233 synonym for *Crepis occidentalis* ssp. *costata*; FOO 2:237 synonym for *Crepis occidentalis*; PEK 868.

Crepis occidentalis* Nutt. ssp. *occidentalis

FN 19:232; FOO 2:237 synonym for *Crepis occidentalis*; FPN 509; IL 4:606; IN 5:464; JPM2 294; KZ 1:89; PEK 868; VP 5:155.

***Crepis occidentalis* Nutt. ssp. *pumila* (Rydb.) Babc. & Stebbins**

FN 19:233; FOO 2:237 synonym for *Crepis occidentalis*; FPN 509; IL 4:606; IN 5:464; JPM2 294; KZ 1:89; PEK 868; VP 5:156.

Crepis pleurocarpa A. Gray

Common names: naked-stemmed hawksbeard

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:234; FOO 2:238; FPN2 564; IL 4:608; JPM 245; JPM2 294; PEK 867.

Crepis pulchra L.

Common names: small-flowered hawksbeard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 19:234; FOO 2:238; IL 4:604; PEK 865.

Crepis runcinata (E. James) Torr. & A. Gray

FN 19:235; FOO 2:239; FPN 508; JPM 245.

Crepis runcinata (E. James) Torr. & A. Gray ssp. ***hispidulosa*** (Rydb.) Babc. & Stebbins

Common names: meadow hawksbeard

Origin: native Voucher: OSC, most recently collected in 2012

FN 19:237; FOO 2:239; FPN 508; IL 4:610; VP 5:156.

Synonyms:

***Crepis runcinata* (E. James) Torr. & A. Gray var. *hispidulosa* Howell ex Rydb.**

FN 19:237 synonym for *Crepis runcinata* ssp. *hispidulosa*; FOO 2:239 synonym for *Crepis runcinata ssp. hispidulosa*; IN 5:462; PEK 866.

Crepis runcinata (E. James) Torr. & A. Gray ssp. ***imbricata*** Babc. & Stebbins

Common names: imbricate hawksbeard, Alvord hawksbeard

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:237; FOO 2:239; IL 4:610; PEK 866.

Synonyms:

***Crepis runcinata* (E. James) Torr. & A. Gray var. *imbricata* (Babc. & Stebbins) M. Peck**

FOO 2:239 synonym for *Crepis runcinata ssp. imbricata*; IN 5:462.

Crepis setosa Haller f.

Common names: rough hawksbeard, bristly hawksbeard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:237; FOO 2:239; FPN 507; FPN2 563; IL 4:604; JPM 245; JPM2 295; PEK 866.

Crepis tectorum L.

Common names: annual hawksbeard, narrow-leaf hawksbeard

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2009

FN 19:238; FOO 2:235 uncertain status; FPN 507; FPN2 563; IL 4:604; JPM2 295; VP 5:156.

Crepis vesicaria L.

FN 19:238.

Crepis vesicaria L. ssp. ***taraxacifolia*** (Thuill.) Schinz & R. Keller

Common names: weedy hawksbeard, beaked hawksbeard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2016

FN 19:238 synonym for *Crepis vesicaria*; FOO 2:239; FPN2 563; IL 4:604; JPM 245; JPM2 295.

Crocidium

Checklist contributor: Kenton Chambers, 2/12/1995

Flora of Oregon author: Kenton Chambers

Crocidium multicaule Hook.

Common names: gold star, spring gold

Origin: native Voucher: OSC, most recently collected in 2019

FN 20:641; FOO 2:240; FPN 509; FPN2 565; IL 4:454; JPM 245; JPM2 295; PEK 828; VP 5:157.

Crupina

Checklist contributor: Scott Sundberg, 1/30/1998

Flora of Oregon author: Cindy Roché

Crupina vulgaris Pers. ex Cass.

Common names: common crupina, bearded creeper

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015

FN 19:178; FOO 2:241; FPN 510; FPN2 565; JPM 245; JPM2 295.

Cyclachaena

Checklist contributor: Kenton Chambers, 8/11/2000

Flora of Oregon author: Kenton Chambers

Cyclachaena xanthiifolia (Nutt.) Fresen.

Common names: tall marsh elder, giant sumpweed, bur-weed marsh elder, careless weed

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 2009A ; FN 21:28; FOO 2:241; FPN 533 synonym for *Iva xanthiifolia*; FPN2 565.

Synonyms:

Iva xanthifolia **Nutt.**

FPN 533; IL 4:142; IN 5:56; VP 5:246.

Iva xanthiifolia **Nutt.**

FN 21:28 synonym for *Cyclachaena xanthiifolia*; FOO 2:241 synonym for *Cyclachaena xanthiifolia*; FPN 533; IL 4:142; IN 5:56; KZ 1:110; PEK 813; VP 5:246.

Delairea

Checklist contributor: Kenton Chambers, 1/17/1998

Flora of Oregon author: Thea Jaster

Delairea odorata Lam.

Common names: Cape ivy, German ivy

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2008

Chambers, 2009A ; FN 20:609; FOO 2:242; JPM2 300.

Synonyms:

***Senecio mikanioides* Walp.**

FN 20:609 synonym for *Delairea odorata*; FOO 2:242 synonym for *Delairea odorata*; IL 4:453; JPM 340.

Dieteria

Checklist contributor: Kenton Chambers, 4/1/2008

Flora of Oregon author: Kenton Chambers

Dieteria canescens (Pursh) Nutt. var. ***canescens***

Common names: hoary aster

Origin: native

Voucher: OSC, most recently collected in 2023

FN 20:399; FOO 2:243; FPN2 566; JPM2 302.

Synonyms:

***Aster canescens* Pursh**

FN 20:398 synonym for *Dieteria canescens*; FOO 2:243 synonym for *Dieteria canescens var. canescens*; FPN 538 synonym for *Machaeranthera canescens*; GWM 373 synonym for *Machaeranthera canescens*; IL 4:334 synonym for *Machaeranthera canescens*; PEK 782; VP 5:77.

***Aster shastensis* (A. Gray) A. Gray var. *glossophyllus* Cronquist**

FOO 2:243 synonym for *Dieteria canescens var. canescens*; FPN 537 synonym for *Machaeranthera shastensis* var. *glossophylla*; IL 4:334 synonym for *Machaeranthera shastensis* var. *glossophylla*; PEK 782; VP 5:94.

***Aster shastensis* (A. Gray) A. Gray var. *latifolius* Cronquist**

FOO 2:243 synonym for *Dieteria canescens var. canescens*; FPN 538 synonym for *Machaeranthera shastensis* var. *latifolia*; IL 4:334 synonym for *Machaeranthera shastensis* var. *latifolia*; PEK 782; VP 5:94.

Machaeranthera canescens* (Pursh) A. Gray var. *canescens

FN 20:399 synonym for *Dieteria canescens* var. *canescens*; FOO 2:243 synonym for *Dieteria canescens var. canescens*; IN 5:268; JPM 309.

***Machaeranthera shastensis* A. Gray var. *glossophylla* (Piper) Cronquist & D.D. Keck**

FOO 2:243 synonym for *Dieteria canescens var. canescens*; FPN 537; GWM 374; IL 4:334.

***Machaeranthera shastensis* A. Gray var. *latifolia* (Cronquist) Cronquist & D.D. Keck**

FOO 2:243 synonym for *Dieteria canescens var. canescens*; FPN 538; GWM 374; IL 4:334.

Dieteria canescens (Pursh) Nutt. var. ***incana*** (Lindl.) D.R. Morgan & R.L. Hartm.

Common names: tall hoary-aster

Origin: native

Voucher: OSC, most recently collected in 2019

FN 20:399; FOO 2:243; FPN2 566; JPM2 302.

Synonyms:

***Aster attenuatus* (Howell) Frye & Rigg ex M. Peck**

FN 20:510 synonym for *Symphyotrichum laeve var. purpuratum*; PEK 782.

***Machaeranthera canescens* (Pursh) A. Gray var. *incana* (Lindl.) A. Gray**

FN 20:399 synonym for *Dieteria canescens* var. *incana*; FOO 2:243 synonym for *Dieteria canescens var. incana*; IN 5:266; JPM 309.

Dieteria canescens (Pursh) Nutt. var. ***leucanthemifolia*** (Greene) D.R. Morgan & R.L. Hartm.

Common names: small-leaf hoary-aster

Origin: native

Voucher: OSC, most recently collected in 2017

FN 20:399; FOO 2:243; JPM2 302.

Synonyms:

***Machaeranthera canescens* (Pursh) A. Gray var. *leucanthemifolia* (Greene) S.L. Welsh**

FN 20:399 synonym for *Dieteria canescens* var. *leucanthemifolia*; FOO 2:243 synonym for *Dieteria canescens var. leucanthemifolia*; IN 5:268; JPM 309.

Dieteria canescens (Pursh) Nutt. var. ***shastensis*** (A. Gray) D.R. Morgan & R.L. Hartm.

Common names: rayless Shasta aster

Origin: native Voucher: OSC, most recently collected in 2022

Chambers, 2009A ; FN 20:400; FOO 2:243; FPN2 566; JPM2 302.

Synonyms:

***Aster shastensis* (A. Gray) A. Gray var. *eradiatus* A. Gray**

FOO 2:243 synonym for *Dieteria canescens var. shastensis*; FPN 537 synonym for *Machaeranthera shastensis* var. *eradiata*; PEK 782; VP 5:94.

***Machaeranthera canescens* (Pursh) A. Gray var. *shastensis* (A. Gray) B.L. Turner**

FN 20:400 synonym for *Dieteria canescens* var. *shastensis*; FOO 2:243 synonym for *Dieteria canescens var. shastensis*; IN 5:265 synonym for *Machaeranthera shastensis*; JPM 309; Turner, 1987 .

***Machaeranthera shastensis* A. Gray**

FN 20:400 synonym for *Dieteria canescens* var. *shastensis*; FOO 2:243 synonym for *Dieteria canescens var. shastensis*; FPN 537; GWM 374; IN 5:265.

***Machaeranthera shastensis* A. Gray var. *eradiata* (A. Gray) Cronquist & D.D. Keck**

FOO 2:243 synonym for *Dieteria canescens var. shastensis*; FPN 537; IL 4:334.

Machaeranthera shastensis* A. Gray var. *shastensis

FOO 2:243 synonym for *Dieteria canescens var. shastensis*; IL 4:334.

Dimeresia

Checklist contributor: Kenton Chambers, 2/12/1995

Flora of Oregon author: Kenton Chambers

Dimeresia howellii A. Gray

Common names: doublet, dimeresia

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:183; FOO 2:244; FPN 510; FPN2 566; IL 4:417; IN 5:102; JPM 246; JPM2 302; PEK 801; VP 5:158.

Doellingeria

Checklist contributor:

Flora of Oregon author: treatment pending

Doellingeria breweri (A. Gray) Semple

Common names: Brewer's aster

Origin: native Voucher: OSC, most recently collected in 2005

Allen et al., 2019 939.

Synonyms:

***Aster breweri* (A. Gray) Semple**

FN 20:40 synonym for *Eucephalus breweri*; FOO 2:265 synonym for *Eucephalus breweri*; JPM 206.

***Chrysopsis breweri* A. Gray**

FN 20:40 synonym for *Eucephalus breweri*; FOO 2:265 synonym for *Eucephalus breweri*; IL 4:265.

***Eucephalus breweri* (A. Gray) G.L. Nesom**

Chambers, 2009A ; FN 20:40; FOO 2:265; JPM2 328.

Doellingeria elegans (Nutt.) Semple

Common names: elegant aster

Origin: native Voucher: OSC, most recently collected in 2003

Allen et al., 2019 939.

Synonyms:

***Aster perelegans* A. Nelson & J.F. Macbr.**

FN 20:40 synonym for *Eucephalus elegans*; FOO 2:265 synonym for *Eucephalus elegans*; FPN 491; GWM 354; IL 4:325; IN 5:300; PEK 783; VP 5:93.

***Eucephalus elegans* Nutt.**

Chambers, 2009A ; FN 20:40; FOO 2:265; FPN 491 synonym for *Aster perelegans*; FPN2 578.

Doellingeria glabrata (Greene) Semple

Common names: Siskiyou aster, smooth aster

Origin: native

Voucher: OSC, most recently collected in 2015

Allen et al., 2019 940.

Synonyms:

Aster siskiyouensis **A. Nelson & J.F. Macbr.**

FN 20:41 synonym for *Eucephalus glabratus*; FOO 2:266 synonym for *Eucephalus glabratus*; IL 4:324; Oregon Flora Project, 2009C ; PEK 783.

Eucephalus glabratus **(Greene) Greene**

Chambers, 2009A ; FN 20:41; FOO 2:266; IL 4:324 synonym for *Aster siskiyouensis*; JPM2 328; Oregon Flora Project, 2009C .

Doellingeria gormanii (Piper) Semple

Common names: Gorman's aster

Origin: native

Voucher: OSC, most recently collected in 2007

Allen et al., 2019 940.

Synonyms:

Aster gormanii **(Piper) S.F. Blake**

FN 20:41 synonym for *Eucephalus gormanii*; FOO 2:266 synonym for *Eucephalus gormanii*; FPN 491; IL 4:326; PEK 783; VP 5:86.

Eucephalus gormanii **Piper**

Chambers, 2009A ; FN 20:41; FOO 2:266; FPN2 579; IL 4:326 synonym for *Aster gormanii*.

Doellingeria gormanii (Piper) Semple × ***Doellingeria ledophylla*** (A. Gray) Semple

Origin: native

Voucher: OSC, most recently collected in 1982

Synonyms:

Eucephalus gormanii **Piper ×** ***Eucephalus ledophyllus*** **(A. Gray) Greene**

Doellingeria ledophylla (A. Gray) Semple var. ***covillei*** (Greene) Semple

Common names: Coville's Cascade aster

Origin: native

Voucher: OSC, most recently collected in 2016

Allen et al., 2019 940.

Synonyms:

Aster ledophyllus **(A. Gray) A. Gray var.** ***covillei*** **(Greene) Cronquist**

FN 20:42 synonym for *Eucephalus ledophyllus* var. *covillei*; FOO 2:267 synonym for *Eucephalus ledophyllus var. covillei*; FPN 491; KZ 1:72; PEK 783; VP 5:89.

Eucephalus ledophyllus **(A. Gray) Greene var.** ***covillei*** **(Greene) G.L. Nesom**

FN 20:42; FOO 2:267; FPN2 578; JPM2 328.

Doellingeria ledophylla (A. Gray) Semple var. ***ledophylla***

Common names: northern Cascade aster

Origin: native

Voucher: OSC, most recently collected in 2017

Allen et al., 2019 940.

Synonyms:

Aster ledophyllus **(A. Gray) A. Gray var.** ***ledophyllus***

FN 20:42 synonym for *Eucephalus ledophyllus* var. *ledophyllus*; FOO 2:267 synonym for *Eucephalus ledophyllus var. ledophyllus*; FPN 491; KZ 1:72; PEK 782; VP 5:89.

Eucephalus ledophyllus **(A. Gray) Greene var.** ***ledophyllus***

FN 20:42; FOO 2:267; FPN2 578.

Doellingeria tomentella (Greene) Semple

Common names: hairy rayless aster, brickellbush aster

Origin: native

Voucher: OSC, most recently collected in 2011

Allen et al., 2019 940.

Synonyms:

Aster brickellioides **Greene**

FN 20:42 synonym for *Eucephalus tomentellus*; FOO 2:267 synonym for *Eucephalus tomentellus*; IL 4:323; JPM 206.

Aster tomentellus **(Greene) S.F. Blake ex M. Peck**

FN 20:42 synonym for *Eucephalus tomentellus*; PEK 783.

Eucephalus tomentellus **(Greene) Greene**

Chambers, 2009A ; FN 20:42; FOO 2:267; IL 4:323 synonym for *Aster brickellioides*; JPM2 328; Oregon Flora Project, 2009C .

Doellingeria tomentella (Greene) Semple × ***Doellingeria vialis*** (Bradshaw) Semple

Origin: native

Voucher: OSC, most recently collected in 1999

Synonyms:

Eucephalus tomentellus **(Greene) Greene ×** ***Eucephalus vialis*** **Bradshaw**

Doellingeria vialis (Bradshaw) Semple

Common names: wayside aster

Origin: native

Voucher: OSC, most recently collected in 2018

Allen et al., 2019 941.

Synonyms:

Aster vialis **(Bradshaw) S.F. Blake**

FN 20:42 synonym for *Eucephalus vialis*; FOO 2:267 synonym for *Eucephalus vialis*; FPN 491; IL 4:324; Oregon Flora Project, 2009C ; PEK 784; VP 5:97.

Eucephalus vialis **Bradshaw**

Chambers, 2009A ; FN 20:42; FOO 2:267; FPN2 578; JPM2 328; Oregon Flora Project, 2009C .

Doronicum

Checklist contributor: Scott Sundberg, 2/24/1998

Flora of Oregon author: Kenton Chambers

Doronicum pardalianches L.

Common names: great leopard's-bane

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2013

FN 20:612; FOO 2:244; FPN2 566.

Doronicum plantagineum L.

Common names: plantain-leaved leopard's-bane

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 1984

FN 20:612; FOO 2:244; FPN2 566.

Eatonella

Checklist contributor: Kenton Chambers, 3/15/1995

Flora of Oregon author: Kenton Chambers

Eatonella nivea (D.C. Eaton) A. Gray

Common names: white false tickhead, white eatonella

Origin: native

Voucher: OSC, most recently collected in 2005

FN 21:349; FOO 2:245; FPN 510; FPN2 567; IL 4:198; IN 5:110; JPM 248; JPM2 303; PEK 817; VP 5:160.

Erechtites

Checklist contributor: Kenton Chambers, 2/21/1996

Flora of Oregon author: Stephen Meyers

Erechtites glomeratus (Desf. ex Poir.) DC.

Common names: Australian burnweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

Barkley, 1981 ; FN 20:604 synonym; FOO 2:246; FPN2 568; JPM 250.

Synonyms:

***Erechtites arguta* DC.**

FN 20:604 synonym for *Erechtites glomeratus*; FOO 2:246 synonym for *Erechtites glomeratus*; FPN 512; IL 4:460; PEK 834; VP 5:162.

***Senecio glomeratus* Desf. ex Poir.**

FOO 2:246 synonym for *Erechtites glomeratus*; JPM2 417.

Erechtites minimus (Poir.) DC.

Common names: coastal burnweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 20:604; FOO 2:246; FPN2 568.

Synonyms:

***Erechtites minima* (Poir.) DC.**

FN 20:604 synonym for *Erechtites minimus*; FPN 512; JPM 250.

***Senecio minimus* Poir.**

JPM2 418.

Misapplied names:

***Erechtites prenanthoides* (A. Rich.) DC.**

FN 20:604 synonym for *Erechtites minimus*; FPN 512 synonym for *Erechtites minima*; IL 4:460; PEK 835; VP 5:162.

Ericameria

Checklist contributor: Scott Sundberg, 11/13/1996

Flora of Oregon author: Kenton Chambers

Ericameria arborescens (A. Gray) Greene

Common names: golden-fleece

Origin: native Voucher: OSC, most recently collected in 2021

Chambers, 2009A ; FN 20:54; FOO 2:247; IL 4:47; JPM 252; JPM2 308.

Synonyms:

***Haplopappus arborescens* (A. Gray) H.M. Hall**

FN 20:54 synonym for *Ericameria arborescens*; FOO 2:247 synonym for *Ericameria arborescens*; IL 4:288.

Ericameria bloomeri (A. Gray) J.F. Macbr.

Common names: rabbitbrush goldenweed, Bloomer's goldenbush

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 2009A ; FN 20:55; FOO 2:247; FPN2 569; JPM 252; JPM2 308.

Synonyms:

***Haplopappus bloomeri* A. Gray**

in part

FN 20:55 synonym for *Ericameria bloomeri*; FPN 524; IL 4:280.

***Haplopappus bloomeri* A. Gray var. *angustatus* A. Gray**

FOO 2:247 synonym for *Ericameria bloomeri*; PEK 769.

Haplopappus bloomeri* A. Gray var. *bloomeri

FN 20:55 synonym for *Ericameria bloomeri*; FOO 2:247 synonym for *Ericameria bloomeri*; IN 5:220; PEK 769.

***Haplopappus bloomeri* A. Gray var. *sonnei* (Greene) H.M. Hall**

FOO 2:247 synonym for *Ericameria bloomeri*; PEK 769.

Ericameria discoidea (Nutt.) G.L. Nesom

Common names: discoid goldenweed, white-stem goldenbush

Origin: native Voucher: OSC, most recently collected in 2007

FN 20:58-59; FOO 2:247; FPN2 568; JPM 252; JPM2 308.

Synonyms:

***Haplopappus macronema* A. Gray**

FN 20:58 synonym for *Ericameria discoidea*; FOO 2:247 synonym for *Ericameria discoidea*; FPN 524; IL 4:280; IN 5:218; PEK 772; VP 5:220.

Haplopappus macronema* A. Gray var. *macronema

FN 20:58 synonym for *Ericameria discoidea*; FOO 2:247 synonym for *Ericameria discoidea*; FPN 524; IN 5:218; VP 5:220.

Ericameria greenei (A. Gray) G.L. Nesom

Common names: Greene's goldenbush

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 2009A ; FN 20:60; FOO 2:247; FPN2 569; JPM 253; JPM2 309.

Synonyms:

***Haplopappus bloomeri* A. Gray**

in part

FOO 2:247 ambiguous synonym for *Ericameria greenei*.

***Haplopappus bloomeri* A. Gray var. *greenei* (A. Gray) Cronquist**

FOO 2:247 synonym for *Ericameria greenei*; IN 5:220.

***Haplopappus greenei* A. Gray**

FN 20:60 synonym for *Ericameria greenei*; FOO 2:247 synonym for *Ericameria greenei*; FPN 525; GWM 369; IL 4:280; VP 5:215.

Haplopappus greenei* A. Gray var. *greenei

FN 20:60 synonym for *Ericameria greenei*; FOO 2:247 synonym for *Ericameria greenei*; PEK 772.

***Haplopappus greenei* A. Gray var. *mollis* A. Gray**

FOO 2:247 synonym for *Ericameria greenei*; PEK 772.

Ericameria nana Nutt.

Common names: dwarf goldenbush, rubber weed

Origin: native Voucher: OSC, most recently collected in 2006

Chambers, 2009A ; FN 20:61; FOO 2:247; FPN2 569; JPM 253; JPM2 309.

Synonyms:

***Haplopappus nanus* (Nutt.) D.C. Eaton**

FN 20:61 synonym for *Ericameria nana*; FOO 2:247 synonym for *Ericameria nana*; FPN 524; IL 4:282; IN 5:218.

Ericameria nauseosa (Pall. ex Pursh) G.L. Nesom & G.I. Baird var. ***hololeuca*** (A. Gray) G.L. Nesom & G.I. Baird

Common names: white rabbitbrush

Origin: native Voucher: OSC, most recently collected in 2009

FN 20:65; FOO 2:248; JPM2 309.

Synonyms:

***Chrysothamnus nauseosus* (Pall. ex Pursh) Britton ssp. *hololeucus* (A. Gray) H.M. Hall &**

Anderson, 1986 ; FOO 2:248 synonym for *Ericameria nauseosa var. hololeuca*; IL 4:301; IN 5:230; JPM 230; KZ 1:83; Nesom & Baird, 1993 .

Ericameria nauseosa (Pall. ex Pursh) G.L. Nesom & G.I. Baird var. ***nana*** (Cronquist) G.L. Nesom & G.I. Baird

Common names: little rabbitbrush

Origin: native Voucher: OSC, most recently collected in 2002

FN 20:67; FOO 2:248; FPN2 569.

Synonyms:

Chrysothamnus nauseosus **(Pall. ex Pursh) Britton ssp.** ***nanus*** **(Cronquist) D.D. Keck**

FN 20:67 synonym for *Ericameria nauseosa* var. *nana*; FOO 2:248 synonym for *Ericameria nauseosa var. nana*; IL 4:303; KZ 1:83; VP 5:129.

Chrysothamnus nauseosus **(Pall. ex Pursh) Britton var.** ***nanus*** **Cronquist**

FN 20:67 synonym for *Ericameria nauseosa* var. *nana*; FOO 2:248 synonym for *Ericameria nauseosa var. nana*; FPN 502.

Ericameria nauseosa (Pall. ex Pursh) G.L. Nesom & G.I. Baird var. ***oreophila*** (A. Nelson) G.L. Nesom & G.I. Baird

Common names: Great Basin rabbitbrush

Origin: native Voucher: OSC, most recently collected in 2022

FN 20:67; FOO 2:248; FPN2 569; JPM2 309.

Synonyms:

Chrysothamnus nauseosus **(Pall. ex Pursh) Britton var.** ***artus*** **(A. Nelson) Cronquist**

FN 20:67 synonym for *Ericameria nauseosa* var. *oreophila*; FOO 2:248 synonym for *Ericameria nauseosa var. oreophila*; FPN 502; VP 5:129.

Chrysothamnus nauseosus **(Pall. ex Pursh) Britton ssp.** ***consimilis*** **(Greene) H.M. Hall &**

FN 20:67 synonym for *Ericameria nauseosa* var. *oreophila*; FOO 2:248 synonym for *Ericameria nauseosa var. oreophila*; FPN 502 synonym for *Chrysothamnus nauseosus* var. *artus*; IL 4:303; JPM 230; KZ 1:83; PEK 767.

Chrysothamnus nauseosus **(Pall. ex Pursh) Britton var.** ***oreophilus*** **(A. Nelson) H.M. Hall &**

FOO 2:248 synonym for *Ericameria nauseosa var. oreophila*; IN 5:230.

Ericameria nauseosa (Pall. ex Pursh) G.L. Nesom & G.I. Baird var. ***speciosa*** (Nutt.) G.L. Nesom & G.I. Baird

Common names: showy rabbitbrush

Origin: native Voucher: OSC, most recently collected in 2024

FN 20:68; FOO 2:248; FPN2 569; JPM2 309.

Synonyms:

Chrysothamnus nauseosus **(Pall. ex Pursh) Britton ssp.** ***albicaulis*** **(Nutt.) H.M. Hall & Clem.**

FN 20:68 synonym for *Ericameria nauseosa* var. *speciosa*; FOO 2:248 synonym for *Ericameria nauseosa var. speciosa*; IL 4:302; JPM 230; KZ 1:83; Nesom & Baird, 1993 .

Chrysothamnus nauseosus **(Pall. ex Pursh) Britton var.** ***albicaulis*** **(Nutt.) Rydb.**

FOO 2:248 synonym for *Ericameria nauseosa var. speciosa*; FPN 502; VP 5:129.

Chrysothamnus nauseosus **(Pall. ex Pursh) Britton var.** ***speciosus*** **(Nutt.) H.M. Hall**

FOO 2:248 synonym for *Ericameria nauseosa var. speciosa*; IN 5:230; PEK 767.

Ericameria parryi (A. Gray) G.L. Nesom & G.I. Baird var. ***nevadensis*** (A. Gray) G.L. Nesom & G.I. Baird

Common names: Nevada rabbitbrush

Origin: native Voucher: OSC, most recently collected in 1919

FN 20:74; FOO 2:248; JPM2 310.

Synonyms:

Chrysothamnus parryi **(A. Gray) Greene**

FOO 2:248 synonym for *Ericameria parryi var. nevadensis*; FPN 502; IN 5:223; JPM 230; VP 5:129.

Chrysothamnus parryi **(A. Gray) Greene ssp.** ***nevadensis*** **(A. Gray) H.M. Hall & Clem.**

FN 20:74 synonym for *Ericameria parryi* var. *nevadensis*; FOO 2:248 synonym for *Ericameria parryi var. nevadensis*; IL 4:301; JPM 230; KZ 1:84.

Chrysothamnus parryi **(A. Gray) Greene var.** ***nevadensis*** **(A. Gray) Kittell**

FOO 2:248 synonym for *Ericameria parryi var. nevadensis*; IN 5:224.

Ericameria resinosa Nutt.

Common names: Columbia goldenweed

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 2009A ; FN 20:76; FOO 2:249; FPN2 569.

Synonyms:

Haplopappus resinosus **(Nutt.) A. Gray**

FN 20:76 synonym for *Ericameria resinosa*; FOO 2:249 synonym for *Ericameria resinosa*; FPN 524; IL 4:282; PEK 769; VP 5:223.

Ericameria suffruticosa (Nutt.) G.L. Nesom

Common names: shrubby goldenweed, single-headed goldenweed

Origin: native Voucher: OSC, most recently collected in 2015

Chambers, 2009A ; FN 20:76; FOO 2:249; FPN2 569; JPM 253; JPM2 312.

Synonyms:

Haplopappus suffruticosus **(Nutt.) A. Gray**

FN 20:76 synonym for *Ericameria suffruticosa*; FOO 2:249 synonym for *Ericameria suffruticosa*; FPN 524; GWM 369; IL 4:280; IN 5:218; PEK 772; VP 5:224.

Erigeron

Checklist contributor: Kenton Chambers, 3/1/1996

Flora of Oregon author: James Riser, Stephen Meyers

Erigeron acris L. var. ***kamtschaticus*** (DC.) Herder

Common names: bitter fleabane

Origin: native Voucher: OSC, most recently collected in 2010

FN 20:321; FOO 2:252; FPN2 572.

Misapplied names:

Erigeron acris **L. var.** ***asteroides*** **(Andrz. ex Besser) DC.**

FPN 513; IL 4:374; PEK 792; VP 5:169.

Erigeron aliceae Howell

Common names: Alice Eastwood's fleabane

Origin: native Voucher: OSC, most recently collected in 2021

FN 20:335; FOO 2:252; FPN 514; FPN2 574; IL 4:348; JPM 256; JPM2 316; PEK 790; VP 5:169.

Erigeron annuus (L.) Pers.

Common names: eastern daisy fleabane, annual fleabane

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 20:344; FOO 2:252; FPN 513; FPN2 570; IL 4:372; IN 5:348; JPM 256; JPM2 316; PEK 791; VP 5:169.

Erigeron aphanactis (A. Gray) Greene

Chambers, 1996B ; FN 20:291; FPN 517; JPM 256; PEK 787; VP 5:170.

Erigeron aphanactis (A. Gray) Greene var. ***aphanactis***

Common names: rayless shaggy fleabane

Origin: native Voucher: OSC, most recently collected in 2021

FN 20:291; FOO 2:252; FPN 517; FPN2 571; IL 4:360; IN 5:322; JPM 256; JPM2 316.

Erigeron bloomeri A. Gray

Chambers, 1996B ; FN 20:298; FOO 2:253; FPN 517; GWM 362; IN 5:320; JPM 257; VP 5:171.

Erigeron bloomeri A. Gray var. ***bloomeri***

Common names: Bloomer's fleabane, scabland fleabane

Origin: native Voucher: OSC, most recently collected in 2016

Chambers, 1996B ; FN 20:298; FOO 2:253; FPN 517; FPN2 571; IL 4:362; JPM 257; JPM2 317; PEK 788 excluded.

Erigeron bloomeri A. Gray var. ***nudatus*** (A. Gray) Cronquist

Common names: Bloomer's fleabane, Waldo daisy

Origin: native Voucher: OSC, most recently collected in 2001

FN 20:298; FOO 2:253; FPN2 571 synonym for *Erigeron bloomeri* var. *bloomeri*; IL 4:362; JPM 257; JPM2 317; PEK 788.

Erigeron cascadensis A. Heller

Common names: Cascade fleabane

Origin: native Voucher: OSC, most recently collected in 1994

FN 20:284; FOO 2:253; FPN 517; FPN2 575; IL 4:352; PEK 789; VP 5:171.

Erigeron cervinus Greene

Common names: Siskiyou fleabane, Siskiyou daisy

Origin: native Voucher: OSC, most recently collected in 2018

Chambers & Simpson, 2012 ; FN 20:335; FOO 2:253; IL 4:352; JPM 257; JPM2 317; PEK 789.

Synonyms:

Erigeron delicatus **Cronquist**

FN 20:335 synonym for *Erigeron cervinus*; FOO 2:253 synonym for *Erigeron cervinus*; IL 4:350; PEK 789.

Erigeron chrysopsidis A. Gray var. ***austiniae*** (Greene) G.L. Nesom

Common names: Austin's fleabane

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 1996B ; FN 20:287; FOO 2:254; FPN2 572; JPM2 317; Nesom, 1992B .

Synonyms:

Erigeron austiniae **Greene**

FN 20:287 synonym for *Erigeron chrysopsidis* var. *austiniae*; FOO 2:254 synonym for *Erigeron chrysopsidis var. austiniae*; FPN 517 synonym for *Erigeron chrysopsidis* ssp. *austiniae*; IL 4:361 synonym for *Erigeron chrysopsidis* ssp. *austiniae*; JPM 257; KZ 1:93; PEK 788.

Erigeron chrysopsidis **A. Gray ssp.** ***austiniae*** **(Greene) Cronquist**

FN 20:287 synonym for *Erigeron chrysopsidis* var. *austiniae*; FOO 2:254 synonym for *Erigeron chrysopsidis var. austiniae*; FPN 517; IL 4:361; VP 5:173.

Erigeron chrysopsidis A. Gray var. ***brevifolius*** Piper

Common names: alpine yellow daisy, Wallowa daisy

Origin: native Voucher: OSC, most recently collected in 2008

FN 20:287; FOO 2:254; FPN 517; FPN2 572; GWM 362; IL 4:361.

Synonyms:

Erigeron chrysopsidis **A. Gray ssp.** ***brevifolius*** **Piper**

FN 20:287 synonym for *Erigeron chrysopsidis* var. *brevifolius*; FOO 2:254 synonym for *Erigeron chrysopsidis var. brevifolius*; PEK 788.

Erigeron chrysopsidis A. Gray var. ***chrysopsidis***

Common names: golden daisy, golden fleabane

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:287; FOO 2:254; FPN 517; FPN2 572; IL 4:361.

Synonyms:

Erigeron chrysopsidis **A. Gray ssp.** ***chrysopsidis***

FN 20:287 synonym for *Erigeron chrysopsidis* var. *chrysopsidis*; FOO 2:254 synonym for *Erigeron chrysopsidis var. chrysopsidis*; FPN 517; IN 5:322; PEK 788; VP 5:173.

Erigeron chrysopsidis A. Gray var. ***chrysopsidis*** × ***Erigeron disparipilus*** Cronquist

Origin: native

Synonyms:

Erigeron chrysopsidis **A. Gray var.** ***chrysopsidis*** **×** ***Erigeron davisii*** **(Cronquist) G.L. Nesom**

Erigeron compositus Pursh

Common names: fernleaf fleabane, cutleaf daisy, dwarf mountain fleabane

Origin: native Voucher: OSC, most recently collected in 2021

FN 20:300; FOO 2:254; FPN 516; FPN2 571; GWM 362; JPM 257; JPM2 318.

Synonyms:

Erigeron compositus* Pursh var. *compositus

FN 20:300 synonym for *Erigeron compositus*; FOO 2:254 synonym for *Erigeron compositus*; FPN 516; IL 4:354; IN 5:320; PEK 790; VP 5:174.

***Erigeron compositus* Pursh var. *glabratus* Macoun**

Burkhart et al., 1996 ; FN 20:300 synonym for *Erigeron compositus*; FOO 2:254 synonym for *Erigeron compositus*; FPN 516; IL 4:354; IN 5:320; PEK 790; VP 5:174.

Erigeron corymbosus Nutt.

Common names: longleaf fleabane, foothill daisy

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:278; FOO 2:255; FPN 519; FPN2 573; IL 4:364; IN 5:328; PEK 786; VP 5:174.

Erigeron coulteri Porter

Common names: Coulter's fleabane

Origin: native Voucher: OSC, most recently collected in 2002

FN 20:332; FOO 2:255; FPN 514; FPN2 576; GWM 362; IL 4:348; IN 5:314; JPM 258; JPM2 318; PEK 790; VP 5:174.

Erigeron decumbens Nutt.

Common names: Willamette fleabane, Willamette Valley daisy

Origin: native Voucher: OSC, most recently collected in 2002

Chambers, 1996A ; FN 20:279; FOO 2:255; FPN 518; FPN2 573; VP 5:174.

Synonyms:

Erigeron decumbens* Nutt. ssp. *decumbens

FN 20:279 synonym for *Erigeron decumbens*; FOO 2:255 synonym for *Erigeron decumbens*; PEK 787.

Erigeron decumbens* Nutt. var. *decumbens

Chambers, 1996B ; FN 20:279 synonym for *Erigeron decumbens*; FOO 2:255 synonym for *Erigeron decumbens*; FPN 518; IL 4:366; PEK 787 excluded.

Erigeron disparipilus Cronquist

Common names: white cushion fleabane, Snake River daisy

Origin: native Voucher: OSC, most recently collected in 2017

FN 20:285; FOO 2:255; FPN 520; FPN2 577; IL 4:358; IN 5:332; PEK 787; VP 5:175.

Synonyms:

***Erigeron davisii* (Cronquist) G.L. Nesom**

FN 20:287; FOO 2:255 synonym for *Erigeron disparipilus*; FPN2 577.

***Erigeron engelmannii* A. Nelson**

FN 20:290; FOO 2:255 synonym for *Erigeron disparipilus*; FPN 518; IN 5:326; VP 5:177.

***Erigeron engelmannii* A. Nelson ssp. *davisii* Cronquist**

FN 20:287 synonym for *Erigeron davisii*; FOO 2:255 synonym for *Erigeron disparipilus*; IL 4:358 synonym for *Erigeron engelmannii* var. *davisii*; PEK 787.

***Erigeron engelmannii* A. Nelson var. *davisii* (Cronquist) Cronquist**

Cronquist, 1947 ; FN 20:287 synonym for *Erigeron davisii*; FOO 2:255 synonym for *Erigeron disparipilus*; FPN 518; FPN2 577 synonym for *Erigeron davisii*; IL 4:358.

Erigeron divergens Torr. & A. Gray

Common names: spreading fleabane, diffuse daisy

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:339; FOO 2:255; FPN 519; IL 4:360; JPM 258; JPM2 318; PEK 791; VP 5:175.

Synonyms:

Erigeron divergens* Torr. & A. Gray var. *divergens

FN 20:339 synonym for *Erigeron divergens*; FOO 2:255 synonym for *Erigeron divergens*; FPN 519; FPN2 573; IN 5:346.

Erigeron eatonii A. Gray

Chambers, 1996B ; FN 20:279; FOO 2:256; FPN 518; IN 5:329; JPM 258; PEK 786.

Erigeron eatonii A. Gray var. ***lavandulus*** Strother & Ferlatte

Common names: Eaton's lavender fleabane

Origin: native Voucher: OSC, most recently collected in 2015

Chambers, 1996B ; FN 20:281; FOO 2:256; FPN2 572; Strother & Ferlatte, 1988 .

Erigeron eatonii A. Gray var. ***plantagineus*** (Greene) Cronquist

Common names: Eaton's plantain-leaved fleabane, plantain-leaved daisy

Origin: native Voucher: OSC, most recently collected in 2004

Chambers & Simpson, 2012 ; Chambers, 1996B ; FN 20:281; FOO 2:256; IL 4:366; JPM 258; JPM2 318; VP 5:177.

Misapplied names:

***Erigeron decumbens* Nutt. ssp. *robustior* Cronquist**

FN 20:279 synonym for *Erigeron robustior*; IL 4:366 synonym for *Erigeron decumbens Nutt. var. robustior Cronquist*; PEK 787.

***Erigeron decumbens* Nutt. var. *robustior* (Cronquist) Cronquist**

JPM 258.

Erigeron eatonii A. Gray var. ***villosus*** (Cronquist) Cronquist

Common names: Eaton's shaggy fleabane

Origin: native Voucher: OSC, most recently collected in 2013

FN 20:281; FOO 2:256; FPN 518; FPN2 572; GWM 363; IL 4:366; VP 5:177.

Erigeron elegantulus Greene

Common names: volcanic fleabane, dwarf blue fleabane

Origin: native Voucher: OSC, most recently collected in 2017

FN 20:299; FOO 2:256; FPN 518; FPN2 577; IL 4:362; IN 5:320; JPM 258; JPM2 318; PEK 788; VP 5:177.

Erigeron filifolius (Hook.) Nutt.

Common names: threadleaf fleabane

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:298; FOO 2:256; FPN 518; FPN2 573; IN 5:322; JPM2 318; VP 5:177.

Synonyms:

Erigeron filifolius* (Hook.) Nutt. var. *filifolius

FN 20:298 synonym for *Erigeron filifolius*; FOO 2:256 synonym for *Erigeron filifolius*; FPN 518; IL 4:363; JPM 258; PEK 788.

***Erigeron filifolius* (Hook.) Nutt. var. *robustior* M. Peck**

FN 20:298 synonym for *Erigeron filifolius*; FOO 2:256 synonym for *Erigeron filifolius*; FPN 518; IL 4:364; PEK 788.

Erigeron foliosus Nutt. var. ***confinis*** (Howell) Jeps.

Common names: leafy fleabane

Origin: native Voucher: OSC, most recently collected in 2021

Chambers, 1996B ; FN 20:312; FOO 2:257; FPN 514; FPN2 573; IL 4:371; JPM 258; JPM2 320; Nesom, 1992A ; PEK 791.

Misapplied names:

***Erigeron foliosus* Nutt. var. *hartwegii* (Greene) Jeps.**

FN 20:313; FPN 514; IL 4:371; JPM 258; JPM2 320; PEK 791; VP 5:180.

Erigeron glacialis (Nutt.) A. Nelson var. ***glacialis***

Common names: subalpine fleabane, peregrine fleabane

Origin: native Voucher: OSC, most recently collected in 2018

FN 20:329; FOO 2:257; FPN2 574; JPM2 320.

Synonyms:

***Erigeron peregrinus* (Pursh) Greene**

in part

FOO 2:257 synonym for *Erigeron glacialis var. glacialis*.

***Erigeron peregrinus* (Pursh) Greene var. *angustifolius* (A. Gray) Cronquist**

FN 20:329 synonym for *Erigeron glacialis* var. *glacialis*; FOO 2:257 synonym for *Erigeron glacialis var. glacialis*; FPN 515; IL 4:347; IN 5:311; VP 5:188.

***Erigeron peregrinus* (Pursh) Greene ssp. *callianthemus* (Greene) Cronquist**

FN 20:329 synonym for *Erigeron glacialis* var. *glacialis*; FOO 2:257 synonym for *Erigeron glacialis var. glacialis*; FPN 514; GWM 363; IL 4:347; KZ 1:95; PEK 786; VP 5:188.

***Erigeron peregrinus* (Pursh) Greene var. *callianthemus* (Greene) Cronquist**

Chambers, 1996B ; FN 20:329 synonym for *Erigeron glacialis* var. *glacialis*; FOO 2:257 synonym for *Erigeron glacialis var. glacialis*; IN 5:311; JPM 260.

***Erigeron peregrinus* (Pursh) Greene var. *eucallianthemus* Cronquist**

FOO 2:257 synonym for *Erigeron glacialis var. glacialis*; FPN 515.

***Erigeron peregrinus* (Pursh) Greene var. *scaposus* (Torr. & A. Gray) Cronquist**

Chambers, 1996B ; FN 20:329 synonym for *Erigeron glacialis* var. *glacialis*; FOO 2:257 synonym for *Erigeron glacialis var. glacialis*; FPN 514; GWM 363; IN 5:311; Nesom, 1992B ; VP 5:188.

Misapplied names:

***Erigeron ursinus* D.C. Eaton**

FN 20:335; FPN 517; FPN2 575; GWM 365; IN 5:314; VP 5:194.

Erigeron glaucus Ker Gawl.

Common names: seaside fleabane, seaside daisy

Origin: native Voucher: OSC, most recently collected in 2016

FN 20:332; FOO 2:257; FPN 514; FPN2 572; IL 4:350; JPM 260; JPM2 320; PEK 789; VP 5:181.

Erigeron howellii (A. Gray) A. Gray

Common names: Howell's fleabane

Origin: native Voucher: OSC, most recently collected in 1989

FN 20:329; FOO 2:258; FPN 514; FPN2 576; Gray, 2012 18:2; IL 4:347; PEK 786; VP 5:181.

Erigeron inornatus (A. Gray) A. Gray

FN 20:314; FPN 514; IN 5:344; JPM 260; Nesom, 1992A ; PEK 792; VP 5:182.

Erigeron inornatus (A. Gray) A. Gray var. ***inornatus***

Common names: lava rayless fleabane, unadorned fleabane, California rayless daisy

Origin: native Voucher: OSC, most recently collected in 2025

FN 20:314; FOO 2:258; FPN 514; FPN2 571; IL 4:372; JPM 260; JPM2 320; Nesom, 1992A .

Erigeron karvinskianus DC.

Common names: Santa Barbara daisy

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2008

FN 20:337; FPN2 570; JPM2 .

Erigeron klamathensis (G.L. Nesom) G.L. Nesom

Common names: Klamath fleabane

Origin: native

Voucher: OSC, most recently collected in 2009

FN 20:311; FOO 2:258; JPM2 320; Nesom, 2004 .

Synonyms:

***Erigeron breweri* A. Gray**

FN 20:316; FOO 2:258 synonym for *Erigeron klamathensis*; IL 4:368; IN 5:344; JPM 257; Nesom, 1992A .

***Erigeron breweri* A. Gray var. *klamathensis* G.L. Nesom**

Chambers, 1996B ; FN 20:311 synonym for *Erigeron klamathensis*; FOO 2:258 synonym for *Erigeron klamathensis*; JPM 257.

Erigeron latus (A. Nelson & J.F. Macbr.) Cronquist

Common names: broad fleabane, Owyhee fleabane

Origin: native

Voucher: OSC, most recently collected in 2003

FN 20:288; FOO 2:258; IN 5:332.

Erigeron linearis (Hook.) Piper

Common names: desert yellow fleabane, lineleaf fleabane

Origin: native

Voucher: OSC, most recently collected in 2025

FN 20:299; FOO 2:258; FPN 517; FPN2 571; GWM 363; IL 4:362; IN 5:320; JPM 260; JPM2 321; PEK 788; VP 5:184.

Erigeron lonchophyllus Hook.

Common names: short-rayed fleabane, spear-leaved fleabane

Origin: native

Voucher: OSC, most recently collected in 2015

Chambers, 1996B ; FN 20:320; FOO 2:258; FPN 513; FPN2 571; GWM 363; IL 4:374; IN 5:350; JPM2 321; Nesom, 1989 ; PEK 792; VP 5:184.

Synonyms:

***Trimorpha lonchophylla* (Hook.) G.L. Nesom**

FN 20:320 synonym for *Erigeron lonchophyllus*; FOO 2:258 synonym for *Erigeron lonchophyllus*; JPM 355; KZ 1:140.

Erigeron nivalis Nutt.

Common names: northern daisy

Origin: native

Voucher: OSC, most recently collected in 1995

FN 20:322; FOO 2:259; FPN2 572; JPM2 321.

Synonyms:

***Erigeron acris* L.**

in part

FOO 2:259 synonym for *Erigeron nivalis*.

***Erigeron acris* L. var. *debilis* A. Gray**

FN 20:322 synonym for *Erigeron nivalis*; FOO 2:259 synonym for *Erigeron nivalis*; FPN 513; GWM 362; IL 4:374.

***Trimorpha acris* (L.) Gray var. *debilis* (A. Gray) G.L. Nesom**

FN 20:322 synonym for *Erigeron nivalis*; FOO 2:259 synonym for *Erigeron nivalis*; JPM 355; KZ 1:140.

Erigeron oreganus A. Gray

Common names: Gorge fleabane, Oregon fleabane, Gorge daisy

Origin: native

Voucher: OSC, most recently collected in 2013

FN 20:284-285; FOO 2:259; FPN 515; FPN2 570; Galash, 2024 ; Gray, 2012 18:6; IL 4:352; PEK 789; VP 5:185.

Erigeron peregrinus (Pursh) Greene var. ***peregrinus***

Common names: wandering fleabane

Origin: native Voucher: OSC, most recently collected in 1978

FN 20:328; FOO 2:260; FPN 514; FPN2 576.

Synonyms:

Erigeron peregrinus* (Pursh) Greene ssp. *peregrinus

FOO 2:260 synonym for *Erigeron peregrinus var. peregrinus*; FPN 514; IL 4:346; KZ 1:95; PEK 787; VP 5:188.

Erigeron petrophilus Greene

FN 20:315; IL 4:371; JPM 260; PEK 792.

Erigeron petrophilus Greene var. ***petrophilus***

Common names: rock-loving fleabane, cliff fleabane

Origin: native Voucher: OSC, most recently collected in 2004

FN 20:315; FOO 2:260; JPM 260; JPM2 321; Nesom, 1992A .

Misapplied names:

***Erigeron petrophilus* Greene var. *viscidulus* (A. Gray) G.L. Nesom**

FN 20:315; JPM 261; JPM2 321.

Erigeron philadelphicus L.

FN 20:319; FOO 2:260; FPN 515; GWM 364; IL 4:349; IN 5:344; JPM 261; PEK 791; VP 5:188.

Erigeron philadelphicus L. var. ***glaber*** J.K. Henry

Common names: Vancouver Island fleabane

Origin: native

Erigeron philadelphicus L. var. ***philadelphicus***

Common names: Philadelphia fleabane

Origin: native Voucher: OSC, most recently collected in 2024

FN 20:319; FOO 2:260 synonym for *Erigeron philadelphicus*; FPN2 570; JPM2 322; KZ 1:95.

Erigeron poliospermus A. Gray

FN 20:285; FPN 520; IN 5:332; PEK 787; VP 5:189.

Erigeron poliospermus A. Gray var. ***poliospermus***

Common names: purple cushion fleabane, hairy-seeded daisy

Origin: native Voucher: OSC, most recently collected in 2007

FN 20:286; FOO 2:260; FPN 520; FPN2 575; IL 4:358.

Erigeron pumilus Nutt. var. ***intermedius*** Cronquist

Common names: shaggy fleabane

Origin: native Voucher: OSC, most recently collected in 2020

FN 20:289; FOO 2:261; FPN2 573; JPM 261; JPM2 322; PEK 787 excluded.

Synonyms:

***Erigeron pumilus* Nutt. var. *euintermedius* Cronquist**

FOO 2:261 synonym for *Erigeron pumilus var. intermedius*; FPN 520; IN 5:326.

***Erigeron pumilus* Nutt. var. *gracilior* Cronquist**

FN 20:289 synonym for *Erigeron pumilus* var. *intermedius*; FOO 2:261 synonym for *Erigeron pumilus var. intermedius*; FPN 520; GWM 364; IL 4:358; IN 5:326; PEK 787; VP 5:190.

***Erigeron pumilus* Nutt. ssp. *intermedius* Cronquist**

FN 20:289 synonym for *Erigeron pumilus* var. *intermedius*; FOO 2:261 synonym for *Erigeron pumilus var. intermedius*; GWM 364; IL 4:358; IN 5:326; KZ 1:96; PEK 787; VP 5:190.

Erigeron simplex Greene

Common names: one-stem fleabane

Origin: native Voucher: OSC, most recently collected in 2002

Chambers, 1996B ; FN 20:324 synonym for *Erigeron grandiflorus*; FOO 2:261; FPN 516; GWM 364; IL 4:354; IN 5:316; PEK 790; VP 5:191.

Synonyms:

***Erigeron grandiflorus* Hook.**

FN 20:324; FOO 2:261 synonym for *Erigeron simplex*; FPN 516; FPN2 575; VP 5:181.

Erigeron speciosus (Lindl.) DC.

Common names: showy fleabane, showy daisy

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:330; FOO 2:261; FPN 515; FPN2 574; IL 4:348; IN 5:312.

Synonyms:

Erigeron speciosus* (Lindl.) DC. var. *speciosus

FN 20:330 synonym for *Erigeron speciosus*; FOO 2:261 synonym for *Erigeron speciosus*; FPN 515; GWM 364; PEK 786; VP 5:191.

Misapplied names:

***Erigeron speciosus* (Lindl.) DC. var. *macranthus* (Nutt.) Cronquist**

FN 20:330 synonym for *Erigeron speciosus*; FPN 515; GWM 364; PEK 786; VP 5:191.

***Erigeron subtrinervis* Rydb.**

FN 20:330; FPN 515; FPN2 574; GWM 364; IN 5:312; VP 5:193.

Erigeron stanselliae K.L. Chambers

Common names: Stansell's fleabane

Origin: native Voucher: OSC, most recently collected in 2009

Chambers & Simpson, 2012 ; Chambers, 2011B ; FOO 2:261.

Erigeron strigosus Muhl. ex Willd.

FN 20:345; FPN 513; IN 5:348; JPM 261; PEK 791; VP 5:191.

Erigeron strigosus Muhl. ex Willd. var. ***strigosus***

Common names: daisy fleabane, prairie fleabane, branching daisy

Origin: native Voucher: OSC, most recently collected in 2018

FN 20:346; FOO 2:262; FPN 513; FPN2 574; IL 4:373; JPM2 322.

Synonyms:

***Erigeron strigosus* Muhl. ex Willd. var. *septentrionalis* (Fernald & Wiegand) Fernald**

FN 20:346; FOO 2:262 synonym for *Erigeron strigosus var. strigosus*; FPN 513; FPN2 574; IL 4:374.

Erigeron tener (A. Gray) A. Gray

Common names: slender fleabane

Origin: native Voucher: OSC, most recently collected in 1976

Chambers, 1996B ; FN 20:304; FOO 2:262; FPN 519; FPN2 576; IL 4:357; IN 5:336; JPM 261; JPM2 322; PEK 789; VP 5:193.

Erigeron vagus Payson

Common names: rambling fleabane

Origin: native Voucher: OSC, most recently collected in 1988

Chambers, 1996B ; FN 20:301; FOO 2:262; FPN 516; FPN2 571; GWM 365; IL 4:353; IN 5:318; JPM 261; JPM2 324; PEK 790; VP 5:194.

Eriophyllum

Checklist contributor: Kenton Chambers, 2/18/2009

Flora of Oregon author: Kenton Chambers

Eriophyllum lanatum (Pursh) J. Forbes var. ***achilleoides*** (DC.) Jeps.

Common names: yarrow-leaf woolly sunflower

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:263; FPN2 578; JPM2 325.

Synonyms:

Eriophyllum lanatum **(Pursh) J. Forbes var.** ***achillioides*** **(DC.) Jeps.**

FN 21:358; FPN 520; IL 4:225; IN 5:112; JPM 264; PEK 816; VP 5:196.

Eriophyllum lanatum (Pursh) J. Forbes var. ***grandiflorum*** (A. Gray) Jeps.

Common names: large-flowered woolly sunflower

Origin: native Voucher: OSC, most recently collected in 1939

FN 21:359; FOO 2:263; IL 4:226; JPM 264; JPM2 325.

Eriophyllum lanatum (Pursh) J. Forbes var. ***integrifolium*** (Hook.) Smiley

Common names: Oregon sunshine

Origin: native Voucher: OSC, most recently collected in 2024

FN 21:360; FOO 2:263; FPN 520; FPN2 578; GWM 365; IL 4:226; IN 5:112; JPM 264; JPM2 325; PEK 816; VP 5:196.

Eriophyllum lanatum (Pursh) J. Forbes var. ***lanatum***

Common names: eastern woolly sunflower

Origin: native Voucher: OSC, most recently collected in 2011

FN 21:360; FOO 2:264.

Eriophyllum lanatum (Pursh) J. Forbes var. ***lanceolatum*** (Howell) Jeps.

Common names: lance-leaf woolly sunflower

Origin: native Voucher: OSC, most recently collected in 2017

FN 21:359; FOO 2:264; IL 4:226; JPM 264; JPM2 325; PEK 816.

Eriophyllum lanatum (Pursh) J. Forbes var. ***leucophyllum*** (DC.) W.R. Carter & C.F. Newc.

Common names: western woolly sunflower

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:360; FOO 2:264; FPN2 578.

Misapplied names:

Eriophyllum lanatum **(Pursh) J. Forbes var.** ***lanatum***

FPN 520.

Eriophyllum staechadifolium Lag.

Common names: seaside woolly sunflower

Origin: native Voucher: OSC, most recently collected in 1983

FN 21:362; FOO 2:264; JPM 266; JPM2 326; PEK 816.

Synonyms:

Eriophyllum staechadifolium **Lag. var.** ***artemisiifolium*** **(Less.) J.F. McBride**

FOO 2:264 synonym for *Eriophyllum staechadifolium*; IL 4:228.

Euchiton

Checklist contributor: Kenton Chambers, 12/23/2002

Flora of Oregon author: Kenton Chambers

Euchiton gymnocephalus (DC.) Holub

Common names: creeping cudweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2005

FN 19:441; FOO 2:268; JPM2 328.

Synonyms:

***Gnaphalium collinum* Labill.**

FOO 2:268 synonym for *Euchiton gymnocephalus*; IL 4:474; JPM 271.

Euchiton sphaericus (Willd.) Anderb.

Common names: star cudweed, globe cottonleaf

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 19:441; FOO 2:268; FPN2 579; JPM2 328.

Misapplied names:

***Gnaphalium japonicum* Thunb.**

FN 19:441 excluded; IL 4:471; JPM 271; PEK 797.

Eurybia

Checklist contributor: Kenton Chambers, 4/1/2008

Flora of Oregon author: Kenton Chambers

Eurybia conspicua (Lindl.) G.L. Nesom

Common names: showy aster

Origin: native Voucher: OSC, most recently collected in 2011

Chambers, 2009A ; FN 20:368; FOO 2:269; FPN2 579.

Synonyms:

***Aster conspicuus* Lindl.**

FN 20:368 synonym for *Eurybia conspicua*; FOO 2:269 synonym for *Eurybia conspicua*; FPN 491; GWM 352; IL 4:313; PEK 778; VP 5:80.

Eurybia integrifolia (Nutt.) G.L. Nesom

Common names: thick-stemmed aster

Origin: native Voucher: OSC, most recently collected in 2008

Chambers, 2009A ; FN 20:368; FOO 2:269; FPN2 579; JPM2 331.

Synonyms:

***Aster integrifolius* Nutt.**

FN 20:368 synonym for *Eurybia integrifolia*; FOO 2:269 synonym for *Eurybia integrifolia*; FPN 492; GWM 352; IL 4:313; IN 5:298; JPM 208; PEK 778; VP 5:86.

Eurybia merita (A. Nelson) G.L. Nesom

Common names: subalpine aster

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 2009A ; FN 20:370; FOO 2:269; FPN2 579; JPM2 331.

Synonyms:

***Aster sibiricus* L.**

FN 20:370 synonym for *Eurybia sibirica*; FOO 2:269 synonym for *Eurybia merita*; FPN 492; IN 5:302; PEK 781; VP 5:95.

***Aster sibiricus* L. var. *meritus* (A. Nelson) Raup**

FN 20:370 synonym for *Eurybia merita*; FOO 2:269 synonym for *Eurybia merita*; FPN 492; GWM 354; IL 4:314.

Eurybia radulina (A. Gray) G.L Nesom

Common names: rough-leaved aster

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 2009A ; FN 20:369; FOO 2:269; FPN2 579; JPM2 331.

Synonyms:

***Aster radulinus* A. Gray**

FN 20:369 synonym for *Eurybia radulina*; FOO 2:269 synonym for *Eurybia radulina*; FPN 492; IL 4:314; JPM 208; PEK 781; VP 5:93.

Euthamia

Checklist contributor: Scott Sundberg, 9/30/1995

Flora of Oregon author: Kenton Chambers

Euthamia graminifolia (L.) Nutt.

Common names: flat-top goldentop

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FN 20:99; FOO 2:270 uncertain status; FPN2 580.

Euthamia occidentalis Nutt.

Common names: western goldentop, western goldenrod

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 1998B ; FN 20:100; FOO 2:270; FPN 549 synonym for *Solidago occidentalis*; FPN2 580; IN 5:250; JPM 266; JPM2 331.

Synonyms:

***Solidago occidentalis* (Nutt.) Torr. & A. Gray**

Chambers, 1998B ; FN 20:100 synonym for *Euthamia occidentalis*; FOO 2:270 synonym for *Euthamia occidentalis*; FPN 549; IL 4:292; PEK 773; VP 5:310.

Filago

Checklist contributor: Kenton Chambers, 7/19/1996

Flora of Oregon author: treatment pending

Filago pyramidata L.

FN 19:449.

Filago pyramidata L. var. ***pyramidata***

Common names: broadleaf cottonrose

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1937

FPN2 580.

Filago vulgaris Lam.

Common names: herba impia, common cudweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FN 19:448; FPN2 580.

Synonyms:

***Filago germanica* L., non Huds.**

FN 19:448 synonym for *Filago vulgaris*; IL 4:489.

Gaillardia

Checklist contributor: Scott Sundberg, 5/14/1995

Flora of Oregon author: Kenton Chambers

Gaillardia aristata Pursh

Common names: blanket flower, great-flowered gaillardia

Origin: native Voucher: OSC, most recently collected in 2020

FN 21:424; FOO 2:271; FPN 521; FPN2 581; IL 4:206; IN 5:74; JPM 269; JPM2 332; PEK 821; VP 5:199.

Gaillardia* × *grandiflora Van Houtte

Common names: exotic blanket flower

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2024

Gaillardia pulchella Foug.

Common names: firewheel

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FN 21:425; FOO 2:271 uncertain status; JPM 269; JPM2 332.

Galinsoga

Checklist contributor: Scott Sundberg, 9/16/1997

Flora of Oregon author: Dominic Maze

Galinsoga parviflora Cav.

Common names: small flowered galinsoga

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2014

Canne, 1977 ; FN 21:181; IL 4:137.

Synonyms:

Galinsoga parviflora* Cav. var. *parviflora

FN 21:181; FOO 2:271 uncertain status; FPN2 581; JPM 269; JPM2 332.

Galinsoga quadriradiata Ruíz & Pav.

Common names: hairy gallant soldiers, hairy galinsoga, quickweed, shaggy soldier

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 21:182; FOO 2:271; FPN2 581; JPM 269.

Synonyms:

***Galinsoga ciliata* (Raf.) S.F. Blake**

FN 21:182 synonym for *Galinsoga quadriradiata*; FOO 2:271 synonym for *Galinsoga quadriradiata*; FPN 522; IL 4:136; VP 5:201.

Gamochaeta

Checklist contributor:

Flora of Oregon author: Kenton Chambers

Gamochaeta ustulata (Nutt.) Holub

Common names: purple cudweed

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:435; FOO 2:272; FPN2 581; JPM2 333.

Synonyms:

***Gamochaeta purpurea* (L.) Cabrera**

FN 19:433; FOO 2:272 synonym for *Gamochaeta ustulata*; FPN2 581 synonym for *Gamochaeta ustulata*; KZ 1:100.

***Gnaphalium purpureum* L.**

FN 19:433 synonym for *Gamochaeta purpurea*; FOO 2:272 synonym for *Gamochaeta ustulata*; FPN 522; IL 4:474; JPM 271; PEK 796; VP 5:204.

Gnaphalium purpureum* L. var. *purpureum

FN 19:433 synonym for *Gamochaeta purpurea*; FOO 2:272 synonym for *Gamochaeta ustulata*; FPN 522; VP 5:204.

Glebionis

Checklist contributor:

Flora of Oregon author: Kenton Chambers

Glebionis segetum (L.) Fourr.

Common names: corn marigold

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008

FN 19:555; FOO 2:273; FPN2 527; JPM2 334.

Synonyms:

***Chrysanthemum segetum* L.**

FN 19:555 synonym for *Glebionis segetum*; FOO 2:273 synonym for *Glebionis segetum*; IL 4:394; JPM 228.

Glyptopleura

Checklist contributor: Kenton Chambers, 1/1/1995

Flora of Oregon author: Kenton Chambers

Glyptopleura marginata D.C. Eaton

Common names: carveseed

Origin: native Voucher: OSC, most recently collected in 2008

FN 19:362; FOO 2:273; IL 4:582; IN 5:442; JPM 270; JPM2 334; PEK 861.

Gnaphalium

Checklist contributor: Kenton Chambers, 3/16/1995

Flora of Oregon author: Kenton Chambers

Gnaphalium palustre Nutt.

Common names: lowland cudweed, western marsh cudweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:429; FOO 2:274; FPN 522; FPN2 582; GWM 366; IL 4:472; IN 5:364; JPM 271; JPM2 336; PEK 796; VP 5:203.

Gnaphalium uliginosum L.

Common names: marsh cudweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:430; FOO 2:274; FPN 522; FPN2 582; IL 4:472; PEK 796; VP 5:204.

Grindelia

Checklist contributor: Kenton Chambers, 12/20/1997

Flora of Oregon author: Abigail (Abby) Moore

Grindelia hirsutula Hook. & Arn.

Common names: hairy gumweed

Origin: native Voucher: OSC, most recently collected in 2021

FN 20:432; FOO 2:275; FPN2 582; IL 4:256; JPM 272; JPM2 337.

Synonyms:

***Grindelia hirsutula* Hook. & Arn. var. *davyi* (Jeps.) M.A. Lane**

FN 20:432 for *Grindelia hirsutula*; FOO 2:275 synonym for *Grindelia hirsutula*; JPM 272.

Misapplied names:

***Grindelia camporum* Greene**

FN 20:432 synonym for *Grindelia hirsutula*; IL 4:258; JPM 272; JPM2 336.

Grindelia integrifolia DC.

Common names: Puget Sound gumplant, Willamette Valley gumweed

Origin: native Voucher: OSC, most recently collected in 2016

Chambers, 1998C ; FN 20:431; FOO 2:275; FPN 523; FPN2 582; IL 4:256.

Synonyms:

Grindelia integrifolia* DC. var. *integrifolia

FN 20:431 synonym for *Grindelia integrifolia*; FOO 2:275 synonym for *Grindelia integrifolia*; FPN 523; KZ 1:101; VP 5:207.

***Grindelia nana* Nutt.**

Misapplied names:

***Grindelia nana* Nutt. var. *integrifolia* Nutt.**

PEK 766.

Grindelia integrifolia DC. × ***Grindelia nana*** Nutt.

Common names: Willamette hybrid gumplant

Origin: native

Grindelia integrifolia DC. × ***Grindelia nana*** Nutt. var. ***nana***

Common names: Willamette Valley hybrid gumplant

Origin: native

Chambers, 1998C ; FOO 2:276.

Grindelia nana Nutt.

FOO 2:276; JPM2 337.

Grindelia nana Nutt. var. ***discoidea*** (Nutt.) A. Gray

Common names: Columbia gumplant

Origin: native Voucher: OSC, most recently collected in 1947

FOO 2:276; FPN 523 synonym for *Grindelia columbiana*.

Synonyms:

***Grindelia columbiana* (Piper) Rydb.**

FN 20:432 synonym for *Grindelia hirsutula*; FOO 2:276 synonym for *Grindelia nana var. discoidea*; FPN 523; IN 5:256; KZ 1:101; PEK 766; VP 5:206.

***Grindelia nana* Nutt. ssp. *columbiana* Piper**

FN 20:432 synonym for *Grindelia hirsutula*; FOO 2:276 synonym for *Grindelia nana var. discoidea*; IL 4:259.

Grindelia nana Nutt. var. ***nana***

Common names: Idaho gumweed

Origin: native Voucher: OSC, most recently collected in 2008

FOO 2:276; FPN 523; PEK 766.

Synonyms:

***Grindelia nana* Nutt. var. *integrifolia* Nutt.**

FN 20:432 synonym for *Grindelia hirsutula*; FOO 2:276 synonym for *Grindelia nana var. nana*; FPN 523; IN 5:256; VP 5:208.

Grindelia nana* Nutt. ssp. *nana

FOO 2:276 synonym for *Grindelia nana var. nana*; IL 4:258.

Grindelia squarrosa (Pursh) Dunal

Chambers, 1998C ; FN 20:429; FPN 523; FPN2 582; IL 4:258.

Grindelia squarrosa (Pursh) Dunal var. ***serrulata*** (Rydb.) Steyerm.

Common names: curlycup gumweed, resinweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:429 synonym for *Grindelia squarrosa*; FOO 2:276; FPN 523; IN 5:256; JPM 274; JPM2 337; VP 5:209.

Grindelia stricta DC.

Chambers, 1998C ; FN 20:432 synonym for *Grindelia hirsutula*; FPN 523 synonym for *Grindelia integrifolia* var. *macrophylla*; JPM 274; PEK 766.

Grindelia stricta DC. var. ***stricta***

Common names: coastal gumweed, Oregon gumplant, Oregon gumweed

Origin: native Voucher: OSC, most recently collected in 2012

FOO 2:277; JPM 274; JPM2 337.

Synonyms:

Grindelia arenicola **Steyerm.**

FOO 2:277 synonym for *Grindelia stricta var. stricta*; PEK 766.

Grindelia integrifolia **DC. var.** ***macrophylla*** **(Greene) Cronquist**

FN 20:432 synonym for *Grindelia hirsutula*; FOO 2:277 synonym for *Grindelia stricta var. stricta*; FPN 523; KZ 1:101; VP 5:207.

Grindelia stricta **DC. ssp.** ***stricta***

FOO 2:277 synonym for *Grindelia stricta var. stricta*; IL 4:256.

Gutierrezia

Checklist contributor: Kenton Chambers, 10/25/1995

Flora of Oregon author: Kenton Chambers

Gutierrezia sarothrae (Pursh) Britton & Rusby

Common names: broom snakeweed, matchweed, kindlingweed

Origin: native Voucher: OSC, most recently collected in 2022

FN 20:92; FOO 2:277; FPN 524; FPN2 583; IL 4:260; IN 5:252; JPM 275; JPM2 338; PEK 766; VP 5:209.

Hazardia

Checklist contributor: Scott Sundberg, 2/7/1998

Flora of Oregon author: Kenton Chambers

Hazardia whitneyi (A. Gray) Greene var. ***discoidea*** (J.T. Howell) W.D. Clark

Common names: Whitney's bristleweed, Whitney's goldenweed

Origin: native Voucher: OSC, most recently collected in 2002

FN 20:447; FOO 2:278; JPM 276; JPM2 341.

Synonyms:

Haplopappus whitneyi **A. Gray**

FN 20:447 synonym for *Hazardia whitneyi*; FOO 2:278 synonym for *Hazardia whitneyi var. discoidea*; PEK 771.

Haplopappus whitneyi **A. Gray ssp.** ***discoideus*** **(J.T. Howell) D.D. Keck**

FN 20:447 synonym for *Hazardia whitneyi* var. *discoidea*; FOO 2:278 synonym for *Hazardia whitneyi var. discoidea*; IL 4:277.

Helenium

Checklist contributor: Kenton Chambers, 3/14/1995

Flora of Oregon author: Kenton Chambers

Helenium autumnale L.

Common names: common sneezeweed

Origin: native Voucher: OSC, most recently collected in 2020

FN 21:431; FOO 2:278; FPN 527; FPN2 583; IN 5:78; JPM 277; JPM2 342; VP 5:225.

Synonyms:

Helenium autumnale* L. var. *autumnale

FN 21:431 synonym for *Helenium autumnale*; FOO 2:278 synonym for *Helenium autumnale*; IL 4:210; PEK 820.

***Helenium autumnale* L. var. *grandiflorum* (Nutt.) Torr. & A. Gray**

FN 21:431 synonym for *Helenium autumnale*; FOO 2:278 synonym for *Helenium autumnale*; FPN 527; IL 4:210; JPM 277; PEK 820.

***Helenium autumnale* L. var. *montanum* (Nutt.) Fernald**

FN 21:431 synonym for *Helenium autumnale*; FOO 2:278 synonym for *Helenium autumnale*; FPN 527; JPM 277.

Helenium bigelovii A. Gray

Common names: tall sneezeweed, Bigelow's sneezeweed

Origin: native Voucher: OSC, most recently collected in 2019

FN 21:432; FOO 2:279; IL 4:211; JPM 277; JPM2 342; PEK 821.

Helenium bolanderi A. Gray

Common names: coast sneezeweed

Origin: native Voucher: OSC, most recently collected in 2012

FN 21:432; FOO 2:279; IL 4:212; JPM 277; JPM2 342; PEK 802.

Helenium puberulum DC.

Common names: rosilla

Origin: exotic, not naturalized Voucher: US, most recently collected in 1950

Bierner, 1972 ; FN 21:432; FOO 2:278 uncertain status; IL 4:210; JPM 277; JPM2 342; PEK 820.

Helianthella

Checklist contributor: Kenton Chambers, 3/3/1995

Flora of Oregon author: Kenton Chambers

Helianthella californica A. Gray var. ***nevadensis*** (Greene) Jeps.

Common names: California helianthella, Nevada helianthella

Origin: native Voucher: OSC, most recently collected in 2002

FN 21:117 synonym for *Helianthella californica* ssp. *nevadensis*; FOO 2:280; IL 4:120; JPM 277; JPM2 342; PEK 803.

Synonyms:

***Helianthella californica* A. Gray ssp. *nevadensis* (Greene) W.A. Weber**

FN 21:117; FOO 2:280 synonym for *Helianthella californica var. nevadensis*.

Helianthella quinquenervis (Hook.) A. Gray

Common names: nodding helianthella, five-nerved helianthella

Origin: native Voucher: OSC, most recently collected in 2012

FN 21:116; FOO 2:280; FPN 528; FPN2 583; IL 4:120; IN 5:34; PEK 803; VP 5:227.

Helianthella uniflora (Nutt.) Torr. & A. Gray

FN 21:116; FOO 2:280; FPN 528; IN 5:32; VP 5:228.

Helianthella uniflora (Nutt.) Torr. & A. Gray var. ***douglasii*** (Torr. & A. Gray) W.A. Weber

Common names: Douglas' helianthella

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:116; FOO 2:280; FPN 528; FPN2 583; GWM 370; IL 4:119; PEK 803.

Helianthella uniflora (Nutt.) Torr. & A. Gray var. ***uniflora***

Common names: Rocky Mountain helianthella, common little sunflower

Origin: native Voucher: OSC, most recently collected in 2007

FN 21:116; FOO 2:280; FPN 528; FPN2 583; IL 4:119; PEK 803.

Helianthus

Checklist contributor: Kenton Chambers, 2/2/1995

Flora of Oregon author: Kenton Chambers

Helianthus annuus L.

Common names: common sunflower

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:149; FOO 2:281; FPN 528; FPN2 584; GWM 370; Heiser, 1969 ; IN 5:30; JPM 278; JPM2 343; PEK 803; VP 5:229.

Synonyms:

Helianthus annuus* L. ssp. *annuus

FN 21:149 synonym for *Helianthus annuus*; FOO 2:281 synonym for *Helianthus annuus*; IL 4:113.

***Helianthus annuus* L. ssp. *lenticularis* (Douglas ex Lindl.) Cockerell**

FN 21:149 synonym for *Helianthus annuus*; FOO 2:281 synonym for *Helianthus annuus*; IL 4:113.

Helianthus bolanderi A. Gray

Common names: Bolander's sunflower

Origin: native Voucher: OSC, most recently collected in 1974

FN 21:149; FOO 2:282; Heiser, 1949 ; IL 4:113; JPM 278; JPM2 343.

Helianthus cusickii A. Gray

Common names: Cusick's sunflower, turnip-root sunflower

Origin: native Voucher: OSC, most recently collected in 2013

FN 21:168; FOO 2:282; FPN 529; FPN2 584; IL 4:114; IN 5:28; JPM 278; JPM2 344; PEK 802; VP 5:229.

Helianthus nuttallii Torr. & A. Gray

FN 21:166; FPN 528; IN 5:28; JPM 280; PEK 802; VP 5:230.

Helianthus nuttallii Torr. & A. Gray ssp. ***nuttallii***

Common names: Nuttall's sunflower, cordilleran sunflower

Origin: native Voucher: OSC, most recently collected in 2003

FN 21:167; FOO 2:282; FPN2 584; IL 4:116; JPM 280; JPM2 344.

Synonyms:

Helianthus nuttallii* Torr. & A. Gray var. *nuttallii

FN 21:167 synonym for *Helianthus nuttallii* ssp. *nuttallii*; FOO 2:282 synonym for *Helianthus nuttallii ssp. nuttallii*; FPN 529.

Helianthus petiolaris Nutt.

Common names: prairie sunflower

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2009

FN 21:152; FOO 2:281 uncertain status; FPN 528; VP 5:230.

Synonyms:

Helianthus petiolaris* Nutt. ssp. *petiolaris

FN 21:153; FPN2 584; IN 5:30; JPM 280; JPM2 344; KZ 1:104.

Helianthus petiolaris* Nutt. var. *petiolaris

FN 21:153 synonym for *Helianthus petiolaris* ssp. *petiolaris*; FPN 528; IL 4:114.

Helianthus tuberosus L.

Common names: Jerusalem artichoke

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FN 21:161; FOO 2:281; FPN 528; FPN2 585; IL 4:116; IN 5:28; VP 5:232.

Helminthotheca

Checklist contributor: Kenton Chambers, 8/1/2007
Flora of Oregon author: Kenton Chambers

Helminthotheca echioides (L.) Holub

Common names: bristly ox-tongue
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2017
FN 19:300; FOO 2:282; FPN2 519; JPM2 346.

Synonyms:
***Picris echioides* L.**
FN 19:300 synonym for *Helminthotheca echioides*; FOO 2:282 synonym for *Helminthotheca echioides*; IL 4:588; JPM 326.

Hemizonella

Checklist contributor: Kenton Chambers, 1/29/2001
Flora of Oregon author: Bruce Baldwin, Gerald Carr

Hemizonella minima (A. Gray) A. Gray

Common names: miniature tarweed, small-headed tarweed, least tarweed, opposite-leaved tarweed
Origin: native
Voucher: OSC, most recently collected in 2022
Chambers, 2009A ; FN 21:297; FOO 2:283; FPN 538 synonym for *Madia minima*; FPN2 585; JPM2 346.

Synonyms:
***Madia minima* (A. Gray) D.D. Keck**
FN 21:297 synonym for *Hemizonella minima*; FOO 2:283 synonym for *Hemizonella minima*; FPN 538; GWM 375; IL 4:172; IN 5:72; JPM 313; KZ 1:117; PEK 812; VP 5:263.

Hemizonia

Checklist contributor: Kenton Chambers, 1/29/2001
Flora of Oregon author: Bruce Baldwin, Gerald Carr

Hemizonia congesta DC.

FN 21:292; IL 4:182; JPM 282.

Hemizonia congesta DC. ssp. ***clevelandii*** (Greene) Babc. & H.M. Hall

Common names: Cleveland's hayfield tarweed
Origin: native
Voucher: OSC, most recently collected in 2003
FN 21:292; FOO 2:284; IL 4:184 synonym for *Hemizonia clevelandii*; JPM 282; JPM2 347.

Synonyms:
***Hemizonia clevelandii* Greene**
FN 21:292 synonym for *Hemizonia congesta* ssp. *clevelandii*; FOO 2:284 synonym for *Hemizonia congesta ssp. clevelandii*; IL 4:184; KZ 1:105; PEK 809.

Hesperevax

Checklist contributor: Kenton Chambers, 5/24/1995
Flora of Oregon author: Kenton Chambers

Hesperevax acaulis (Kellogg) Greene var. ***acaulis***

Common names: stemless dwarf evax
Origin: uncertain
Voucher: OSC, most recently collected in 1993
FN 19:469; FOO 2:285; JPM 284; JPM2 348.

Hesperevax acaulis (Kellogg) Greene var. ***robustior*** Morefield

Common names: robust dwarf evax

Origin: native Voucher: OSC, most recently collected in 1995

FN 19:469; FOO 2:285; JPM 284; JPM2 348; Morefield, 1992A .

Synonyms:

***Evax acaulis* (Kellogg) Greene**

FN 19:468 synonym for *Hesperevax acaulis*; FOO 2:285 synonym for *Hesperevax acaulis var. robustior*; IL 4:495.

Hesperevax sparsiflora (A. Gray) Greene var. ***brevifolia*** (A. Gray) Morefield

Common names: seaside evax, shortleaf dwarf-cudweed, short-leaved evax

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:468; FOO 2:285; JPM 284; JPM2 348; Morefield, 1992A .

Synonyms:

***Evax sparsiflora* (A. Gray) Jeps.**

FN 19:468 synonym for *Hesperevax sparsiflora*; FOO 2:285 synonym for *Hesperevax sparsiflora var. brevifolia*; IL 4:494; PEK 795.

Heterotheca

Checklist contributor: Kenton Chambers, Scott Sundberg, 10/31/1995

Flora of Oregon author: Kenton Chambers

Heterotheca oregona (Nutt.) Shinners

Common names: Oregon goldenaster, rayless goldenaster

Origin: native Voucher: OSC, most recently collected in 2022

FN 20:236; FOO 2:286; IL 4:264 synonym for *Chrysopsis oregona*; JPM 286.

Synonyms:

***Chrysopsis oregona* (Nutt.) A. Gray**

FN 20:236 synonym for *Heterotheca oregona*; FOO 2:286 synonym for *Heterotheca oregona*; FPN 501; PEK 768; VP 5:126.

Chrysopsis oregona* (Nutt.) A. Gray var. *oregona

FN 20:236 synonym for *Heterotheca oregona* var. *oregona*; FOO 2:286 synonym for *Heterotheca oregona*; IL 4:264.

***Chrysopsis oregona* (Nutt.) A. Gray var. *rudis* (Greene) Jeps.**

FN 20:237 synonym for *Heterotheca oregona* var. *rudis*; FOO 2:286 synonym for *Heterotheca oregona*; IL 4:264.

Heterotheca oregona* (Nutt.) Shinners var. *oregona

FN 20:236; FOO 2:286 synonym for *Heterotheca oregona*; FPN2 585; JPM 286; JPM2 351; KZ 2:378.

***Heterotheca oregona* (Nutt.) Shinners var. *rudis* (Greene) Semple**

FN 20:237; FOO 2:286 synonym for *Heterotheca oregona*; JPM 286; JPM2 351; KZ 2:378.

Heterotheca villosa (Pursh) Shinners var. ***minor*** (Hook.) Semple

Common names: hispid goldenaster

Origin: native Voucher: OSC, most recently collected in 2018

FN 20:252; FOO 2:286; FPN2 585; JPM2 351.

Synonyms:

***Chrysopsis villosa* (Pursh) Nutt. ex DC. var. *hispida* (Hook.) A. Gray**

FN 20:252 synonym for *Heterotheca villosa* var. *minor*; FOO 2:286 synonym for *Heterotheca villosa var. minor*; FPN 501; GWM 357; IL 4:264; IN 5:240; PEK 768; VP 5:127.

***Chrysopsis villosa* (Pursh) Nutt. ex DC. var. *viscida* A. Gray**

FN 20:241 synonym for *Heterotheca viscida*; FOO 2:286 synonym for *Heterotheca villosa var. minor*; PEK 768.

***Heterotheca villosa* (Pursh) Shinners var. *hispida* (Hook.) V.L. Harms**

FN 20:249-252 ambiguous synonym; FOO 2:286 synonym for *Heterotheca villosa var. minor*; JPM 287.

Heterotheca villosa (Pursh) Shinners var. ***villosa***

Common names: hairy goldenaster

Origin: native Voucher: OSC, most recently collected in 2017

FN 20:250; FOO 2:286; FPN2 585; JPM 287.

Synonyms:

***Chrysopsis villosa* (Pursh) Nutt. ex DC. var. *filosa* (Nutt.) D.C. Eaton**

PEK 768.

Chrysopsis villosa* (Pursh) Nutt. ex DC. var. *villosa

FN 20:249-250 synonym for *Heterotheca villosa* var. *villosa*; FOO 2:286 synonym for *Heterotheca villosa var. villosa*; FPN 501; IL 4:263; PEK 768; VP 5:128.

***Heterotheca villosa* (Pursh) Shinners var. *foliosa* (Nutt.) V.L. Harms**

FN 20:251; FOO 2:286 synonym for *Heterotheca villosa var. villosa*; FPN2 585.

Misapplied names:

***Chrysopsis villosa* (Pursh) Nutt. ex DC. var. *foliosa* (Nutt.) D.C. Eaton**

FN 20:251 synonym for *Heterotheca villosa* var. *foliosa*; FPN 501; PEK 768; VP 5:128.

Hieracium

Checklist contributor: Kenton Chambers, 1/1/1995

Flora of Oregon author: Kenton Chambers

Hieracium albiflorum Hook.

Common names: white-flowered hawkweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:292; FOO 2:288; FPN 531; FPN2 586; GWM 372; IL 4:598; IN 5:456; JPM 287; JPM2 352; PEK 862; VP 5:236.

Synonyms:

***Hieracium siskiyouense* M. Peck**

FN 19:285 synonym for *Hieracium bolanderi*; FOO 2:288 synonym for *Hieracium albiflorum*; IL 4:598 synonym for *Hieracium bolanderi*; IN 5:458; PEK 863.

Hieracium aurantiacum L.

Common names: orange hawkweed, devil's paintbrush, king-devil

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 19:283; FOO 2:288; FPN 530; FPN2 586; IL 4:600; JPM 288; JPM2 352; PEK 864.

Hieracium bolanderi A. Gray

Common names: Bolander's hawkweed

Origin: native Voucher: OSC, most recently collected in 2009

FN 19:285; FOO 2:288; FPN2 588; IL 4:598; JPM 288; JPM2 352; PEK 864.

Hieracium caespitosum Dumort.

Common names: yellow king-devil

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:284; FOO 2:289; FPN2 587.

Synonyms:

***Hieracium pratense* Tausch**

FOO 2:289 synonym for *Hieracium caespitosum*.

Hieracium greenei A. Gray

Common names: Greene's hawkweed

Origin: native Voucher: OSC, most recently collected in 2015

FN 19:290; FOO 2:289; FPN2 588; IL 4:598; JPM 288; JPM2 352; PEK 864.

Hieracium horridum Fr.

Common names: shaggy hawkweed

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:292; FOO 2:289; FPN2 588; IL 4:600; IN 5:458; JPM 288; JPM2 352; PEK 863.

Hieracium lachenalii Suter

Common names: Lachenal's hawkweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:291 uncertain status; FOO 2:289; FPN 530 synonym for *Hieracium vulgatum*; FPN2 587.

Synonyms:

***Hieracium vulgatum* Fr.**

FN 19:291; FOO 2:289 synonym for *Hieracium lachenalii*; FPN 530.

Hieracium longiberbe Howell

Common names: long-bearded hawkweed

Origin: native Voucher: OSC, most recently collected in 2004

FN 19:289; FOO 2:289; FPN 530; FPN2 588; IL 4:596; VP 5:237.

Misapplied names:

***Hieracium scouleri* Hook.**

PEK 863.

Hieracium murorum L.

Common names: wall hawkweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2025

FN 19:290; FOO 2:289; FPN2 587.

Hieracium parryi Zahn

Common names: Parry's hawkweed

Origin: native Voucher: OSC, most recently collected in 2015

FN 19:290; FOO 2:290; FPN2 588; IL 4:596 synonym for *Hieracium scouleri*; JPM2 353; PEK 863.

Synonyms:

***Hieracium scouleri* Hook.**

in part

JPM 288.

***Hieracium scouleri* Hook. var. *nudicaule* (A. Gray) Cronquist**

FN 19:293 synonym for *Hieracium nudicaule*; FOO 2:290 synonym for *Hieracium parryi*; IL 4:596; IN 5:458; JPM 288 uncertain status; VP 5:238 synonym for *Hieracium scouleri*.

Hieracium pilosella L.

Common names: mouse-ear hawkweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2008

FN 19:283; FOO 2:290; FPN 530; FPN2 586; IL 4:602; PEK 865.

Hieracium piloselloides Vill.

Common names: glaucous king-devil

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2003

FN 19:285; FOO 2:287 uncertain status; FPN2 587.

Hieracium sabaudum L.

Common names: Savoy hawkweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2017

FN 19:289; FPN2 587.

Hieracium scouleri Hook.

Common names: Scouler's hawkweed, woolly weed

Origin: native

FOO 2:291; FPN 531.

Synonyms:

***Hieracium albertinum* Farr**

FN 19:289 synonym for *Hieracium scouleri*; FOO 2:291 synonym for *Hieracium scouleri*; FPN 531; GWM 372; IL 4:596; PEK 862; VP 5:235.

***Hieracium chapacanum* Zahn**

FN 19:289 synonym for *Hieracium scouleri*; FOO 2:291 synonym for *Hieracium scouleri*; PEK 864.

***Hieracium cusickii* Gand.**

FOO 2:291 synonym for *Hieracium scouleri*; PEK 863.

***Hieracium cynoglossoides* Arv.-Touv.**

FN 19:289 synonym for *Hieracium scouleri*; FOO 2:291 synonym for *Hieracium scouleri*; FPN 531; GWM 372; IL 4:596; PEK 863; VP 5:237.

***Hieracium nudicaule* (A. Gray) A. Heller**

FN 19:293; FOO 2:291 synonym for *Hieracium scouleri*; FPN2 588 synonym for *Hieracium scouleri*; JPM2 352.

***Hieracium scouleri* Hook. var. *albertinum* (Farr) G.W. Douglas & G.A. Allen**

FOO 2:291 synonym for *Hieracium scouleri*; IN 5:458.

Hieracium scouleri* Hook. var. *scouleri

FN 19:289 synonym for *Hieracium scouleri*; FOO 2:291 synonym for *Hieracium scouleri*; IL 4:596; IN 5:458; KZ 1:108.

Hieracium triste Willd. ex Spreng.

Common names: alpine hawkweed, slender hawkweed

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:291; FOO 2:291; FPN2 588; IN 5:456; JPM2 353.

Synonyms:

***Hieracium gracile* Hook.**

FN 19:291 synonym for *Hieracium triste*; FOO 2:291 synonym for *Hieracium triste*; FPN 531; GWM 372; IL 4:599; JPM 288; VP 5:237.

***Hieracium gracile* Hook. var. *densifloccosum* (Zahn) Cronquist**

FN 19:291 synonym for *Hieracium triste*; FOO 2:291 synonym for *Hieracium triste*; PEK 864.

Hieracium gracile* Hook. var. *gracile

FN 19:291 for *Hieracium triste*; FOO 2:291 synonym for *Hieracium triste*; KZ 1:107; PEK 864.

***Hieracium triste* Willd. ex Spreng. var. *gracile* (Hook.) A. Gray**

FN 19:291 synonym for *Hieracium triste*; FOO 2:291 synonym for *Hieracium triste*; IN 5:456.

Hieracium umbellatum L.

Common names: narrowleaf hawkweed, umbellate hawkweed

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:287; FOO 2:291; FPN 530; FPN2 587; IL 4:600; PEK 862; VP 5:238.

Hulsea

Checklist contributor: Kenton Chambers, 3/15/1995

Flora of Oregon author: Kenton Chambers

Hulsea algida A. Gray

Common names: alpine hulsea, fleshy hulsea

Origin: native Voucher: OSC, most recently collected in 1997

FN 21:396; FOO 2:292; FPN 531; FPN2 589; GWM 373; IL 4:206; IN 5:86; JPM 290; JPM2 354; PEK 819; VP 5:239; Wilken, 1975 .

Hulsea nana A. Gray

Common names: dwarf hulsea

Origin: native Voucher: OSC, most recently collected in 2013

FN 21:398; FOO 2:292; FPN 531; FPN2 589; GWM 373; IL 4:204; JPM 291; JPM2 356; PEK 819; VP 5:241.

Hymenopappus

Checklist contributor: Kenton Chambers, 9/6/1995
Flora of Oregon author: Kenton Chambers

Hymenopappus filifolius Hook.

FN 21:311; FPN 531; JPM 292; VP 5:241.

Hymenopappus filifolius Hook. var. ***filifolius***

Common names: Columbia cutleaf, fineleaf hymenopappus
Origin: native Voucher: OSC, most recently collected in 2023
FN 21:314; FOO 2:292; FPN 531; FPN2 589; IL 4:392; IN 5:132.

Synonyms:

***Hymenopappus gloriosus* A. Heller**

FOO 2:292 synonym for *Hymenopappus filifolius var. filifolius*; PEK 815.

Hymenoxys

Checklist contributor: Kenton Chambers, 9/7/1995
Flora of Oregon author: Kenton Chambers

Hymenoxys cooperi (A. Gray) Cockerell

Common names: Cooper's golden-flower, ragged rustlers, Cooper's rubberweed
Origin: native Voucher: OSC, most recently collected in 2005
FN 21:442; FOO 2:293; JPM 294; JPM2 357.

Synonyms:

***Hymenoxys cooperi* (A. Gray) Cockerell var. *canescens* (D.C. Eaton) K.L. Parker**

FN 21:442 synonym for *Hymenoxys cooperi*; FOO 2:293 synonym for *Hymenoxys cooperi*; IL 4:208; IN 5:84.

Misapplied names:

***Hymenoxys lemmonii* (Greene) Cockerell**

FN 21:443; IL 4:208; JPM 294; JPM2 357.

Hymenoxys hoopesii (A. Gray) Bierner

Common names: owl's claw, orange sneezeweed
Origin: native Voucher: OSC, most recently collected in 2021
Chambers, 2009A ; FN 21:439; FOO 2:294; FPN2 589; JPM2 357.

Synonyms:

***Dugaldia hoopesii* (A. Gray) Rydb.**

FN 21:439 synonym for *Hymenoxys hoopesii*; FOO 2:294 synonym for *Hymenoxys hoopesii*; JPM 246; KZ 1:91.

***Helenium hoopesii* A. Gray**

FN 21:439 synonym for *Hymenoxys hoopesii*; FOO 2:294 synonym for *Hymenoxys hoopesii*; IL 4:210; IN 5:78; PEK 820.

Hypochaeris

Checklist contributor: Kenton Chambers, 1/1/1995
Flora of Oregon author: Kenton Chambers

Hypochaeris glabra L.

Common names: smooth cat's-ear
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FN 19:298; FOO 2:294; FPN 532; FPN2 590; JPM 294; JPM2 358; PEK 852; VP 5:244.

Synonyms:

***Hypochoeris glabra* L.**

IL 4:586.

Hypochaeris radicata L.

Common names: hairy cat's-ear

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:299; FOO 2:294; FPN 532; FPN2 590; IN 5:480; JPM 294; JPM2 358; PEK 852; VP 5:244.

Synonyms:

***Hypochoeris radicata* L.**

IL 4:586.

Inula

Checklist contributor: Kenton Chambers, 3/17/1995

Flora of Oregon author: Kenton Chambers

Inula britannica L.

Common names: British yellowhead

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

Inula helenium L.

Common names: elecampane, elecampane inula

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 19:474; FOO 2:295; FPN 532; FPN2 590; IL 4:466; IN 5:358; PEK 801; VP 5:244.

Ionactis

Checklist contributor: Kenton Chambers, 4/1/2008

Flora of Oregon author: Kenton Chambers

Ionactis alpina (Nutt.) Greene

Common names: crag aster, lava ankle-aster, lava aster

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 2009A ; FN 20:83; FOO 2:296; FPN2 590; IL 4:328 synonym for *Aster scopulorum*; JPM2 358.

Synonyms:

***Aster scopulorum* A. Gray**

FN 20:83 synonym for *Ionactis alpina*; FOO 2:296 synonym for *Ionactis alpina*; FPN 490; IL 4:328; IN 5:302; JPM 209; PEK 784; VP 5:93.

Iva

Checklist contributor: Kenton Chambers, 3/15/1995

Flora of Oregon author: Kenton Chambers

Iva axillaris Pursh

Common names: poverty weed, deep-root

Origin: native Voucher: OSC, most recently collected in 2021

FN 21:26; FOO 2:296; FPN 533; FPN2 591; IL 4:141; IN 5:54; JPM2 361; PEK 812; VP 5:246.

Synonyms:

***Iva axillaris* Pursh ssp. *robustior* (Hook.) Bassett**

FOO 2:296 synonym for *Iva axillaris*; IL 4:141 synonym for *Iva axillaris*; JPM 295.

Jaumea

Checklist contributor: Kenton Chambers, 3/16/1995

Flora of Oregon author: Kenton Chambers

Jaumea carnosa (Less.) A. Gray

Common names: fleshy jaumea

Origin: native Voucher: OSC, most recently collected in 2022

FN 21:254; FOO 2:296; FPN 533; FPN2 591; IL 4:198; JPM 296; JPM2 361; PEK 819; VP 5:247.

Kyhosia

Checklist contributor: Kenton Chambers, 1/29/2001
Flora of Oregon author: Bruce Baldwin, Gerald Carr

Kyhosia bolanderi (A. Gray) B.G. Baldwin

Common names: Bolander's tarweed
Origin: native Voucher: OSC, most recently collected in 2019
Chambers, 2009A ; FN 21:295; FOO 2:297; FPN2 592; JPM2 361.

Synonyms:

***Madia bolanderi* (A. Gray) A. Gray**
FN 21:296 synonym for *Kyhosia bolanderi*; FOO 2:297 synonym for *Kyhosia bolanderi*; IL 4:165; JPM 312; KZ 1:117; PEK 810.

Lactuca

Checklist contributor: Kenton Chambers, 1/1/1995
Flora of Oregon author: Kenton Chambers

Lactuca biennis (Moench) Fernald

Common names: tall blue lettuce
Origin: native Voucher: OSC, most recently collected in 2006
FN 19:261; FOO 2:297; FPN 534; FPN2 592; IL 4:592; JPM 296; JPM2 362; PEK 855; VP 5:248.

Lactuca canadensis L.

Common names: Canadian wild lettuce
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1964
FN 19:261; FOO 2:297; FPN 534; FPN2 592; IL 4:592; JPM 296; JPM2 362; VP 5:248.

Lactuca ludoviciana (Nutt.) Riddell

Common names: western lettuce
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1978
FN 19:262; FOO 2:297; FPN 534; FPN2 592; IL 4:592; JPM 296; JPM2 362; PEK 855; VP 5:250.

Lactuca saligna L.

Common names: willow lettuce
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018
FN 19:262; FOO 2:298; FPN 534; FPN2 592; IL 4:592; JPM 296; JPM2 362; PEK 855.

Lactuca serriola L.

Common names: prickly lettuce
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019
FN 19:262; FOO 2:298; FPN 534; FPN2 592; IL 4:592; IN 5:455; JPM 296; JPM2 362; VP 5:251.

Synonyms:

***Lactuca scariola* L. var. *integrata* Gren. & Godr.**
FOO 2:298 synonym for *Lactuca serriola*; PEK 855.

Lactuca scariola* L. var. *scariola
FOO 2:298 synonym for *Lactuca serriola*; PEK 855.

Lactuca virosa L.

Common names: wild lettuce, tall lettuce, opium lettuce, bitter lettuce
Origin: exotic, not naturalized

Lagophylla

Checklist contributor: Kenton Chambers, 3/16/1995
Flora of Oregon author: Bruce Baldwin, Gerald Carr

Lagophylla ramosissima Nutt.

Common names: slender hareleaf, common rabbitleaf

Origin: native Voucher: OSC, most recently collected in 2019

FN 21:261; FOO 2:299; FPN 534; FPN2 593; IL 4:156; IN 5:70; JPM 298; JPM2 364; PEK 812; VP 5:251.

Synonyms:

Lagophylla ramosissima* Nutt. ssp. *ramosissima

FN 21:261 synonym for *Lagophylla ramosissima*; FOO 2:299 synonym for *Lagophylla ramosissima*; JPM 298; KZ 1:111.

Lapsana

Checklist contributor: Kenton Chambers, 12/29/1994

Flora of Oregon author: Kenton Chambers

Lapsana communis L.

Common names: nipplewort

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:257; FOO 2:299; FPN 535; FPN2 593; IL 4:613; IN 5:480; JPM 298; JPM2 364; PEK 848; VP 5:252.

Lapsanastrum

Checklist contributor: Kenton Chambers, 12/29/1994

Flora of Oregon author: treatment pending

Lapsanastrum apogonoides (Maxim.) Pak & K. Bremer

Common names: Japanese nipplewort

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1940

Chambers, 2009A ; FN 19:255; FPN2 519.

Synonyms:

***Lapsana apogonoides* Maxim.**

FN 19:255 synonym for *Lapsanastrum apogonoides*; FPN 535; IL 4:613; KZ 1:111; VP 5:252.

Lasthenia

Checklist contributor: Kenton Chambers, 12/1/1994

Flora of Oregon author: Kenton Chambers

Lasthenia californica DC. ex Lindl.

FN 21:338; IL 4:220 synonym for *Lasthenia glabrata Lindl.*; JPM 299.

Lasthenia californica DC. ex Lindl. ssp. ***californica***

Common names: slender goldfields, California goldfields

Origin: native Voucher: OSC, most recently collected in 2013

FN 21:339; FOO 2:300; JPM2 366.

Synonyms:

Baeria chrysostoma* Fisch. & C.A. Mey. ssp. *chrysostoma

FN 21:339 synonym for *Lasthenia californica* ssp. *californica*; FOO 2:300 synonym for *Lasthenia californica ssp. californica*; IL 4:214.

***Baeria chrysostoma* Fisch. & C.A. Mey. ssp. *gracilis* (DC.) Ferris**

FN 21:340 synonym for *Lasthenia gracilis*; FOO 2:300 synonym for *Lasthenia californica ssp. californica*; IL 4:215.

***Baeria chrysostoma* Fisch. & C.A. Mey. var. *gracilis* (DC.) H.M. Hall**

FOO 2:300 synonym for *Lasthenia californica ssp. californica*; PEK 815.

Lasthenia glaberrima DC.

Common names: smooth lasthenia, smooth goldfields

Origin: native Voucher: OSC, most recently collected in 2022

FN 21:344; FOO 2:300; FPN 535; FPN2 593; IL 4:220; JPM 300; JPM2 367; PEK 816; VP 5:253.

Lasthenia maritima (A. Gray) M.C. Vasey

Common names: seaside goldfields, maritime goldfields

Origin: native Voucher: OSC, most recently collected in 2022

FN 21:347; FOO 2:300; FPN 535 synonym for *Lasthenia minor* var. *maritima*; FPN2 593; JPM 300; JPM2 367.

Synonyms:

***Baeria maritima* (A. Gray) A. Gray**

FN 21:347 synonym for *Lasthenia maritima*; FOO 2:300 synonym for *Lasthenia maritima*; FPN 535 synonym for *Lasthenia minor* var. *maritima*; IL 4:218 synonym for *Baeria minor* ssp. *maritima*; PEK 815; VP 5:98.

***Baeria minor* (DC.) Ferris ssp. *maritima* (A. Gray) Ferris**

FN 21:347 synonym for *Lasthenia maritima*; FOO 2:300 synonym for *Lasthenia maritima*; IL 4:214.

***Lasthenia minor* (DC.) Ornduff**

FN 21:347; FOO 2:300 synonym for *Lasthenia maritima*; FPN 535; FPN2 593; JPM 300; JPM2 367.

***Lasthenia minor* (DC.) Ornduff var. *maritima* (A. Gray) Cronquist**

FN 21:347 synonym for *Lasthenia maritima*; FOO 2:300 synonym for *Lasthenia maritima*; FPN 535.

Lasthenia ornduffii R. Chan

Common names: large-flowered goldfields, Ornduff's lasthenia

Origin: native Voucher: OSC, most recently collected in 2018

Bird, 2025 ; FN 21:341; FOO 2:301.

Synonyms:

***Baeria macrantha* (A. Gray) A. Gray**

FN 21:340 synonym for *Lasthenia californica ssp. macrantha*; PEK 815.

Misapplied names:

***Baeria macrantha* (A. Gray) A. Gray var. *pauciaristata* A. Gray**

FN 21:340 synonym for *Lasthenia californica ssp. macrantha*; IL 4:214.

Layia

Checklist contributor: Kenton Chambers, 3/29/1995

Flora of Oregon author: Bruce Baldwin, Gerald Carr

Layia carnosa (Nutt.) Torr. & A. Gray

Common names: beach tidytips

Origin: uncertain Voucher: OSC, most recently collected in 1990

FOO 2:302 uncertain status; JPM2 .

Layia chrysanthemoides (DC.) A. Gray

Common names: smooth tidytips

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 1937

FN 21:265; FOO 2:302 uncertain status; JPM2 369.

Layia fremontii (Torr. & A. Gray) A. Gray

Common names: Fremont's tidytips

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FN 21:265; FOO 2:302 uncertain status; JPM2 .

Layia glandulosa (Hook.) Hook. & Arn.

Common names: white layia, whitedaisy tidytips

Origin: native Voucher: OSC, most recently collected in 2022

Burkhart et al., 1996 ; FN 21:267; FOO 2:302; FPN 535; FPN2 594; IN 5:68; JPM 302; JPM2 369; PEK 808; VP 5:253.

Synonyms:

Layia glandulosa* (Hook.) Hook. & Arn. ssp. *glandulosa

FN 21:267 synonym for *Layia glandulosa*; FOO 2:302 synonym for *Layia glandulosa*; IL 4:162.

Layia platyglossa (Fisch. & C.A. Mey.) A. Gray

Common names: coastal tidytips

Origin: uncertain Voucher: SOC, most recently collected in 1956

FOO 2:302 uncertain status.

Layia septentrionalis Keck

Common names: Colusa layia

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 2013

FN 21:268; FOO 2:302 uncertain status; IL 4:160; JPM 303; JPM2 370.

Leontodon

Checklist contributor: Kenton Chambers, 1/1/1995

Flora of Oregon author: Kenton Chambers

Leontodon autumnalis L.

FN 19:295; FOO 2:302 uncertain status; FPN 536; FPN2 594; IL 4:589; VP 5:254.

Leontodon autumnalis L. var. *pratensis* Koch

Common names: fall dandelion

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1902

Leontodon saxatilis Lam.

Common names: hairy hawkbit

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:296; FOO 2:302.

Synonyms:

***Leontodon leysseri* (Wallr.) Beck**

FN 19:296 synonym for *Leontodon saxatilis* ssp. *saxatilis*; FOO 2:302 synonym for *Leontodon saxatilis*; FPN 536 synonym for *Leontodon nudicaulis*; IL 4:588; PEK 853.

***Leontodon nudicaulis* (L.) Mérat ssp. *taraxacoides* (Vill.) Schinz & Thell.**

FN 19:296 synonym for *Leontodon saxatilis* ssp. *saxatilis*; FOO 2:302 synonym for *Leontodon saxatilis*; FPN 536; IL 4:588 synonym for *Leontodon leysseri*; VP 5:254.

Leontodon saxatilis* Lam. ssp. *saxatilis

FN 19:296; FOO 2:302 synonym for *Leontodon saxatilis*; FPN2 594; JPM2 370.

Leontodon taraxacoides* (Vill.) Willd. ex Mérat ssp. *taraxacoides

JPM 304.

Misapplied names:

***Leontodon hastilis* L. var. *vulgaris* Koch**

PEK 853.

Leucanthemum

Checklist contributor: Kenton Chambers, 9/13/1995

Flora of Oregon author: Kenton Chambers

Leucanthemum maximum (Ramond) DC.

Common names: Shasta daisy

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2017

FN 19:558; FOO 2:303 uncertain status; FPN 501 synonym for *Chrysanthemum maximum*; FPN2 594; JPM 308; JPM2 377.

Synonyms:

***Chrysanthemum maximum* Ramond**

FN 19:558 synonym for *Leucanthemum maximum*; FPN 501; IL 4:394; VP 5:126.

Leucanthemum* × *superbum (Bergmans ex J.W. Ingram) D.H. Kent

Common names: daisy

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2014

FPN2 594.

Leucanthemum vulgare Lam.

Common names: ox-eye daisy

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2022

FN 19:558; FOO 2:303; FPN 501 synonym for *Chrysanthemum leucanthemum*; FPN2 594; IL 4:394 synonym for *Chrysanthemum leucanthemum*; JPM 308; JPM2 377.

Synonyms:

***Chrysanthemum leucanthemum* L.**

FN 19:558 synonym for *Leucanthemum vulgare*; FOO 2:303 synonym for *Leucanthemum vulgare*; FPN 501; GWM 357; IL 4:394; IN 5:138; PEK 823; VP 5:126.

Logfia

Checklist contributor:

Flora of Oregon author: Kenton Chambers

Logfia arvensis (L.) Holub

Common names: field cottonrose, field filago

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2023

FN 19:445; FOO 2:304.

Synonyms:

***Filago arvensis* L.**

FN 19:445 synonym for *Logfia arvensis*; FOO 2:304 synonym for *Logfia arvensis*; FPN 521; FPN2 580; IL 4:491; VP 5:198.

Logfia gallica (L.) Coss. & Germ.

Common names: narrow-leaved cudweed

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2014

FN 19:447; FOO 2:304; FPN2 595; JPM2 378.

Synonyms:

***Filago gallica* L.**

FN 19:447 synonym for *Logfia gallica*; FOO 2:304 synonym for *Logfia gallica*; IL 4:490; JPM 268.

Logfia minima (Sm.) Dumort.

Common names: small cudweed, little cottonrose

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2024

FN 19:446; FOO 2:304; FPN2 595.

Synonyms:

***Filago minima* (Sm.) Pers.**

Clapham, Tutin & Moore, 1987 ; FN 19:446 synonym for *Logfia minima*; FOO 2:304 synonym for *Logfia minima*.

Luina

Checklist contributor: Kenton Chambers, 3/15/1995

Flora of Oregon author: Kenton Chambers

Luina hypoleuca Benth.

Common names: silverback luina, littleleaf silverback, littleleaf luina

Origin: native

Voucher: OSC, most recently collected in 2019

FN 20:628; FOO 2:305; FPN 536; FPN2 595; IL 4:458; JPM 308; JPM2 378; PEK 830; VP 5:257.

Luina serpentina Cronquist

Common names: colonial luina, creeping silverback

Origin: native Voucher: OSC, most recently collected in 2013

FN 20:628; FOO 2:305; FPN 536; FPN2 595; Galash, 2024 ; IL 4:457; PEK 830; VP 5:257.

Lygodesmia

Checklist contributor: Kenton Chambers, 1/1/1994

Flora of Oregon author: treatment pending

Lygodesmia juncea (Pursh) Hook.

Common names: rush skeletonplant

Origin: uncertain Voucher: OSC, most recently collected in 2011

FN 19:372; FPN 537; FPN2 596; IL 4:569; IN 5:442; Tomb, 1980 ; VP 5:258.

Madia

Checklist contributor: Kenton Chambers, 3/29/1995

Flora of Oregon author: Bruce Baldwin, Gerald Carr

Madia citriodora Greene

Common names: lemon-scented tarweed

Origin: native Voucher: OSC, most recently collected in 2012

FN 21:306; FOO 2:306; FPN 539; FPN2 596; IL 4:168; JPM 312; JPM2 380; PEK 811; VP 5:261.

Madia elegans D. Don

Common names: common madia, showy tarweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:307; FOO 2:307; FPN 539; FPN2 596; IN 5:71; JPM 312; JPM2 380; VP 5:261.

Synonyms:

***Madia elegans* D. Don ssp. *densifolia* (Greene) D.D. Keck**

FN 21:307 synonym for *Madia elegans*; FOO 2:307 synonym for *Madia elegans*; IL 4:168; JPM 312; KZ 1:117; PEK 811.

***Madia elegans* D. Don var. *densifolia* (Greene) Jeps.**

FOO 2:307 synonym for *Madia elegans*; FPN 539; VP 5:261.

Madia elegans* D. Don ssp. *elegans

FN 21:307 synonym for *Madia elegans*; FOO 2:307 synonym for *Madia elegans*; IL 4:168; JPM 312; KZ 1:117; PEK 811.

Madia elegans* D. Don var. *elegans

FOO 2:307 synonym for *Madia elegans*; FPN 539; IN 5:71; PEK 811 excluded; VP 5:261.

***Madia elegans* D. Don ssp. *vernalis* D.D. Keck**

FN 21:307 synonym for *Madia elegans*; FOO 2:307 synonym for *Madia elegans*; IL 4:168; JPM 312; KZ 1:117; PEK 811.

Madia exigua (Sm.) A. Gray

Common names: little tarweed, threadstem madia

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:306; FOO 2:307; FPN 538; FPN2 596; GWM 374; IL 4:171; IN 5:71; JPM 312; JPM2 381; PEK 812; VP 5:261.

Madia glomerata Hook.

Common names: cluster tarweed, mountain tarweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 21:306; FOO 2:307; FPN 538; FPN2 596; GWM 374; IL 4:170; IN 5:71; JPM 312; JPM2 381; PEK 811; VP 5:262.

Madia gracilis (Sm.) D.D. Keck & J.C. Clausen ex Applegate

Common names: slender tarweed, common tarweed, gumweed, grassy tarweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 21:308; FOO 2:307; FPN 538; FPN2 597; GWM 375; IN 5:71; JPM 312; JPM2 381; PEK 811; VP 5:262.

Synonyms:

Madia gracilis* (Sm.) D.D. Keck & J.C. Clausen ex Applegate ssp. *gracilis

FN 21:307 synonym for *Madia gracilis*; FOO 2:307 synonym for *Madia gracilis*; IL 4:169.

Madia sativa Molina

Common names: coast tarweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 21:308; FOO 2:308; FPN 538; FPN2 597; IL 4:170; IN 5:71; JPM 313; JPM2 381; VP 5:263.

Synonyms:

***Madia capitata* Nutt.**

FN 21:308 synonym for *Madia sativa*; FOO 2:308 synonym for *Madia sativa*; FPN 539 synonym for *Madia sativa* var. *congesta*; IL 4:170.

***Madia sativa* Molina ssp. *capitata* (Nutt.) Piper**

FOO 2:308 synonym for *Madia sativa*; IL 4:170 synonym for *Madia capitata*; PEK 811.

***Madia sativa* Molina var. *congesta* Torr. & A. Gray**

FOO 2:308 synonym for *Madia sativa*; FPN 539; VP 5:264.

Madia sativa* Molina ssp. *sativa

FOO 2:308 synonym for *Madia sativa*; PEK 811.

Madia sativa* Molina var. *sativa

FOO 2:308 synonym for *Madia sativa*; FPN 538; VP 5:264.

Malacothrix

Checklist contributor: Kenton Chambers, 1/1/1995

Flora of Oregon author: Kenton Chambers

Malacothrix glabrata (D.C. Eaton) A. Gray

Common names: smooth desertdandelion

Origin: native Voucher: OSC, most recently collected in 2016

FN 19:316; FOO 2:309; FPN2 597; IL 4:578 synonym for *Malacothrix californica* var. *glabrata*; IN 5:434; JPM 315; JPM2 383; PEK 857.

Synonyms:

***Malacothrix californica* DC.**

FN 19:313; FOO 2:309 synonym for *Malacothrix glabrata*; JPM 314; JPM2 382.

***Malacothrix californica* DC. var. *glabrata* A. Gray ex D.C. Eaton**

FN 19:316 synonym for *Malacothrix glabrata*; FOO 2:309 synonym for *Malacothrix glabrata*; IL 4:578.

Malacothrix sonchoides (Nutt.) Torr. & A. Gray

Common names: sow-thistle desertdandelion, sow-thistle malacothrix

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:320; FOO 2:309; FPN2 597 synonym for *Malacothrix torreyi*; IL 4:578; IN 5:436; JPM 315; JPM2 384.

Malacothrix stebbinsii W.S. Davis & P.H. Raven

Common names: Stebbins' desertdandelion, Stebbins' malacothrix

Origin: uncertain Voucher: OSC, most recently collected in 1894

Davis & Raven, 1962 ; FN 19:321; FOO 2:309; JPM 315; JPM2 384.

Malacothrix torreyi A. Gray

Common names: Torrey's desertdandelion, Torrey's malacothrix

Origin: native Voucher: OSC, most recently collected in 2016

FN 19:231; FOO 2:309; FPN 539; FPN2 597; IL 4:579; IN 5:436; JPM 315; JPM2 384; PEK 857; VP 5:264.

Matricaria

Checklist contributor: Kenton Chambers, 9/19/1995
Flora of Oregon author: Kenton Chambers

Matricaria chamomilla L.

Common names: wild chamomile, sweet false chamomile
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022
FN 19:542; FOO 2:310; FPN 540; FPN2 597; IL 4:399; JPM2 386; PEK 822; VP 5:266.

Synonyms:

***Matricaria recutita* L.**

FN 19:542 synonym for *Matricaria chamomilla*; FOO 2:310 synonym for *Matricaria chamomilla*; IN 5:136; Rauschert, 1974 .

Matricaria discoidea DC.

Common names: pineapple weed
Origin: native Voucher: OSC, most recently collected in 2020
FN 19:541; FOO 2:311; FPN 540 synonym for *Matricaria matricarioides*; FPN2 597; IL 4:400 synonym for *Matricaria matricarioides*; JPM2 386.

Synonyms:

***Chamomilla suaveolens* (Pursh) Rydb.**

FN 19:541 synonym for *Matricaria discoidea*; FOO 2:311 synonym for *Matricaria discoidea*; JPM 228.

***Matricaria matricarioides* (Less.) Porter**

FN 19:541 synonym for *Matricaria discoidea*; FOO 2:311 synonym for *Matricaria discoidea*; FPN 540; GWM 375; IL 4:400; IN 5:138; PEK 823; VP 5:266.

Matricaria occidentalis Greene

Common names: valley mayweed
Origin: native Voucher: OSC, most recently collected in 1971
FN 19:542; FOO 2:311; IL 4:400; JPM2 386.

Synonyms:

***Chamomilla occidentalis* (Greene) Rydb.**

FN 19:542 synonym for *Matricaria occidentalis*; FOO 2:311 synonym for *Matricaria occidentalis*; JPM 226.

Micropus

Checklist contributor: Kenton Chambers, 3/15/1995
Flora of Oregon author: Kenton Chambers

Micropus californicus Fisch. & C.A. Mey.

FN 19:455; FPN 540; IL 4:494; JPM 316; PEK 794; VP 5:271.

Micropus californicus Fisch. & C.A. Mey. var. ***californicus***

Common names: slender cottonseed, q-tips
Origin: native Voucher: OSC, most recently collected in 2022
FN 19:456; FOO 2:311; FPN 540; FPN2 598; JPM 316; JPM2 386.

Microseris

Checklist contributor: Kenton Chambers, 5/5/1996
Flora of Oregon author: Kenton Chambers

Microseris acuminata Greene

Common names: Sierra foothills microseris, Sierra foothills silver puffs
Origin: native Voucher: OSC, most recently collected in 1989
FN 19:345; FOO 2:312; IL 4:560; JPM 318; JPM2 387.

Microseris bigelovii (A. Gray) Sch. Bip.

Common names: coastal microseris, coastal silver puffs

Origin: native Voucher: OSC, most recently collected in 2010

FN 19:345; FOO 2:312; FPN 540; FPN2 598; IL 4:561; JPM 318; JPM2 387; PEK 849; VP 5:268.

Microseris borealis (Bong.) Sch. Bip.

Common names: northern microseris, apargidium, bog microseris

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 2009A ; FN 19:340; FOO 2:312; FPN2 598; IL 4:556; JPM 318; JPM2 387.

Synonyms:

Apargidium boreale **(Bong.) Torr. & A. Gray**

FN 19:340 synonym for *Microseris borealis*; FOO 2:312 synonym for *Microseris borealis*; FPN 483; PEK 857; VP 5:43.

Microseris douglasii (DC.) Sch. Bip.

FN 19:343; JPM 318; PEK 849.

Microseris douglasii (DC.) Sch. Bip. ssp. ***douglasii***

Common names: Douglas' microseris

Origin: native Voucher: OSC, most recently collected in 1889

FN 19:344; FOO 2:313; IL 4:560; JPM 318; JPM2 388.

Microseris howellii A. Gray

Common names: Howell's microseris

Origin: native Voucher: OSC, most recently collected in 1998

FN 19:343; FOO 2:313; IL 4:557.

Microseris laciniata (Hook.) Sch. Bip.

FN 19:341; FOO 2:313; FPN 540; JPM 318; VP 5:268.

Microseris laciniata (Hook.) Sch. Bip. ssp. ***detlingii*** K.L. Chambers

Common names: Detling's microseris

Origin: native Voucher: OSC, most recently collected in 2009

FN 19:342; FOO 2:313; JPM2 388.

Microseris laciniata (Hook.) Sch. Bip. ssp. ***laciniata***

Common names: cut-leaved microseris

Origin: native Voucher: OSC, most recently collected in 2022

FN 19:341; FOO 2:314; FPN2 598; IL 4:556; JPM 318; JPM2 388.

Synonyms:

Scorzonella laciniata **(Hook.) Nutt. var.** ***laciniata***

FOO 2:314 synonym for *Microseris laciniata ssp. laciniata*; PEK 850.

Scorzonella laciniata **(Hook.) Nutt. var.** ***pratensis*** **(Greene) Jeps.**

FOO 2:314 synonym for *Microseris laciniata ssp. laciniata*; PEK 851.

Scorzonella procera **Greene**

FN 19:341 synonym for *Microseris laciniata* ssp. *laciniata*; FOO 2:314 synonym for *Microseris laciniata ssp. laciniata*; PEK 850.

Microseris laciniata (Hook.) Sch. Bip. ssp. ***leptosepala*** (Nutt.) K.L. Chambers

Common names: slender-bracted microseris

Origin: native Voucher: OSC, most recently collected in 1998

FN 19:342; FOO 2:314; FPN2 598; IL 4:557; JPM 318; JPM2 388.

Synonyms:

Scorzonella laciniata **(Hook.) Nutt. var.** ***bolanderi*** **(A. Gray) Jeps.**

FOO 2:314 synonym for *Microseris laciniata ssp. leptosepala*; PEK 851.

Scorzonella leachiana **M. Peck**

FOO 2:314 synonym for *Microseris laciniata ssp. leptosepala*; PEK 851.

Scorzonella leptosepala **Nutt.**

FN 19:342 synonym for *Microseris laciniata* ssp. *leptosepala*; FOO 2:314 synonym for *Microseris laciniata ssp. leptosepala*; FPN 540 synonym for *Microseris laciniata*; PEK 851.

Microseris laciniata (Hook.) Sch. Bip. ssp. ***siskiyouensis*** K.L. Chambers

Common names: Siskiyou microseris

Origin: native Voucher: OSC, most recently collected in 2007

FN 19:342; FOO 2:315; JPM 318; JPM2 388.

Microseris nutans (Hook.) Sch. Bip.

Common names: nodding microseris, nodding silver puffs

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:340; FOO 2:315; FPN 540; FPN2 598; GWM 375; IL 4:556; IN 5:427; JPM 318; JPM2 388; VP 5:269.

Synonyms:

Scorzonella nutans **Hook. var.** ***major*** **(A. Gray) M. Peck**

PEK 850.

Scorzonella nutans **Hook. var.** ***nutans***

PEK 850.

Mulgedium

Checklist contributor: Kenton Chambers, 4/1/2008

Flora of Oregon author: Kenton Chambers

Mulgedium oblongifolium (Nutt.) Reveal

Common names: blue lettuce

Origin: native Voucher: OSC, most recently collected in 2013

FOO 2:315.

Synonyms:

Lactuca pulchella **(Pursh) DC.**

FN 19:259 synonym for *Mulgedium pulchellum*; FOO 2:315 synonym for *Mulgedium oblongifolium*; FPN 534; IN 5:455; VP 5:250.

Lactuca tatarica **(L.) C.A. Mey. ssp.** ***pulchella*** **(Pursh) Stebbins**

FN 19:259 synonym for *Mulgedium pulchellum*; FOO 2:315 synonym for *Mulgedium oblongifolium*; FPN 534 synonym for *Lactuca pulchella*; FPN2 592; IL 4:594; IN 5:455 synonym for *Lactuca pulchella*; JPM 296; JPM2 362.

Lactuca tatarica **(L.) C.A. Mey. var.** ***pulchella*** **(Pursh) Breitung**

FOO 2:315 synonym for *Mulgedium oblongifolium*; KZ 1:110; PEK 855.

Mulgedium pulchellum **(Pursh) G. Don**

Chambers, 2009A ; FN 19:259; Reveal, 2007 .

Mycelis

Checklist contributor: Kenton Chambers, 1/1/2009

Flora of Oregon author: Kenton Chambers

Mycelis muralis (L.) Dumort.

Common names: wall lettuce

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

Chambers, 2009A ; FN 19:258; FOO 2:316; FPN2 599; KZ 1:119.

Synonyms:

***Lactuca muralis* (L.) Fresen.**

FN 19:258 synonym for *Mycelis muralis*; FOO 2:316 synonym for *Mycelis muralis*; FPN 534; IL 4:594; PEK 856; VP 5:250.

Nabalus

Checklist contributor:

Flora of Oregon author: Kenton Chambers

Nabalus hastatus (Less.) A. Heller

Common names: western rattlesnakeroot

Origin: native Voucher: OSC, most recently collected in 2014

FOO 2:317.

Synonyms:

***Prenanthes alata* (Hook.) D. Dietr.**

Chambers, 1996A ; FN 19:266; FOO 2:317 synonym for *Nabalus hastatus*; FPN 542; IL 4:594; VP 5:275.

***Prenanthes lessingii* Hultén**

FN 19:266 synonym for *Prenanthes alata*; FOO 2:317 synonym for *Nabalus hastatus*; IL 4:594 synonym for *Prenanthes alata*; PEK 868.

Nestotus

Checklist contributor: Kenton Chambers, 4/1/2008

Flora of Oregon author: Kenton Chambers

Nestotus stenophyllus (A. Gray) Urbatsch, R.P. Roberts and Neubig

Common names: narrow-leaved goldenweed

Origin: native Voucher: OSC, most recently collected in 2015

Chambers, 2009A ; FN 20:170; FOO 2:317; FPN2 599; JPM2 390.

Synonyms:

***Haplopappus stenophyllus* A. Gray**

FN 20:170 synonym for *Nestotus stenophyllus*; FOO 2:317 synonym for *Nestotus stenophyllus*; FPN 525; IL 4:278; IN 5:204; PEK 772; VP 5:224.

***Stenotus stenophyllus* (A. Gray) Greene**

FN 20:170 synonym for *Nestotus stenophyllus*; FOO 2:317 synonym for *Nestotus stenophyllus*; FPN 525 synonym for *Haplopappus stenophyllus*; JPM 345.

Nothocalais

Checklist contributor: Kenton Chambers, 11/7/1994

Flora of Oregon author: Kenton Chambers

Nothocalais alpestris (A. Gray) K.L. Chambers

Common names: alpine lake false dandelion

Origin: native Voucher: OSC, most recently collected in 2012

Chambers, 2009A ; FN 19:336; FOO 2:318; FPN2 600; IL 4:553; JPM 320; JPM2 390.

Synonyms:

***Agoseris alpestris* (A. Gray) Greene**

FN 19:336 synonym for *Nothocalais alpestris*; FOO 2:318 synonym for *Nothocalais alpestris*; FPN 541 synonym for *Microseris alpestris*; PEK 858.

***Agoseris barbellulata* Greene**

FOO 2:318 synonym for *Nothocalais alpestris*; PEK 859.

***Microseris alpestris* (A. Gray) Q. Jones ex Cronquist**

FN 19:336 synonym for *Nothocalais alpestris*; FOO 2:318 synonym for *Nothocalais alpestris*; FPN 541; IL 4:553 synonym for *Nothocalais alpestris*; VP 5:267.

Nothocalais troximoides (A. Gray) Greene

Common names: sagebrush false dandelion

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 2009A ; FN 19:337; FOO 2:318; FPN 540 synonym for *Microseris troximoides*; FPN2 599; IL 4:553; JPM 320; JPM2 390; Jansen et al., 1991 .

Synonyms:

***Microseris troximoides* A. Gray**

FN 19:337 synonym for *Nothocalais troximoides*; FOO 2:318 synonym for *Nothocalais troximoides*; FPN 540; IL 4:553 synonym for *Nothocalais troximoides*; IN 5:427; VP 5:271.

***Scorzonella troximoides* (A. Gray) Jeps.**

FN 19:337 synonym for *Nothocalais troximoides*; FOO 2:318 synonym for *Nothocalais troximoides*; FPN 540 synonym for *Microseris troximoides*; PEK 851.

Oncosiphon

Checklist contributor:

Flora of Oregon author: treatment pending

Oncosiphon suffruticosum (L. f.) Källersjö

Common names: shrubby mayweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902

FN 19:539; FPN2 518.

Synonyms:

***Matricaria suffruticosa* (L.) Druce**

FN 19:539 synonym for *Oncosiphon suffruticosum*; VP 5:266.

Onopordum

Checklist contributor: Scott Sundberg, 4/5/1997

Flora of Oregon author: Kenton Chambers

Onopordum acanthium L.

FN 19:88; FPN 541; IL 4:510; IN 5:414; PEK 846; VP 5:272.

Onopordum acanthium L. ssp. *acanthium*

Common names: Scotch thistle, cotton thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 19:88; FOO 2:318; FPN2 600; JPM 320; JPM2 390.

Onopordum tauricum Willd.

Common names: taurian thistle

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2007

FOO 2:318; JPM 320; JPM2 390.

Oreostemma

Checklist contributor: Kenton Chambers, 4/1/2008
Flora of Oregon author: Kenton Chambers

Oreostemma alpigenum (Torr. & A. Gray) Greene var. ***alpigenum***

Common names: alpine aster, tundra aster

Origin: native Voucher: OSC, most recently collected in 2011

Chambers, 2009A ; FN 20:360; FOO 2:319; FPN2 601.

Synonyms:

Aster alpigenus* (Torr. & A. Gray) A. Gray ssp. *alpigenus

FOO 2:319 synonym for *Oreostemma alpigenum var. alpigenum*; IL 4:328.

Aster alpigenus* (Torr. & A. Gray) A. Gray var. *alpigenus

FN 20:360 synonym for *Oreostemma alpigenum* var. *alpigenum*; FOO 2:319 synonym for *Oreostemma alpigenum var. alpigenum*; FPN 490; GWM 351; PEK 777; VP 5:76.

Oreostemma alpigenum (Torr. & A. Gray) Greene var. ***andersonii*** (A. Gray) G.L. Nesom

Common names: Anderson's aster

Origin: native Voucher: OSC, most recently collected in 2006

Chambers, 2009A ; FN 20:360; FOO 2:319; FPN2 601; JPM2 392.

Synonyms:

***Aster alpigenus* (Torr. & A. Gray) A. Gray ssp. *andersonii* (A. Gray) Onno**

FOO 2:319 synonym for *Oreostemma alpigenum var. andersonii*; IL 4:328.

***Aster alpigenus* (Torr. & A. Gray) A. Gray var. *andersonii* (A. Gray) M. Peck**

FN 20:360 synonym for *Oreostemma alpigenum* var. *andersonii*; FOO 2:319 synonym for *Oreostemma alpigenum var. andersonii*; FPN 490; IN 5:302; JPM 206; PEK 778; VP 5:76.

Oreostemma alpigenum (Torr. & A. Gray) Greene var. ***haydenii*** (Porter) G.L. Nesom

Common names: Hayden's aster

Origin: native Voucher: OSC, most recently collected in 2015

FN 20:360; FOO 2:319; FPN2 601.

Synonyms:

***Aster alpigenus* (Torr. & A. Gray) A. Gray ssp. *haydenii* (Porter) Cronquist**

FOO 2:319 synonym for *Oreostemma alpigenum var. haydenii*; GWM 351; IL 4:328; PEK 778.

***Aster alpigenus* (Torr. & A. Gray) A. Gray var. *haydenii* (Porter) Cronquist**

FN 20:361 synonym for *Oreostemma alpigenum* var. *haydenii*; FOO 2:319 synonym for *Oreostemma alpigenum var. haydenii*; FPN 490; IN 5:302; VP 5:76.

Packera

Checklist contributor: Kenton Chambers, 2/21/2007
Flora of Oregon author: Debra Trock

Packera bolanderi (A. Gray) W.A. Weber & Á. Löve var. ***bolanderi***

Common names: Bolander's ragwort, Bolander's groundsel

Origin: native Voucher: OSC, most recently collected in 2009

FN 20:580; FOO 2:322; FPN2 602; JPM2 394.

Synonyms:

Senecio bolanderi* A. Gray var. *bolanderi

FN 20:580 synonym for *Packera bolanderi* var. *bolanderi*; FOO 2:322 synonym for *Packera bolanderi var. bolanderi*; FPN 546; JPM 337.

Packera bolanderi (A. Gray) W.A. Weber & Á. Löve var. ***harfordii*** (Greenm.) Trock & T.M. Barkley

Common names: Harford's ragwort

Origin: native Voucher: OSC, most recently collected in 2018

FN 20:580; FOO 2:322; FPN2 602.

Synonyms:

***Senecio bolanderi* A. Gray var. *harfordii* (Greenm.) T.M. Barkley**

FN 20:580 synonym for *Packera bolanderi* var. *harfordii*; FOO 2:322 synonym for *Packera bolanderi var. harfordii*; FPN 546.

***Senecio harfordii* Greenm.**

FN 20:580 synonym for *Packera bolanderi* var. *harfordii*; FOO 2:322 synonym for *Packera bolanderi var. harfordii*; FPN 546 synonym for *Senecio bolanderi* var. *harfordii*; IL 4:449; PEK 837; VP 5:290.

Packera cana (Hook.) W.A. Weber & Á. Löve

Common names: woolly groundsel

Origin: native Voucher: OSC, most recently collected in 2025

Chambers, 2009A ; FN 20:580; FOO 2:322; FPN2 601; JPM2 394.

Synonyms:

***Senecio canus* Hook.**

Chambers, 1996A ; FN 20:580 synonym for *Packera cana*; FOO 2:322 synonym for *Packera cana*; FPN 549; IL 4:442; IN 5:186; JPM 338; PEK 838; VP 5:285.

Packera eurycephala (Torr. & A. Gray) W.A. Weber & Á. Löve var. ***eurycephala***

Common names: widehead groundsel, cutleaf butterweed

Origin: native Voucher: OSC, most recently collected in 2016

FN 20:586; FOO 2:322; JPM2 396.

Synonyms:

Senecio eurycephalus* Torr. & A. Gray ex A. Gray var. *eurycephalus

FN 20:586 synonym for *Packera eurycephala* var. *eurycephala*; FOO 2:322 synonym for *Packera eurycephala var. eurycephala*; JPM 338.

Packera flettii (Wiegand) W.A.Weber & Á. Löve

Common names: Flett's groundsel

Origin: native Voucher: OSC, most recently collected in 2001

Chambers, 2009A ; FN 20:587; FOO 2:322; FPN2 602.

Synonyms:

***Senecio flettii* Wiegand**

Chambers, 1996A ; FN 20:587 synonym for *Packera flettii*; FOO 2:322 synonym for *Packera flettii*; FPN 546; IL 4:448; VP 5:289.

Packera hesperia (Greene) W.A.Weber & Á. Löve

Common names: western ragwort, Siskiyou butterweed, serpentine groundsel

Origin: native Voucher: OSC, most recently collected in 2009

Chambers, 2009A ; FN 20:589; FOO 2:323; JPM2 396.

Synonyms:

***Senecio hesperius* Greene**

FN 20:589 synonym for *Packera hesperia*; FOO 2:323 synonym for *Packera hesperia*; IL 4:444; PEK 837.

Packera macounii (Greene) W.A. Weber & Á. Löve

Common names: Siskiyou Mountains ragwort, Puget butterweed, long-rayed groundsel

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 2009A ; FN 20:591; FOO 2:323; FPN2 601; JPM2 396.

Synonyms:

***Senecio fastigiatus* Schwein. ex Elliott**

FN 20:591 synonym for *Packera macounii*; FOO 2:323 synonym for *Packera macounii*; FPN 549; VP 5:294 synonym for *Senecio macounii*.

***Senecio macounii* Greene**

Chambers, 1996A ; FN 20:591 synonym for *Packera macounii*; FOO 2:323 synonym for *Packera macounii*; FPN 549; IL 4:442; JPM 340; PEK 839; VP 5:294.

Packera porteri (Greene) C. Jeffrey

Common names: Porter's butterweed, Porter's groundsel

Origin: native Voucher: OSC, most recently collected in 1899

Chambers, 2009B ; FN 20:596; FOO 2:323; FPN2 602.

Synonyms:

***Senecio porteri* Greene**

Chambers, 2009B 15:9; FN 20:596 synonym for *Packera porteri*; FOO 2:323 synonym for *Packera porteri*; FPN 547; GWM 379; IL 4:445; PEK 838; VP 5:297.

Packera pseudaurea (Rydb.) W.A. Weber & Á. Löve var. ***pseudaurea***

Common names: falsegold groundsel, streambank butterweed

Origin: native Voucher: OSC, most recently collected in 2014

FN 20:597; FOO 2:323; FPN2 603; JPM2 396.

Synonyms:

Senecio pseudaureus* Rydb. var. *pseudaureus

Barkley, 1962 ; FN 20:597 synonym for *Packera pseudaurea* var. *pseudaurea*; FOO 2:323 synonym for *Packera pseudaurea var. pseudaurea*; FPN 546; JPM 340.

Packera streptanthifolia (Greene) W.A. Weber & Á. Löve

Common names: Rocky Mountain groundsel, cleftleaf groundsel, Rocky Mountain butterweed

Origin: native Voucher: OSC, most recently collected in 2011

Chambers, 2009A ; FN 20:599; FOO 2:324; FPN2 603.

Synonyms:

Packera streptanthifolia* (Greene) W.A. Weber & Á. Löve var. *streptanthifolia

FN 20:599 synonym for *Packera streptanthifolia*; FOO 2:324 synonym for *Packera streptanthifolia*; JPM2 397.

***Senecio cymbalarioides* Nutt.**

PEK 838; VP 5:286.

***Senecio cymbalarioides* Nutt. var. *suksdorfii* (Greene) M. Peck**

PEK 838.

***Senecio leonardii* Rydb.**

FN 20:599 synonym for *Packera streptanthifolia*; FOO 2:324 synonym for *Packera streptanthifolia*; PEK 838.

***Senecio streptanthifolius* Greene**

Bain, 1988 ; FN 20:599 synonym for *Packera streptanthifolia*; FOO 2:324 synonym for *Packera streptanthifolia*; FPN 547; GWM 380; IN 5:184; JPM 342.

Packera subnuda (DC.) Trock & T.M. Barkley var. ***subnuda***

Common names: cleftleaf groundsel, pale groundsel, alpine meadow groundsel

Origin: native Voucher: OSC, most recently collected in 2018

FN 20:560; FOO 2:324; FPN2 602; JPM2 397.

Synonyms:

***Senecio cymbalarioides* H. Buek**

FN 20:599 synonym for *Packera streptanthifolia*; FOO 2:324 synonym for *Packera subnuda var. subnuda*; FPN 547; JPM 338.

Senecio cymbalarioides* Nutt. var. *cymbalarioides

FN 20:599 synonym for *Packera streptanthifolia*; PEK 838.

***Senecio subnudus* DC.**

FN 20:599-600 synonym for *Packera subnuda* var. *subnuda*; FOO 2:324 synonym for *Packera subnuda var. subnuda*; FPN 547 synonym for *Senecio cymbalarioides*; GWM 379 synonym for *Senecio cymbalarioides*; IL 4:444; PEK 837; VP 5:298.

Petasites

Checklist contributor: Kenton Chambers, Scott Sundberg, 3/17/1995

Flora of Oregon author: Stephen Meyers

Petasites fragrans (Vill.) C. Presl

Common names: fragrant coltsfoot

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018

FOO 2:325 uncertain status; FPN2 603.

Petasites frigidus (L.) Fr. var. ***frigidus***

Common names: alpine coltsfoot

Origin: native Voucher: OSC, most recently collected in 2019

FN 20:638; FOO 2:325; FPN 541 excluded; FPN2 604; IL 4:454; VP 5:273.

Synonyms:

***Petasites frigidus* (L.) Fr. var. *nivalis* (Greene) Cronquist**

FN 20:638 synonym for *Petasites frigidus* var. *frigidus*; FPN 541; IL 4:455; PEK 830; VP 5:273.

Petasites frigidus (L.) Fr. var. ***palmatus*** (Aiton) Cronquist

Common names: sweet coltsfoot, western coltsfoot

Origin: native Voucher: OSC, most recently collected in 2024

FN 20:638; FOO 2:325; FPN 541; FPN2 604; IL 4:455; JPM 324; JPM2 401; VP 5:273.

Synonyms:

***Petasites speciosus* (Nutt.) Piper**

FN 20:638 synonym for *Petasites frigidus* var. *palmatus*; FPN 541 synonym for *Petasites frigidus* var. *palmatus*; PEK 829.

Petasites japonicus (Siebold & Zucc.) Maxim.

Common names: Japanese coltsfoot

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FOO 2:325 uncertain status; FPN2 604.

Pleiacanthus

Checklist contributor: Kenton Chambers, 10/17/2001

Flora of Oregon author: Kenton Chambers

Pleiacanthus spinosus (Nutt.) Rydb.

Common names: spiny skeletonweed

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 2009A ; FN 19:361; FOO 2:325; FPN2 605; JPM2 402; Tomb, 1974 .

Synonyms:

***Lygodesmia spinosa* Nutt.**

FN 19:361 synonym for *Pleiacanthus spinosus*; FOO 2:325 synonym for *Pleiacanthus spinosus*; FPN 537; IL 4:568; IN 5:443; PEK 869; VP 5:258.

***Stephanomeria spinosa* (Nutt.) Tomb**

FN 19:361 synonym for *Pleiacanthus spinosus*; FOO 2:325 synonym for *Pleiacanthus spinosus*; JPM 348; KZ 1:136; Tomb, 1974 .

Prenanthella

Checklist contributor: Kenton Chambers, 1/1/2009

Flora of Oregon author: Kenton Chambers

Prenanthella exigua (A. Gray) Rydb.

Common names: brightwhite

Origin: native Voucher: OSC, most recently collected in 2002

Chambers, 2009A ; FN 19:360; FOO 2:326; JPM 328; JPM2 404.

Synonyms:

***Lygodesmia exigua* (A. Gray) A. Gray**

FN 19:360 synonym for *Prenanthella exigua*; FOO 2:326 synonym for *Prenanthella exigua*; IL 4:568; IN 5:443; JPM 328 synonym for *Prenanthella exigua*.

Pseudognaphalium

Checklist contributor: Kenton Chambers, 7/20/2009

Flora of Oregon author: Kenton Chambers

Pseudognaphalium californicum (DC.) Anderb.

Common names: California cudweed, California everlasting

Origin: native Voucher: OSC, most recently collected in 2020

FN 19:423; FOO 2:327; FPN2 605; JPM2 406.

Synonyms:

***Gnaphalium californicum* DC.**

FN 19:423 synonym for *Pseudognaphalium californicum*; FOO 2:327 synonym for *Pseudognaphalium californicum*; FPN 522; IL 4:470; JPM 271; PEK 796; VP 5:202.

Pseudognaphalium luteoalbum (L.) Hilliard & B.L. Burtt

Common names: weedy cudweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 19:418; FOO 2:327; FPN2 605; JPM2 406.

Synonyms:

***Gnaphalium luteo-album* L.**

FPN 522; IL 4:469; IN 5:364; JPM 271; VP 5:203.

Pseudognaphalium macounii (Greene) Kartesz

Common names: sticky cudweed, winged cudweed

Origin: native Voucher: OSC, most recently collected in 1970

FN 19:421; FOO 2:327; FPN2 605; JPM2 406.

Synonyms:

***Gnaphalium macounii* Greene**

FN 19:421 synonym for *Pseudognaphalium macounii*; FOO 2:327 synonym for *Pseudognaphalium macounii*; FPN 522 synonym for *Gnaphalium viscosum*; IL 4:472; IN 5:366; McVaugh, 1972 ; PEK 796.

Misapplied names:

***Gnaphalium viscosum* Kunth**

FN 19:422 synonym for *Pseudognaphalium viscosum*; FPN 522; VP 5:204.

***Pseudognaphalium viscosum* (Kunth) W.A. Weber**

FN 19:422.

Pseudognaphalium stramineum Kunth

Common names: cotton batting cudweed, cotton batting plant

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:418; FOO 2:327; FPN2 605; JPM2 406.

Synonyms:

***Gnaphalium chilense* Spreng.**

FN 19:418 synonym for *Pseudognaphalium stramineum*; FOO 2:327 synonym for *Pseudognaphalium stramineum*; FPN 523; GWM 366; IL 4:469; PEK 796; VP 5:202.

***Gnaphalium stramineum* Kunth**

FN 19:418 synonym for *Pseudognaphalium stramineum*; FOO 2:327 synonym for *Pseudognaphalium stramineum*; IN 5:364; JPM 271; Stafleu & Cowan, 1986 .

Pseudognaphalium thermale (E. Nelson) G.L. Nesom

Common names: northwestern rabbit-tobacco, Wright's cudweed

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:419; FOO 2:327; FPN2 605; JPM2 407.

Synonyms:

***Gnaphalium canescens* DC. ssp. *thermale* (E.E. Nelson) Stebbins & D.J. Keil**

FN 19:419 synonym for *Pseudognaphalium thermale*; FOO 2:327 synonym for *Pseudognaphalium thermale*; JPM 271.

***Gnaphalium microcephalum* Nutt.**

FN 19:419 synonym for *Pseudognaphalium microcephalum*; FOO 2:327 synonym for *Pseudognaphalium thermale*; FPN 523; IL 4:469; IN 5:364; VP 5:203.

***Gnaphalium microcephalum* Nutt. var. *thermale* (E.E. Nelson) Cronquist**

FN 19:419 synonym for *Pseudognaphalium thermale*; FOO 2:327 synonym for *Pseudognaphalium thermale*; FPN 523; GWM 366; IN 5:364; PEK 796; VP 5:203.

***Gnaphalium thermale* E.E. Nelson**

FN 19:419 synonym for *Pseudognaphalium thermale*; FOO 2:327 synonym for *Pseudognaphalium thermale*; FPN 523 synonym for *Gnaphalium microcephalum* var. *thermale*; IL 4:469.

Psilocarphus

Checklist contributor: Kenton Chambers, 3/17/1995

Flora of Oregon author: Kenton Chambers

Psilocarphus brevissimus Nutt.

FN 19:458; FPN 542; IN 5:360; JPM 329; PEK 795; VP 5:276.

Psilocarphus brevissimus Nutt. var. ***brevissimus***

Common names: dwarf woollyheads

Origin: native Voucher: OSC, most recently collected in 2010

FN 19:458; FOO 2:328; FPN 542; FPN2 606; IL 4:492; JPM 329; JPM2 407.

Psilocarphus elatior (A. Gray) A. Gray

Common names: tall woollyheads

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:458; FOO 2:329; FPN 542; FPN2 606; IL 4:492; JPM 329; JPM2 407; PEK 795; VP 5:276.

Psilocarphus oregonus Nutt.

Common names: Oregon woollyheads

Origin: native Voucher: OSC, most recently collected in 2018

FN 19:459; FOO 2:329; FPN 542; FPN2 606; IL 4:493; IN 5:360; JPM 329; JPM2 407; PEK 795; VP 5:277.

Psilocarphus tenellus Nutt.

Common names: slender woollyheads

Origin: native Voucher: OSC, most recently collected in 2024

FN 19:459; FOO 2:329; FPN 542; FPN2 606; JPM 329; JPM2 408; PEK 795; VP 5:277.

Synonyms:

Psilocarphus tenellus* Nutt. var. *tenellus

FOO 2:329 synonym for *Psilocarphus tenellus*; FPN 542; IL 4:493; JPM 329.

Pyrrocoma

Checklist contributor: Kenton Chambers, Scott Sundberg, 4/29/2009

Flora of Oregon author: Kenton Chambers

Pyrrocoma carthamoides Hook. var. ***carthamoides***

Common names: large-flowered goldenweed, Columbia goldenweed

Origin: native Voucher: OSC, most recently collected in 2004

FN 20:415; FOO 2:330; FPN 526 synonym for *Haplopappus carthamoides* var. *carthamoides*; FPN2 606.

Synonyms:

Haplopappus carthamoides* (Hook.) A. Gray ssp. *carthamoides

FOO 2:330 synonym for *Pyrrocoma carthamoides var. carthamoides*; IL 4:272.

Haplopappus carthamoides* (Hook.) A. Gray var. *carthamoides

FN 20:415 synonym for *Pyrrocoma carthamoides*; FOO 2:330 synonym for *Pyrrocoma carthamoides var. carthamoides*; FPN 526; GWM 368; IN 5:205; PEK 770; VP 5:215.

***Haplopappus carthamoides* (Hook.) A. Gray ssp. *rigidus* (Rydb.) H.M. Hall**

FN 20:415 synonym for *Pyrrocoma carthamoides* var. *carthamoides*; FOO 2:330 synonym for *Pyrrocoma carthamoides var. carthamoides*; PEK 770.

Pyrrocoma carthamoides Hook. var. ***cusickii*** (A. Gray) Kartesz & Gandhi

Common names: Cusick's goldenweed

Origin: native Voucher: OSC, most recently collected in 2020

FN 20:415; FOO 2:330; FPN 526 synonym for *Haplopappus carthamoides* var. *cusickii*; FPN2 606; JPM 331; JPM2 410.

Synonyms:

***Haplopappus carthamoides* (Hook.) A. Gray ssp. *cusickii* (A. Gray) H.M. Hall**

FN 20:415 synonym for *Pyrrocoma carthamoides* var. *cusickii*; FOO 2:330 synonym for *Pyrrocoma carthamoides var. cusickii*; IL 4:272.

***Haplopappus carthamoides* (Hook.) A. Gray var. *cusickii* A. Gray**

FN 20:415 synonym for *Pyrrocoma carthamoides* var. *cusickii*; FOO 2:330 synonym for *Pyrrocoma carthamoides var. cusickii*; FPN 526; GWM 368; IN 5:205; PEK 770; VP 5:215.

Pyrrocoma hirta (A. Gray) Greene

Common names: tacky goldenweed

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 2009A ; FN 20:417; FOO 2:330; FPN 526 synonym for *Haplopappus hirtus*; JPM 331.

Synonyms:

***Haplopappus hirtus* A. Gray**

FN 20:417 synonym for *Pyrrocoma hirta*; FOO 2:330 synonym for *Pyrrocoma hirta*; FPN 526; GWM 369; IN 5:210.

Haplopappus hirtus* A. Gray ssp. *hirtus

FN 20:417-418 synonym for *Pyrrocoma hirta* var. *hirta*; FOO 2:330 synonym for *Pyrrocoma hirta*; IL 4:274; PEK 771.

Haplopappus hirtus* A. Gray var. *hirtus

FN 20:418 synonym for *Pyrrocoma hirta* var. *hirta*; FOO 2:330 synonym for *Pyrrocoma hirta*; FPN 526; VP 5:216.

***Haplopappus hirtus* A. Gray ssp. *lanulosa* (Greene) H.M. Hall**

PEK 771.

***Haplopappus hirtus* A. Gray ssp. *lanulosus* (Greene) H.M. Hall**

FN 20:418 synonym for *Pyrrocoma hirta* var. *lanulosa*; FOO 2:330 synonym for *Pyrrocoma hirta*; IL 4:274; IN 5:210 synonym for *Haplopappus hirtus*.

***Haplopappus hirtus* A. Gray var. *lanulosus* (Greene) M. Peck**

FN 20:418 synonym for *Pyrrocoma hirta* var. *lanulosa*; FOO 2:330 synonym for *Pyrrocoma hirta*; FPN 526; IN 5:210 synonym for *Haplopappus hirtus*; VP 5:216.

***Haplopappus hirtus* A. Gray ssp. *sonchifolius* (Greene) H.M. Hall**

FN 20:418 synonym for *Pyrrocoma hirta* var. *sonchifolia*; FOO 2:330 synonym for *Pyrrocoma hirta*; IL 4:274; IN 5:210 synonym for *Haplopappus hirtus*; PEK 771.

***Haplopappus hirtus* A. Gray var. *sonchifolius* (Greene) M. Peck**

FN 20:418 synonym for *Pyrrocoma hirta* var. *sonchifolia*; FOO 2:330 synonym for *Pyrrocoma hirta*; FPN 526; IN 5:210 synonym for *Haplopappus hirtus*; VP 5:216.

***Haplopappus subviscosus* (Greene) S.F. Blake**

FN 20:420 synonym for *Pyrrocoma lanceolata* var. *subviscosa*; FOO 2:330 synonym for *Pyrrocoma hirta*; PEK 771.

Pyrrocoma hirta* (A. Gray) Greene var. *hirta

FN 20:418; FOO 2:330 synonym for *Pyrrocoma hirta*; FPN 526 synonym for *Haplopappus hirtus* var. *hirtus*; FPN2 607; JPM 331; JPM2 410.

***Pyrrocoma hirta* (A. Gray) Greene var. *lanulosa* (Greene) Mayes ex G.K. Br. & D.J. Keil**

FN 20:418; FOO 2:330 synonym for *Pyrrocoma hirta*; FPN 526 synonym for *Haplopappus hirtus* var. *lanulosus*; FPN2 607; JPM 331; JPM2 410.

***Pyrrocoma hirta* (A. Gray) Greene var. *sonchifolia* (Greene) Kartesz & Gandhi**

FN 20:418; FOO 2:330 synonym for *Pyrrocoma hirta*; FPN 526 synonym for *Haplopappus hirtus* var. *sonchifolius*; FPN2 607.

***Pyrrocoma lanceolata* (Hook.) Greene var. *subviscosa* (Greene) Mayes ex G.K. Br. & D.J.**

FN 20:420; FOO 2:330 synonym for *Pyrrocoma hirta*; IN 5:210 synonym for *Haplopappus hirtus*; JPM 331; JPM2 410.

Pyrrocoma howellii (A. Gray) Greene

Common names: marsh goldenweed, linear pyrrocoma, thinleaf goldenweed

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 2009B ; FN 20:424 synonym for *Pyrrocoma uniflora* var. *uniflora*; FOO 2:331; IL 4:274 synonym for *Haplopappus uniflorus*; IN 5:206 synonym for *Haplopappus uniflorus*.

Synonyms:

***Haplopappus uniflorus* (Hook.) Torr. & A. Gray ssp. *howellii* (A. Gray) H.M. Hall**

FN 20:424 synonym for *Pyrrocoma uniflora* var. *uniflora*; FOO 2:331 synonym for *Pyrrocoma howellii*; PEK 771.

***Haplopappus uniflorus* (Hook.) Torr. & A. Gray var. *howellii* (A. Gray) M. Peck**

FN 20:424 synonym for *Pyrrocoma uniflora* var. *uniflora*; FOO 2:331 synonym for *Pyrrocoma howellii*; IN 5:206.

***Haplopappus uniflorus* (Hook.) Torr. & A. Gray ssp. *linearis* D.D. Keck**

FN 20:421 synonym for *Pyrrocoma linearis*; FOO 2:331 synonym for *Pyrrocoma howellii*; IL 4:274.

***Pyrrocoma linearis* (D.D. Keck) Kartesz & Gandhi**

Chambers, 2009A ; Chambers, 2009B ; FN 20:421; FOO 2:331 synonym for *Pyrrocoma howellii*; KZ 1:125.

Pyrrocoma lanceolata (Hook.) Greene

Common names: lanceleaf goldenweed

Origin: native Voucher: OSC, most recently collected in 2025

Chambers, 2009A ; FN 20:419; FOO 2:331; FPN 527 synonym for *Haplopappus lanceolatus*; JPM 331.

Synonyms:

***Haplopappus lanceolatus* (Hook.) Torr. & A. Gray**

FN 20:419 synonym for *Pyrrocoma lanceolata*; FOO 2:331 synonym for *Pyrrocoma lanceolata*; FPN 527; GWM 369; IN 5:208; PEK 770; VP 5:218.

Haplopappus lanceolatus* (Hook.) Torr. & A. Gray ssp. *lanceolatus

FN 20:419 synonym for *Pyrrocoma lanceolata* var. *lanceolata*; FOO 2:331 synonym for *Pyrrocoma lanceolata*; IL 4:275; PEK 770.

***Haplopappus lanceolatus* (Hook.) Torr. & A. Gray ssp. *tenuicaulis* (D.C. Eaton) H.M. Hall**

FN 20:419 synonym for *Pyrrocoma lanceolata* var. *lanceolata*; FOO 2:331 synonym for *Pyrrocoma lanceolata*; IL 4:275; PEK 770.

Pyrrocoma lanceolata* (Hook.) Greene var. *lanceolata

FN 20:419; FOO 2:331 synonym for *Pyrrocoma lanceolata*; FPN2 607; JPM 331; JPM2 410.

Pyrrocoma racemosa (Nutt.) Torr. & A. Gray var. ***congesta*** (Greene) Mayes ex G.K. Br. & D.J. Keil

Common names: serpentine goldenweed

Origin: native Voucher: OSC, most recently collected in 1990

FN 20:422; FOO 2:331; JPM 331; JPM2 410.

Synonyms:

***Haplopappus racemosus* (Nutt.) Torr. ssp. *congestus* (Greene) H.M. Hall**

FN 20:422 synonym for *Pyrrocoma racemosa* var. *congesta*; FOO 2:331 synonym for *Pyrrocoma racemosa var. congesta*; IL 4:276; PEK 770.

Pyrrocoma racemosa (Nutt.) Torr. & A. Gray var. ***paniculata*** (Nutt.) Kartesz & Gandhi

Common names: panicled goldenweed

Origin: native Voucher: OSC, most recently collected in 2004

FN 20:422; FOO 2:331; FPN2 608; JPM 331; JPM2 410.

Synonyms:

***Haplopappus racemosus* (Nutt.) Torr. ssp. *brachycephalus* (A. Nelson) H.M. Hall**

FN 20:422 synonym for *Pyrrocoma racemosa* var. *paniculata*; FOO 2:331 synonym for *Pyrrocoma racemosa var. paniculata*; PEK 770.

***Haplopappus racemosus* (Nutt.) Torr. ssp. *duriusculus* (Greene) H.M. Hall**

FN 20:422 synonym for *Pyrrocoma racemosa* var. *paniculata*; FOO 2:331 synonym for *Pyrrocoma racemosa var. paniculata*; PEK 770.

***Haplopappus racemosus* (Nutt.) Torr. ssp. *glomeratus* (Nutt.) H.M. Hall**

FN 20:422 synonym for *Pyrrocoma racemosa* var. *paniculata*; FOO 2:331 synonym for *Pyrrocoma racemosa var. paniculata*; IL 4:276; PEK 770.

***Haplopappus racemosus* (Nutt.) Torr. var. *glomerellus* A. Gray**

FN 20:422 synonym for *Pyrrocoma racemosa* var. *paniculata*; FOO 2:331 synonym for *Pyrrocoma racemosa var. paniculata*; FPN 527; VP 5:223.

***Haplopappus racemosus* (Nutt.) Torr. ssp. *halophilus* (Greene) H.M. Hall**

FN 20:422 synonym for *Pyrrocoma racemosa* var. *paniculata*; FOO 2:331 synonym for *Pyrrocoma racemosa var. paniculata*; PEK 770.

***Haplopappus racemosus* (Nutt.) Torr. var. *paniculatus* (Nutt.) Cronquist**

FOO 2:331 synonym for *Pyrrocoma racemosa var. paniculata*; IN 5:210.

Pyrrocoma racemosa (Nutt.) Torr. & A. Gray var. ***racemosa***

Common names: clustered goldenweed, racemose pyrrocoma, racemed goldenweed

Origin: native Voucher: OSC, most recently collected in 2022

FN 20:422; FOO 2:331; FPN 527 synonym for *Haplopappus racemosus* var. *racemosus*; FPN2 608; JPM 331; JPM2 410.

Synonyms:

Haplopappus racemosus* (Nutt.) Torr. ssp. *racemosus

FN 20:422 synonym for *Pyrrocoma racemosa* var. *racemosa*; FOO 2:331 synonym for *Pyrrocoma racemosa var. racemosa*; IL 4:276; PEK 770.

Haplopappus racemosus* (Nutt.) Torr. var. *racemosus

FN 20:422 synonym for *Pyrrocoma racemosa* var. *racemosa*; FOO 2:331 synonym for *Pyrrocoma racemosa var. racemosa*; FPN 527; IN 5:212; VP 5:223.

Pyrrocoma radiata Nutt.

Common names: Snake River goldenweed

Origin: native Voucher: OSC, most recently collected in 2016

FN 20:423; FOO 2:332; FPN 526 synonym for *Haplopappus radiatus*; FPN2 606.

Synonyms:

***Haplopappus carthamoides* (Hook.) A. Gray var. *maximus* A. Gray**

FN 20:423 synonym for *Pyrrocoma radiata*; FOO 2:332 synonym for *Pyrrocoma radiata*; FPN 526 synonym for *Haplopappus radiatus*; PEK 770.

***Haplopappus radiatus* (Nutt.) Cronquist**

FN 20:423 synonym for *Pyrrocoma radiata*; FOO 2:332 synonym for *Pyrrocoma radiata*; FPN 526; IL 4:272; IN 5:205; VP 5:223.

Pyrrocoma scaberula Greene

Common names: scabrous goldenweed, Palouse goldenweed

Origin: native Voucher: OSC, most recently collected in 2011

Chambers, 2009B ; FOO 2:332; FPN 527 synonym for *Haplopappus liatriformis*; FPN2 607; Smith et al., 2010 ; Willis, 2025 .

Pyrrocoma uniflora (Hook.) Greene

Common names: plantain goldenweed, one-flowered goldenweed

Origin: native Voucher: OSC, most recently collected in 2009

Chambers, 2009A ; FN 20:423; FOO 2:332; FPN 526 synonym for *Haplopappus uniflorus*; JPM 331.

Synonyms:

Haplopappus uniflorus* (Hook.) Torr. & A. Gray ssp. *uniflorus

FN 20:424 synonym for *Pyrrocoma uniflora* var. *uniflora*; FOO 2:332 synonym for *Pyrrocoma uniflora*; IL 4:274; PEK 771.

Haplopappus uniflorus* (Hook.) Torr. & A. Gray var. *uniflorus

FN 20:424 synonym for *Pyrrocoma uniflora* var. *uniflora*; FOO 2:332 synonym for *Pyrrocoma uniflora*; FPN 526; IN 5:208; VP 5:225.

Pyrrocoma uniflora* (Hook.) Greene var. *uniflora

FN 20:424; FOO 2:332 synonym for *Pyrrocoma uniflora*; FPN 526 synonym for *Haplopappus uniflorus* var. *uniflorus*; FPN2 607; JPM 331; JPM2 410.

Rafinesquia

Checklist contributor: Kenton Chambers, 1/1/1994

Flora of Oregon author: Kenton Chambers

Rafinesquia californica Nutt.

Common names: California chicory, desert plumeseed

Origin: native Voucher: OSC, most recently collected in 2000

FN 19:349; FOO 2:333; IL 4:575; IN 5:438; JPM 332; JPM2 411; PEK 852.

Raillardella

Checklist contributor: Kenton Chambers, 3/17/1995
Flora of Oregon author: Bruce Baldwin, Gerald Carr

Raillardella argentea (A. Gray) A. Gray

Common names: silky raillardella
Origin: native Voucher: OSC, most recently collected in 2017
FN 21:257; FOO 2:333; FPN 543; FPN2 608; IL 4:430; IN 5:101; JPM 332; JPM2 411; PEK 829; VP 5:278.

Raillardella scaposa (A. Gray) A. Gray

Common names: stem raillardella, green leaf raillardella
Origin: native Voucher: OSC, most recently collected in 2012
FN 21:257; FOO 2:333; FPN 543; FPN2 608; IL 4:428; JPM 332; JPM2 411; PEK 829.

Rainiera

Checklist contributor: Kenton Chambers, 3/15/1995
Flora of Oregon author: Kenton Chambers

Rainiera stricta (Greene) Greene

Common names: rainiera, tongue-leaved luina
Origin: native Voucher: OSC, most recently collected in 2021
Chambers, 2009A ; FN 20:628; FOO 2:334; FPN 536 synonym for *Luina stricta*; FPN2 608; IL 4:458 synonym for *Luina stricta*; Strother, 1978 .

Synonyms:

***Luina stricta* (Greene) B.L. Rob.**

FN 20:628 synonym for *Rainiera stricta*; FOO 2:334 synonym for *Rainiera stricta*; FPN 536; IL 4:458; PEK 830; VP 5:258.

Rhaponticum

Checklist contributor:
Flora of Oregon author: treatment pending

Rhaponticum repens (L.) Hidalgo

Common names: Russian knapweed, Turkestan thistle
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FPN2 609.

Synonyms:

***Acroptilon repens* (L.) DC.**

FN 19:172; FOO 2:164; JPM 189; JPM2 231.

***Centaurea repens* L.**

FN 19:172 synonym for *Acroptilon repens*; FOO 2:164 synonym for *Acroptilon repens*; FPN 499; IL 4:541; IN 5:416; PEK 847; VP 5:119.

Rigiopappus

Checklist contributor: Kenton Chambers, 3/17/1995
Flora of Oregon author: Kenton Chambers

Rigiopappus leptocladus A. Gray

Common names: bristlehead
Origin: native Voucher: OSC, most recently collected in 2017
FN 20:49; FOO 2:334; FPN 543; FPN2 609; IL 4:235; IN 5:66; JPM 334; JPM2 412; PEK 817; VP 5:279.

Rudbeckia

Checklist contributor: Kenton Chambers, 3/3/1995
Flora of Oregon author: Kenton Chambers

Rudbeckia alpicola Piper

Common names: Wenatchee Mountains coneflower

Origin: native Voucher: OSC, most recently collected in 1986

FN 21:47; FOO 2:335; FPN2 609.

Rudbeckia glaucescens Eastw.

Common names: waxy coneflower

Origin: native Voucher: OSC, most recently collected in 2013

FN 21:48; FOO 2:335; IL 4:118 synonym for *Rudbeckia californica* var. *glauca*; JPM2 414.

Synonyms:

***Rudbeckia californica* A. Gray**

FN 21:48; FOO 2:335 synonym for *Rudbeckia glaucescens*; JPM 334; JPM2 414; PEK 802.

***Rudbeckia californica* A. Gray var. *glauca* S.F. Blake**

FN 21:48 synonym for *Rudbeckia glaucescens*; FOO 2:335 synonym for *Rudbeckia glaucescens*; IL 4:118; JPM 334.

Rudbeckia hirta L.

FN 21:57; FPN 544; VP 5:280.

Rudbeckia hirta L. var. ***pulcherrima*** Farw.

Common names: black-eyed Susan

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1903

FN 21:58; FOO 2:335 uncertain status; FPN 544; FPN2 610; IL 4:117; JPM 334; JPM2 414.

Rudbeckia occidentalis Nutt.

Common names: western coneflower

Origin: native Voucher: OSC, most recently collected in 2021

FN 21:51; FOO 2:335; FPN 543; FPN2 609; GWM 376; IL 4:118; JPM2 414; PEK 802; VP 5:280.

Synonyms:

Rudbeckia occidentalis* Nutt. var. *occidentalis

FN 21:51 synonym for *Rudbeckia occidentalis*; FOO 2:335 synonym for *Rudbeckia occidentalis*; FPN 543; IN 5:42; JPM 334; KZ 1:127; VP 5:280.

Misapplied names:

***Rudbeckia occidentalis* Nutt. var. *montana* (A. Gray) Perdue**

FN 21:51 synonym for *Rudbeckia montana*; IN 5:42.

Saussurea

Checklist contributor: Kenton Chambers, 3/3/1995

Flora of Oregon author: Kenton Chambers

Saussurea americana D.C. Eaton

Common names: American saw-wort

Origin: native Voucher: OSC, most recently collected in 2019

FN 19:166; FOO 2:336; FPN 544; FPN2 610; GWM 376; IL 4:509; JPM 335; JPM2 414; PEK 848; VP 5:282.

Senecio

Checklist contributor: Kenton Chambers, 2/26/1996

Flora of Oregon author: Debra Trock

Senecio* × *albescens Burb.& Colgan

Common names: dusty ragwort

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

Synonyms:

***Jacobaea* × *albescens* (Burb. & Colgan) Verloove & Lambinon**

Senecio aronicoides DC.

Common names: rayless groundsel, rayless ragwort

Origin: native Voucher: OSC, most recently collected in 1973

Chambers, 1996A ; FN 20:556; FOO 2:338; IL 4:438; JPM 337; JPM2 417.

Senecio cineraria DC.

Common names: dusty miller

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2011

FN 20:545 synonym for *Senecio bicolor*.

Synonyms:

Jacobaea maritima **(L.) Pelser & Meijden**

FPN2 591.

Senecio crassulus A. Gray

Common names: mountain meadow butterweed, thick-leaved groundsel

Origin: native Voucher: OSC, most recently collected in 2018

FN 20:551; FOO 2:338; FPN 545; FPN2 612; IL 4:436; IN 5:170; VP 5:286.

Synonyms:

Senecio crassulus **A. Gray var.** ***cusickii*** **(Piper) Greenm. ex M. Peck**

PEK 840.

Senecio ertterae T.M. Barkley

Common names: Ertter's groundsel

Origin: native Voucher: OSC, most recently collected in 2013

Chambers, 1996A ; FN 20:561; FOO 2:338; IN 5:188; Willis, 2025 .

Senecio fremontii Torr. & A. Gray

FN 20:564; FPN 545; GWM 379; JPM 338; PEK 840; VP 5:289.

Senecio fremontii Torr. & A. Gray var. ***fremontii***

Common names: dwarf mountain ragwort

Origin: native Voucher: OSC, most recently collected in 2002

FN 20:564; FOO 2:339; FPN 545; FPN2 611; IL 4:434; IN 5:172; JPM 338; JPM2 417.

Senecio hydrophiloides Rydb.

Common names: stout meadow groundsel, sweet marsh butterweed

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 1996A ; FN 20:558; FOO 2:339; FPN 546 synonym for *Senecio foetidus* var. *hydrophiloides*; FPN2 612; IL 4:438 synonym for *Senecio foetidus* var. *hydrophiloides*; IN 5:176; JPM 338; JPM2 417; PEK 840; VP 5:290.

Synonyms:

Senecio foetidus **Howell var.** ***foetidus***

FOO 2:339 synonym for *Senecio hydrophiloides*; FPN 546; IL 4:438; VP 5:289.

Senecio foetidus **Howell var.** ***hydrophiloides*** **(Rydb.) T.M. Barkley**

FN 20:558 synonym for *Senecio hydrophiloides*; FOO 2:339 synonym for *Senecio hydrophiloides*; FPN 546; IL 4:438.

Senecio oreganus **Howell**

FN 20:558 synonym for *Senecio hydrophiloides*; FOO 2:339 synonym for *Senecio hydrophiloides*; IL 4:440.

Senecio hydrophilus Nutt.

Common names: alkali marsh butterweed, water groundsel

Origin: native Voucher: OSC, most recently collected in 2013

FN 20:557; FOO 2:339; FPN 546; FPN2 612; IL 4:438; IN 5:176; JPM 340; JPM2 418; PEK 840; VP 5:292.

Senecio integerrimus Nutt.

Chambers, 1996A ; FN 20:556; FOO 2:339; FPN 548; IN 5:176; JPM 340.

Senecio integerrimus Nutt. var. ***exaltatus*** (Nutt.) Cronquist

Common names: tall western groundsel, lambstongue groundsel, Columbia ragwort

Origin: native Voucher: OSC, most recently collected in 2023

FN 20:557; FOO 2:340; FPN 548; FPN2 612; GWM 379; IL 4:437; JPM 340; JPM2 418; PEK 839; VP 5:293.

Synonyms:

***Senecio integerrimus* Nutt. var. *vaseyi* (Greenm.) Cronquist**

FN 20:557 synonym for *Senecio integerrimus* var. *exaltatus*; FOO 2:340 synonym for *Senecio integerrimus var. exaltatus*; FPN 548; IL 4:438; VP 5:293.

***Senecio vaseyi* Greenm.**

FN 20:557 synonym for *Senecio integerrimus* var. *exaltatus*; FOO 2:340 synonym for *Senecio integerrimus var. exaltatus*; IL 4:438 synonym for *Senecio integerrimus* var. *vaseyi*; PEK 839.

Senecio integerrimus Nutt. var. ***major*** (A. Gray) Cronquist

Common names: bigheaded groundsel

Origin: native Voucher: OSC, most recently collected in 2001

FN 20:557; FOO 2:340; IL 4:438; JPM 340; JPM2 418.

Senecio integerrimus Nutt. var. ***ochroleucus*** (A. Gray) Cronquist

Common names: white western groundsel

Origin: native Voucher: OSC, most recently collected in 2011

FN 20:557; FOO 2:340; FPN 548; FPN2 612; IL 4:438; JPM 340; JPM2 418; PEK 840; VP 5:293.

Senecio jacobaea L.

Common names: tansy ragwort, stinking willie

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 20:568; FOO 2:340; FPN 545; IL 4:450; JPM 340; JPM2 418; PEK 836; VP 5:294.

Synonyms:

***Jacobaea vulgaris* Gaertn.**

FPN2 591; Pelser et al., 2002 ; Pelser et al., 2003 ; Pelser et al., 2004 ; Pelser et al., 2006 .

Senecio serra Hook.

FN 20:566; FPN 545; GWM 380; IL 4:436; PEK 839; VP 5:298.

Senecio serra Hook. var. ***serra***

Common names: tall ragwort, butterweed groundsel, tall butterweed

Origin: native Voucher: OSC, most recently collected in 2017

FN 20:567; FOO 2:340; FPN 545; FPN2 611; IN 5:169; JPM 342; JPM2 420.

Senecio sphaerocephalus Greene

Common names: mountain marsh butterweed, ballhead ragwort

Origin: native Voucher: OSC, most recently collected in 2002

Chambers, 1996A ; FN 20:555; FOO 2:340; FPN 548; FPN2 613; GWM 380; IL 4:440; IN 5:178; PEK 840; VP 5:298.

Senecio sylvaticus L.

Common names: woodland ragwort, wood groundsel

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 20:563; FOO 2:341; FPN 544; FPN2 610; IL 4:452; JPM 342; JPM2 420; PEK 836; VP 5:300.

Senecio triangularis Hook.

Common names: arrowleaf groundsel

Origin: native Voucher: OSC, most recently collected in 2021

Chambers, 1996A ; FN 20:566; FOO 2:341; FPN 545; GWM 380; IN 5:170; JPM 342; JPM2 420; VP 5:300.

Synonyms:

***Senecio gibbonsii* Greene**

FN 20:566 synonym for *Senecio triangularis*; FOO 2:341 synonym for *Senecio triangularis*; IL 4:436.

***Senecio triangularis* Hook. var. *angustifolius* G.N. Jones**

Chambers, 1996A ; FN 20:566 synonym for *Senecio triangularis*; FOO 2:341 synonym for *Senecio triangularis*; FPN 545; IL 4:436; Love, 2004 ; PEK 839.

Senecio triangularis* Hook. var. *triangularis

Chambers, 1996A ; FN 20:566 synonym for *Senecio triangularis*; FOO 2:341 synonym for *Senecio triangularis*; FPN 545; FPN2 611; IL 4:436; PEK 839.

Senecio viscosus L.

Common names: stickly groundsel

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1915

FOO 2:337 uncertain status; FPN2 610.

Senecio vulgaris L.

Common names: common groundsel, old-man-in-the-spring

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 20:562; FOO 2:342; FPN 544; FPN2 610; IL 4:452; IN 5:188; JPM 342; JPM2 420; PEK 836; VP 5:301.

Sericocarpus

Checklist contributor: Kenton Chambers, 4/1/2008

Flora of Oregon author: Kenton Chambers

Sericocarpus oregonensis Nutt. ssp. ***oregonensis***

Common names: Oregon white-topped aster

Origin: native Voucher: OSC, most recently collected in 2015

FN 20:104; FOO 2:342; FPN2 613; IL 4:310; JPM2 420.

Synonyms:

***Aster oregonensis* (Nutt.) Cronquist**

FN 20:104 synonym for *Sericocarpus oregonensis*; FOO 2:342 synonym for *Sericocarpus oregonensis ssp. oregonensis*; FPN 491; IL 4:310 synonym for *Sericocarpus oregonensis*; JPM 208; PEK 781; VP 5:91.

Aster oregonensis* (Nutt.) Cronquist ssp. *oregonensis

FN 20:104; FOO 2:342 synonym for *Sericocarpus oregonensis ssp. oregonensis*; KZ 1:73.

Sericocarpus rigidus Lindl.

Common names: rigid white-topped aster

Origin: native Voucher: OSC, most recently collected in 1998

Chambers, 2009A ; FN 20:104; FOO 2:342; FPN 490 synonym for *Aster curtus*; FPN2 613; IL 4:310.

Synonyms:

***Aster curtus* Cronquist**

Chambers, 1996A ; FN 20:104 synonym for *Sericocarpus rigidus*; FOO 2:342 synonym for *Sericocarpus rigidus*; FPN 490; IL 4:310 synonym for *Sericocarpus rigidus*; VP 5:80.

Silybum

Checklist contributor: Scott Sundberg, 3/29/1995

Flora of Oregon author: Kenton Chambers

Silybum marianum (L.) Gaertn.

Common names: milk thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 19:164; FOO 2:343; FPN 549; FPN2 613; IL 4:510; JPM 342; JPM2 420; PEK 846; VP 5:303.

Solidago

Checklist contributor: Kenton Chambers, 8/13/2009

Flora of Oregon author: Kenton Chambers

Solidago elongata Nutt.

Common names: West Coast goldenrod, narrow goldenrod

Origin: native Voucher: OSC, most recently collected in 2024

FN 20:154; FOO 2:345; FPN 550 synonym for *Solidago canadensis* var. *salebrosa*; FPN2 615; JPM2 421.

Synonyms:

***Solidago canadensis* L. ssp. *elongata* (Nutt.) D.D. Keck**

FN 20:154 synonym for *Solidago elongata*; FOO 2:345 synonym for *Solidago elongata*; IL 4:292; JPM 343.

***Solidago canadensis* L. var. *elongata* (Nutt.) M. Peck**

PEK 774.

***Solidago canadensis* L. var. *salebrosa* (Piper) M.E. Jones**

in part

FOO 2:345 ambiguous synonym for *Solidago elongata*.

Misapplied names:

***Solidago canadensis* L.**

FOO 2:345 ambiguous synonym for *Solidago elongata*.

***Solidago lepida* DC.**

Solidago gigantea Aiton

Common names: giant goldenrod, smooth goldenrod

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 1997B ; FN 20:156; FOO 2:345; FPN 550; FPN2 614; IL 4:294; IN 5:250; JPM 343; PEK 775; VP 5:306.

Synonyms:

***Solidago gigantea* Aiton var. *serotina* (Kuntze) Cronquist**

FN 20:156 synonym for *Solidago gigantea*; FOO 2:345 synonym for *Solidago gigantea*; FPN 550; VP 5:306.

Solidago lepida DC.

Common names: western goldenrod, Rocky Mountain goldenrod

Origin: native Voucher: OSC, most recently collected in 2009

FN 20:155; FOO 2:345.

Synonyms:

***Solidago canadensis* L. ssp. *salebrosa* (Piper) D.D. Keck**

FN 20:156 synonym for *Solidago lepida var. salebrosa*; FOO 2:345 synonym for *Solidago lepida*; IL 4:292.

***Solidago canadensis* L. var. *salebrosa* (Piper) M.E. Jones**

FN 20:156 synonym for *Solidago lepida var. salebrosa*; PEK 774.

Solidago lepida* DC. var. *lepida

FN 20:156; FOO 2:345 synonym for *Solidago lepida*; FPN2 615; IL 4:292.

***Solidago lepida* DC. var. *salebrosa* (Piper) Semple**

FN 20:156; FOO 2:345 synonym for *Solidago lepida*; FPN2 615; JPM2 421.

Misapplied names:

***Solidago canadensis* L.**

Solidago missouriensis Nutt.

Common names: Missouri goldenrod

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 1998B ; FN 20:142; FOO 2:345; FPN 550; FPN2 615; GWM 381; IL 4:294.

Synonyms:

***Solidago missouriensis* Nutt. var. *extraria* A. Gray**

FN 20:142 synonym for *Solidago missouriensis*; FOO 2:345 synonym for *Solidago missouriensis*; FPN 550; KZ 1:133; PEK 775; VP 5:307.

Solidago missouriensis* Nutt. var. *missouriensis

FN 20:142 synonym for *Solidago missouriensis*; FOO 2:345 synonym for *Solidago missouriensis*; FPN 550; KZ 1:133; PEK 775; VP 5:307.

***Solidago missouriensis* Nutt. var. *tolmieana* (A. Gray) Cronquist**

FN 20:142 synonym for *Solidago missouriensis*; FOO 2:345 synonym for *Solidago missouriensis*; FPN 550; KZ 1:133; PEK 775; VP 5:307.

Solidago multiradiata Aiton

Common names: northern goldenrod

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 1998B ; FN 20:111; FOO 2:345; FPN 551; FPN2 614; IL 4:296; IN 5:244; JPM 343; JPM2 421; PEK 774; VP 5:309.

Synonyms:

***Solidago multiradiata* Aiton var. *scopulorum* A. Gray**

FN 20:111 synonym for *Solidago multiradiata*; FOO 2:345 synonym for *Solidago multiradiata*; FPN 551; GWM 381; KZ 1:133; VP 5:309.

Solidago simplex Kunth var. ***nana*** (A. Gray) G.S. Ringius

Common names: alpine goldenrod, dwarf goldenrod

Origin: native Voucher: OSC, most recently collected in 2008

FN 20:114; FOO 2:346; FPN2 614; IN 5:246; Ringius & Semple, 1991 .

Synonyms:

***Solidago decumbens* Greene**

FN 20:114 synonym for *Solidago simplex* var. *simplex*; FOO 2:346 synonym for *Solidago simplex var. nana*; FPN 551 synonym for *Solidago spathulata* var. *nana*; IL 4:296.

***Solidago spathulata* DC. var. *nana* (A. Gray) Cronquist**

Chambers, 1998B synonym; FN 20:114 synonym for *Solidago simplex* var. *nana*; FOO 2:346 synonym for *Solidago simplex var. nana*; FPN 551; IN 5:246 synonym for *Solidago simplex* var. *nana*; PEK 774; VP 5:311.

Solidago simplex Kunth var. ***simplex***

Common names: sticky goldenrod

Origin: native Voucher: OSC, most recently collected in 2014

FN 20:114; FOO 2:346; FPN2 614; IN 5:246; Ringius & Semple, 1991 .

Synonyms:

***Solidago spathulata* DC. ssp. *glutinosa* (Nutt.) D.D. Keck**

FN 20:114 synonym for *Solidago simplex* var. *simplex*; FOO 2:346 synonym for *Solidago simplex var. simplex*; IL 4:295.

***Solidago spathulata* DC. var. *neomexicana* (A. Gray) Cronquist**

FN 20:114 synonym for *Solidago simplex* var. *simplex*; FOO 2:346 synonym for *Solidago simplex var. simplex*; FPN 551; KZ 1:134; VP 5:311.

Solidago spathulata DC.

Common names: dune goldenrod, coast goldenrod

Origin: native Voucher: OSC, most recently collected in 2011

FN 20:112; FOO 2:346; FPN 551; FPN2 614; JPM2 422.

Synonyms:

***Solidago simplex* Kunth var. *spathulata* (DC.) Cronquist**

Chambers, 1998B ; FN 20:112 synonym for *Solidago spathulata*; Ringius & Semple, 1987 .

Solidago spathulata* DC. ssp. *spathulata

FN 20:112 synonym for *Solidago spathulata*; FOO 2:346 synonym for *Solidago spathulata*; IL 4:295; JPM 343.

Solidago spathulata* DC. var. *spathulata

FN 20:112 synonym for *Solidago spathulata*; FOO 2:346 synonym for *Solidago spathulata*; FPN 551; KZ 1:134; PEK 773; VP 5:311.

Solidago spectabilis (D.C. Eaton) A. Gray

Common names: showy goldenrod, basin goldenrod

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 1998B ; FN 20:142; FOO 2:346; IL 4:294; IN 5:246; JPM 343; JPM2 422; PEK 774.

Solidago velutina DC.

Common names: velvety goldenrod, California goldenrod

Origin: native Voucher: OSC, most recently collected in 2006

FN 20:160; FOO 2:346; IN 5:248.

Synonyms:

***Solidago californica* Nutt.**

Chambers, 1998B ; FN 20:161 synonym for *Solidago velutina* ssp. *californica*; FOO 2:346 synonym for *Solidago velutina*; IL 4:292; IN 5:248 synonym for *Solidago velutina*; JPM 343; PEK 774; Semple et al., 1990 .

***Solidago velutina* DC. ssp. *californica* (Nutt.) Semple**

FN 20:161; FOO 2:346 synonym for *Solidago velutina*; JPM2 422.

***Solidago velutina* DC. ssp. *sparsiflora* (A. Gray) Semple**

FN 20:160; FOO 2:346 synonym for *Solidago velutina*; JPM2 422.

Soliva

Checklist contributor: Kenton Chambers, 10/25/1995

Flora of Oregon author: Kenton Chambers

Soliva sessilis Ruíz & Pav.

Common names: field burrweed, prickly soliva

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:546; FOO 2:347; FPN2 615; IL 4:400; JPM 344; JPM2 422; PEK 828.

Synonyms:

***Soliva pterosperma* (Juss.) Less.**

FN 19:546 synonym for *Soliva sessilis*; FOO 2:347 synonym for *Soliva sessilis*; IL 4:402.

Sonchus

Checklist contributor: Kenton Chambers, 1/1/1995

Flora of Oregon author: Kenton Chambers

Sonchus arvensis L.

FN 19:274; FOO 2:348; FPN 551; IN 5:452; JPM 344; PEK 856; VP 5:313.

Sonchus arvensis L. ssp. ***arvensis***

Common names: corn sow-thistle

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1980

FN 19:274; FOO 2:348; FPN2 615; JPM2 422; KZ 1:135.

Synonyms:

Sonchus arvensis* L. var. *arvensis

FN 19:274 synonym for *Sonchus arvensis* ssp. *arvensis*; FOO 2:348 synonym for *Sonchus arvensis ssp. arvensis*; IL 4:590.

Sonchus arvensis L. ssp. ***uliginosus*** (M. Bieb.) Nyman

Common names: marsh sow-thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 19:274; FOO 2:348; FPN2 615; JPM2 423; KZ 1:135.

Synonyms:

***Sonchus arvensis* L. var. *glabrescens* Günther, Grab. & Wimm.**

FN 19:274 synonym for *Sonchus arvensis* ssp. *uliginosus*; FOO 2:348 synonym for *Sonchus arvensis ssp. uliginosus*; FPN 551 synonym for *Sonchus uliginosus*; IL 4:590.

***Sonchus uliginosus* M. Bieb.**

FN 19:274 synonym for *Sonchus arvensis* ssp. *uliginosus*; FOO 2:348 synonym for *Sonchus arvensis ssp. uliginosus*; FPN 551; IL 4:590 synonym for *Sonchus arvensis* var. *glabrescens*; PEK 856; VP 5:314.

Sonchus asper (L.) Hill

Common names: prickly sow-thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:275; FOO 2:348; FPN 551; IL 4:590; IN 5:454; PEK 856; VP 5:313.

Synonyms:

Sonchus asper* (L.) Hill ssp. *asper

FN 19:275 synonym for *Sonchus asper*; FOO 2:348 synonym for *Sonchus asper*; FPN2 616; JPM 344; JPM2 423.

Sonchus oleraceus L.

Common names: common sow-thistle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:275; FOO 2:348; FPN 551; FPN2 616; IL 4:590; IN 5:454; JPM 344; JPM2 423; PEK 856; VP 5:313.

Sphaeromeria

Checklist contributor: Kenton Chambers, 9/8/1995

Flora of Oregon author: Kenton Chambers

Sphaeromeria cana (D.C. Eaton) A. Heller

Common names: gray chickensage

Origin: native Voucher: OSC, most recently collected in 1954

FN 19:500; FOO 2:349; Holmgren et al., 1976 ; IN 5:144; JPM 344; JPM2 423.

Synonyms:

***Tanacetum canum* D.C. Eaton**

FN 19:500 synonym for *Sphaeromeria cana*; FOO 2:349 synonym for *Sphaeromeria cana*; IL 4:398; PEK 824.

Sphaeromeria potentilloides (A. Gray) A. Heller var. ***potentilloides***

Common names: five-finger chickensage, cinquefoil false sagebrush

Origin: native Voucher: OSC, most recently collected in 2004

FN 19:500; FOO 2:349; FPN 553 synonym for *Tanacetum potentilloides* var. *potentilloides*; IN 5:142; JPM 345; JPM2 423.

Synonyms:

Artemisia potentilloides* A. Gray var. *potentilloides

FPN2 543.

***Tanacetum potentilloides* A. Gray**

FN 19:500 synonym for *Sphaeromeria potentilloides*; FOO 2:349 synonym for *Sphaeromeria potentilloides var. potentilloides*; FPN 553; IL 4:398; PEK 824.

Tanacetum potentilloides* A. Gray var. *potentilloides

FOO 2:349 synonym for *Sphaeromeria potentilloides var. potentilloides*; FPN 553; VP 5:320.

Stenotus

Checklist contributor: Scott Sundberg, 2/12/1998

Flora of Oregon author: Kenton Chambers

Stenotus acaulis (Nutt.) Nutt.

Common names: stemless goldenweed, cushion stenotus

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 2009A ; FN 20:175; FOO 2:350; FPN 525 synonym for *Haplopappus acaulis*; FPN2 616; JPM 345; JPM2 424.

Synonyms:

***Haplopappus acaulis* (Nutt.) A. Gray**

FN 20:175 synonym for *Stenotus acaulis*; FOO 2:350 synonym for *Stenotus acaulis*; FPN 525; IL 4:278; IN 5:204; PEK 773; VP 5:213.

Stenotus lanuginosus (A. Gray) Greene

Chambers, 2009A ; FN 20:176; FPN 525 synonym for *Haplopappus lanceolatus*; JPM 345.

Stenotus lanuginosus (A. Gray) Greene var. ***lanuginosus***

Common names: woolly goldenweed, woolly stenotus

Origin: native Voucher: OSC, most recently collected in 2024

FN 20:177; FOO 2:350; FPN 525 synonym for *Haplopappus lanuginosus* var. *lanuginosus*; FPN2 616; JPM2 424.

Synonyms:

***Haplopappus lanuginosus* A. Gray**

FN 20:176 synonym for *Stenotus lanuginosus*; FOO 2:350 synonym for *Stenotus lanuginosus var. lanuginosus*; FPN 525; GWM 369; IL 4:278; IN 5:202; PEK 772.

Haplopappus lanuginosus* A. Gray var. *lanuginosus

FN 20:176 synonym for *Stenotus lanuginosus* var. *lanuginosus*; FOO 2:350 synonym for *Stenotus lanuginosus var. lanuginosus*; FPN 525; IN 5:204; VP 5:219.

Stephanomeria

Checklist contributor: Kenton Chambers, 5/24/1995

Flora of Oregon author: Kenton Chambers

Stephanomeria elata Nutt.

Common names: Nuttall's wirelettuce

Origin: native Voucher: OSC, most recently collected in 1991

FN 19:353; FOO 2:351; Gottlieb, 1972 ; JPM 346; JPM2 426.

Stephanomeria exigua Nutt.

FN 19:353; FPN 552; IN 5:448; JPM 346; VP 5:315.

Stephanomeria exigua Nutt. ssp. ***coronaria*** (Greene) Gottlieb

Common names: small wirelettuce

Origin: native Voucher: OSC, most recently collected in 2005

FN 19:354; FOO 2:351; FPN2 617; JPM 346; JPM2 426.

Synonyms:

***Stephanomeria exigua* Nutt. var. *pentachaeta* (D.C. Eaton) H.M. Hall**

FN 19:354 synonym for *Stephanomeria exigua* ssp. *exigua*; FOO 2:351 synonym for *Stephanomeria exigua ssp. coronaria*; IL 4:573; PEK 854.

Stephanomeria lactucina A. Gray

Common names: large-flowered wirelettuce, woodland wirelettuce

Origin: native Voucher: OSC, most recently collected in 2008

FN 19:355; FOO 2:352; FPN 552; FPN2 617; IL 4:570; JPM 348; JPM2 426; PEK 854; VP 5:315.

Stephanomeria malheurensis Gottlieb

Common names: Malheur wirelettuce

Origin: native Voucher: OSC, most recently collected in 1988

FN 19:355; FOO 2:352.

Stephanomeria paniculata Nutt.

Common names: stiff-branched wirelettuce, tufted wirelettuce

Origin: native Voucher: OSC, most recently collected in 2019

FN 19:356; FOO 2:352; FPN 552; FPN2 616; IL 4:572; IN 5:450; JPM 348; JPM2 426; PEK 854; VP 5:315.

Stephanomeria pauciflora (Torr.) A. Nelson

Common names: brownplume wirelettuce, desert straw

Origin: native Voucher: OSC, most recently collected in 2017

Stephanomeria tenuifolia (Raf.) H.M. Hall

Common names: narrow-leaved wirelettuce

Origin: native Voucher: OSC, most recently collected in 2021

FN 19:357; FOO 2:353; FPN 552; FPN2 617; JPM 348; JPM2 427; PEK 854; VP 5:316.

Synonyms:

***Stephanomeria tenuifolia* (Raf.) H.M. Hall var. *myrioclada* (D.C. Eaton) Cronquist**

FN 19:357 synonym for *Stephanomeria tenuifolia*; FOO 2:353 synonym for *Stephanomeria tenuifolia*; FPN 552; IL 4:572; IN 5:448; KZ 1:136; VP 5:316.

Stephanomeria tenuifolia* (Raf.) H.M. Hall var. *tenuifolia

FOO 2:353 synonym for *Stephanomeria tenuifolia*; FPN 552; IL 4:571; IN 5:447; KZ 1:136.

Stephanomeria virgata Benth.

FN 19:359; IL 4:574; IN 5:450; JPM 348; PEK 854; VP 5:315.

Stephanomeria virgata Benth. ssp. ***pleurocarpa*** (Greene) Gottlieb

Common names: wand wirelettuce, tall wirelettuce

Origin: native Voucher: OSC, most recently collected in 2009

FN 19:359; FOO 2:353; JPM 348; JPM2 427.

Stylocline

Checklist contributor: Kenton Chambers, 3/24/1995

Flora of Oregon author: Kenton Chambers

Stylocline psilocarphoides M. Peck

Common names: baretwig neststraw, Malheur stylocline

Origin: native Voucher: OSC, most recently collected in 1943

FN 19:453; FOO 2:353; FPN 552; FPN2 617; IL 4:488; IN 5:359; JPM 349; JPM2 428; Morefield, 1992A ; PEK 794; VP 5:318.

Symphyotrichum

Checklist contributor: Kenton Chambers, 4/1/2008
Flora of Oregon author: Geraldine Allen

Symphyotrichum ascendens (Lindl.) G.L. Nesom

Common names: long-leaved aster, Intermountain aster, western aster

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 2009A ; FN 20:538; FOO 2:355; FPN2 619; JPM2 430.

Synonyms:

***Aster adscendens* Lindl.**

FN 20:538 synonym for *Symphyotrichum ascendens*; FPN 492 synonym for *Aster chilensis* ssp. *adscendens*; IL 4:320.

***Aster ascendens* Lindl.**

FN 20:538 synonym for *Symphyotrichum ascendens*; FOO 2:355 synonym for *Symphyotrichum ascendens*; IN 5:294; JPM 206.

***Aster chilensis* Nees**

in part

***Aster chilensis* Nees ssp. *adscendens* (Lindl.) Cronquist**

FOO 2:355 synonym for *Symphyotrichum ascendens*; FPN 492; PEK 780; VP 5:79.

Symphyotrichum bracteolatum (Nutt.) G.L. Nesom

Common names: Eaton's aster, Oregon aster

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:355; FPN2 619; JPM2 430.

Synonyms:

***Aster eatonii* (A. Gray) Howell**

FN 20:531 synonym for *Symphyotrichum eatonii*; FOO 2:355 synonym for *Symphyotrichum bracteolatum*; FPN 493; GWM 352; IL 4:319; IN 5:292; JPM 208; PEK 779; VP 5:80.

***Symphyotrichum eatonii* (A. Gray) G.L. Nesom**

Chambers, 2009A ; FN 20:531; FOO 2:355 synonym for *Symphyotrichum bracteolatum*.

Symphyotrichum bracteolatum (Nutt.) G.L. Nesom × ***Symphyotrichum foliaceum*** (Lindl. ex DC.) G.L. Nesom var. ***parryi*** (D.C. Eaton) G.L. Nesom

Origin: native Voucher: OSC, most recently collected in 1915

Synonyms:

***Aster eatonii* (A. Gray) Howell × *Aster foliaceus* Lindl. ex DC.**

IN 5:292.

Symphyotrichum campestre (Nutt.) G.L. Nesom

Common names: western meadow aster

Origin: native Voucher: OSC, most recently collected in 2022

Chambers, 2009A ; FN 20:484; FOO 2:356; FPN2 618; JPM2 430.

Synonyms:

***Aster campestris* Nutt.**

FN 20:484 synonym for *Symphyotrichum campestre*; FOO 2:356 synonym for *Symphyotrichum campestre*; FPN 491; GWM 351; IL 4:315, 322; IN 5:298; JPM 206; VP 5:77.

***Aster campestris* Nutt. var. *bloomeri* A. Gray**

FN 20:484 synonym for *Symphyotrichum campestre*; FOO 2:356 synonym for *Symphyotrichum campestre*; FPN 491; IL 4:315; KZ 1:70; PEK 781; VP 5:77.

Aster campestris* Nutt. var. *campestris

FN 20:484 synonym for *Symphyotrichum campestre*; FOO 2:356 synonym for *Symphyotrichum campestre*; FPN 491; IL 4:315; KZ 1:70; PEK 780; VP 5:77.

Symphyotrichum chilense (Nees) G.L. Nesom

Common names: common California aster, Pacific aster

Origin: native Voucher: OSC, most recently collected in 2022

Chambers, 2009A ; FN 20:536; FOO 2:356; FPN2 619; JPM2 430.

Synonyms:

***Aster chilensis* Nees**

in part

FN 20:536 synonym for *Symphyotrichum chilense*; FOO 2:356, 355, 3 ambiguous synonym for *Symphyotrichum chilense*.

Aster chilensis* Nees ssp. *chilensis

FN 20:536 synonym for *Symphyotrichum chilense*; FOO 2:356 synonym for *Symphyotrichum chilense*; FPN 492; PEK 780; VP 5:79.

Aster chilensis* Nees var. *chilensis

FN 20:536 synonym for *Symphyotrichum chilense*; FOO 2:356 synonym for *Symphyotrichum chilense*; IL 4:320; KZ 1:70.

Symphyotrichum ciliatum (Ledeb.) G.L. Nesom

Common names: rayless alkali aster

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2010

Chambers, 2009A ; FOO 2:356; FPN2 617.

Synonyms:

***Aster brachyactis* S.F. Blake**

FN 20:499 synonym for *Symphyotrichum ciliatum*; FOO 2:356 synonym for *Symphyotrichum ciliatum*; FPN 490; IL 4:332; IN 5:304; VP 5:77.

Symphyotrichum cusickii (A. Gray) G.L. Nesom

Common names: Cusick's aster

Origin: native Voucher: OSC, most recently collected in 2002

Chambers, 2009A ; FN 20:532; FOO 2:356.

Synonyms:

***Aster cusickii* A. Gray**

FN 20:532 synonym for *Symphyotrichum cusickii*; FOO 2:356 synonym for *Symphyotrichum cusickii*; FPN 494 synonym for *Aster foliaceus* var. *cusickii*; PEK 779.

***Aster foliaceus* Lindl. ex DC.**

in part

FOO 2:356, 357 ambiguous synonym for *Symphyotrichum cusickii*.

***Aster foliaceus* Lindl. ex DC. var. *cusickii* (A. Gray) Cronquist**

FN 20:532 synonym for *Symphyotrichum cusickii*; FOO 2:356 synonym for *Symphyotrichum cusickii*; FPN 494; GWM 352; IL 4:318; VP 5:84.

***Aster foliaceus* Lindl. ex DC. var. *lyallii* (A. Gray) Cronquist**

in part

FPN 494; PEK 779.

Symphyotrichum cusickii (A. Gray) G.L. Nesom × ***Symphyotrichum spathulatum*** (Lindl.) G.L. Nesom

Origin: native Voucher: OSC, most recently collected in 1981

FOO 2:356.

Symphyotrichum ericoides (L.) G.L. Nesom var. ***pansum*** (S.F. Blake) G.L. Nesom

Common names: white heath aster

Origin: native Voucher: OSC, most recently collected in 2021

Chambers, 2009A ; FN 20:496; FOO 2:356; FPN2 618.

Synonyms:

***Aster pansus* (S.F. Blake) Cronquist**

FN 20:496 synonym for *Symphyotrichum ericoides* var. *pansum*; FOO 2:356 synonym for *Symphyotrichum ericoides var. pansum*; FPN 492; IL 4:322; IN 5:298; PEK 781; VP 5:91.

Misapplied names:

***Aster falcatus* Lindl. var. *crassulus* (Rydb.) Cronquist**

FN 20:497 synonym for *Symphyotrichum falcatum var. commutatum*; IL 4:322; VP 5:82.

Symphyotrichum foliaceum (Lindl. ex DC.) G.L. Nesom

Chambers, 2009A ; FN 20:532; FOO 2:357; FPN2 618.

Synonyms:

***Aster foliaceus* Lindl. ex DC.**

in part

FN 20:532 synonym for *Symphyotrichum foliaceum*.

Symphyotrichum foliaceum (Lindl. ex DC.) G.L. Nesom var. ***apricum*** (A. Gray) G.L. Nesom

Common names: alpine leafybract aster

Origin: native Voucher: OSC, most recently collected in 2004

FN 20:532; FOO 2:357; JPM2 430.

Synonyms:

***Aster foliaceus* Lindl. ex DC. var. *apricus* A. Gray**

FN 20:533 synonym for *Symphyotrichum foliaceum* var. *apricum*; FOO 2:357 synonym for *Symphyotrichum foliaceum var. apricum*; FPN 493; GWM 352; IL 4:318; IN 5:292; PEK 779; VP 5:83.

Symphyotrichum foliaceum (Lindl. ex DC.) G.L. Nesom var. ***parryi*** (D.C. Eaton) G.L. Nesom

Common names: Parry's leafybract aster

Origin: native Voucher: OSC, most recently collected in 2015

Chambers, 2009A ; FN 20:532; FOO 2:357; JPM2 430.

Synonyms:

***Aster foliaceus* Lindl. ex DC. var. *frondeus* A. Gray**

FOO 2:357 synonym for *Symphyotrichum foliaceum var. parryi*; PEK 778.

***Aster foliaceus* Lindl. ex DC. var. *parryi* (D.C. Eaton) A. Gray**

FN 20:533 synonym for *Symphyotrichum foliaceum* var. *parryi*; FOO 2:357 synonym for *Symphyotrichum foliaceum var. parryi*; FPN 494; IN 5:292; JPM 208; PEK 779.

Misapplied names:

***Aster foliaceus* Lindl. ex DC. var. *canbyi* A. Gray**

FN 20:533 synonym for *Symphyotrichum foliaceum var. canbyi*; FPN 494; IL 4:318; IN 5:292; PEK 779; VP 5:84.

Symphyotrichum frondosum (Nutt.) G.L. Nesom

Common names: alkali aster, short-rayed aster

Origin: native Voucher: OSC, most recently collected in 2022

Chambers, 2009A ; FN 20:499; FOO 2:357; FPN2 617; JPM2 431.

Synonyms:

***Aster frondosus* (Nutt.) Torr. & A. Gray**

FN 20:499 synonym for *Symphyotrichum frondosum*; FOO 2:357 synonym for *Symphyotrichum frondosum*; FPN 490; IL 4:330; IN 5:304; JPM 208; PEK 784; VP 5:84.

Symphyotrichum hallii (A. Gray) G.L. Nesom

Common names: Hall's aster

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 2009A ; FN 20:533; FOO 2:357; FPN2 619.

Synonyms:

***Aster chilensis* Nees**

in part

***Aster chilensis* Nees ssp. *hallii* (A. Gray) Cronquist**

FN 20:533 synonym for *Symphyotrichum hallii*; FOO 2:357 synonym for *Symphyotrichum hallii*; FPN 492; IL 4:319 synonym for *Aster hallii*; PEK 780; VP 5:79.

***Aster hallii* A. Gray**

FN 20:533 synonym for *Symphyotrichum hallii*; FOO 2:357 synonym for *Symphyotrichum hallii*; FPN 492 synonym for *Aster chilensis* ssp. *hallii*; IL 4:319; PEK 780 synonym for *Aster chilensis* ssp. *hallii*.

Symphyotrichum hendersonii (Fernald) G.L.Nesom

Common names: Kootenai aster, Lyall's aster

Origin: native Voucher: OSC, most recently collected in 1982

Chambers, 2009A ; FN 20:534; FOO 2:357; JPM2 431.

Synonyms:

***Aster foliaceus* Lindl. ex DC.**

in part

***Aster foliaceus* Lindl. ex DC. var. *lyallii* (A. Gray) Cronquist**

in part

FOO 2:357, 356 ambiguous synonym for *Symphyotrichum hendersonii*.

Symphyotrichum laeve (L.) Á. Löve & D. Löve var. ***geyeri*** (A. Gray) G.L. Nesom

Common names: smooth aster, smooth blue aster

Origin: native Voucher: OSC, most recently collected in 1947

FN 20:509; FOO 2:358; FPN2 618.

Synonyms:

***Aster laevis* L.**

FN 20:508 synonym for *Symphyotrichum laeve*; FOO 2:358 synonym for *Symphyotrichum laeve var. geyeri*; FPN 493; IL 4:316; IN 5:291; VP 5:87.

Symphyotrichum lanceolatum (Willd.) G.L. Nesom var. ***hesperium*** (A. Gray) G.L. Nesom

Common names: western willow aster, marsh aster, white panicle aster

Origin: native Voucher: OSC, most recently collected in 2021

Chambers, 2009A ; FN 20:520; FOO 2:358; FPN2 619; JPM2 431.

Synonyms:

***Aster hesperius* A. Gray**

FN 20:520 synonym for *Symphyotrichum lanceolatum* var. *hesperium*; FOO 2:358 synonym for *Symphyotrichum lanceolatum var. hesperium*; FPN 489; IL 4:316; IN 5:291; VP 5:86.

***Aster lanceolatus* Willd. ssp. *hesperius* (A. Gray) J. Semple & J. Chmiel.**

FN 20:520 synonym for *Symphyotrichum lanceolatum* var. *hesperium*; FOO 2:358 synonym for *Symphyotrichum lanceolatum var. hesperium*; JPM 208; KZ 1:72.

Symphyotrichum novae-angliae (L.) G.L. Nesom

Common names: New England aster

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2009

Chambers, 2009A ; FN 20:487; FOO 2:354 uncertain status; FPN2 618.

Synonyms:

***Aster novae-angliae* L.**

FN 20:487 synonym for *Symphyotrichum novae-angliae*; FPN 492.

Symphyotrichum spathulatum (Lindl.) G.L. Nesom

Chambers, 2009A ; FN 20:534; FOO 2:358; FPN2 620.

Misapplied names:

***Aster junciformis* Rydb.**

FN 20:522 synonym for *Symphyotrichum boreale*; FPN 489; PEK 781; VP 5:87.

Symphyotrichum spathulatum (Lindl.) G.L. Nesom var. ***intermedium*** (A. Gray) G.L. Nesom

Common names: larger western mountain aster

Origin: native Voucher: OSC, most recently collected in 2013

FN 20:535; FOO 2:358; JPM2 431.

Synonyms:

***Aster occidentalis* (Nutt.) Torr. & A. Gray var. *intermedius* A. Gray**

FN 20:535 synonym for *Symphyotrichum spathulatum* var. *intermedium*; FOO 2:358 synonym for *Symphyotrichum spathulatum var. intermedium*; FPN 493; GWM 354; IL 4:320; KZ 1:73; PEK 780; VP 5:90.

***Aster spathulatus* Lindl. var. *intermedius* (A. Gray) Cronquist**

FOO 2:358 synonym for *Symphyotrichum spathulatum var. intermedium*; IN 5:294.

Symphyotrichum spathulatum (Lindl.) G.L. Nesom var. ***spathulatum***

Common names: western aster, western mountain aster

Origin: native Voucher: OSC, most recently collected in 2018

FN 20:535; FOO 2:359; JPM2 431.

Synonyms:

Aster occidentalis* (Nutt.) Torr. & A. Gray var. *occidentalis

FOO 2:359 synonym for *Symphyotrichum spathulatum var. spathulatum*; FPN 493; GWM 354; IL 4:320; JPM 208; KZ 1:73; PEK 780; VP 5:90.

Aster spathulatus* Lindl. var. *spathulatus

FOO 2:359 synonym for *Symphyotrichum spathulatum var. spathulatum*; IN 5:294.

Symphyotrichum spathulatum (Lindl.) G.L. Nesom var. ***yosemitanum*** (A. Gray) G.L. Nesom

Common names: western bog aster

Origin: native Voucher: OSC, most recently collected in 2011

FN 20:535; FOO 2:359; JPM2 431.

Synonyms:

***Aster occidentalis* (Nutt.) Torr. & A. Gray var. *yosemitanus* (A. Gray) Cronquist**

FN 20:535 synonym for *Symphyotrichum spathulatum* var. *yosemitanum*; FOO 2:359 synonym for *Symphyotrichum spathulatum var. yosemitanum*; IL 4:320; JPM 208; KZ 1:73; PEK 780.

***Aster paludicola* Piper**

FN 20:535 synonym for *Symphyotrichum spathulatum* var. *yosemitanum*; FOO 2:359 synonym for *Symphyotrichum spathulatum var. yosemitanum*; IL 4:318; KZ 1:73.

Symphyotrichum subspicatum (Nees) G.L. Nesom

Common names: Douglas' aster

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 2009A ; FN 20:537; FOO 2:359; FPN2 620; JPM2 431.

Synonyms:

***Aster subspicatus* Nees**

FN 20:537 synonym for *Symphyotrichum subspicatum*; FOO 2:359 synonym for *Symphyotrichum subspicatum*; FPN 493; GWM 354; IL 4:318; PEK 779; VP 5:95.

***Aster subspicatus* Nees var. *grayi* (Suksd.) Cronquist**

FN 20:537 synonym for *Symphyotrichum subspicatum*; FOO 2:359 synonym for *Symphyotrichum subspicatum*; KZ 1:75; VP 5:97.

Aster subspicatus* Nees var. *subspicatus

FN 20:537 synonym for *Symphyotrichum subspicatum*; FOO 2:359 synonym for *Symphyotrichum subspicatum*; KZ 1:75; VP 5:97.

Tagetes

Checklist contributor:
Flora of Oregon author: treatment pending

Tagetes patula L.

Common names: French marigold
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2003

Tanacetum

Checklist contributor: Kenton Chambers, 3/30/1995
Flora of Oregon author: Kenton Chambers

Tanacetum balsamita L.

Common names: costmary
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 1955
FN 19:490; FOO 2:360; FPN 501 synonym for *Chrysanthemum balsamita*; FPN2 620; IL 4:396 synonym for *Chrysanthemum balsamita*; IN 5:140.

Synonyms:
***Chrysanthemum balsamita* (L.) Baill.**
FN 19:490 synonym for *Tanacetum balsamita*; FOO 2:360 synonym for *Tanacetum balsamita*; FPN 501; IL 4:396; VP 5:124.

Tanacetum bipinnatum (L.) Sch. Bip.

Common names: dune tansy
Origin: native
Voucher: OSC, most recently collected in 2014
FN 19:490; FOO 2:360; FPN2 620; JPM2 432.

Synonyms:
***Tanacetum camphoratum* Less.**
FN 19:490 synonym for *Tanacetum bipinnatum*; FOO 2:360 synonym for *Tanacetum bipinnatum*; FPN 553 synonym for *Tanacetum douglasii*; IL 4:397; JPM 350; PEK 823.
***Tanacetum douglasii* DC.**
FN 19:490-491 synonym for *Tanacetum bipinnatum*; FOO 2:360 synonym for *Tanacetum bipinnatum*; FPN 553; IL 4:398; IN 5:398; VP 5:319.

Tanacetum parthenium (L.) Sch. Bip.

Common names: feverfew, featherfew
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2020
FN 19:490; FOO 2:360; FPN2 620; IN 5:140; JPM 350; JPM2 432.

Synonyms:
***Chrysanthemum parthenium* (L.) Bernh.**
FN 19:490 synonym for *Tanacetum parthenium*; FOO 2:360 synonym for *Tanacetum parthenium*; FPN 501; IL 4:396; PEK 823; VP 5:126.

Tanacetum vulgare L.

Common names: common tansy
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2024
FN 19:490; FOO 2:360; FPN 553; FPN2 620; IL 4:396; IN 5:140; JPM 350; JPM2 432; PEK 824; VP 5:320.

Taraxacum

Checklist contributor: Kenton Chambers, 10/21/1995
Flora of Oregon author: Kenton Chambers

Taraxacum ceratophorum (Ledeb.) DC.

Common names: horned dandelion

Origin: native Voucher: OSC, most recently collected in 1979

FN 19:247; FOO 2:361; FPN 554; FPN2 621; IL 4:611; IN 5:470; JPM2 433; VP 5:321.

Synonyms:

***Taraxacum paucisquamosum* M. Peck**

FOO 2:361 synonym for *Taraxacum ceratophorum*; IL 4:611 synonym for *Taraxacum ceratophorum*; PEK 858.

Taraxacum erythrospermum Besser

Common names: red-seeded dandelion

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2011

FN 19:245; FOO 2:361; FPN 553 synonym for *Taraxacum laevigatum*; FPN2 621; JPM2 433; PEK 858.

Synonyms:

***Taraxacum laevigatum* (Willd.) DC.**

FN 19:245-246 synonym for *Taraxacum erythrospermum*; FOO 2:361 synonym for *Taraxacum erythrospermum*; FPN 553; IL 4:611; IN 5:468; KZ 1:136; VP 5:321.

Taraxacum officinale Weber ex F.H. Wigg.

Common names: common dandelion

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 19:244; FOO 2:361; FPN 553; FPN2 621; GWM 382; IL 4:610; IN 5:470; JPM 350; JPM2 433; PEK 858; VP 5:323.

Tetradymia

Checklist contributor: Scott Sundberg, 9/19/1995

Flora of Oregon author: Stephen Meyers

Tetradymia canescens DC.

Common names: gray horsebrush, spineless horsebrush

Origin: native Voucher: OSC, most recently collected in 2019

FN 20:630; FOO 2:362; FPN 554; FPN2 622; IL 4:461; IN 5:190; JPM 352; JPM2 434; PEK 841; VP 5:324.

Tetradymia glabrata Torr. & A. Gray

Common names: littleleaf horsebrush

Origin: native Voucher: OSC, most recently collected in 2017

FN 20:631; FOO 2:362; FPN 554; FPN2 622; IL 4:461; IN 5:190; JPM 352; JPM2 434; PEK 841; VP 5:324.

Tetradymia spinosa Hook. & Arn.

Common names: cotton-thorn horsebrush, catclaw horsebrush

Origin: native Voucher: OSC, most recently collected in 2007

FN 20:632; FOO 2:362; FPN 554; FPN2 621; JPM 352; JPM2 434; PEK 841; Strother, 1974 ; VP 5:324.

Synonyms:

***Tetradymia spinosa* Hook. & Arn. var. *longispina* M.E. Jones**

FN 20:632 synonym for *Tetradymia axillaris var. longispina*; FOO 2:362 synonym for *Tetradymia spinosa*; IL 4:462; IN 5:192.

Tetradymia spinosa* Hook. & Arn. var. *spinosa

FN 20:632 synonym for *Tetradymia spinosa*; FOO 2:362 synonym for *Tetradymia spinosa*; IL 4:462; IN 5:192.

Thelesperma

Checklist contributor: Kenton Chambers, 1/31/2001

Flora of Oregon author: treatment pending

Thelesperma megapotamicum (Spreng.) Kuntze

Common names: Hopi tea greenthread

Origin: exotic, not naturalized Voucher: BLMVAL, most recently collected in 1997

FN 21:202; IN 5:50; JPM 353; JPM2 434.

Tonestus

Checklist contributor: Scott Sundberg, 1/30/1998
Flora of Oregon author: Kenton Chambers

Tonestus lyallii (A. Gray) A. Nelson

Common names: Lyall's goldenweed
Origin: native Voucher: OSC, most recently collected in 2022
Chambers, 2009A ; FN 20:183; FOO 2:363; FPN 525 synonym for *Haplopappus lyallii*; FPN2 622; JPM 353; JPM2 436.

Synonyms:

***Haplopappus lyallii* A. Gray**
FN 20:183 synonym for *Tonestus lyallii*; FOO 2:363 synonym for *Tonestus lyallii*; FPN 525; GWM 369; IL 4:277; IN 5:200; PEK 772; VP 5:220.

Townsendia

Checklist contributor: Kenton Chambers, 5/20/1997
Flora of Oregon author: Stephen Meyers

Townsendia florifer (Hook.) A. Gray

Common names: showy townsendia
Origin: native Voucher: OSC, most recently collected in 2014
Beaman, 1957 ; FN 20:198; FOO 2:364; FPN 555; FPN2 623; IL 4:307; IN 5:279 synonym for *Townsendia florifera*; VP 5:326.

Synonyms:

Townsendia florifer* (Hook.) A. Gray var. *florifer
FN 20:198 synonym for *Townsendia florifer*; FOO 2:364 synonym for *Townsendia florifer*; PEK 776; VP 5:326.

***Townsendia florifer* (Hook.) A. Gray var. *watsonii* (A. Gray) Cronquist**
FN 20:198 synonym for *Townsendia florifer*; FOO 2:364 synonym for *Townsendia florifer*; PEK 776; VP 5:326.

Townsendia montana M.E. Jones

Common names: mountain townsendia
Origin: native Voucher: OSC, most recently collected in 1992
FN 20:201; FOO 2:364; FPN 555; FPN2 623; GWM 382; IL 4:306; IN 5:282; PEK 776; VP 5:327.

Synonyms:

Townsendia montana* M.E. Jones var. *montana
FN 20:201 synonym for *Townsendia montana*; FOO 2:364 synonym for *Townsendia montana*; FPN 555.

Townsendia parryi D.C. Eaton

Common names: Parry's townsendia
Origin: native Voucher: OSC, most recently collected in 1990
FN 20:197; FOO 2:364; FPN 555; FPN2 623; GWM 384; IL 4:306; IN 5:279; JPM 354; PEK 775; VP 5:327.

Townsendia scapigera D.C. Eaton

Common names: tufted townsendia
Origin: native Voucher: OSC, most recently collected in 2008
FN 20:201; FOO 2:364; IL 4:308; IN 5:280; JPM 354; JPM2 437.

Tragopogon

Checklist contributor: Kenton Chambers, 1/1/1994
Flora of Oregon author: Stephen Meyers

Tragopogon dubius Scop.

Common names: yellow salsify

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 19:305; FOO 2:365; FPN 556; FPN2 624; GWM 384; IL 4:586; IN 5:452; JPM 354; JPM2 437; VP 5:329.

Synonyms:

***Tragopogon major* Jacq.**

FOO 2:365 synonym for *Tragopogon dubius*; FPN 556 synonym for *Tragopogon dubius*; IL 4:586 synonym for *Tragopogon dubius*; PEK 852.

Tragopogon mirus Ownbey

Common names: remarkable goatsbeard

Origin: native Voucher: OSC, most recently collected in 2023

FN 19:306; FOO 2:365; FPN 556; FPN2 624; VP 5:329.

Tragopogon porrifolius L.

Common names: salsify, oyster plant

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 19:306; FOO 2:365; FPN 556; FPN2 624; IL 4:585; IN 5:452; JPM 354; JPM2 437; PEK 852; VP 5:330.

Tragopogon pratensis L.

Common names: meadow salsify, Jack-go-to-bed-at-noon

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 19:305; FOO 2:365; FPN 555; FPN2 624; IL 4:584; IN 5:452; JPM 354; JPM2 437; PEK 852; VP 5:330.

Tripleurospermum

Checklist contributor: Kenton Chambers, 9/10/2008

Flora of Oregon author: Kenton Chambers

Tripleurospermum inodorum (L.) Sch. Bip.

Common names: scentless mayweed, scentless chamomile

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2009

FN 19:549; FOO 2:366; FPN2 625; JPM2 438.

Synonyms:

***Matricaria maritima* L.**

FN 19:550 synonym for *Tripleurospermum maritimum*; FOO 2:366 synonym for *Tripleurospermum inodorum*; FPN 539; IL 4:399; IN 5:136; VP 5:266.

Uropappus

Checklist contributor: Kenton Chambers, 1/1/1995

Flora of Oregon author: Kenton Chambers

Uropappus lindleyi (DC.) Nutt.

Common names: Lindley's silver puffs, linearleaf microseris

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 2009A ; FN 19:322; FOO 2:367; FPN 540 synonym for *Microseris lindleyi*; FPN2 625; JPM 355; JPM2 438; Jansen et al., 1991 .

Synonyms:

***Microseris lindleyi* (DC.) A. Gray**

FN 19:322 synonym for *Uropappus lindleyi*; FOO 2:367 synonym for *Uropappus lindleyi*; FPN 540; IN 5:428; KZ 1:119.

***Microseris linearifolia* (Nutt.) Sch. Bip.**

FN 19:322 synonym for *Uropappus lindleyi*; FOO 2:367 synonym for *Uropappus lindleyi*; FPN 540 synonym for *Microseris lindleyi*; IL 4:558; VP 5:269.

***Uropappus linearifolius* Nutt.**

FN 19:322 synonym for *Uropappus lindleyi*; FOO 2:367 synonym for *Uropappus lindleyi*; PEK 850.

Verbesina

Checklist contributor:
Flora of Oregon author: treatment pending

Verbesina encelioides (Cav.) Benth. & Hook. f. ex A. Gray

Common names: golden crownbeard
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019
FN 21:108; FPN2 526.

Synonyms:
***Verbesina encelioides* (Cav.) Benth. & Hook. f. ex A. Gray ssp. *exauriculata* (B.L. Rob. &**
JPM2 440.

Wyethia

Checklist contributor: Kenton Chambers, 2/2/1995
Flora of Oregon author: Abigail (Abby) Moore

Wyethia amplexicaulis (Nutt.) Nutt.

Common names: northern mule's ears
Origin: native Voucher: OSC, most recently collected in 2023
FN 21:102; FOO 2:368; FPN 557; FPN2 625; IL 4:105; IN 5:17; PEK 806; VP 5:332.

Wyethia angustifolia (DC.) Nutt.

Common names: narrow-leaved mule's ears
Origin: native Voucher: OSC, most recently collected in 2024
FN 21:103; FOO 2:368; FPN 557; FPN2 626; JPM 359; JPM2 441; PEK 806; VP 5:332; Weber, 1946 .

Synonyms:
Wyethia angustifolia* (DC.) Nutt. var. *angustifolia
FN 21:103 synonym for *Wyethia angustifolia*; FOO 2:368 synonym for *Wyethia angustifolia*; IL 4:104.

Wyethia* × *cusickii Piper

Common names: hybrid mule's ears
Origin: native Voucher: OSC, most recently collected in 1950
FN 21:103; FOO 2:369; FPN2 625; IL 4:406; Weber, 1946 .

Wyethia helianthoides Nutt.

Common names: white-headed wyethia
Origin: native Voucher: OSC, most recently collected in 2012
FN 21:103; FOO 2:369; FPN 557; FPN2 625; GWM 384; IL 4:104; IN 5:17; PEK 806; VP 5:333.

Wyethia mollis A. Gray

Common names: woolly mule's ears
Origin: native Voucher: OSC, most recently collected in 2016
FN 21:102; FOO 2:369; IL 4:104; IN 5:17; JPM 359; JPM2 442; PEK 806.

Xanthium

Checklist contributor: Kenton Chambers, 3/3/1995
Flora of Oregon author: Stephen Meyers

Xanthium orientale L.

Common names: common cocklebur

Origin: native Voucher: OSC, most recently collected in 2023

Tomasello, 2018 .

Synonyms:

***Xanthium strumarium* L. var. *canadense* (Mill.) Torr. & A. Gray**

FN 21:19 synonym for *Xanthium strumarium*; FOO 2:370 synonym for *Xanthium strumarium*; FPN 557; IL 4:153.

***Xanthium strumarium* L. var. *glabratum* (DC.) Cronquist**

FN 21:19 synonym for *Xanthium strumarium*; FOO 2:370 synonym for *Xanthium strumarium*; FPN 557; IL 4:153.

***Xanthium strumarium* L. var. *oviforme* (Wallr.) M. Peck**

PEK 814.

***Xanthium strumarium* L. var. *pensylvanicum* (Wallr.) M. Peck**

PEK 814.

***Xanthium strumarium* L. var. *wootonii* (Cockerell) M. Peck**

PEK 814.

Misapplied names:

***Xanthium strumarium* L.**

FN 21:19; FOO 2:370; FPN 557; FPN2 626; IN 5:65; JPM 360; JPM2 443; Tomasello, 2018 ; VP 5:334.

Xanthium spinosum L.

Common names: spiny cocklebur

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2012

FN 21:19; FOO 2:370; FPN 557; FPN2 626; IL 4:153; IN 5:65; JPM 359; JPM2 443; PEK 814; VP 5:334.

Zinnia

Checklist contributor:

Flora of Oregon author: treatment pending

Zinnia violacea Cav.

Common names: elegant zinnia

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

Excluded names:

Acanthospermum australe (Loefl.) Kuntze
FN 21:37.

Agoseris apargioides (Less.) Cronquist var. apargioides
FN 19:331; JPM 192; JPM2 234.

Synonyms:
Agoseris apargioides* (Less.) Cronquist ssp. *apargioides
IL 4:566.
***Agoseris hirsuta* (Hook.) Greene**
FN 19:332; JPM2 236; PEK 860.

Agoseris × dasycarpa Greene
JPM2 235.

Antennaria neglecta Greene var. neglecta
VP 5:38.

Antennaria parvifolia Nutt.
FN 19:406; FPN 481; FPN2 539; IL 4:482; IN 5:374; VP 5:38.

Anthemis altissima L.
FN 19:547 synonym for Cota altissima; IL 4:389.

Artemisia annua L.
FN 19:523; FPN 487; FPN2 546; IL 4:408; IN 5:154; JPM 203; JPM2 250; VP 5:58.

Artemisia campestris L. var. borealis (Pall.) M. Peck
FPN2 545; VP 5:60.

Artemisia cana Pursh ssp. cana
FN 19:513; FPN2 544; IL 4:414.

Artemisia norvegica Fr.
FN 19:530; FPN 486; IN 5:150; VP 5:66.

Synonyms:
***Artemisia norvegica* Fr. ssp. *saxatilis* (Besser) H.M. Hall & Clem.**
FPN2 546; JPM2 252.

Artemisia rothrockii A. Gray
FN 19:515; IL 4:414; IN 5:160; JPM 205; JPM2 252.

Aster foliaceus Lindl. ex DC. var. foliaceus
FN 20:533 synonym for Symphyotrichum foliaceum var. foliaceum; FPN 493; IL 4:318; VP 5:83.

Aster laevis L. var. geyeri A. Gray
FN 20:509 synonym for Symphyotrichum laeve var. geyeri; FPN 493; IL 4:316.

Baccharis pilularis DC. ssp. pilularis
JPM2 254.

Berkheya heterophylla O. Hoffm.
IL 4:548.

Carthamus creticus L.
FN 19:180; FOO 2:212 uncertain status; JPM2 270.

Crepis elegans Hook.
FN 19:228; FPN 507; KZ 2:216; Kartesz & Meacham, 2007 ; VP 5:152.

Crepis runcinata (E. James) Torr. & A. Gray ssp. runcinata
FN 19:235; FPN 508; FPN2 563; VP 5:156.

Synonyms:
Crepis runcinata* (E. James) Torr. & A. Gray var. *runcinata
FN 19:235 synonym for *Crepis runcinata* ssp. *runcinata*; PEK 866.

Erechtites hieraciifolia (L.) Raf. ex DC.
FPN 512; IL 4:458.

Synonyms:
Erechtites hieraciifolius* (L.) Raf. ex DC. var. *hieraciifolius
FPN2 568.

Erechtites hieraciifolia (L.) Raf. ex DC. var. hieraciifolia
FPN 512.

Erigeron compositus Pursh var. discoideus A. Gray
FN 20:300 synonym for <I>Erigeron compositus</I>; FPN 516; IL 4:354; IN 5:320; PEK 791; VP 5:174.

Erigeron flagellaris A. Gray
FN 20:341; FPN 518; FPN2 575; IN 5:346; JPM2 320; VP 5:178.

Gnaphalium beneolens Davidson
IL 4:470.

Grindelia squarrosa (Pursh) Dunal var. quasiperennis Lunell
FN 20:432 synonym for <I>Grindelia hirsutula</I>; FPN 523; IN 5:256; KZ 2:357; Kartesz & Meacham, 2007 ; VP 5:208.

Grindelia squarrosa (Pursh) Dunal var. squarrosa
FPN 523; IN 5:256; VP 5:209.

Grindelia stricta DC. ssp. venulosa (Jeps.) D.D. Keck
IL 4:256.

Helianthus × laetiflorus Pers.
FN 21:161; VP 5:229.

Helianthus maximilianii Schrad.
FN 21:166; FPN 529; Heiser, 1969 ; IL 4:113; JPM 278; VP 5:230.

Hieracium canadense Michx.
FN 19:287 synonym for <I>Hieracium umbellatum</I>; FPN 530; IL 4:600; PEK 862; VP 5:236.

Hymenopappus filifolius Hook. var. nanus (Rydb.) B.L. Turner
FN 21:314; IL 4:392; IN 5:132; JPM 292; JPM2 356; Turner, 1956 .

Lactuca sativa L.
FN 19:263; FPN 533 ambiguous synonym; FPN2 592; IL 4:591 excluded.

Leontodon saxatilis Lam. ssp. longirostris (Finch & P.D. Sell) P. Silva
JPM2 370.

Senecio indecorus Greene
FN 20:590; FPN 547; IL 4:446; JPM 340; PEK 837; VP 5:292.

Senecio pauciflorus Michx.
FN 20:595 synonym for Packera pauciflora; FPN 547; GWM 379; IL 4:446; JPM 340; PEK 837; VP 5:296.

Senecio pauperculus Michx.
Barkley, 1962 358; FN 20:595 synonym for Packera paupercula; FPN 547; GWM 379; IN 5:182; PEK 837; VP 5:296.

Senecio pauperculus Michx. var. thompsonianus (Greenm.) B. Boivin
FPN 547; IL 4:446.

Senecio uintahensis (A. Nelson) Greenm.
FN 20:592 synonym for Packera multilobata; PEK 838.

Solidago altissima L. var. altissima
JPM 343.

Synonyms:
***Solidago altissima* L.**
FN 20:153.

Stephanomeria exigua Nutt. ssp. exigua
FN 19:354; JPM 346; JPM2 426; PEK 854.

Synonyms:
Stephanomeria exigua* Nutt. var. *exigua
IL 4:573.

Tussilago farfara L.
FN 20:635; FPN 556; FPN2 625.

Literature cited for Asteraceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Allen, G.A. 1984. Morphological and cytological variation in the Western North American *Aster occidentalis* complex (Asteraceae). Systematic Botany 9:175-191.

Allen, G.A., L. Brouillet, J.C. Semple, H.J. Guest, and R. Underhill. 2019. Diversification of the North American *Doellingeria-Eucephalus* Clade (Astereae: Asteraceae) Inferred from Molecular and Morphological Evidence. Systematic Botany 44(4):930-942.

Anderson, L. 1986. An overview of the genus *Chrysothamnus* (Asteraceae). In: Proceedings -- Symposium on the Biology of *Artemisia* and *Chrysothamnus*; 1984 July 9-13; Provo UT, General Technical Report INT-200. McArthur, E.D., and B.L. Welch, compilers. U.S.D.A. Forest Service, Intermountain Research Station, Ogden, UT.

Anderson, L.C. 1995. The *Chrysothamnus-Ericameria* connection (Asteraceae). Great Basin Naturalist 55:84-88.

Arnett, J. 2012. *Artemisia campestris* ssp. *borealis* var. *wormskioldii*: Taxonomic review. Natural Heritage Report 2012-02. Washington State Department of Natural Resources, U.S.F.S. Region 1, WA, U.S.A.

Babcock, E.B. 1947. The Genus *Crepis*. II. University of California Publications in Botany 22:199-1030.

Babcock, E.B., and G.L. Stebbins, Jr. 1938. The American species of *Crepis*, Publ. No. 504. Carnegie Institution of Washington, Washington, DC.

Bain, J.F. 1988. Taxonomy of *Senecio streptanthifolius* Greene. Rhodora 90:277-312.

Baird, G.I. 2006. *Agoseris* In: Flora of North America North of Mexico, Volume 19. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Baird, G.I. 2012. *Agoseris*. In: The Jepson Manual. Vascular Plants of California. Ed. 2 Baldwin, B.G., D.H. Goldman, D.J. Keil, R. Patterson, T.J. Rosatti and D. Wilken, Eds. University of California Press, Berkeley, CA.

Baldwin, B.G. 1999. New combinations and new genera in the North American tarweeds (Compositae - Madiinae). Novon 9:462-471.

Baldwin, B.G. 2003A. Characteristics and diversity of Madiinae. In: Tarweeds & silverswords: Evolution of the Madiinae (Asteraceae). Carlquist, S., B.G. Baldwin, and G.D. Carr., Eds. Missouri Botanical Garden Press, St. Louis, MO.

Baldwin, B.G. 2003B. A phylogenetic perspective on the origin and evolution of Madiinae. In: Tarweeds & Silverswords: Evolution of the Madiinae (Asteraceae). Carlquist, S., B.G. Baldwin, and G.D. Carr., Eds. Missouri Botanical Garden Press, St. Louis, MO.

Baldwin, B.G. 2007. Tribe Bahieae. In: The Families and Genera of Vascular Plants, Volume 8: Flowering Plants: Eudicots - Asterales. Kadereit, J.W., and C. Jeffrey, Eds. Springer, Berlin, Germany.

Baldwin, B.G. 2009. Heliantheae alliance. In: Systematics, evolution, and biogeography of Compositae. Funk, V.A., A. Susanna, T.F. Stuessy, and R.J. Bayer, Eds. International Association for Plant Taxonomy, Vienna, Austria.

Baldwin, B.G., and B.L. Wessa. 2000. Origin and relationships of the tarweed-silversword lineage (Compositae-Madiinae). American Journal of Botany 87:1890-1908.

Baldwin, B.G., B.L. Wessa, and J.L. Panero. 2002. Nuclear rDNA evidence for major lineages of Helenioid Heliantheae (Compositae). Systematic Botany 27:161-198.

Barkley, T.M. 1960. A revision of *Senecio integerrimus* Nuttall and allied species. Leaflets of Western Botany 9:97-113.

Barkley, T.M. 1962. A revision of *Senecio aureus* Linn. and allied species. Transactions of the Kansas Academy of Science 65:318-408.

Barkley, T.M. 1968. Taxonomy of *Senecio multilobatus* and its allies. Brittonia 20:267-284.

Barkley, T.M. 1978. *Senecio*. In: North American Flora, ser. 2, pt. 10. New York Botanical Garden, Bronx, NY.

Barkley, T.M. 1980. Taxonomic notes on *Senecio tomentosus* and its allies (Asteraceae). Brittonia 32:291-308.

Barkley, T.M. 1981. *Senecio* and *Erechtites* (Compositae) in the North American Flora. Brittonia 33:523-527.

Barkley, T.M. 1999. The segregates of *Senecio*, s.l., and *Cacalia*, s.l., in the Flora of North America north of Mexico. Sida 18:661-672.

Barkley, T.M., and A. Cronquist. 1978. *Erechtites*. In: North American Flora, ser. 2, pt. 10. New York Botanical Garden, Bronx, NY.

Bayer, R.J. 1989. Nomenclatural rearrangements in *Antennaria neodioica* and *A. howellii* (Asteraceae: Inuleae: Gnaphaliinae). Brittonia 41:396-398.

Bayer, R.J., and G.L. Stebbins. 1987. Chromosome numbers, patterns of distribution, and apomixis in *Antennaria* (Asteraceae: Inuleae). Systematic Botany 12:305-319.

Bayer, R.J., and G.L. Stebbins. 1993. A synopsis with keys for the genus *Antennaria* of North America. Canadian Journal of Botany 71:1589-1604.

Beaman, J.H. 1954. Chromosome numbers, apomixis, and interspecific hybridization in the genus *Townsendia*. Madroño 12:169-180.

Beaman, J.H. 1957. The systematics and evolution of *Townsendia* (Compositae). Contributions from the Gray Herbarium of Harvard University 183:1-151.

Bierner, M.W. 1972. Taxonomy of *Helenium* sect. *Tetrodus* and a conspectus of North American *Helenium* (Compositae). Brittonia 24:331-355.

Bierner, M.W. 1974. A systematic study of *Dugaldia* (Compositae). Brittonia 26:385-392.

Bierner, M.W. 1994. Submersion of *Dugaldia* and *Plummera* in *Hymenoxys* (Asteraceae: Heliantheae: Gaillardiinae). Sida 16:1-8.

Bird, T. 2025. Personal communication, rare plant abstracts, draft content. .

Blake, S.F. 1921. Revision of the genus *Acanthospermum*. Contributions from the United States National Herbarium 20:383-392.

Bogler, D.J. 2006A. *Crepis.* In: Flora of North America North of Mexico, Volume 19. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Bogler, D.J. 2006B. *Lapsanastrum*. In: Flora of North America North of Mexico, Volume 19. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Bogler, D.J. 2006C. *Prenanthes*. In: Flora of North America North of Mexico, Volume 19. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Bolick, M.R. 1983. A cladistic analysis of the Ambrosiinae Less. and Engelmanniinae Stuessy. In: Advances in Cladistics. Volume 2. Platnick, N.I., and V.A. Funk, Eds. Columbia University Press, New York, NY.

Borissova, A.G., M.M. Iljin, M.V. Klokov, I.A. Linczevsky, E.G. Pobedimova, G.L. Semidel, Yu.D. Soskov, D.I. Sosnowsky, S.G. Tamamschian, A.L. Charadze, N.N. Tzvelev, S.K. Czerepanov, and S.A. Shostakovsky. 2001. Flora of the U.S.S.R.: Compositae, Tribes Cynareae and Mutisieae, Volume 28. Bobrov, E.G., and Czerepanov, S.K., Eds. Amerind Publishing Co., Pvt. Ltd., New Delhi, India.

Brouillet, L. 2006. *Aster*. In: Flora of North America North of Mexico, Volume 20. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Brown, G.K., and D.J. Keil. 1992. New combinations in *Pyrrocoma* (Asteraceae: Astereae). Phytologia 73(1):57-58.

Cabrera, A.L. 1941. Compuestas Bonaerenses. Universidad Nacional de La Plata, La Plata.

Canne, J.M. 1977. A revision of the genus *Galinsoga* (Compositae: Heliantheae). Rhodora 79:319-389.

Carlquist, S. 1959. Studies on Madinae: Anatomy, cytology, and evolutionary relationships. Aliso 4:171-236.

Carlquist, S., B.G. Baldwin, and G.D. Carr. 2003. Tarweeds & Silverswords: Evolution of the Madiinae (Asteraceae). Missouri Botanical Garden Press, St. Loius, MO.

Carr, G.D. 1977. A cytological conspectus of the genus *Calycadenia* (Asteraceae): An example of contrasting modes of evolution. American Journal of Botany 64:694-703.

Carr, G.D. 2003. Tarweeds & silverswords: Evolution of the *Madiinae* (Asteraceae). Carlquist, S., B.G. Baldwin, and G.D. Carr., Eds. Missouri Botanical Garden Press, St. Louis, MO.

Carr, R.L., and G.D. Carr. 1983. Chromosome races and structural heterozygosity in *Calycadenia ciliosa* Greene (Asteraceae). American Journal of Botany 70:744-755.

Chambers, K.L. 1955. A biosystematic study of the annual species of *Microseris*. Contributions from the Dudley Herbarium 4:207-312.

Chambers, K.L. 1996A. Notes on some interesting Oregon groundsels. Oregon Flora Newsletter 2(3):11-13.

Chambers, K.L. 1996B. Some observations on *Erigeron* in Oregon. Oregon Flora Newsletter 2(4):17-18.

Chambers, K.L. 1997B. Some taxonomic notes on Oregon goldenrods, Part I. Oregon Flora Newsletter 3(3):13-14.

Chambers, K.L. 1998B. Some taxonomic notes on Oregon goldenrods, part II. Oregon Flora Newsletter 4(1):3.

Chambers, K.L. 1998C. Beware the hybrid gumplant! Oregon Flora Newsletter 4(2):9-10.

Chambers, K.L. 1998E. Cherchez les hommes (In *Antennaria*, boys are a minority). Oregon Flora Newsletter 4(3):15-16.

Chambers, K.L. 2004. Two new subspecies of *Microseris laciniata* (Asteraceae) from the Siskiyou Mountains. Sida 21:193-205.

Chambers, K.L. 2009A. Recent generic changes in the Asteraceae: what's in store for the Oregon Flora Project? Oregon Flora Newsletter 15(1):1-4.

Chambers, K.L. 2011B. A new species of *Erigeron* (Asteraceae) from Southwest Oregon. Journal of the Botanical Research Institute of Texas 5(2):415-419.

Chambers, K.L., and C. Simpson. 2012. *Erigeron stanselliae* is a newly described species from Southwestern Oregon. Oregon Flora Newsletter 17(2):9,11.

Chambers, K.L., and S.C. Meyers. 2011. Nomenclatural changes for some taxa in the Oregon flora. Journal of the Botanical Research Institute of Texas 5(2):619-623.

Chan, R., and R. Ornduff. 2006. *Lasthenia*. In: Flora of North America North of Mexico, Volume 21. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Chan, R., B.G. Baldwin, and R. Ornduff. 2001. Goldfields revisited: a molecular phylogenetic perspective on the evolution of *Lasthenia* (Compositae: Heliantheae sensu lato). International Journal of Plant Science 162:1347-1460.

Chan, R., B.G. Baldwin, and R. Ornduff. 2002. Cryptic goldfields: a molecular phylogenetic reinvestigation of *Lasthenia californica* sensu lato and close relatives (Compositae: Heliantheae sensu lato). American Journal of Botany 89:1103-1112.

Cherniawsky, D.M., and R.J. Bayer. 1998. Systematics of North American *Petasites* (Asteraceae: Senecioneae). III. A taxonomic revision. Canadian Journal of Botany 76:2061-2075.

Chmielewski, J.G. 1993. *Antennaria pulvinata* Greene: The legitimate name for *A. aromatica* Evert (Asteraceae: Inuleae). Rhodora 95:261-276.

Clapham, A.R., R.G. Tutin, and D.M. Moore. 1987. Flora of the British Isles, 3rd Edition. Cambridge University Press, Cambridge.

Clark, W.D. 1979. The taxonomy of *Hazardia* (Compositae: Astereae). Madroño 26:105-127.

Clark, W.D. 2006. *Hazardia*. In: Flora of North America North of Mexico, Volume 20. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Clausen, J. 1951. Stages in the Evolution of Plant Species. Cornell University Press, Ithaca, NY.

Clausen, J., D.D. Keck, and W.M. Hiesey. 1948. III. Environmental responses of climatic races of *Achillea*. In: Publication No. 581: Experimental Studies on the Nature of Species. Carnegie Institution of Washington, Washington, DC.

Clevenger, S., and C.B. Heiser, Jr. 1963. *Helianthus laetiflorus* and *Helianthus rigidus*--hybrids or species? Rhodora 65:121-133.

Constance, L. 1937. A systematic study of the genus *Eriophyllum* Lag. University of California Publications in Botany 18:69-136.

Couderc-LeVaillant, M., and C.T. Roché. 1993. Evidence of multiple introduction of *Crupina vulgaris* in infestations in the western United States. Madroño 40:63-65.

Cronquist, A. 1947. Revision of the North American species of *Erigeron*, north of Mexico. Brittonia 6:122-302.

Cronquist, A. 1950. A review of the genus *Psilocarphus*. Research Studies of the State College of Washington 18:71-89.

Cronquist, A. 1955. Compositae. In: Vascular Plants of the Pacific Northwest. Hitchcock, C.L., A. Cronquist, M. Ownbey, and J.W. Thompson, Eds. University of Washington Press, Seattle, WA.

Cronquist, A. 1978. *Petasites*. In: North American Flora, ser. 2, pt. 10. New York Botanical Garden, NY.

Cronquist, A. 1994A. Asterales. In: Intermountain Flora, Volume 5. New York Botanical Garden, Bronx, NY.

Cronquist, A. 1994B. *Machaeranthera*. In: Intermountain Flora: Vascular plants of the Intermountain West, Volume 5. Cronquist, A., A.H. Holmgren, N.H. Holmgren, J.L. Reveal, and P.K. Holmgren, Eds. New York Botanical Garden, Bronx, NY.

Cronquist, A. 1994C. *Chrysothamnus*. In: Intermountain Flora, Volume 5. New York Botanical Garden, Bronx, NY.

Cronquist, A. 1994D. *Hulsea*. In: Intermountain Flora: Vascular plants of the Intermountain West, Volume 5. Cronquist, A., A.H. Holmgren, N.H. Holmgren, J.L. Reveal, and P.K. Holmgren, Eds. New York Botanical Garden, Bronx, NY.

Cronquist, A. 1994E. *Hymenopappus*. In: Intermountain Flora, Volume 5. New York Botanical Garden, Bronx, NY.

Cronquist, A. 1995. Compositae. In: Vascular Plants of the Pacific Northwest, Volume 5. Hitchcock, C.L., A. Cronquist, M. Ownbey, and J.W. Thompson, Eds. University of Washington Press, Seattle, WA.

Davis, W.S. 2006. *Malacothrix*. Flora of North America 19:310-321.

Davis, W.S., and P.H. Raven. 1962. Three new species related to *Malacothrix clevelandii*. Madroño 16:258-266.

Dean, M.L., and K.L. Chambers. 1983. Chromosome numbers and evolutionary patterns in the *Aster occidentalis* (Asteraceae) polyploid complex of western North America. Brittonia 35:189-196.

Deardorff, D.C. 1977. Biosystematic studies in *Hieracium* (Asteraceae) section *Thyrsoidea*. University of Washington, Seattle, WA.

Downie, S.R., and K.E. Denford. 1988. Taxonomy of *Arnica* (Asteraceae) subgenus *Arctica*. Rhodora 90:245-275.

Dunford, M.P. 1964. A cytogenetic analysis of certain polyploids in *Grindelia* (Compositae). American Journal of Botany 51:49-56.

Enke, N., and B. Gemeinholzer. 2008. Babcock revised: new insights into generic delimitation and character evolution in *Crepis* L. (Compositae: Cichorieae) from ITS and *mat*K sequence data. Taxon 57(3):756-768.

Estes, J.R. 1969. Evidence for autoploid evolution in the *Artemisia ludoviciana* complex in the Pacific Northwest. Brittonia 21:29-43.

Funk, V.A., A. Susanna, T.F. Stuessy, and R.J. Bayer. 2009. Systematics, evolution, and biogeography of Compositae. International Association for Plant Taxonomy, Vienna, Austria.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Gaskin, J.F., and L.M. Wilson. 2007. Phylogenetic relationships among native and naturalized *Hieracium* (Asteraceae) in Canada and the United States based on plastid DNA sequences. Systematic Botany 32:478-485.

Gleason, H.A., and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. 2nd Ed. The New York Botanical Garden, NY.

Gottlieb, L.D. 1972. A proposal for classification of the annual species of *Stephanomeria* (Compositae). Madroño 21:463-481.

Greuter, W., F.R. Barrie, H.M. Burdet, W.G. Chaloner, V. Demoulin, D.L. Hawksworth, P.M. Jorgensen, D.H. Nicholson, P.C. Silva, P. Trehane, and J. McNeill, Eds. 1994. International Code of Botanical Nomenclature: Tokyo Code. Koeltz Scientific Books, Königstein, Germany.

Grimes, J.W., and B. Ertter. 1979. A new species of *Artemesia* (Asteraceae: Anthemidae) from southeastern Oregon. Brittonia 31(4):454-458.

Guppy, G.A. 1978. Species relationships of *Hieracium* (Asteraceae) in British Columbia. Canadian Journal of Botany 56:3008-3019.

Haines, A. 2006. *Euthamia*. In: Flora of North America North of Mexico, Volume 20. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Harms, V.L. 1974. Chromosome numbers in *Heterotheca*, including *Chryopsis* (Compositae: Astereae), with phylogenetic interpretations. Brittonia 26:61-69.

Heiser, C.B. 1949. Study in the evolution of the sunflower species *Helianthus annuus* and *H. bolanderi*. University of California Publications in Botany 23:157-208.

Heiser, C.B. 1969. The North American sunflowers (*Helianthus*). Memoirs of the Torrey Botanical Club 22:1-218.

Helton, N., D. Wiens, and B.A. Barlow. 1972. High polyploidy and the origin of *Balsamorhiza macrophylla*. Madroño 21:526-535.

Heywood, V.H. 1958. Summary of the divisions of *Chrysanthemum*, *Pyrethrum*, *Leucanthemum* and *Tanacetum*, and a key to the English members. Proceedings of the Botanical Society of the British Isles 3:177-179.

Hoeck, A.V. 1914. The Anatomy of *Megalodonta Beckii*. American Midland Naturalist 3(12):336-342.

Holmgren, A.H., L.M. Schultz, and T.K. Lowrey. 1976. *Sphaeromeria*, a genus closer to *Artemisia* than to *Tanacetum* (Asteraceae: Anthemidiae). Brittonia 28:255-262.

Howell, J.T. 1939. *Carduus* in California. Leaflets of Western Botany 2:212-213.

Howell, J.T. 1959. Studies in *Cirsium* - II. Leaflets of Western Botany 9:9-15.

Jackson, R.C. 1960. A revision of the genus *Iva* L. University of Kansas Science Bulletin 41:793-876.

Jansen, R.K., R.S. Wallace, K-J. Kim, and K.L. Chambers. 1991. Systematic implications of chloroplast DNA variation in the subtribe Microseridinae (Asteraceae: Lactuceae). American Journal of Botany 78:1015-1027.

Johnson, D.E. 1991. Nomenclatural conspectus of annual Eriophyllinae (Asteraceae). Novon 1:119-124.

Jones, A.G. 1977. New data on chromosome numbers in *Aster* section *Heterophylli* and their phylogenetic implications. Systematic Botany 2:334-347.

Karis, P.O. 1995. Cladistics of the subtribe Ambrosiinae (Asteraceae: Heliantheae). Systematic Botany 20:40-54.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kartesz, J.T., and K.N. Gandhi. 1991. Nomenclatural notes for the North American Flora. VI. Phytologia 71(1):58-65.

Keck, D.D. 1946. A revision of the *Artemisia vulgaris* complex in North America. Proceedings of California Academy of Sciences IV 25:421-468.

Keck, D.D. 1959. *Madia*. In: A California Flora. Munz, P.A., Ed. University of California Press, Berkeley, CA.

Keil, D.J. 2006. *Adenocaulon*. In: Flora of North America North of Mexico, Volume 19. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Keil, D.J. 2012. *Hieracium*. In: The Jepson Manual: Vascular Plants of California, Second Edition. Baldwin, B.G., D.H. Goldman, D.J. Keil, R. Patterson, T.J. Rosatti, and D.H. Wilkin, Eds. University of California Press, Berkeley, CA.

Keil, D.J., and G.L. Stebbins. 2012. *Lactuca*. In: The Jepson Manual: Vascular Plants of California, Second Edition. Baldwin, B.G., D.H. Goldman, D.J. Keil, R. Patterson, and T.J. Rosatti, Eds. University of California Press, Berkeley, CA.

King, R.M., and H.L. Robinson. 1987. The genera of the Eupatorieae (Asteraceae). Monographs in Systematic Botany from the Missouri Botanical Garden 22:1-581.

Kyhos, D.W., and P.H. Raven. 1982. Miscellaneous chromosome numbers in Asteraceae. Madroño 29:62.

Kyhos, D.W., G.D. Carr, and B.G. Baldwin. 1990. Biodiversity and cytogenetics of the tarweeds (Asteraceae: Heliantheae-Madiinae). Annals of the Missouri Botanical Garden 77:84-95.

Lane, M.A. 1992. New combinations in Californian *Grindelia* (Compositae: Astereae). Novon 2:215-217.

Lee, J., B.G. Baldwin, and L.D. Gottlieb. 2002. Phylogeny of *Stephanomeria* and related genera (Compositae—Lactuceae) based on 18S-26S nuclear RNA ITS and ETS sequences. American Journal of Botany 89:160-168.

Lee, J., B.G. Baldwin, and L.D. Gottlieb. 2003. Phylogenetic relationships among the primarily North American genera of Cichorieae (Compositae) based on analysis of 18S-26S nuclear rDNA ITS and ETS sequences. Systematic Botany 228:616-626.

Maguire, B. 1943. A monograph of the genus *Arnica* (Senecioneae, Compositae). Brittonia 4:386-510.

Maio, B., B.L. Turner, and T.J. Mabry. 1995A. Chloroplast DNA variations in sect. *Cyclachaena* of *Iva* (Asteraceae). American Journal of Botany 82:919-923.

Maio, B., B.L. Turner, and T.J. Mabry. 1995B. Systematic implications of chloroplast DNA variation in the subtribe Ambrosiinae (Asteraceae: Heliantheae). American Journal of Botany 82:924-932.

Matthews, V.A., F.K. Kupicha, and B.S. Parris. 1975. Flora of Turkey and the East Aegean Islands. Davis, P.H., Ed. Edinburgh University Press, Edinburgh, England.

McVaugh, R. 1972. Nomenclatural and taxonomic notes on Mexican Compositae. Rhodora 74:495-516.

Mooring, J.S. 1975. A cytogeographic study of *Eriophyllum lanatum* (Compositae, Helenieae). American Journal of Botany 62:1027-1037.

Mooring, J.S. 1980. A cytogeographic study of *Chaenactis douglasii* (Compositae, Helenieae). American Journal of Botany 67:1304-1319.

Mooring, J.S. 2001. Barriers to interbreeding in the *Eriophyllum lanatum* (Asteraceae, Helenieae) species complex. American Journal of Botany 88:285-312.

Mooring, J.S. 2009. An *Eriophyllum lanatum* (Asteraceae) hybrid zone in Oregon. Madroño 55:269-279.

Morefield, J.D. 1992A. Resurrection and revision of *Hesperevax* (Asteraceae: Inuleae). Systematic Botany 17:293-310.

Morefield, J.D. 1992B. Three new species of *Stylocline* (Asteraceae: Inuleae) from California and the Mojave Desert. Madroño 39:114-130.

Morgan, D.R. 2006. *Dieteria*. In: Flora of North America North of Mexico, Volume 22. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Morse, C.A. 2006A. *Stenotus*. In: Flora of North America North of Mexico, Volume 20. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Morse, C.A. 2006B. *Tonestus*. In: Flora of North America North of Mexico, Volume 20. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Nelson, J.C. 1917. The introduction of foreign weeds in ballast as illustrated by ballast-plants at Linnton, Oregon. Torreya 17:151-160.

Nesom, G.L. 1989. The separation of *Trimorpha* (Compositae: Astereae) from *Erigeron*. Phytologia 67:61-66.

Nesom, G.L. 1991. Redefinition of *Hesperodoria* (Asteraceae: Astereae) and the segregation of a new monotypic genus from the Western United States. Phytologia 71:244-251.

Nesom, G.L. 1992A. Revision of *Erigeron* sect. *Linearifolii* (Asteraceae: Astereae). Phytologia 72:157-208.

Nesom, G.L. 1992B. Taxonomic notes on *Erigeron* (Asteraceae: Astereae) of California, Nevada, and Arizona. Phytologia 73:186-202.

Nesom, G.L. 1994. Review of the taxonomy of *Aster* sensu lato (Asteraceae: Astereae), emphasizing the New World species. Phytologia 77:141-297.

Nesom, G.L. 1997. Taxonomic adjustments in North American *Aster* sensu latissimo (Asteraceae: Astereae). Phytologia 82:281-288.

Nesom, G.L. 2004. Taxonomic reevaluations in North American *Erigeron* (Asteraceae: Astereae). Sida 21(1):20.

Nesom, G.L. 2006. *Ageratina*. In: Flora of North America North of Mexico, Volume 21. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Nesom, G.L., and D.R. Morgan. 1990. Reinstatement of *Tonestus* (Asteraceae: Astereae). Phytologia 68:174-180.

Nesom, G.L., and G.I. Baird. 1993. Completion of *Ericameria* (Asteraceae; Astereae), diminution of *Chrysothamnus*. Phytologia 75:74-93.

Nesom, G.L., and H. Robinson. 2007. Tribe Astereae Cass. In: Flowering Plants. Eudicots: Asterales. Kadereit, J.W., and C. Jeffrey, Eds. Springer, Berlin, Germany.

Nesom, G.L., and T.J. Leary. 1992. A new species of *Ionactis* (Asteraceae: Astereae) and an overview of the genus. Brittonia 44:247-252.

Nordenstam, B., P.B. Pelser, J.W. Kadereit, and L.E. Watson. 2009. Senecioneae. In: Systematics, evolution, and biogeography of Compositae. Funk, V.A., A. Susanna, T.F. Stuessy, and R.J. Bayer, Eds. International Association for Plant Taxonomy, Vienna, Austria.

Ochsmann, J. 1999. What is the American "*Centaurea maculosa*"? Poster abstract, International Botanical Congress, Saint Louis.

Ornduff, R. 1963. *Hieracium* revisited. Leaflets of Western Botany 10:38.

Ornduff, R. 1963B. Experimental studies in two genera of Helenieae (Compositae): *Blennosperma* and *Lasthenia*. The Quarterly Review of Biology 38:141-150.

Ornduff, R. 1966. A biosystematic survey of the Goldfield genus *Lasthenia*. University of California Publications in Botany 40:1-92.

Ornduff, R. 1971. A new tetraploid subspecies of *Lasthenia* (Compositae) from Oregon. Madroño 21:96-98.

Ornduff, R., and B.A. Bohm. 1975. Relationships of *Tracyina* and *Rigiopappus* (Compositae). Madroño 23:53-55.

Ownbey, M., and W.A. Weber. 1943. Natural hybridization in the genus *Balsamorhiza*. American Journal of Botany 30:179-187.

Pak, J.-H., and K. Bremer. 1995. Phylogeny and reclassification of the genus *Lapsana* (Asteraceae: Lactuceae). Taxon 44:13-21.

Panero, J.L. 2007. Tageteae. In: The Families and Genera of Vascular Plants, Volume 3. Kubitzki, K., Ed. Springer-Verlag, Berlin, Germany.

Pelser, P.B., B. Gravendeel, and R. van der Meijen. 2002. Tackling speciose genera: species composition and phylogenetic position of *Senecio* sect. *Jacobaea* (Asteraceae) based on plastid and nrDNA sequences. American Journal of Botany 89:929-939.

Pelser, P.B., B. Gravendeel, and R. van der Meijen. 2003. Phylogeny reconstruction in the gap between too little and too much divergence: the closest relatives of *Senecio jacobaea* (Asteraceae) according to DNA sequences and AFLPs. Molecular Phylogenetics and Evolution 29:613-628.

Pelser, P.B., J.F. Veldkamp, and R. van der Meuden. 2006. New combinations in *Jacobaea* Mill. (Asteraceae - Senecioneae). Compositae Newsletter 44:1-11.

Pelser, P.B., K. van den Hof, B. Gravendeel, and R. van der Meijen. 2004. The systematic value of morphological characters in *Senecio* sect. *Jacobaea* (Asteraceae) as compared to DNA sequences. Systematic Botany 29:790-805.

Pennings, S.C., and J.C. Simpson. 2008. Like herbivores, parasitic plants are limited by host nitrogen content. Plant Ecology 196:245-250.

Perdue, R.E., Jr. 1959. The somatic chromosomes of *Rudbeckia* and some related genera of the Compositae. Contributions from the Gray Herbarium of Harvard University 185:129-162.

Piper, C.V. 1906. Flora of the State of Washington. Contributions from the United States National Herbarium 11:1-637.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium. http://www.ipni.org

Rauschert, S. 1974. Nomenklatorische Probleme in der Gattung *Matricaria* L. Folia Geobotanica & Phytotaxonomica 9:249-260.

Reveal, J.L. 2007. *Mulgedium oblongifolium* (Asteraceae), a new combination. Phytologia 89(1):69.

Ringius, G.S., and J.C. Semple. 1987. Cytogeography of the *Solidago spathulata-glutinosa* complex (Compositae: Astereae). Canadian Journal of Botany 65:2458-2462.

Ringius, G.S., and J.C. Semple. 1991. New combinations in *Solidago simplex*, (Compositae: Astereae). Phytologia 70:396-399.

Roberts, R.P., and L.E. Urbatsch. 2003. Molecular phylogeny of *Ericameria* (Asteraceae, Astereae) based on nuclear ribosomal 3' ETS and ITS sequence data. Taxon 52:209-228.

Roberts, R.P., and L.E. Urbatsch. 2004. Molecular phylogeny of *Chrysothamnus* and related genera (Asteraceae, Astereae) based on nuclear ribosomal 3' ETS and ITS sequence data. Systematic Botany 29:199-215.

Roberts, R.P., L.E. Urbatsch, and K.M. Neubig. 2005. *Nestotus* and *Toiyabea*, two new genera of Asteraceae: Astereae from the western United States and Canada. Sida 21:1647-1655.

Robinson, H., and R.D. Brettell. 1973. Tribal revisions of Asteraceae. V. The relationships of *Rigiopappus*. Phytologia 26:69-70.

Roché, C. 2002. Meadow knapweed (*Centaurea ×pratensis* Thuill.). Oregon Flora Newsletter 8(1):4.

Roché, C., and A. Susanna. 2011. New habitats, new menaces: *Centaurea ×kleinii* (*C. moncktonii* × *C. solsitialis*) a new hybrid species between two alien weeds. Collecteana Botanica (Barcelona) 29:17-23.

Roché, C.T., and B.F. Roché, Jr. 1993. Identification of knapweeds and starthistles in the Pacific Northwest. Pacific Northwest Cooperative Extension Bulletin PNW 432. Washington State University Cooperative Extension, Pullman.

Saroyan, J.P., D.R. Parnell, and J.L. Strother. 2000. Revision of *Corethrogyne* (Compositae: Astereae). Madroño 47:89-96.

Schultz, L.M. 1986. Taxonomic and geographic limits of *Artemisia* subgenus *Tridentatae* (Beetle) McArthur (Asteraceae: Anthemideae). In: Proceedings -- Symposium on the Biology of *Artemisia* and *Chrysothamnus*; 1984 July 9-13; Provo UT, General Technical Report INT-200. McArthur, E.D., and B.L. Welch, compilers. U.S.D.A. Forest Service, Intermountain Research Station, Ogden, UT.

Schultz, L.M. 2009. Monograph of *Artemisia* subgenus *Tridentatae* (Asteraceae--Antemideae). Systematic Botany Monographs 89:1-131.

Sell, P.D. 1976. *Crepis*. In: Flora Europaea, Volume 4. Tutin, T.G., V.H. Heywood, N.A. Burges, D.M. Moore, D.H. Valentine, S.M. Walters, and D.A. Webb, Eds. Cambridge University Press, Cambridge, United Kingdom.

Semple, J.C., C. Leeder, C. Leuty, and L. Gray. 1988. *Heterotheca* Sect. *Ammodia* (Compositae: Astereae): A multivariate study of *H. oregona* and specimens of Brewer's (golden) aster. Systematic Botany 13:547-558.

Semple, J.C., J.G. Chmielewski, and R.A. Brammall. 1990. A multivariate morphometric study of *Solidago nemoralis* (Compositae: Astereae) and comparison with *S. californica* and *S. sparsiflora*. Canadian Journal of Botany 68:2070-2082.

Semple, J.C., S.B. Heard, and L. Brouillet. 2002. Cultivated and native asters of Ontario (Compositae: Astereae). University of Waterloo Biological Series 41:1-134.

Semple, J.C., V.C. Blok, and P. Heiman. 1980. Morphological, anatomical, habit, and habitat dIfferences among the goldenaster genera *Chrysopsis*, *Heterotheca*, and *Pityopsis* (Compositae--Astereae). Canadian Journal of Botany 58:147-163.

Sieren, D.J. 1981. The taxonomy of the genus *Euthamia*. Rhodora 83:551-579.

Smith, E.B. 1975. The chromosome numbers of North American *Coreopsis* with phyletic interpretations. Botanical Gazette (Crawfordsville) 136:78-86.

Smith, E.B. 1976. A biosystematic survey of *Coreopsis* in eastern United States and Canada. Sida 6:123-215.

Smith, J.F., D.N. Perkins, C.R. Björk, and G. Glenne. 2010. Species boundaries in *Pyrrocoma liatriformis* and *Pyrrocoma scaberula* (Asteraceae) based on AFLP data. Madroño 57(2):95-105.

Stace, C. 1991. New flora of the British Isles. Cambridge University Press, New York, NY.

Stafleu, F.A., and R.S. Cowan. 1986. Taxonomic Literature. A Selective Guide to Botanical Publications and Collections with Dates, Commentaries and Types.Volume 6: Sti-Vuy. 2nd edition. Bohn, Scheltema & Holkema, Utrecht, Netherlands.

Stebbins, G.L., Jr., and D.J. Keil. 1992. New combinations in *Gnaphalium* (Asteraceae: Inuleae). Novon 2:437-438.

Strother, J.L. 1974. Taxonomy of *Tetradymia* (Compositae: Senecioneae). Brittonia 26:177-202.

Strother, J.L. 1978. *Luina*, *Cacaliopsis*, *Rainiera*. In: North American Flora, ser. 2, pt. 10. New York Botanical Garden, NY.

Strother, J.L. 2006A. *Eatonella*. In: Flora of North America North of Mexico, Volume 21. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Strother, J.L. 2006B. *Hieracium*. In: Flora of North America North of Mexico, Volume 19. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Strother, J.L. 2006C. *Hymenopappus*. In: Flora of North America North of Mexico, Volume 21. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Strother, J.L., and S.J. Wolf. 2006. *Arnica lanceolata* subsp. *prima*, the correct name for *Arnica lanceolata* Nuttall subsp. *amplexicaulis* (Nuttall) Gruezo (Asteraceae, Heliantheae). Novon 16:138.

Strother, J.L., and W.J. Ferlatte. 1988. Review of *Erigeron eatonii* and allied taxa (Compositae: Astereae). Madroño 35:77-91.

Thompson, W.C. 1983. A biosystematic study of *Lagophylla* (Compositae: Heliantheae) and related taxa. University of California, Davis, CA.

Tomasello, S. 2018. How many names for a beloved genus? - Coalescent-based species delimitation in *Xanthium* L. (Ambrosiinae, Asteraceae). Molecular Phylogenetics and Evolution 127:135-145.

Tomasello, S. 2018. How many names for a beloved genus? – Coalescent-based species delimitation in *Xanthium* L. (Ambrosiinae, Asteraceae). Molecular Phylogenetics and Evolution 127:135-145.

Tomb, A.S. 1972. Taxonomy of *Chaetadelpha*. Madroño 21:459-462.

Tomb, A.S. 1974. Chromosome numbers and generic relationships in the subtribe Stephanomeriinae (Compositae: Cichorieae). Brittonia 26:203-216.

Tomb, A.S. 1980. Taxonomy of *Lygodesmia* (Asteraceae). Systematic Botany Monographs 1:1-51.

Trock, D.K., and T.M. Barkley. 1999. *Packera subnuda* comb. nov., a corrected name for *Packera buekii* (Asteraceae: Senecioneae). Sida 18:635.

Turner, B.L. 1956. A cytotaxonomic study of the genus *Hymenopappus* (Compositae). Rhodora 58:163-186, 208-242, 250-269, 295-308.

Turner, B.L. 1987. Taxonomic study of *Machaeranthera*, Sections *Machaeranthera* and *Hesperastrum* (Asteraceae). Phytologia 62:207-266.

Turner, B.L., and A.M. Powell. 1977. Helenieae -- systematic review. In: The Biology and Chemistry of the Compositae. Volume 2. Heywood, V.H., J.B. Harborne, and B.L. Turner, Eds. Academic Press, New York, NY.

Tyrl, R.J. 1969. Cytogeography of *Achillea millefolium* in western Oregon. Brittonia 21:215-223.

Tyrl, R.J. 1975. Origin and distribution of polyploid *Achillea* (Compositae) in western North America. Brittonia 27:187-196.

Urbatsch, L.E. 2012. *Tonestus*. In: The Jepson Manual: Vascular plants of California. Baldwin, B.G., D.H. Goldman, D.J. Keil, R. Patterson, and T.J. Rosatti, Eds. University of California Press, Berkeley, CA.

Urbatsch, L.E., R.P. Roberts, and K.M. Neubig. 2005. *Cuniculotinus* and *Loranandersonia*, two new genera of Asteraceae: Astereae and new combinations in *Chrysothamnus*. Sida 21:1615-1632.

Valdés, B., S. Talavera, and E. Fernandez-Galiano, Eds. 1987. Flora Vascular de Andalucía Occidental. Volume 3. Ketres Editoria, Barcelona.

Venkatesh, C.S. 1958. A cyto-genetic and evolutionary study of *Hemizonia* section *Centromadia* (Compositae). Evolution 39:1236-1241.

Voss, E.G. 1996. Michigan Flora. Part III Dicots (Pyrolaceae-Compositae). Cranbrook Institute of Science and University of Michigan Herbarium Bulletin 61. Regents of the University of Michigan, Ann Arbor, MI.

Vuilleumier, B.S. 1973. Lactuceae. Journal of the Arnold Arboretum 54:42-93.

Wagenitz, G. 1975. *Centaurea* L. In: Flora of Turkey and the East Aegean Islands. Volume 5. Davis, P.H., Ed. Edinburgh University Press, Edinburgh.

Ward, G.H. 1953. *Artemisia*, section *Seriphidium*, in North America. Contributions from the Dudley Herbarium 4:155-205.

Watson, L.E. 2006. *Tanacetum*. Flora of North America 19:489-491.

Weber, W.A. 1946. A taxonomic and cytological study of the genus *Wyethia*, family Compositae, with notes on the related genus *Balsamorhiza*. American Midland Naturalist 35:400-452.

Weber, W.A. 1952. The genus *Helianthella* (Compositae). American Midland Naturalist 48:1-35.

Weber, W.A. 1953. *Balsamorhiza terebinthacea* and other hybrid balsam-roots. Madroño 12:47-49.

Weber, W.A. 1984. New names and combinations, principally in the Rocky Mountain flora - IV. Phytologia 55(1):1-11.

Whitton, J., R.S. Wallace, and R.K. Jansen. 1995. Phylogenetic relationships and patterns of character change in the tribe Lactuceae (Asteraceae) based on chloroplast DNA restriction site variation. Canadian Journal of Botany 73:1058-1073.

Wilken, D.H. 1975. A systematic study of the genus *Hulsea* (Asteraceae). Brittonia 27:228-244.

Wilken, D.H. 2006. *Hulsea*. In: Flora of North America North of Mexico, Volume 21. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Willis, G. 2025. Personal communication, rare plant abstracts, draft content. .

Wilson, L.M., J.P. McCaffrey, P.C. Quimby, Jr., and J.L. Birdsall. 1997. Hawkweeds in the Northwestern United States. Rangelands 19:18-23.

Winward, A.H. 1980. Taxonomy and ecology of sagebrush in Oregon. Oregon Agricultural Experiment Station Bulletin 642:1-15.

Winward, A.H., and E.D. McArthur. 1995. Lahontan sagebrush (*Artemisia arbuscula* ssp. *longicaulis*): a new taxon. Great Basin Naturalist 55:151-157.

Wolf, S.J., and K.E. Denford. 1984A. Taxonomy of *Arnica* (Compositae) subgenus *Austromontana*. Rhodora 86:239-309.

Wolf, S.J., and K.E. Denford. 1984B. *Arnica gracilis* (Compositae), a natural hybrid between *A. latifolia* and *A. cordifolia*. Systematic Botany 9:12-16.

Xiang, W.F., and J.C. Semple. 1996. Molecular systematic study of *Aster* sensu lato and related genera (Asteraceae: Astereae) based on chloroplast DNA restriction site analyses and mainly North American taxa. In: Proceedings of the International Compositae Conference, Volume 1. Hind, D.J.N., and H. Beentje, Eds. , Kew, England.

Zardini, E. 1992. *Madia sativa* Mol. (Asteraceae-Heliantheae-Madiinae): An ethnobotanical and geographical disjunct. Economic Botany 46:34-44.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest