Checklist of Oregon Boraginaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Adelinia

Checklist contributor:
Flora of Oregon author: James (Jim) Cohen

Adelinia grandis (Douglas ex Lehm.) J.I. Cohen

Common names: Pacific hound's tongue, grand hound's tongue
Origin: native Voucher: OSC, most recently collected in 2023
Cohen, 2015 ; FOO 2:387; FPN2 422.

Synonyms:

***Cynoglossum grande* Douglas ex Lehm.**
FOO 2:387 synonym for *Adelinia grandis*; FPN 390; IL 3:540; JPM 378; JPM2 468; PEK 648; VP 4:200.

Amsinckia

Checklist contributor: Richard Halse, 12/1/2001
Flora of Oregon author: Christian Feuillet

Amsinckia carinata A. Nelson & J.F. Macbr.

Common names: Malheur Valley fiddleneck
Origin: native Voucher: OSC, most recently collected in 2014
FOO 2:388; IN 4:278; VP 4:183 synonym for *Amsinckia vernicosa*; Walker, 2000 .

Synonyms:

Amsinckia vernicosa* Hook. & Arn. var. *vernicosa
FOO 2:388 synonym for *Amsinckia carinata*; IL 3:606; JPM 369.

Misapplied names:

***Amsinckia vernicosa* Hook. & Arn.**
JPM 368; JPM2 454; VP 4:183.

Amsinckia lycopsoides Lehm.

Common names: tarweed fiddleneck, bugloss fiddleneck
Origin: native Voucher: OSC, most recently collected in 2019
FOO 2:388; FPN 386; FPN2 422; GWM 290; IL 3:608; JPM 368; JPM2 454; PEK 650; VP 4:178.

Amsinckia menziesii (Lehm.) A. Nelson & J.F. Macbr.

Common names: Menzies' fiddleneck, rancher's fiddleneck
Origin: native Voucher: OSC, most recently collected in 2024
FOO 2:388; FPN 386; FPN2 422; IN 4:276; JPM 368; JPM2 454; VP 4:180.

Synonyms:

***Amsinckia intermedia* Fisch. & C.A. Mey.**
FOO 2:388 synonym for *Amsinckia menziesii*; FPN 386; FPN2 422; GWM 290; IL 3:607; IN 4:276; JPM2 454; PEK 651; VP 4:178.

***Amsinckia menziesii* (Lehm.) A. Nelson & J.F. Macbr. var. *intermedia* (Fisch. & C.A. Mey.)**
FOO 2:388 synonym for *Amsinckia menziesii*; JPM 368.

Amsinckia menziesii* (Lehm.) A. Nelson & J.F. Macbr. var. *menziesii
FOO 2:388 synonym for *Amsinckia menziesii*; JPM 368.

***Amsinckia micrantha* Suksd.**
FOO 2:388 synonym for *Amsinckia menziesii*; FPN 386 synonym for *Amsinckia menziesii*; IL 3:607; PEK 651.

***Amsinckia retrorsa* Suksd.**
FOO 2:388 synonym for *Amsinckia menziesii*; FPN 386; FPN2 422; IL 3:607; IN 4:277; JPM2 454; PEK 650; VP 4:181.

Amsinckia spectabilis Fisch. & C.A. Mey.

FPN 386; JPM 368; PEK 650; VP 4:181.

Amsinckia spectabilis Fisch. & C.A. Mey. var. ***spectabilis***

Common names: seaside fiddleneck, woolly breeches

Origin: native Voucher: OSC, most recently collected in 1939

FOO 2:389; FPN2 422; IL 3:606; JPM 368; JPM2 454.

Synonyms:

***Amsinckia scouleri* I.M. Johnst.**

FOO 2:389 synonym for *Amsinckia spectabilis var. spectabilis*; IL 3:606; PEK 650.

Amsinckia tessellata A. Gray

FPN 386; IL 3:604; IN 4:278; JPM 368; PEK 650; VP 4:181.

Amsinckia tessellata A. Gray var. ***tessellata***

Common names: bristly fiddleneck, devil's lettuce, checker fiddleneck, tessellate fiddleneck

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:389; FPN2 422; JPM 368; JPM2 454.

Amsinckiopsis

Checklist contributor:

Flora of Oregon author: C. Guilliams, Kristen Hasenstab-Lehman, Ronald Kelley

---

Amsinckiopsis kingii (S. Watson) Guilliams, Hasenstab-Lehman & B.G. Baldwin var. ***harknessii*** (Greene) Guilliams, Hasenstab-Lehman & B.G. Baldwin

Common names: northern Great Basin popcornflower

Origin: native Voucher: OSC, most recently collected in 2008

FOO 2:390.

Synonyms:

***Plagiobothrys harknessii* (Greene) A. Nelson & J.F. Macbr.**

FOO 2:390 synonym for *Amsinckiopsis kingii var. harknessii*; FPN 397; IL 3:573 synonym for *Plagiobothrys kingii* var. *harknessii*; IN 4:272 synonym for *Plagiobothrys kingii* var. *harknessii*; PEK 659; VP 4:239.

***Plagiobothrys kingii* (S. Watson) A. Gray var. *harknessii* (Greene) Jeps.**

FOO 2:390 synonym for *Amsinckiopsis kingii var. harknessii*; FPN2 434; IL 3:573; IN 4:272; JPM 389; JPM2 506; VP 4:239 synonym for *Plagiobothrys harknessii*.

Amsinckiopsis kingii (S. Watson) Guilliams, Hasenstab-Lehman & B.G. Baldwin var. ***kingii***

Common names: southern Great Basin popcornflower

Origin: native Voucher: OSC, most recently collected in 2005

FOO 2:390.

Synonyms:

Plagiobothrys kingii* (S. Watson) A. Gray var. *kingii

FOO 2:390 synonym for *Amsinckiopsis kingii var. kingii*; IN 4:272; JPM 389; JPM2 506.

Anchusa

Checklist contributor: Richard Halse, 8/11/1998

Flora of Oregon author: Richard Halse

Anchusa azurea Mill.

Common names: showy bugloss, Italian bugloss, garden bugloss

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2017

FOO 2:391; FPN 387; IL 3:541; JPM 369; JPM2 454; VP 4:183.

Synonyms:

Anchusa azurea* Mill. var. *azurea

FPN2 423.

Anchusa capensis Thunb.

Common names: Cape bugloss
Origin: exotic, not naturalized
Voucher: GH, most recently collected in 1925
FOO 2:391 uncertain status; IL 3:541; VP 4:184.

Anchusa officinalis L.

Common names: common bugloss
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2018
FOO 2:391; FPN 387; FPN2 423; IL 3:541; IN 4:293; JPM 369; JPM2 454; PEK 649; VP 4:183.

Andersonglossum

Checklist contributor:
Flora of Oregon author: James (Jim) Cohen

Andersonglossum occidentale (A. Gray) J.I. Cohen

Common names: western hound's tongue
Origin: native
Voucher: OSC, most recently collected in 2013
Cohen, 2015 ; FOO 2:392; FPN2 423.

Synonyms:

***Cynoglossum occidentale* A. Gray**

FOO 2:392 synonym for *Andersonglossum occidentale*; FPN 390; IL 3:537; JPM 378; JPM2 468; PEK 648; VP 4:200.

Asperugo

Checklist contributor: Richard Halse, 11/1/2001
Flora of Oregon author: Richard Halse

Asperugo procumbens L.

Common names: madwort
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2023
FOO 2:392; FPN 387; FPN2 423; GWM 290; IL 3:609; IN 4:220; JPM 369; JPM2 455; PEK 651; VP 4:184.

Borago

Checklist contributor: Richard Halse, 11/1/2001
Flora of Oregon author: Stephen Meyers

Borago officinalis L.

Common names: common borage
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2024
FOO 2:393; FPN 387; FPN2 423; IL 3:540; JPM 369; JPM2 455; VP 4:184.

Buglossoides

Checklist contributor: Stephen Meyers, 11/10/2010
Flora of Oregon author: James (Jim) Cohen

Buglossoides arvensis (L.) I.M. Johnst.

Common names: corn gromwell, field gromwell
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2018
FOO 2:393; FPN2 424.

Synonyms:

***Lithospermum arvense* L.**

FOO 2:393 synonym for *Buglossoides arvensis*; FPN 394; GWM 294; IL 3:548; IN 4:290; JPM 382; JPM2 478; PEK 668; VP 4:218.

Cryptantha

Checklist contributor: Richard Halse, 12/27/2006
Flora of Oregon author: Michael Simpson, Ronald Kelley

Cryptantha affinis (A. Gray) Greene

Common names: side-grooved cryptantha, quill cryptantha, slender cryptantha
Origin: native Voucher: OSC, most recently collected in 2023
FOO 2:395; FPN 389; FPN2 425; GWM 291; IL 3:596; IN 4:260; JPM 372; JPM2 458; PEK 657; VP 4:187.

Cryptantha ambigua (A. Gray) Greene

Common names: Wilkes' cryptantha, basin cryptantha, obscure cryptantha
Origin: native Voucher: OSC, most recently collected in 2023
FOO 2:395; FPN 390; FPN2 426; IL 3:590; IN 4:260; JPM 372; JPM2 458; PEK 656; VP 4:189.

Cryptantha echinella Greene

Common names: prickly cryptantha
Origin: native Voucher: OSC, most recently collected in 1995
FOO 2:396; FPN 390; FPN2 426; IL 3:590; IN 4:262; JPM 374; JPM2 462; VP 4:190.

Cryptantha fendleri (A. Gray) Greene

Common names: sand dune cryptantha, Fendler's cryptantha
Origin: native Voucher: OSC, most recently collected in 2017
FOO 2:396; FPN 389; FPN2 426; IL 3:593; IN 4:258; JPM2 462; PEK 657; VP 4:190.

Cryptantha flaccida (Douglas ex Lehm.) Greene

Common names: weak-stemmed cryptantha, pale cryptantha
Origin: native Voucher: OSC, most recently collected in 2022
FOO 2:396; FPN 389; FPN2 425; IL 3:596; IN 4:264; JPM 374; JPM2 462; PEK 657; VP 4:190.

Synonyms:
***Cryptantha rostellata* (Greene) Greene**
in part

Cryptantha gracilis Osterh.

Common names: narrowstem cryptantha, slender cryptantha
Origin: native Voucher: OSC, most recently collected in 2023
FOO 2:397; FPN2 425; IL 3:593; IN 4:258; JPM 374; JPM2 462.

Cryptantha grandiflora Rydb.

Common names: Clearwater cryptantha, large-flowered cryptantha
Origin: native Voucher: OSC, most recently collected in 2015
FOO 2:397; FPN 389 synonym for *Cryptantha intermedia* var. *grandiflora*; FPN2 425; Galash, 2024 ; IL 3:591; PEK 656.

Synonyms:
***Cryptantha intermedia* (A. Gray) Greene**
in part
***Cryptantha intermedia* (A. Gray) Greene var. *grandiflora* (Rydb.) Cronquist**
FOO 2:397 synonym for *Cryptantha grandiflora*.

Cryptantha hispidula Greene ex Brand

Common names: Napa cryptantha
Origin: native Voucher: OSC, most recently collected in 2013
FOO 2:397; IL 3:595; JPM 374; JPM2 463.

Cryptantha intermedia (A. Gray) Greene var. ***hendersonii*** (A. Nelson) Jeps. & Hoover

Common names: Palouse cryptantha

Origin: native Voucher: OSC, most recently collected in 2002

Synonyms:

***Cryptantha hendersonii* (A. Nelson) Piper ex J.C. Nelson**

FOO 2:398 synonym for *Cryptantha intermedia var. hendersonii*; FPN 389 synonym for *Cryptantha intermedia*; IL 3:287; PEK 655.

***Cryptantha intermedia* (A. Gray) Greene**

in part

Misapplied names:

***Cryptantha intermedia* (A. Gray) Greene var. *grandiflora* (Rydb.) Cronquist**

Cryptantha intermedia (A. Gray) Greene var. ***intermedia***

Common names: common cryptantha, Clearwater cat's eye, nievitas

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:398; IN 4:256; JPM2 463; VP 4:191.

Synonyms:

***Cryptantha fragilis* M. Peck**

FOO 2:398 synonym for *Cryptantha intermedia var. intermedia*; PEK 655; Wade, 2001 .

***Cryptantha intermedia* (A. Gray) Greene**

in part

Misapplied names:

***Cryptantha intermedia* (A. Gray) Greene var. *grandiflora* (Rydb.) Cronquist**

***Cryptantha intermedia* (A. Gray) Greene var. *hendersonii* (A. Nelson) Jeps. & Hoover**

Cryptantha leiocarpa (Fisch. & C.A. Mey.) Greene

Common names: beach cryptantha, seaside cryptantha

Origin: native Voucher: OSC, most recently collected in 2014

FOO 2:399; IL 3:594; JPM 374; JPM2 464; PEK 657.

Cryptantha milobakeri I.M. Johnst.

Common names: Milo Baker's cryptantha

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:399; IL 3:587; JPM 376; JPM2 464; PEK 655.

Cryptantha pterocarya (Torr.) Greene

FPN 389; JPM 376; PEK 654; VP 4:194.

Cryptantha pterocarya (Torr.) Greene var. ***pterocarya***

Common names: wingnut cryptantha, winged cryptantha

Origin: native Voucher: OSC, most recently collected in 2017

FOO 2:399; FPN 389; FPN2 426; IL 3:582; JPM2 466; VP 4:195.

Cryptantha recurvata Coville

Common names: bent-nut cryptantha, curvenut cryptantha

Origin: native Voucher: NY, most recently collected in 2008

FOO 2:401; FPN2 424; IL 3:582; IN 4:264; JPM 377; JPM2 466; PEK 655.

Cryptantha rostellata (Greene) Greene

sensu stricto,
Common names: red-stemmed cryptantha, beaked cryptantha
Origin: native
FOO 2:401; FPN 389; JPM2 466; PEK 657.

Synonyms:
Cryptantha rostellata* (Greene) Greene var. *rostellata
FOO 2:401 synonym for *Cryptantha rostellata*; IL 3:595.

Cryptantha scoparia A. Nelson

Common names: desert cryptantha, gray cryptantha
Origin: native Voucher: OSC, most recently collected in 2008
FOO 2:402; FPN 390; FPN2 426; IL 3:586; IN 4:262; JPM2 466; PEK 655; VP 4:195.

Cryptantha simulans Greene

Common names: pinewoods cryptantha, pine cryptantha
Origin: native Voucher: OSC, most recently collected in 2019
FOO 2:402; FPN 390; FPN2 426; GWM 291; IL 3:587; JPM 377; JPM2 467; PEK 656; VP 4:197.

Cryptantha torreyana (A. Gray) Greene

FPN 389; GWM 292; IL 3:591; IN 4:258; JPM 377; PEK 656; VP 4:197.

Cryptantha torreyana (A. Gray) Greene var. ***torreyana***

Common names: Torrey's cryptantha
Origin: native Voucher: OSC, most recently collected in 2023
FOO 2:402; FPN2 426; JPM2 467; VP 4:198.

Cryptantha watsonii (A. Gray) Greene

Common names: Watson's cryptantha
Origin: native Voucher: OSC, most recently collected in 2023
FOO 2:403; FPN 389; FPN2 425; IL 3:593; IN 4:258; JPM 377; JPM2 468; PEK 656; VP 4:198.

Cynoglossum

Checklist contributor: Richard Halse, 11/1/2001
Flora of Oregon author: Barbara Montoya, James (Jim) Cohen

Cynoglossum officinale L.

Common names: common hound's tongue, gypsy flower, beggar's lice
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FOO 2:403; FPN 390; FPN2 426; GWM 292; IL 3:537; IN 4:288; JPM 378; JPM2 468; PEK 648; Simpson, 2003 ; VP 4:200.

Echium

Checklist contributor: Richard Halse, 11/1/2001
Flora of Oregon author: Christian Feuillet

Echium candicans L. f.

Common names: pride of Madeira
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015
FOO 2:404 uncertain status; JPM2 2:470.

Echium plantagineum L.

Common names: Paterson's curse, purple viper's bugloss, salvation Jane
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FOO 2:404; FPN2 427; JPM 378; JPM2 470.

Echium vulgare L.

Common names: blueweed, common viper's bugloss

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2002

FOO 2:404 uncertain status; FPN 391; FPN2 427; IN 4:292; VP 4:202.

Eremocarya

Checklist contributor:

Flora of Oregon author: Michael Simpson, Ronald Kelley

Eremocarya micrantha (Torr.) Greene var. ***micrantha***

Common names: desert redroot

Origin: native Voucher: WS, most recently collected in 2015

FOO 2:404.

Synonyms:

Cryptantha micrantha **(Torr.) I.M. Johnst.**

FOO 2:404 synonym for *Eremocarya micrantha var. micrantha*; IN 4:266; JPM 376; PEK 654.

Eritrichium

Checklist contributor: Richard Halse, 11/1/2001

Flora of Oregon author: Christian Feuillet

Eritrichium nanum (Vill.) Schrad. ex Gaudin

FPN 391; GWM 292; IN 4:222; VP 4:203.

Eritrichium nanum (Vill.) Schrad. ex Gaudin var. ***elongatum*** (Rydb.) Cronquist

Common names: arctic alpine forget-me-not

Origin: native Voucher: OSC, most recently collected in 1996

FOO 2:405; FPN 391; VP 4:204.

Synonyms:

Eritrichium elongatum **(Rydb.) W. Wight**

FOO 2:405 synonym for *Eritrichium nanum var. elongatum*; FPN 391 synonym for *Eritrichium nanum* var. *elongatum*; GWM 292 synonym for *Eritrichium nanum*; IL 3:557; PEK 663.

Misapplied names:

Eritrichium argenteum **W. Wight**

FPN2 427.

Greeneocharis

Checklist contributor:

Flora of Oregon author: Michael Simpson, Ronald Kelley

Greeneocharis circumscissa (Hook. & Arn.) Rydb. var. ***circumscissa***

Common names: cushion greeneocharis, cushion cryptantha, matted cryptantha

Origin: native Voucher: OSC, most recently collected in 1990

FOO 2:406; FPN2 427; IL 3:557.

Synonyms:

Cryptantha circumscissa **(Hook. & Arn.) I.M. Johnst. var.** ***circumscissa***

FOO 2:406 synonym for *Greeneocharis circumscissa var. circumscissa*; FPN 389; JPM2 459; VP 4:190.

Gruvelia

Checklist contributor:

Flora of Oregon author: C. Guilliams

Gruvelia pusilla A. DC.

Common names: little gruvelia

Origin: native Voucher: OSC, most recently collected in 2014

FOO 2:406; FPN2 428.

Synonyms:

***Pectocarya pusilla* (A. DC.) A. Gray**

FOO 2:406 synonym for *Gruvelia pusilla*; FPN 396; IL 3:537; JPM 384; JPM2 485; PEK 649; VP 4:236.

Hackelia

Checklist contributor: Richard Halse, 11/1/2001

Flora of Oregon author: Erika Saenz, Luciano Mancera, James (Jim) Cohen

Hackelia bella (J.F. Macbr.) I.M. Johnst.

Common names: beautiful stickseed

Origin: native Voucher: OSC, most recently collected in 2017

IL 3:553; JPM 380; JPM2 474.

Hackelia californica I.M. Johnst.

Common names: California stickseed

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:407; FPN 392; FPN2 429; IL 3:554; JPM 380; JPM2 474; PEK 663; VP 4:206.

Hackelia cronquistii J.L. Gentry

Common names: Cronquist's stickseed

Origin: native Voucher: OSC, most recently collected in 1989

FOO 2:407; FPN 392; FPN2 429; IN 4:282.

Hackelia cusickii (Piper) Brand

Common names: Cusick's stickseed

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:408; FPN 392; FPN2 428; IL 3:551; IN 4:280; JPM 380; JPM2 474; PEK 664; VP 4:208.

Hackelia diffusa (Douglas ex Lehm.) I.M. Johnst.

FOO 2:408; FPN 393; IL 3:553; VP 4:210 uncertain status.

Hackelia diffusa (Douglas ex Lehm.) I.M. Johnst. var. ***cottonii*** (Piper) R.L. Carr

Common names: spreading stickseed

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:409; FPN2 429.

Hackelia diffusa (Douglas ex Lehm.) I.M. Johnst. var. ***diffusa***

Common names: spreading stickseed

Origin: native Voucher: OSC, most recently collected in 2017

FOO 2:409; FPN2 429; PEK 664.

Hackelia floribunda (Lehm.) I.M. Johnst.

Common names: manyflower stickseed

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:409; FPN 392; FPN2 428; GWM 293; IL 3:551; IN 4:284; JPM 380; JPM2 474; PEK 664; VP 4:211.

Hackelia hispida (A. Gray) I.M. Johnst.

Common names: showy stickseed

Origin: native Voucher: OSC, most recently collected in 2012

FOO 2:409; FPN 393; IL 3:554; PEK 665; VP 4:211.

Synonyms:

Hackelia hispida* (A. Gray) I.M. Johnst. var. *hispida

FOO 2:409 synonym for *Hackelia hispida*; FPN2 429.

Hackelia micrantha (Eastw.) J.L. Gentry

Common names: Jessica sticktight, blue stickseed, meadow stickseed

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:409; FPN 392; FPN2 428; IN 4:282; JPM 380; JPM2 474.

Synonyms:

***Hackelia jessicae* (McGregor) Brand**

FOO 2:409 synonym for *Hackelia micrantha*; FPN 392 synonym for *Hackelia micrantha*; GWM 293; IL 3:551; PEK 664; VP 4:211.

Hackelia mundula (Jeps.) Ferris

Common names: pink stickseed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2016

FOO 2:407 uncertain status; JPM 380; JPM2 474.

Hackelia ophiobia R.L. Carr

Common names: Three Forks stickseed, Owyhee River stickseed

Origin: native Voucher: OSC, most recently collected in 2002

FOO 2:409; IN 4:280.

Hackelia patens (Nutt.) I.M. Johnst.

Common names: spotted stickseed

Origin: native Voucher: OSC, most recently collected in 2007

FOO 2:410; FPN 392; IN 4:282; VP 4:213.

Synonyms:

***Hackelia diffusa* (Douglas ex Lehm.) I.M. Johnst. var. *coerulescens* (Rydb.) I.M. Johnst.**

FOO 2:410 synonym for *Hackelia patens*; PEK 664.

Hackelia patens* (Nutt.) I.M. Johnst. var. *patens

FOO 2:410 synonym for *Hackelia patens*; FPN 392; FPN2 429.

Hackelia setosa (Piper) I.M. Johnst.

Common names: bristly stickseed

Origin: native Voucher: OSC, most recently collected in 1987

FOO 2:410; IL 3:553; JPM 380; JPM2 475; PEK 664.

Lappula

Checklist contributor: Richard Halse, 1/1/1998

Flora of Oregon author: Stephen Meyers

Lappula redowskii (Hornem.) Greene

Common names: western stickseed, western tickweed

Origin: native and exotic Voucher: OSC, most recently collected in 2011

FOO 2:411; FPN 393; GWM 293; IN 4:284; JPM 381; PEK 665; VP 4:216.

Synonyms:

Lappula desertorum **Greene**

FPN2 430.

Lappula montana **Greene**

FPN2 430.

Lappula occidentalis **(S. Watson) Greene**

FPN2 430.

Lappula redowskii **(Hornem.) Greene var.** ***cupulata*** **(A. Gray) M.E. Jones**

FOO 2:411 synonym for *Lappula redowskii*; FPN 393; IL 3:549; JPM 381; JPM2 478; VP 4:217.

Lappula redowskii **(Hornem.) Greene var.** ***desertorum*** **(Greene) I.M. Johnst.**

FOO 2:411 synonym for *Lappula redowskii*; FPN 393; IL 3:549 synonym for *Lappula redowskii* var. *cupulata*; PEK 665; VP 4:217.

Lappula redowskii **(Hornem.) Greene var.** ***redowskii***

FOO 2:411 synonym for *Lappula redowskii*; FPN 393; IL 3:549; JPM 381; JPM2 478; PEK 665; VP 4:217.

Lappula squarrosa (Retz.) Dumort.

Common names: European stickseed, bristly fruited tickweed

Origin: uncertain Voucher: OSC, most recently collected in 2016

FOO 2:411; FPN2 430; IN 4:286; JPM 381; JPM2 478.

Synonyms:

Lappula echinata **Gilib.**

FOO 2:411 synonym for *Lappula squarrosa*; FPN 393; GWM 293; IL 3:549; PEK 665; VP 4:216.

Lithodora

Checklist contributor:

Flora of Oregon author: treatment pending

Lithodora diffusa I.M. Johnst. ssp. ***diffusa***

Common names: lithodora

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2010

Lithospermum

Checklist contributor: Richard Halse, 11/1/2001

Flora of Oregon author: James (Jim) Cohen

Lithospermum californicum A. Gray

Common names: California stoneseed, California gromwell

Origin: native Voucher: OSC, most recently collected in 2009

FOO 2:412; IL 3:548; JPM 382; JPM2 478; PEK 669.

Lithospermum ruderale Douglas ex Lehm.

Common names: western stoneseed, western gromwell, Columbia puccoon

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:412; FPN 394; FPN2 430; GWM 294; IL 3:548; IN 4:290; JPM 382; JPM2 478; PEK 669; VP 4:218.

Synonyms:

Lithospermum lanceolatum **Rydb.**

FOO 2:412 synonym for *Lithospermum ruderale*.

Lithospermum pilosum **Nutt.**

FOO 2:412 synonym for *Lithospermum ruderale*.

Lycopsis

Checklist contributor:
Flora of Oregon author: Richard Halse

Lycopsis arvensis L.

Common names: small bugloss, annual bugloss
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015
FOO 2:413.

Synonyms:

***Anchusa arvensis* (L.) M. Bieb.**
FOO 2:413 synonym for *Lycopsis arvensis*; JPM 369; VP 4:184.

Lycopsis arvensis* L. ssp. *arvensis
FPN2 431.

Mertensia

Checklist contributor: Richard Halse, 12/1/2001
Flora of Oregon author: Mare Nazaire

Mertensia bella Piper

Common names: Oregon bluebells, Oregon lungwort
Origin: native Voucher: OSC, most recently collected in 2003
FOO 2:414; FPN 394; FPN2 431; IL 3:544; JPM 382; JPM2 479; PEK 667; VP 4:222.

Mertensia brachycalyx Piper

Common names: short-sepal bluebells
Origin: native Voucher: OSC, most recently collected in 2021
FOO 2:415; FPN2 433; IL 3:545 synonym for *Mertensia paniculata* var. *borealis*; VP 4:225 synonym for *Mertensia paniculata* var. *borealis*.

Synonyms:

***Mertensia paniculata* (Aiton) G. Don**
in part

***Mertensia paniculata* (Aiton) G. Don var. *borealis* (J.F. Macbr.) L.O. Williams**
in part

Mertensia ciliata (James ex Torr.) G. Don

FPN 394; GWM 296; IN 4:214; JPM 382; VP 4:223.

Mertensia ciliata (James ex Torr.) G. Don var. ***ciliata***

Common names: tall fringed bluebells, streamside bluebells, mountain bluebells
Origin: native Voucher: OSC, most recently collected in 2015
FOO 2:415 synonym for *Mertensia ciliata var. ciliata*; FPN 394; FPN2 433; IL 3:545; PEK 667; VP 4:223.

Synonyms:

***Mertensia ciliata* (James ex Torr.) G. Don var. *stomatechoides* (Kellogg) Jeps.**
FOO 2:415 synonym for *Mertensia ciliata var. ciliata*; IL 3:545; JPM2 479; PEK 667; VP 4:223.

Mertensia cusickii Piper

Common names: Cusick's bluebells
Origin: native Voucher: OSC, most recently collected in 2004
FOO 2:416; FPN 395 synonym for *Mertensia viridis*; FPN2 432; IN 4:216; JPM 382; JPM2 479; VP 4:229 synonym for *Mertensia viridis*.

Misapplied names:

***Mertensia viridis* A. Nelson**
FPN 395; IN 4:216; VP 4:227.

Mertensia foliosa A. Nelson

Common names: oblongleaf bluebells, sagebrush bluebells

Origin: native Voucher: OSC, most recently collected in 2016

FOO 2:416; FPN2 432.

Synonyms:

Mertensia oblongifolia **(Nutt.) G. Don**

FOO 2:416 synonym for *Mertensia foliosa*.

Misapplied names:

Mertensia oblongifolia **(Nutt.) G. Don var.** ***amoena*** **(A. Nelson) L.O. Williams**

IL 3:546; JPM 383; JPM2 479; PEK 668.

Mertensia oblongifolia **(Nutt.) G. Don var.** ***nevadensis*** **(A. Nelson) L.O. Williams**

IL 3:546; JPM 383; JPM2 479; PEK 668.

Mertensia oblongifolia **(Nutt.) G. Don var.** ***oblongifolia***

IL 3:546; JPM 383; JPM2 479; PEK 668.

Mertensia longiflora Greene

Common names: long-flowered bluebells, small bluebells, trumpet bluebells, long-flowered lungwort

Origin: native Voucher: OSC, most recently collected in 2017

FOO 2:417; FPN 395; FPN2 432; GWM 296; IL 3:546; JPM 383; JPM2 479; PEK 668; VP 4:223.

Mertensia paniculata (Aiton) G. Don var. ***borealis*** (J.F. Macbr.) L.O. Williams

sensu stricto,

Common names: northern bluebells

Origin: native

FOO 2:417, 415; PEK 667.

Mertensia paniculata (Aiton) G. Don var. ***paniculata***

Common names: northern bluebells, tall lungwort, tall bluebells

Origin: native Voucher: OSC, most recently collected in 1996

FOO 2:417; FPN 394; FPN2 432; IL 3:545.

Mertensia subcordata Greene

Common names: broadleaf bluebells

Origin: native Voucher: OSC, most recently collected in 2009

FOO 2:418; IL 3:545 synonym for *Mertensia platyphylla* var. *subcordata*; PEK 667 synonym for *Mertensia platyphylla* var. *subcordata*; VP 4:227 synonym for *Mertensia platyphylla*.

Synonyms:

Mertensia platyphylla **A. Heller**

FOO 2:418 synonym for *Mertensia subcordata*; FPN 395; FPN2 432; VP 4:227.

Mertensia platyphylla **A. Heller var.** ***subcordata*** **(Greene) L.O. Williams**

FOO 2:418 synonym for *Mertensia subcordata*; IL 3:545; PEK 667; VP 4:227.

Mertensia umbratilis Greenm.

Common names: shade bluebells, shade lungwort

Origin: native Voucher: OSC, most recently collected in 1955

FOO 2:418; FPN2 432; IL 3:546; PEK 667.

Misapplied names:

Mertensia oblongifolia **(Nutt.) G. Don**

Myosotis

Checklist contributor: Richard Halse, 7/1/1998

Flora of Oregon author: Christian Feuillet

Myosotis arvensis (L.) Hill

Common names: field forget-me-not
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2016
FOO 2:419; FPN 396; FPN2 433; IL 3:542; VP 4:229.

Myosotis discolor Pers.

FOO 2:419; FPN 396; FPN2 433; IN 4:222; JPM 383; JPM2 479; VP 4:230.

Synonyms:
***Myosotis versicolor* (Pers.) J.E. Sm.**
FOO 2:419 synonym for *Myosotis discolor*; IL 3:544; PEK 666.

Myosotis discolor Pers. ssp. ***discolor***

Common names: changing forget-me-not, yellow and blue forget-me-not
Origin: exotic, naturalized

Myosotis discolor Pers. ssp. ***dubia*** (Arrond.) Blaise

Common names: Atlantic forget-me-not
Origin: exotic, naturalized

Myosotis latifolia Poir.

Common names: African forget-me-not, broad-leaf forget-me-not
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017
FOO 2:420; FPN2 433; JPM 383; JPM2 479.

Myosotis laxa Lehm.

Common names: small-flowered forget-me-not, tufted forget-me-not
Origin: native Voucher: OSC, most recently collected in 2022
FOO 2:420; FPN 395; FPN2 433; IL 3:542; IN 4:221; JPM 383; JPM2 480; PEK 666; VP 4:230.

Myosotis micrantha Pall.

Common names: blue forget-me-not, mouse ear
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FOO 2:420; FPN 396; FPN2 433; GWM 296; IL 3:543; IN 4:222; JPM 383; JPM2 480; VP 4:230.

Myosotis ramosissima Rochel

Common names: early forget-me-not
Origin: exotic, not naturalized

Myosotis scorpioides L.

Common names: common forget-me-not, water scorpion grass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018
FOO 2:420; FPN 395; FPN2 433; IL 3:542; IN 4:221; JPM 383; JPM2 480; VP 4:231.

Myosotis sylvatica Ehrh. ex Hoffm.

Common names: garden forget-me-not
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018
FOO 2:419 uncertain status; FPN 395; FPN2 433; IL 3:542; KZ 2:507; Kartesz & Meacham, 2007 ; VP 4:231.

Myosotis verna Nutt.

Common names: spring forget-me-not

Origin: native Voucher: OSC, most recently collected in 1989

FOO 2:420; FPN 396; FPN2 433; JPM 383; JPM2 480; VP 4:233.

Misapplied names:

***Myosotis macrosperma* Engelm.**

PEK 666.

***Myosotis virginica* (L.) Britton, Sterns & Poggenb.**

FPN 396 synonym for *Myosotis verna*; IL 3:542; JPM 383 synonym for *Myosotis verna*.

Oreocarya

Checklist contributor:
Flora of Oregon author: Christian Feuillet

Oreocarya glomerata (Pursh) Greene

Common names: buttecandle, cockscomb oreocarya

Origin: native Voucher: OSC, most recently collected in 2020

FOO 2:421.

Synonyms:

***Cryptantha celosioides* (Eastw.) Payson**

FOO 2:421 synonym for *Oreocarya glomerata*; FPN 388; FPN2 424; GWM 291; IN 4:242; JPM2 459; PEK 653; VP 4:189.

***Cryptantha sheldonii* (Brand) Payson**

FOO 2:421 synonym for *Oreocarya glomerata*; FPN 388 synonym for *Cryptantha celosioides*; PEK 653.

***Oreocarya celosioides* Eastw.**

FOO 2:421 synonym for *Oreocarya glomerata*; IL 3:603.

Oreocarya humilis (A. Gray) Greene

Common names: low oreocarya

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:421; IL 3:602.

Synonyms:

***Cryptantha alpicola* Cronquist**

***Cryptantha humilis* (A. Gray) Payson**

FOO 2:421 synonym for *Oreocarya humilis*; FPN2 424; IN 4:246; JPM 374; JPM2 463; PEK 652.

Oreocarya interrupta Greene

Common names: bristly oreocarya

Origin: native Voucher: OSC, most recently collected in 2000

FOO 2:422.

Synonyms:

***Cryptantha interrupta* (Greene) Payson**

FOO 2:422 synonym for *Oreocarya interrupta*; FPN 388; FPN2 425 synonym for *Cryptantha spiculifera*; IN 4:244; VP 4:191.

Oreocarya propria A. Nelson & J.F. Macbr.

Common names: Malheur oreocarya, Idaho oreocarya

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:422; IL 3:602.

Synonyms:

***Cryptantha propria* (A. Nelson & J.F. Macbr.) Payson**

FOO 2:422 synonym for *Oreocarya propria*; FPN 388; FPN2 424; IN 4:244; PEK 654; VP 4:194; Walker, 2000 .

Oreocarya schoolcraftii (Tiehm) R.B. Kelley

Common names: Schoolcraft's oreocarya

Origin: native Voucher: OSC, most recently collected in 2004

FOO 2:422.

Synonyms:

***Cryptantha schoolcraftii* Tiehm**

FOO 2:422 synonym for *Oreocarya schoolcraftii*; JPM2 466.

***Cryptantha sobolifera* Payson**

in part

Oreocarya sobolifera (Payson) R.B. Kelley

Common names: Waterton Lakes oreocarya

Origin: native Voucher: CIC, most recently collected in 1992

FOO 2:423.

Synonyms:

***Cryptantha sobolifera* Payson**

in part

FOO 2:423 synonym for *Oreocarya sobolifera*.

Oreocarya spiculifera Piper

Common names: Snake River cryptantha, bristly oreocarya

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:423.

Synonyms:

***Cryptantha spiculifera* (Piper) Payson**

FOO 2:423 synonym for *Oreocarya spiculifera*; FPN 388 synonym for *Cryptantha interrupta*; FPN2 425; IN 4:244; PEK 653; VP 4:193 ambiguous synonym.

Oreocarya subretusa (I.M. Johnst.) Abrams

Common names: Crater Lake oreocarya

Origin: native Voucher: OSC, most recently collected in 1995

FOO 2:423; IL 3:599.

Synonyms:

***Cryptantha sobolifera* Payson**

in part

***Cryptantha subretusa* I.M. Johnst.**

FOO 2:423 synonym for *Oreocarya subretusa*; GWM 291; JPM2 467; PEK 653.

Pectocarya

Checklist contributor: Richard Halse, 11/1/2001

Flora of Oregon author: C. Guilliams

Pectocarya penicillata (Hook. & Arn.) A. DC.

Common names: northern pectocarya, winged pectocarya, sleeping combseed

Origin: native Voucher: OSC, most recently collected in 1993

FOO 2:424; FPN 396 synonym for *Pectocarya linearis*; FPN2 434; IL 3:536; IN 4:286; JPM 384; JPM2 485; PEK 649.

Synonyms:

***Pectocarya linearis* (Ruíz & Pav.) DC. var. *penicillata* (Hook. & Arn.) M.E. Jones**

FOO 2:424 synonym for *Pectocarya penicillata*; FPN 396; IL 3:536 synonym for *Pectocarya penicillata*; VP 4:235.

Pectocarya setosa A. Gray

Common names: round-nut pectocarya, moth combseed, stiff-stemmed comb-bur

Origin: native Voucher: OSC, most recently collected in 2005

FOO 2:424; FPN 396; FPN2 434; IL 3:537; IN 4:286; JPM 384; JPM2 485; PEK 649; VP 4:236.

Pentaglottis

Checklist contributor: Richard Halse, 11/1/2001
Flora of Oregon author: Richard Halse

Pentaglottis sempervirens (L.) Tausch ex L.H. Bailey

Common names: green alkanet, evergreen bugloss
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2024
FOO 2:425; FPN2 434.

Plagiobothrys

Checklist contributor: Kenton Chambers, 1/28/2006
Flora of Oregon author: C. Guilliams

Plagiobothrys austiniae (Greene) I.M. Johnst.

Common names: Austin's popcornflower
Origin: native
Voucher: OSC, most recently collected in 1979
FOO 2:428; IL 3:562 synonym for *Allocarya Austiniae*; JPM2 504; Kartesz & Gandhi, 1991 2:597.

Synonyms:

***Plagiobothrys austinae* (Greene) I.M. Johnst.**
JPM 388.

Plagiobothrys bracteatus (Howell) I.M. Johnst.

Common names: bracted popcornflower
Origin: native
Voucher: OSC, most recently collected in 2000
FOO 2:428; FPN2 435; IL 3:570 synonym for *Allocarya bracteata*; JPM 388; JPM2 504; PEK 662.

Synonyms:

***Allocarya bracteata* Howell**
FOO 2:428 synonym for *Plagiobothrys bracteatus*; IL 3:570; Johnston, 1923B 68:57-80; Johnston, 1932 3:5-82; Piper, 1920 22:79-113.

Plagiobothrys cognatus (Greene) I.M. Johnst.

Common names: cognate popcornflower
Origin: native
Voucher: OSC, most recently collected in 2021
FOO 2:428; FPN 397 synonym for *Plagiobothrys scouleri* var. *penicillatus*; FPN2 435; IL 3:567 synonym for *Allocarya cognata*; IN 4:274 synonym for *Plagiobothrys scouleri* var. *penicillatus*; JPM 388; JPM2 505; PEK 662; VP 4:241 synonym for *Plagiobothrys scouleri* var. *penicillatus*.

Synonyms:

***Allocarya cognata* Greene**
FOO 2:428 synonym for *Plagiobothrys cognatus*; FPN 397 synonym for *Plagiobothrys scouleri* var. *penicillatus*; IL 3:567; VP 4:241 synonym for *Plagiobothrys scouleri* var. *penicillatus*.

***Plagiobothrys hispidulus* (Greene) I.M. Johnst.**
in part

***Plagiobothrys scouleri* (Hook. & Arn.) I.M. Johnst.**
in part

Plagiobothrys cusickii (Greene) I.M. Johnst.

Common names: Cusick's popcornflower

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:428; FPN 397 synonym for *Plagiobothrys scouleri* var. *penicillatus*; FPN2 435; GWM 297 synonym for *Plagiobothrys scouleri* var. *penicillatus*; IL 3:567 synonym for *Allocarya cusickii*; IN 4:274 synonym for *Plagiobothrys scouleri* var. *penicillatus*; JPM 388; JPM2 505; PEK 662; VP 4:241 synonym for *Plagiobothrys scouleri* var. *penicillatus*.

Synonyms:

***Allocarya cusickii* Greene**

FOO 2:428 synonym for *Plagiobothrys cusickii*; FPN 397 synonym for *Plagiobothrys scouleri* var. *penicillatus*; IL 3:567; IN 4:274 synonym for *Plagiobothrys scouleri* var. *penicillatus*; VP 4:241 synonym for *Plagiobothrys scouleri* var. *penicillatus*.

***Plagiobothrys hispidulus* (Greene) I.M. Johnst.**

in part

***Plagiobothrys scouleri* (Hook. & Arn.) I.M. Johnst.**

in part

Plagiobothrys figuratus (Piper) I.M. Johnst. ex Cronquist

FOO 2:429; FPN 397; FPN2 435; IL 3:565 synonym for *Allocarya figurata*; PEK 661; VP 4:237.

Plagiobothrys figuratus (Piper) I.M. Johnst. ex Cronquist var. ***corallicarpus*** (Piper) K.L. Chambers

Common names: fragrant popcornflower

Origin: native Voucher: OSC, most recently collected in 2009

FOO 2:429; Galash, 2024 .

Synonyms:

***Allocarya hirta* Greene ssp. *corallicarpa* (Piper) Abrams**

FOO 2:429 synonym for *Plagiobothrys figuratus var. corallicarpus*; IL 3:565.

Plagiobothrys figuratus (Piper) I.M. Johnst. ex Cronquist var. ***figuratus***

Common names: fragrant popcornflower

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:429.

Synonyms:

***Allocarya figurata* Piper**

FOO 2:429 synonym for *Plagiobothrys figuratus var. figuratus*; IL 3:565.

Plagiobothrys fulvus (Hook. & Arn.) I.M. Johnst.

JPM 388; PEK 659.

Plagiobothrys fulvus (Hook. & Arn.) I.M. Johnst. var. ***campestris*** (Greene) I.M. Johnst.

Common names: fulvous popcornflower

Origin: native Voucher: OSC, most recently collected in 1974

FOO 2:429; IL 3:574 synonym for *Plagiobothrys campestris*; JPM 388 synonym for *Plagiobothrys fulvus*; JPM2 505; PEK 659.

Synonyms:

***Plagiobothrys campestris* Greene**

FOO 2:429 synonym for *Plagiobothrys fulvus var. campestris*; IL 3:574.

Plagiobothrys glyptocarpus (Piper) I.M. Johnst.

IL 3:562 synonym for *Allocarya glyptocarpa*; JPM 388; PEK 660.

Plagiobothrys glyptocarpus (Piper) I.M. Johnst. var. ***glyptocarpus***

Common names: sculptured plagiobothrys

Origin: native Voucher: OSC, most recently collected in 2004

FOO 2:429; JPM 388; JPM2 505.

Synonyms:

Allocarya glyptocarpa **Piper ssp.** ***glyptocarpa***

FOO 2:429 synonym for *Plagiobothrys glyptocarpus var. glyptocarpus*; IL 3:562.

Plagiobothrys greenei (A. Gray) I.M. Johnst.

Common names: Greene's popcornflower

Origin: native Voucher: OSC, most recently collected in 2000

FOO 2:429; IL 3:561 synonym for *Allocarya greenei*; JPM 389; JPM2 505; PEK 660.

Synonyms:

Allocarya greenei **(A. Gray) Greene**

FOO 2:429 synonym for *Plagiobothrys greenei*; IL 3:561.

Plagiobothrys hirtus (Greene) I.M. Johnst.

Common names: rough popcornflower, hairy popcornflower

Origin: native Voucher: OSC, most recently collected in 1990

FOO 2:429; FPN2 434; IL 3:565 synonym for *Allocarya hirta* ssp. *hirta*; PEK 661.

Synonyms:

Allocarya hirta **Greene ssp.** ***hirta***

FOO 2:429 synonym for *Plagiobothrys hirtus*; IL 3:565.

Plagiobothrys hispidulus (Greene) I.M. Johnst.

sensu stricto,

Common names: eastside popcornflower, harsh popcornflower

Origin: native Voucher: OSC, most recently collected in 1985

FOO 2:430, 428.

Synonyms:

Allocarya hispidula **Greene**

FOO 2:430 synonym for *Plagiobothrys hispidulus*; IL 3:570.

Plagiobothrys scouleri **(Hook. & Arn.) I.M. Johnst.**

in part

Plagiobothrys scouleri **(Hook. & Arn.) I.M. Johnst. var.** ***penicillatus*** **(Greene) Cronquist**

Burkhart et al., 1996 ; FOO 2:430 synonym for *Plagiobothrys hispidulus*; FPN 397; GWM 297; IN 4:274; JPM 388-390 ambiguous synonym; VP 4:243.

Plagiobothrys lamprocarpus (Piper) I.M. Johnst.

Common names: shinyfruit popcornflower

Origin: native Voucher: OSC, most recently collected in 1921

FOO 2:430; PEK 661.

Synonyms:

Allocarya lamprocarpa **Piper**

FOO 2:430 synonym for *Plagiobothrys lamprocarpus*; IL 3:566.

Plagiobothrys leptocladus (Greene) I.M. Johnst.

Common names: slender-branched popcornflower, alkali popcornflower

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:430; FPN 397; FPN2 435; IL 3:562 synonym for *Allocarya leptoclada*; IN 4:274-276; JPM 389; JPM2 506; PEK 660; VP 4:240.

Synonyms:

Allocarya leptoclada **Greene**

FOO 2:430 synonym for *Plagiobothrys leptocladus*; IL 3:562.

Plagiobothrys mollis (A. Gray) I.M. Johnst.

FPN 397; IL 3:559 synonym for *Allocarya mollis*; IN 4:272; JPM 389; PEK 660; VP 4:240.

Plagiobothrys mollis (A. Gray) I.M. Johnst. var. ***mollis***

Common names: soft plagiobothrys

Origin: native Voucher: OSC, most recently collected in 1977

FOO 2:430; FPN2 435; JPM 389; JPM2 506.

Synonyms:

Allocarya mollis* (A. Gray) Greene var. *mollis

FOO 2:430 synonym for *Plagiobothrys mollis var. mollis*; IL 3:559.

Plagiobothrys nothofulvus A. Gray

Common names: rusty popcornflower

Origin: native Voucher: OSC, most recently collected in 2022

FOO 2:430; FPN 397; FPN2 435; IL 3:573; JPM 389; JPM2 506; PEK 659; VP 4:240.

Plagiobothrys reticulatus (Piper) I.M. Johnst.

IL 3:571 synonym for *Allocarya californica*; JPM 389; PEK 663.

Plagiobothrys reticulatus (Piper) I.M. Johnst. var. ***reticulatus***

Common names: netted popcornflower

Origin: native Voucher: OSC, most recently collected in 1947

FOO 2:431; JPM 390; JPM2 508.

Plagiobothrys salsus (Brandegee) I.M. Johnst.

Common names: desert popcornflower

Origin: native Voucher: OSC, most recently collected in 2012

FOO 2:431; FPN2 435; IL 3:566 synonym for *Allocarya salsa*; IN 4:274; JPM 390; JPM2 508; PEK 661.

Synonyms:

***Allocarya salsa* Brandegee**

FOO 2:431 synonym for *Plagiobothrys salsus*; IL 3:566.

Plagiobothrys scouleri (Hook. & Arn.) I.M. Johnst.

sensu stricto,

Common names: Scouler's popcornflower

Origin: native

FOO 2:431, 430.

Synonyms:

***Allocarya granulata* Piper**

FOO 2:431 synonym for *Plagiobothrys scouleri*; FPN 397 synonym for *Plagiobothrys scouleri* var. *scouleri*; IL 3:566; VP 4:241 synonym for *Plagiobothrys scouleri* var. *scouleri*.

***Plagiobothrys granulatus* (Piper) I.M. Johnst.**

FOO 2:431 synonym for *Plagiobothrys scouleri*; FPN 397 synonym for *Plagiobothrys scouleri* var. *scouleri*; IL 3:566 synonym for *Allocarya granulata*; PEK 662; VP 4:241 synonym for *Plagiobothrys scouleri* var. *scouleri*.

Plagiobothrys scouleri* (Hook. & Arn.) I.M. Johnst. var. *scouleri

FOO 2:431 synonym for *Plagiobothrys scouleri*; FPN 397; VP 4:243.

Plagiobothrys shastensis Greene

Common names: Shasta popcornflower

Origin: native Voucher: OSC, most recently collected in 1974

FOO 2:432; IL 3:575; JPM 390; JPM2 508; PEK 659.

Plagiobothrys stipitatus (Greene) I.M. Johnst. var. ***micranthus*** (Piper) I.M. Johnst.

Common names: stalked popcornflower

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:432; FPN2 435; IL 3:563 synonym for *Allocarya stipitata* ssp. *micrantha*; IN 4:274; JPM 390; JPM2 508; PEK 661.

Synonyms:

***Allocarya stipitata* Greene ssp. *micrantha* Piper**

FOO 2:432 synonym for *Plagiobothrys stipitatus var. micranthus*; IL 3:563.

Plagiobothrys stipitatus (Greene) I.M. Johnst. var. ***stipitatus***

Common names: stalked popcornflower

Origin: native Voucher: OSC, most recently collected in 1967

FOO 2:432; JPM 390; JPM2 508; PEK 661.

Synonyms:

Allocarya stipitata* Greene ssp. *stipitata

FOO 2:432 synonym for *Plagiobothrys stipitatus var. stipitatus*; IL 3:563.

Plagiobothrys tenellus (Nutt.) A. Gray

Common names: Pacific popcornflower, slender popcornflower

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:432; FPN 397; FPN2 434; IL 3:575; IN 4:270; JPM 390; JPM2 508; PEK 658; VP 4:243.

Synonyms:

***Plagiobothrys asper* Greene**

FOO 2:432 synonym for *Plagiobothrys tenellus*; IL 3:575 synonym for *Plagiobothrys tenellus*; IN 4:270 synonym for *Plagiobothrys tenellus*; PEK 658; VP 4:243 synonym for *Plagiobothrys tenellus*.

Sonnea

Checklist contributor:

Flora of Oregon author: C. Guilliams

Sonnea hispida (A. Gray) Greene

Common names: Cascade popcornflower, bristly sonnea

Origin: native Voucher: OSC, most recently collected in 2013

FOO 2:433; FPN2 436.

Synonyms:

***Plagiobothrys hispidus* A. Gray**

FOO 2:433 synonym for *Sonnea hispida*; FPN 397; IL 3:573; IN 4:271; JPM 389; JPM2 506; PEK 660; VP 4:239.

Symphytum

Checklist contributor: Richard Halse, 11/1/2001

Flora of Oregon author: Christian Feuillet

Symphytum officinale L.

Common names: common comfrey

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FOO 2:433; FPN 398; FPN2 436; JPM 392; JPM2 509; VP 4:244.

Excluded names:

Allocarya californica (Fisch. & C.A. Mey.) Greene

IL 3:559.

Cryptantha leucophaea (Douglas ex Lehm.) Payson

FPN 388; FPN2 424; PEK 652; VP 4:193.

Synonyms:

***Oreocarya leucophaea* (Douglas ex Lehm.) Greene**

IL 3:599.

Cryptantha nubigena (Greene) Payson

FPN 389; FPN2 425 synonym for <I>Cryptantha sobolifera</I>; GWM 291; IN 4:242; JPM 376; JPM2 465; VP 4:194.

Symphytum asperum Lepech.

FPN 398; FPN2 436; JPM 392; KZ 2:755; Kartesz & Meacham, 2007 ; VP 4:243.

Symphytum × uplandicum Nyman

FPN2 436; JPM2 509.

Literature cited for Boraginaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Cecchi, L., and F. Selvi. 2009. Phylogenetic relationships of the monotypic genera *Halacsya* and *Paramoltkia* and the origins of serpentine adaptation in circum-mediterranean Lithospermeae (Boraginaceae): insights from ITS and matK DNA sequences. Taxon 58:700-714.

Cohen, J. 2015. *Adelinia* and *Andersonglossum* (Boraginaceae), two new genera from New World species of Cynoglossum. Systematic Botany 40(2):611-619.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Gentry, J.L., and R.L. Carr. 1976. A revision of the genus *Hackelia* (Boraginaceae) in North America, north of Mexico. Memoirs of the New York Botanical Garden 26:121-227.

Hasenstab-Lehman, K.E., and M.G. Simpson. 2012. Cat's eyes and popcorn flowers: Phylogenetic systematics of the genus *Cryptantha* s.l. (Boraginaceae). Systematic Botany 37(3):738-757.

Johnston, I.M. 1923A. Studies in the Boraginaceae. Restoration of the genus *Hackelia*. Contributions from the Gray Herbarium of Harvard University 68:43-48.

Johnston, I.M. 1923B. Studies in the Boraginaceae. A synopsis and redefinition of *Plagiobothrys*. Contributions from the Gray Herbarium of Harvard University 68:57-80.

Johnston, I.M. 1932. Studies in the Boraginaceae. IX. 1. The *Allocarya* section of *Plagiobothrys* in the western United States. Contributions from the Arnold Arboretum 3:5-82.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kartesz, J.T., and K.N. Gandhi. 1991. Nomenclatural notes for the North American Flora. VI. Phytologia 71(1):58-65.

Piper, C.V. 1920. A study of *Allocarya*. Contributions from the United States National Herbarium 22(2):79-113.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest