Checklist of Oregon Brassicaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Abdra

Checklist contributor:
Flora of Oregon author: Ihsan Al-Shehbaz

Abdra brachycarpa (Nutt.) Greene

Common names: short pod whitlow-grass
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2002
FOO 2:438.

Synonyms:
***Draba brachycarpa* Nutt. ex Torr. & A. Gray**
FN 7:296; FOO 2:438 synonym for *Abdra brachycarpa*; FPN 163; FPN2 297; IL 2:294; PEK 378; Rollins, 1993A 396; VP 2:491.

Alliaria

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Alliaria petiolata (M. Bieb.) Cavara & Grande

Common names: garlic mustard
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020
FN 7:745; FOO 2:438; FPN2 282; IN 2b:398.

Synonyms:
***Alliaria officinalis* Andrz. ex M. Bieb.**
FN 7:745 synonym for *Alliaria petiolata*; FOO 2:438 synonym for *Alliaria petiolata*; FPN 151; VP 2:437.

Alyssum

Checklist contributor: Richard Halse, 10/1/2005
Flora of Oregon author: Ihsan Al-Shehbaz

Alyssum alyssoides (L.) L.

Common names: pale alyssum, small alyssum, pale madwort
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FN 7:248; FOO 2:439; FPN 151; FPN2 283; GWM 164; IL 2:320; IN 2b:278; JPM 396; JPM2 519; PEK 386; VP 2:437.

Alyssum desertorum Stapf

Common names: desert alyssum, desert madwort
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FN 7:248; FOO 2:439; FPN 151; FPN2 283; IN 2b:278; JPM 396; JPM2 519; VP 2:438.

Alyssum simplex Rudolphi

Common names: small alyssum
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FN 7:249; FOO 2:439; FPN2 283; JPM2 519.

Synonyms:
***Alyssum minus* (L.) Rothm. ssp. *micranthum* (C.A. Mey.) Breistr.**
FOO 2:439 synonym for *Alyssum simplex*; JPM 396.

Arabidopsis

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Arabidopsis thaliana (L.) Heynh.

Common names: thale cress, mouse-ear cress

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 7:450; FOO 2:440; FPN 152; FPN2 283; IL 2:267; IN 2b:404; JPM 396; JPM2 519; PEK 365; VP 2:439.

Arabis

Checklist contributor: Linda Vorobik, 4/30/2007

Flora of Oregon author: Ihsan Al-Shehbaz

Arabis aculeolata Greene

Common names: Waldo rockcress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:265; FOO 2:441; IL 2:306; JPM 399; PEK 381.

Arabis aculeolata Greene × *Arabis modesta* Rollins

Origin: native

FOO 2:441 uncertain status.

Arabis crucisetosa Constance & Rollins

Common names: cross-haired rockcress, wetsoil rockcress

Origin: native Voucher: OSC, most recently collected in 1988

FN 7:262; FOO 2:441; FPN 152; FPN2 283; VP 2:442.

Arabis eschscholtziana Andrz.

Common names: Eschscholtz's hairy rockcress

Origin: native Voucher: OSC, most recently collected in 2017

FN 7:261; FOO 2:442; FPN 152 synonym for *Arabis hirsuta* var. *eschscholtziana*; FPN2 283; JPM2 520.

Synonyms:

***Arabis hirsuta* (L.) Scop. var. *eschscholtziana* (Andrz.) Rollins**

FN 7:261 synonym for *Arabis eschscholtziana*; FOO 2:442 synonym for *Arabis eschscholtziana*; FPN 152; PEK 381; VP 2:447.

***Arabis hirsuta* (L.) Scop. var. *glabrata* Torr. & A. Gray**

FN 7:261 synonym for *Arabis eschscholtziana*; FOO 2:442 synonym for *Arabis eschscholtziana*; FPN 152; JPM 400; PEK 380; VP 2:447.

Misapplied names:

***Arabis hirsuta* (L.) Scop.**

Arabis furcata S. Watson

Common names: fork-haired rockcress

Origin: native Voucher: OSC, most recently collected in 2009

FN 7:263; FOO 2:442; FPN 153; FPN2 284; IL 2:306; PEK 381; VP 2:445.

Arabis mcdonaldiana Eastw.

Common names: McDonald's rockcress

Origin: native Voucher: OSC, most recently collected in 1980

FN 7:265; FOO 2:442; JPM2 520.

Synonyms:

***Arabis macdonaldiana* Eastw.**

JPM 402.

Arabis modesta Rollins

Common names: Rogue Canyon rockcress, modest rockcress

Origin: native Voucher: OSC, most recently collected in 2017

FN 7:264; FOO 2:442; IL 2:629; JPM 402; JPM2 520; PEK 381.

Arabis oregana Rollins

Common names: Oregon rockcress

Origin: native Voucher: OSC, most recently collected in 2009

FN 7:264; FOO 2:442; JPM 402; JPM2 520; PEK 381.

Synonyms:

***Arabis purpurascens* Howell**

FN 7:264 synonym for *Arabis oregana*; FOO 2:442 synonym for *Arabis oregana*; IL 2:307.

Arabis pycnocarpa M. Hopkins

Common names: creamflower rockcress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:259; FOO 2:443.

Synonyms:

***Arabis hirsuta* (L.) Scop. var. *pycnocarpa* (M. Hopkins) Rollins**

FN 7:261 synonym for *A. pycnocarpa var. pycnocarpa*; FOO 2:443 synonym for *Arabis pycnocarpa*; FPN 152; JPM 400; VP 2:447.

Arabis pycnocarpa* M. Hopkins var. *pycnocarpa

FN 7:260; FOO 2:443 synonym for *Arabis pycnocarpa*; FPN2 283; JPM2 520.

Misapplied names:

***Arabis hirsuta* (L.) Scop.**

Armoracia

Checklist contributor:
Flora of Oregon author: treatment pending

Armoracia rusticana G. Gaertn., B. Mey. & Scherb.

Common names: horseraddish

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015

FN 7:459; FPN 175 synonym for *Rorippa armoracia*; FPN2 284; IN 2b:350; JPM 404; JPM2 520.

Athysanus

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Athysanus pusillus (Hook.) Greene

Common names: dwarf athysanus, sandweed

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:267; FOO 2:444; FPN 155; FPN2 284; IL 2:298; IN 2b:276; JPM 404; JPM2 521; PEK 388; VP 2:458.

Athysanus unilateralis (M.E. Jones) Jeps.

Common names: spreading athysanus, heterodraba

Origin: native Voucher: OSC, most recently collected in 1889

FN 7:268; FOO 2:444; IL 2:298 synonym for *Heterodraba unilateralis*; JPM2 521; PEK 388.

Synonyms:

***Heterodraba unilateralis* (M.E. Jones) Greene**

FN 7:268 synonym for *Athysanus unilateralis*; FOO 2:444 synonym for *Athysanus unilateralis*; IL 2:298; JPM 425; KZ 2:377.

Barbarea

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Barbarea orthoceras Ledeb.

Common names: American winter cress

Origin: native Voucher: OSC, most recently collected in 2024

FN 7:462; FOO 2:445; FPN 156; FPN2 284; IL 2:276 excluded; IN 2b:335; JPM 404; JPM2 521; VP 2:458.

Synonyms:

***Barbarea orthoceras* Ledeb. var. *dolichocarpa* Fernald**

FOO 2:445 synonym for *Barbarea orthoceras*; IL 2:276 synonym for *Barbarea americana Rydb.*; PEK 368.

Barbarea orthoceras* Ledeb. var. *orthoceras

FOO 2:445 synonym for *Barbarea orthoceras*; VP 2:459.

Barbarea verna (Mill.) Asch.

Common names: early winter cress, Belle Isle cress, scurvy cress, land cress

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2007

FN 7:463; FOO 2:445; FPN 156; FPN2 284; IL 2:276; JPM 404; JPM2 521; VP 2:459.

Barbarea vulgaris W.T. Aiton

Common names: bitter winter cress, garden yellowrocket, creasy greens

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 7:461; FOO 2:446; FPN 156; FPN2 284; IL 2:276 excluded; IN 2b:335; JPM 404; JPM2 521; VP 2:459.

Synonyms:

***Barbarea vulgaris* W.T. Aiton var. *brachycarpa* Rouy & Foucaud**

FOO 2:446 synonym for *Barbarea vulgaris*; PEK 368.

Berteroa

Checklist contributor: Richard Halse, 9/20/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Berteroa incana (L.) DC.

Common names: hoary alyssum

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FN 7:253; FOO 2:446; FPN 156; FPN2 285; IN 2b:282; JPM2 521; VP 2:459.

Boechera

Checklist contributor: Linda Vorobik, Thea Jaster, Joe Cannon, 2/1/2008

Flora of Oregon author: Ihsan Al-Shehbaz

Boechera acutina (Greene) Windham & Al-Shehbaz

Common names: sharp-podded rockcress

Origin: native Voucher: OSC, most recently collected in 2013

FN 7:365; FOO 2:449; FPN2 285; JPM2 526.

Synonyms:

***Arabis acutina* Greene**

FN 7:365 synonym for *Boechera acutina*; FOO 2:449 synonym for *Boechera acutina*; IL 2:307.

***Arabis* × *divaricarpa* A. Nelson**

in part

FOO 2:449, 456, 4 ambiguous synonym.

***Arabis* × *divaricarpa* A. Nelson var. *interposita* (Greene) Rollins**

FOO 2:449 synonym for *Boechera acutina*; PEK 382.

Boechera atrorubens (Suksdorf ex Greene) Windham & Al-Shehbaz

Common names: purple sicklepod rockcress

Origin: native

Voucher: OSC, most recently collected in 2001

FN 7:366; FOO 2:449; FPN2 290.

Synonyms:

Arabis sparsiflora **Nutt.**

in part

Arabis sparsiflora **Nutt. var.** ***atrorubens*** **(Greene) Rollins**

FN 7:366 synonym for *Boechera atrorubens*; FOO 2:449 synonym for *Boechera atrorubens*; FPN 155; Oregon Flora Project, 1995B ; VP 2:456.

Boechera breweri (S. Watson) Al-Shehbaz ssp. ***breweri***

Common names: Brewer's rockcress

Origin: native

Voucher: OSC, most recently collected in 2001

FN 7:368; FOO 2:449; JPM2 526.

Synonyms:

Arabis breweri **S. Watson var.** ***breweri***

FN 7:368 synonym for *Boechera breweri* ssp. *breweri*; FOO 2:449 synonym for *Boechera breweri ssp. breweri*; JPM 399.

Boechera breweri (S. Watson) Al-Shehbaz ssp. ***shastaensis*** Windham & Al-Shehbaz

Common names: Brewer's rockcress

Origin: native

Voucher: OSC, most recently collected in 2004

FN 7:368; FOO 2:449; JPM2 526.

Boechera calderi (G.A. Mulligan) Windham & Al-Shehbaz

Common names: Calder's rockcress

Origin: native

Voucher: OSC, most recently collected in 2002

FN 7:368; FOO 2:449; FPN2 289; JPM2 526.

Misapplied names:

Arabis lyallii **S. Watson**

Arabis lyallii **S. Watson var.** ***lyallii***

Boechera cascadensis Windham & Al-Shehbaz

Common names: Cascade rockcress

Origin: native

Voucher: MO, most recently collected in 1936

FN 7:369; FOO 2:450; FPN2 291.

Boechera cobrensis (M.E. Jones) Dorn

Common names: Cobre rockcress, masonic rockcress

Origin: native

Voucher: OSC, most recently collected in 2023

FN 7:370; FOO 2:450; FPN2 288; IN 2b:380; JPM2 526.

Synonyms:

Arabis cobrensis **M.E. Jones**

FN 7:370 synonym for *Boechera cobrensis*; FOO 2:450 synonym for *Boechera cobrensis*; FPN 154; JPM 399; VP 2:442.

Arabis cobrensis **M.E. Jones var.** ***cobrensis***

FN 7:370 synonym for *Boechera cobrensis*; FOO 2:450 synonym for *Boechera cobrensis*; PEK 384.

Boechera covillei (Greene) Windham & Al-Shehbaz

Common names: Coville's rockcress

Origin: native Voucher: OSC, most recently collected in 1951

FN 7:371; FOO 2:451; JPM2 527.

Synonyms:

***Arabis covillei* Greene**

FN 7:371 synonym for *Boechera covillei*; FOO 2:451 synonym for *Boechera covillei*; IL 2:310; IN 2b:384 synonym for *Boechera platysperma*; KZ 1:157 synonym for *Arabis platysperma* var. *howellii*.

***Arabis platysperma* A. Gray**

in part

***Arabis platysperma* A. Gray var. *howellii* (S. Watson) Jeps.**

in part

Boechera cusickii (S. Watson) Al-Shehbaz

Common names: Cusick's rockcress

Origin: native Voucher: OSC, most recently collected in 2022

FN 7:372; FOO 2:451; FPN2 289; IN 2b:368.

Synonyms:

***Arabis cusickii* S. Watson**

FN 7:372 synonym for *Boechera cusickii*; FOO 2:451 synonym for *Boechera cusickii*; FPN 153; IL 2:306; PEK 383; VP 2:443.

Boechera davidsonii (Greene) N.H. Holmgren

Common names: Davidson's rockcress

Origin: native Voucher: OSC, most recently collected in 2010

FN 7:372; FOO 2:451; FPN2 288; IN 2b:368; JPM2 527.

Synonyms:

***Arabis davidsonii* Greene**

FN 7:372 synonym for *Boechera davidsonii*; FOO 2:451 synonym for *Boechera davidsonii*; IN 2b:368 synonym for *Boechera davidsonii*; JPM 399; PEK 381.

Boechera divaricarpa (A. Nelson) A. Löve & D. Löve

sensu stricto,

Common names: spreading-pod rockcress

Origin: native Voucher: OSC, most recently collected in 2014

FN 7:374; FOO 2:451; FPN2 289; IN 2b:360; JPM2 527.

Synonyms:

***Arabis* × *divaricarpa* A. Nelson**

Arabis* × *divaricarpa* A. Nelson var. *divaricarpa

FOO 2:451 synonym for *Boechera divaricarpa*; PEK 382.

Boechera drepanoloba (Greene) Windham & Al-Shehbaz

Common names: soldier rockcress

Origin: native Voucher: OSC, most recently collected in 1995

FN 7:374; FOO 2:451; FPN2 286.

Synonyms:

***Arabis lemmonii* S. Watson**

in part

***Arabis lemmonii* S. Watson var. *drepanoloba* (Greene) Rollins**

FN 7:374 synonym for *Boechera drepanoloba*; FOO 2:451 synonym for *Boechera drepanoloba*; FPN 153; VP 2:450.

Boechera hastatula (Greene) Al-Shehbaz

Common names: Hells Canyon rockcress

Origin: native Voucher: OSC, most recently collected in 2010

FN 7:383; FOO 2:452; FPN2 286.

Boechera horizontalis (Greene) Windham & Al-Shehbaz

Common names: Crater Lake rockcress

Origin: native Voucher: OSC, most recently collected in 1991

FN 7:384; FOO 2:452; Galash, 2024 ; Knoke & Giblin, 2025D .

Synonyms:

***Arabis suffrutescens* S. Watson**

in part

***Arabis suffrutescens* S. Watson var. *horizontalis* (Greene) Rollins**

FN 7:384 synonym for *Boechera horizontalis*; FOO 2:452 synonym for *Boechera horizontalis*; JPM 403; PEK 384.

Boechera howellii (S. Watson) Windham & Al-Shehbaz

Common names: Howell's flatseed rockcress

Origin: native Voucher: OSC, most recently collected in 2013

FN 7:384; FOO 2:453; FPN2 285; JPM2 527.

Synonyms:

***Arabis howellii* S. Watson**

FN 7:384 synonym for *Boechera howellii*; FOO 2:453 synonym for *Boechera howellii*; IL 2:310; IN 2b:384 synonym for *Boechera platysperma*; KZ 1:157 synonym for *Arabis platysperma* var. *howellii*; VP 2:453 synonym for *Arabis platysperma*.

***Arabis platysperma* A. Gray**

in part

FOO 2:453, 455, 4 ambiguous synonym for *Boechera howellii*.

***Arabis platysperma* A. Gray var. *howellii* (S. Watson) Jeps.**

in part

FN 7:384 synonym for *Boechera howellii*; FOO 2:453, 451 ambiguous synonym for *Boechera howellii*; FPN 153; IL 2:310 synonym for *Arabis howellii*; JPM 402; VP 2:453.

Boechera koehleri (Howell) Al-Shehbaz

Common names: shrubby rockcress

Origin: native Voucher: OSC, most recently collected in 2002

FN 7:386; FOO 2:453; JPM2 528.

Synonyms:

Arabis koehleri* Howell var. *koehleri

FN 7:386 synonym for *Boechera koehleri*; FOO 2:453 synonym for *Boechera koehleri*; IL 2:313; PEK 383.

***Arabis koehleri* Howell var. *stipitata* Rollins**

FN 7:386 synonym for *Boechera koehleri*; FOO 2:453 synonym for *Boechera koehleri*; IL 2:629; JPM 400; PEK 383.

Boechera lemmonii (S. Watson) W.A. Weber

sensu stricto,

Common names: Lemmon's rockcress

Origin: native Voucher: OSC, most recently collected in 2011

FN 7:388; FOO 2:453; FPN2 286; IN 2b:369; JPM2 528; Knoke & Giblin, 2025D .

Synonyms:

***Arabis lemmonii* S. Watson**

in part

FN 7:388 synonym for *Boechera lemmonii*; JPM 400.

Arabis lemmonii* S. Watson var. *lemmonii

FN 7:388 synonym for *Boechera lemmonii*; FOO 2:453 synonym for *Boechera lemmonii*; FPN 153; GWM 166; IL 2:313; JPM 402.

Boechera lyallii (S. Watson) Dorn

Common names: Lyall's slender rockcress

Origin: native Voucher: OSC, most recently collected in 2013

FN 7:389; FOO 2:453; FPN2 288; IN 2b:368; JPM2 528.

Synonyms:

***Arabis lyallii* S. Watson**

FN 7:389 synonym for *Boechera lyallii*.

Arabis lyallii* S. Watson var. *lyallii

FN 7:389 synonym for *Boechera lyallii*; FOO 2:453 synonym for *Boechera lyallii*.

Boechera microphylla (Nutt.) Dorn

Common names: small-leaved rockcress

Origin: native Voucher: OSC, most recently collected in 2013

FN 7:390; FOO 2:453; FPN2 291; IN 2b:370.

Synonyms:

***Arabis microphylla* Nutt. ex Torr. & A. Gray**

FN 7:390 synonym for *Boechera microphylla*; FOO 2:453 synonym for *Boechera microphylla*; FPN 153; GWM 166; IL 2:310; PEK 383.

Arabis microphylla* Nutt. ex Torr. & A. Gray var. *microphylla

FN 7:390 synonym for *Boechera microphylla*; FOO 2:453 synonym for *Boechera microphylla*; FPN 154; JPM 402; VP 2:453.

Boechera microphylla* (Nutt.) Dorn var. *microphylla

FOO 2:453 synonym for *Boechera microphylla*; IN 2b:372.

Boechera paddoensis (Rollins) Windham & Al-Shehbaz

Common names: Mt. Adams rockcress

Origin: native Voucher: WTU, most recently collected in 1971

FN 7:392; FOO 2:454; FPN2 286; Galash, 2024 ; Giblin & Palmer, 2024 .

Synonyms:

***Arabis lemmonii* S. Watson**

in part

FOO 2:454, 453 ambiguous synonym for *Boechera paddoensis*.

***Arabis lemmonii* S. Watson var. *paddoensis* Rollins**

FN 7:392 synonym for *Boechera paddoensis*; FOO 2:454 synonym for *Boechera paddoensis*; FPN 153; GWM 166; IL 2:629.

Boechera pauciflora (Nutt.) Windham & Al-Shehbaz

Common names: hairystem rockcress

Origin: native Voucher: OSC, most recently collected in 2018

FN 7:393; FOO 2:454; FPN2 288; JPM2 528.

Synonyms:

***Arabis campyloloba* Greene**

FN 7:407 synonym for *Boechera sparsiflora*; FOO 2:454 synonym for *Boechera pauciflora*; IL 2:314.

***Arabis sparsiflora* Nutt.**

in part

***Arabis sparsiflora* Nutt. var. *subvillosa* (S. Watson) Rollins**

FN 7:393 synonym for *Boechera pauciflora*; FOO 2:454 synonym for *Boechera pauciflora*; FPN 155; GWM 168; JPM 403; PEK 383; VP 2:456.

***Boechera sparsiflora* (Nutt.) Dorn var. *subvillosa* (S. Watson) Dorn**

FN 7:393 synonym for *Boechera pauciflora*; FOO 2:454 synonym for *Boechera pauciflora*; IN 2b:362.

Misapplied names:

***Arabis holboellii* Hornem.**

***Arabis holboellii* Hornem. var. *pinetorum* (Tidestr.) Rollins**

Boechera paupercula (Greene) Windham & Al-Shehbaz

Common names: small-flowered rockcress

Origin: native Voucher: OSC, most recently collected in 2009

FN 7:394; FOO 2:454; FPN2 290; JPM2 528.

Synonyms:

***Arabis lyallii* S. Watson**

in part

FOO 2:454, 453 ambiguous synonym for *Boechera paupercula*.

***Arabis lyallii* S. Watson var. *nubigena* (J.F. Macbr. & Payson) Rollins**

FN 7:394 synonym for *Boechera paupercula*; FOO 2:454 synonym for *Boechera paupercula*; IN 2b:368 synonym for *Boechera lyallii*; JPM 402; VP 2:450 synonym for *Arabis lyallii*.

Boechera pendulocarpa (A. Nelson) Windham & Al-Shehbaz

Common names: dropseed rockcress

Origin: native Voucher: OSC, most recently collected in 2025

FN 7:395; FOO 2:454; FPN2 287; JPM2 529.

Synonyms:

***Arabis holboellii* Hornem. var. *pendulocarpa* (A. Nelson) Rollins**

FN 7:395 synonym for *Boechera pendulocarpa*; FOO 2:454 synonym for *Boechera pendulocarpa*; FPN 155; GWM 166; JPM 400; PEK 384; VP 2:449.

Misapplied names:

***Arabis holboellii* Hornem.**

Boechera pinetorum (Tidestr.) Windham & Al-Shebaz

Common names: Holboell's rockcress, woodland rockcress

Origin: native Voucher: OSC, most recently collected in 1998

FN 7:397; FOO 2:455; FPN2 287; JPM2 529.

Synonyms:

***Arabis holboellii* Hornem.**

in part

FOO 2:455 synonym for *Boechera pinetorum*.

***Arabis holboellii* Hornem. var. *pinetorum* (Tidestr.) Rollins**

FN 7:397 synonym for *Boechera pinetorum*; FOO 2:455 synonym for *Boechera pinetorum*.

***Boechera holboellii* (Hornem.) Á. Löve & D. Löve**

in part

FOO 2:455, 456 ambiguous synonym for *Boechera pinetorum*.

Boechera platysperma (A. Gray) Al-Shehbaz

Common names: pioneer rockcress, broad-seeded rockcress

Origin: native Voucher: OSC, most recently collected in 2013

FN 7:397; FOO 2:455; FPN2 285; IN 2b:384; JPM2 529.

Synonyms:

***Arabis platysperma* A. Gray**

in part

IL 2:310.

Arabis platysperma* A. Gray var. *platysperma

FOO 2:455 synonym for *Boechera platysperma*; JPM 402; PEK 385; VP 2:453.

Boechera pratincola (Greene) Windham & Al-Shehbaz

Common names: meadow rockcress

Origin: native Voucher: OSC, most recently collected in 2014

FN 7:399; FOO 2:456; FPN2 289; JPM2 529.

Synonyms:

***Arabis* × *divaricarpa* A. Nelson**

in part

Boechera puberula (Nutt.) Dorn

Common names: hoary rockcress

Origin: native Voucher: OSC, most recently collected in 2022

Dorn, 2003 ; FN 7:399; FOO 2:456; FPN2 287; IN 2b:366; JPM2 529.

Synonyms:

***Arabis puberula* Nutt.**

FN 7:399 synonym for *Boechera puberula*; FOO 2:456 synonym for *Boechera puberula*; FPN 154; IL 2:315; JPM 402; PEK 384; VP 2:455.

Boechera rectissima (Greene) Al-Shehbaz

Common names: bristly-leaved rockcress

Origin: native Voucher: OSC, most recently collected in 2015

FN 7:401; FOO 2:456; FPN2 287; JPM2 530.

Synonyms:

***Arabis rectissima* Greene**

FN 7:401 synonym for *Boechera rectissima*; FOO 2:456 synonym for *Boechera rectissima*; IL 2:314; PEK 382; Peck, 1936 382.

Arabis rectissima* Greene var. *rectissima

FOO 2:456 synonym for *Boechera rectissima*; JPM 403.

Boechera retrofracta (Graham) A. Löve & D. Löve

sensu stricto,

Common names: secund rockcress, reflexed rockcress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:402; FOO 2:456; FPN2 286; IN 2b:364 synonym for *Boechera holboellii*; JPM2 530.

Synonyms:

***Arabis holboellii* Hornem. var. *retrofracta* (Graham) Rydb.**

FN 7:402 synonym for *Boechera retrofracta*; FOO 2:456 synonym for *Boechera retrofracta*; FPN 155; GWM 166; IN 2b:364 synonym for *Boechera holboellii*; JPM 400; PEK 384; VP 2:449.

***Arabis secunda* Howell**

FN 7:402 synonym for *Boechera retrofracta*; FOO 2:456 synonym for *Boechera retrofracta*; IL 2:315.

***Boechera holboellii* (Hornem.) Á. Löve & D. Löve**

in part

***Boechera holboellii* (Hornem.) Á. Löve & D. Löve var. *secunda* (Howell) Dorn**

FN 7:402 synonym for *Boechera retrofracta*; FOO 2:456 synonym for *Boechera retrofracta*; IN 2b:364.

Misapplied names:

***Arabis holboellii* Hornem.**

Boechera rollei (Rollins) Al-Shehbaz

Common names: Rolle's rockcress

Origin: native Voucher: OSC, most recently collected in 2011

FOO 2:456.

Boechera sparsiflora (Nutt.) Dorn

sensu stricto,

Common names: sicklepod rockcress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:407; FOO 2:457; FPN2 290; IN 2b:362; JPM2 530.

Synonyms:

Arabis sparsiflora **Nutt.**

in part

FOO 2:457, 449 ambiguous synonym for *Boechera sparsiflora*.

Arabis sparsiflora **Nutt. var.** ***sparsiflora***

FN 7:407 synonym for *Boechera sparsiflora*; FOO 2:457 synonym for *Boechera sparsiflora*; FPN 155; JPM 403; PEK 383; VP 2:456.

Boechera sparsiflora **(Nutt.) Dorn var.** ***sparsiflora***

FOO 2:457 synonym for *Boechera sparsiflora*; IN 2b:362 for *Boechera sparsiflora*.

Boechera stricta (Graham) Al-Shehbaz

Common names: Drummond's rockcress

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:408; FOO 2:457; FPN2 289; IN 2b:360; JPM2 531.

Synonyms:

Arabis drummondii **A. Gray**

FN 7:408 synonym for *Boechera stricta*; FOO 2:457 synonym for *Boechera stricta*; FPN 154; GWM 165; IL 2:307; JPM 399; PEK 382; VP 2:445.

Boechera subpinnatifida (S. Watson) Al-Shehbaz

Common names: ashy rockcress

Origin: native Voucher: OSC, most recently collected in 2015

FN 7:409; FOO 2:457; FPN2 287; JPM2 531.

Synonyms:

Arabis subpinnatifida **S. Watson**

FN 7:409 synonym for *Boechera subpinnatifida*; FOO 2:457 synonym for *Boechera subpinnatifida*; IL 2:311; JPM 403; PEK 384.

Boechera suffrutescens (S. Watson) Dorn

Common names: woody rockcress

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:409; FOO 2:457; FPN2 285; IN 2b:385; JPM2 531.

Synonyms:

Arabis suffrutescens **S. Watson**

in part

FOO 2:457, 452 ambiguous synonym for *Boechera suffrutescens*; FPN 153.

Arabis suffrutescens **S. Watson var.** ***suffrutescens***

FOO 2:457 synonym for *Boechera suffrutescens*; JPM 403; Peck, 1936 384.

Brassica

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Brassica elongata Ehrh.

Common names: elongated mustard

Origin: exotic, not naturalized Voucher: WS, most recently collected in 1911

FN 7:420; FOO 2:458 uncertain status; FPN2 291.

Brassica juncea (L.) Czern.

Common names: Chinese mustard, Indian mustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1985

FN 7:421; FOO 2:458; FPN 156; FPN2 291; IL 2:274; IN 2b:234; JPM 406; JPM2 532; PEK 367; VP 2:462.

Brassica napus L.

Common names: canola, rapeseed, rutabaga

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FN 7:422; FOO 2:458; FPN2 291; JPM2 532.

Brassica nigra (L.) W.D.J. Koch

Common names: black mustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 7:422; FOO 2:459; FPN 156; FPN2 291; IL 2:274; IN 2b:236; JPM 406; JPM2 532; PEK 367; VP 2:462.

Brassica oleracea L.

Common names: cabbage

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015

FN 7:423; FOO 2:459; FPN2 291; JPM2 532.

Brassica rapa L.

Common names: field mustard, turnip

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 7:423; FOO 2:459; FPN2 291; IL 2:274; IN 2b:232; JPM 406; JPM2 532.

Synonyms:

***Brassica campestris* L.**

FN 7:423 synonym for *Brassica rapa*; FOO 2:459 synonym for *Brassica rapa*; FPN 156; GWM 168; IL 2:274; PEK 367; VP 2:460.

Cakile

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Cakile edentula (Bigelow) Hook.

FN 7:427; FPN 157; IL 2:270; JPM 406; JPM2 532; VP 2:464.

Cakile edentula (Bigelow) Hook. ssp. ***edentula***

Common names: American searocket

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2016

FN 7:428; FOO 2:460.

Synonyms:

***Cakile edentula* (Bigelow) Hook. var. *californica* (A. Heller) Fernald**

FN 7:428 synonym for *Cakile edentula* var. *edentula*; FOO 2:460 synonym for *Cakile edentula ssp. edentula*; FPN 157 synonym for *Cakile edentula*; IL 2:270; PEK 387.

Cakile edentula* (Bigelow) Hook. var. *edentula

FN 7:428; FOO 2:460 synonym for *Cakile edentula ssp. edentula*; FPN2 291.

Cakile maritima Scop.

FN 7:425; FPN 157; IL 2:270; JPM 406; JPM2 532; PEK 387.

Cakile maritima Scop. ssp. ***maritima***

Common names: European searocket

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1983

FN 7:425; FOO 2:460; FPN2 291.

Camelina

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Camelina microcarpa Andrz.

Common names: littlepod false flax, hairy false flax
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017
FN 7:452; FOO 2:461; FPN 157; FPN2 292; GWM 168; IL 2:291; IN 2b:272; JPM 406; JPM2 532; PEK 379; VP 2:464.

Camelina rumelica Velen.

Common names: graceful false flax
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017
FN 7:453; FOO 2:461; FPN2 292.

Camelina sativa (L.) Crantz

Common names: flaxweed, gold-of-pleasure, false flax
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1989
FN 7:453; FOO 2:462; FPN 157; FPN2 292; IL 2:291; PEK 379; VP 2:465.

Capsella

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Capsella bursa-pastoris (L.) Medik.

Common names: shepherd's purse
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 7:454; FOO 2:462; FPN 157; FPN2 292; GWM 169; IL 2:291; IN 2b:270; JPM 407; JPM2 532; PEK 374; VP 2:465.

Cardamine

Checklist contributor: Peter Zika, 10/20/2004
Flora of Oregon author: Ihsan Al-Shehbaz

Cardamine angulata Hook.

Common names: angled bittercress, angle-leaved bittercress, seaside bittercress
Origin: native Voucher: OSC, most recently collected in 2021
FN 7:467; FOO 2:464; FPN 158; FPN2 293; IL 2:280; JPM 407; JPM2 534; PEK 370; VP 2:466.

Cardamine bellidifolia L.

Common names: alpine bittercress
Origin: native Voucher: OSC, most recently collected in 2013
FN 7:468; FOO 2:464; FPN 157; FPN2 292; IL 2:279; JPM2 534; Knoke & Giblin, 2025E .

Synonyms:

***Cardamine bellidifolia* L. var. *pachyphylla* Coville & Leiberg**

FN 7:468 synonym for *Cardamine bellidifolia*; FOO 2:464 synonym for *Cardamine bellidifolia*; FPN 157; IL 2:279 synonym for *Cardamine bellidifolia*; JPM 408; PEK 371; VP 2:468.

Cardamine breweri S. Watson

Common names: Brewer's bittercress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:469; FOO 2:464; FPN 159; FPN2 293; IL 2:279; IN 2b:348; JPM 408; JPM2 534.

Synonyms:

Cardamine breweri* S. Watson var. *breweri

FN 7:469 synonym for *Cardamine breweri*; FOO 2:464 synonym for *Cardamine breweri*; FPN 159; JPM 408; PEK 370; VP 2:468.

***Cardamine breweri* S. Watson var. *orbicularis* (Greene) Detling**

FN 7:469 synonym for *Cardamine breweri*; FOO 2:464 synonym for *Cardamine breweri*; FPN 159; JPM 408; PEK 371; VP 2:468.

Cardamine californica (Nutt.) Greene

Common names: milkmaids, California toothwort

Origin: native Voucher: OSC, most recently collected in 2020

FN 7:469; FOO 2:465; FPN2 293 synonym for *Cardamine nuttallii*; IL 2:283 synonym for *Dentaria californica*; JPM 408; JPM2 534; Rollins, 1993A 976; Stafleu & Cowan, 1986 405.

Synonyms:

Cardamine californica* (Nutt.) Greene var. *californica

FN 7:469 synonym for *Cardamine californica*; FOO 2:465 synonym for *Cardamine californica*; IL 2:283 synonym for *Dentaria californica*; JPM 408.

***Cardamine californica* (Nutt.) Greene var. *integrifolia* (Nutt. ex Torr. & A. Gray) Rollins**

FN 7:469 synonym for *Cardamine californica*; FOO 2:465 synonym for *Cardamine californica*; JPM 408.

***Cardamine californica* (Nutt.) Greene var. *sinuata* (Greene) O.E. Schulz**

FN 7:469 synonym for *Cardamine californica*; FOO 2:465 synonym for *Cardamine californica*; IL 2:283 synonym for *Dentaria californica* var. *sinuata*; JPM 408.

Cardamine integrifolia* (Nutt.) Greene var. *integrifolia

FN 7:469 synonym for *Cardamine californica*; FOO 2:465 synonym for *Cardamine californica*; FPN 158; VP 2:469.

***Cardamine integrifolia* (Nutt.) Greene var. *sinuata* (Greene) C.L. Hitchc.**

FN 7:469 synonym for *Cardamine californica*; FOO 2:465 synonym for *Cardamine californica*; FPN 158.

***Dentaria californica* Nutt. var. *sinuata* (Greene) Detling**

FN 7:469 synonym for *Cardamine californica*; FOO 2:465 synonym for *Cardamine californica*; IL 2:283; PEK 372.

Misapplied names:

Dentaria californica* Nutt. var. *californica

FN 7:469 synonym for *Cardamine californica*; IL 2:283; PEK 372.

Cardamine cordifolia A. Gray

Common names: large mountain bittercress, Lyall's bittercress, heart-leaved bittercress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:471; FOO 2:465; FPN 158; FPN2 292; IN 2b:347; JPM2 535.

Synonyms:

***Cardamine cordifolia* A. Gray var. *lyallii* (S. Watson) A. Nelson & J.F. Macbr.**

FN 7:471 synonym for *Cardamine cordifolia*; FOO 2:465 synonym for *Cardamine cordifolia*; FPN 158; GWM 169; IL 2:279 synonym for *Cardamine lyallii*; JPM 408; VP 2:469.

***Cardamine lyallii* S. Watson**

FN 7:471 synonym for *Cardamine cordifolia*; FOO 2:465 synonym for *Cardamine cordifolia*; IL 2:279; PEK 370.

Cardamine flexuosa With.

Common names: woodland bittercress, wavy bittercress

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FN 7:474; FPN2 294; Stace, 1997 1130.

Cardamine hirsuta L.

Common names: hairy bittercress

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 7:475; FOO 2:465; FPN2 294; JPM 408; JPM2 535.

Cardamine holmgrenii Al-Shehbaz

Common names: Holmgren's bittercress

Origin: native Voucher: OSC, most recently collected in 2022

Al-Shehbaz, 2007 ; FN 7:475; FOO 2:465; Galash, 2024 ; Knoke & Giblin, 2025E ; Knoke & Giblin, 2025F .

Cardamine nuttallii Greene

Common names: Nuttall's toothwort, slender toothwort

Origin: native Voucher: OSC, most recently collected in 2022

FN 7:478; FOO 2:465; FPN 159 synonym for *Cardamine pulcherrima* var. *tenella*; FPN2 293; IL 2:282 synonym for *Dentaria tenella*; JPM 408; JPM2 535.

Synonyms:

***Cardamine nuttallii* Greene var. *covilleana* (O.E. Schulz) Rollins**

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; JPM 408.

***Cardamine nuttallii* Greene var. *dissecta* (O.E. Schulz) Rollins**

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; JPM 408.

***Cardamine nuttallii* Greene var. *gemmata* (Greene) Rollins**

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; JPM 408; Nakamura & Nelson, 2001 .

Cardamine nuttallii* Greene var. *nuttallii

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; JPM 408; Rollins, 1993B 4:43-48.

Cardamine pulcherrima* Greene var. *pulcherrima

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; FPN 159; VP 2:474.

***Cardamine pulcherrima* Greene var. *tenella* (Pursh) C.L. Hitchc.**

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; FPN 159; VP 2:474.

***Dentaria gemmata* (Greene) Howell**

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; IL 2:282; PEK 372.

***Dentaria tenella* Pursh var. *pulcherrima* (Greene) Detling**

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; IL 2:282; PEK 372.

***Dentaria tenella* Pursh var. *quercetorum* (Howell) Detling**

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; PEK 372.

Dentaria tenella* Pursh var. *tenella

FN 7:478 synonym for *Cardamine nuttallii*; FOO 2:465 synonym for *Cardamine nuttallii*; IL 2:282; PEK 372.

Cardamine occidentalis (S. Watson ex B.L. Rob.) Howell

Common names: western bittercress, big western bittercress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:479; FOO 2:466; FPN 159; FPN2 294; IL 2:280; JPM 408; JPM2 535; PEK 371; Rollins, 1993A 976; VP 2:471.

Cardamine occulta Hornem.

Common names: wavy bittercress

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FPN2 294.

Cardamine oligosperma Nutt.

Common names: little western bittercress, few-seed bittercress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:479; FOO 2:466; FPN 159; FPN2 294; IL 2:282; IN 2b:348; JPM 408; JPM2 535; VP 2:471.

Synonyms:

Cardamine oligosperma* Nutt. var. *oligosperma

Detling, 1937 70-76; FN 7:479 synonym for *Cardamine oligosperma*; FOO 2:466 synonym for *Cardamine oligosperma*; FPN 159; PEK 371; VP 2:472; Zika, 2003A 92.

Cardamine parviflora L.

Common names: sand bittercress, small-flowered bittercress, narrow-leaved bittercress

Origin: native Voucher: OSC, most recently collected in 2004

FN 7:480; FOO 2:466; FPN2 292.

Cardamine pattersonii L.F. Hend.

Common names: Saddle Mountain bittercress

Origin: native Voucher: OSC, most recently collected in 1977

FN 7:480; FOO 2:466; FPN 158; FPN2 292; IL 2:280; PEK 371; VP 2:472.

Cardamine penduliflora O.E. Schulz

Common names: Willamette Valley bittercress, wetlands bittercress

Origin: native Voucher: OSC, most recently collected in 2006

FN 7:481; FOO 2:467; FPN 158; FPN2 293; PEK 371; VP 2:472.

Cardamine pensylvanica Muhl. ex Willd.

Common names: Pennsylvania bittercress, Quaker bittercress

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:482; FOO 2:467; FPN 159; FPN2 294; GWM 170; IL 2:280; IN 2b:350; JPM 410; JPM2 535; Knoke & Giblin, 2025F ; PEK 371; VP 2:472.

Synonyms:

***Cardamine pennsylvanica* Muhl. ex Willd.**

IL 2:280; PEK 371.

Caulanthus

Checklist contributor: Richard Halse, 10/4/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Caulanthus crassicaulis (Torr.) S. Watson

Common names: thickstem wild cabbage

Origin: native Voucher: OSC, most recently collected in 2018

FN 7:681; FOO 2:468; FPN 160; FPN2 294; IL 2:255; JPM 411; JPM2 536; VP 2:475.

Synonyms:

Caulanthus crassicaulis* (Torr.) S. Watson var. *crassicaulis

FN 7:681 synonym for *Caulanthus crassicaulis*; FOO 2:468 synonym for *Caulanthus crassicaulis*; IN 2b:224; JPM 411.

***Caulanthus crassicaulis* (Torr.) S. Watson var. *glaber* M.E. Jones**

FN 7:681 synonym for *Caulanthus crassicaulis*; FOO 2:468 synonym for *Caulanthus crassicaulis*; IN 2b:224; JPM 411.

***Streptanthus crassicaulis* Torr.**

FN 7:681 synonym for *Caulanthus crassicaulis*; FOO 2:468 synonym for *Caulanthus crassicaulis*; FPN 160 synonym for *Caulanthus crassicaulis*; IL 2:255 synonym for *Caulanthus crassicaulis*; PEK 359.

Caulanthus major (M.E. Jones) Payson

Common names: slender wild cabbage, Nevada wild cabbage

Origin: native Voucher: OSC, most recently collected in 1997

FN 7:684; FOO 2:469; IL 2:255; JPM 412; JPM2 538.

Synonyms:

***Caulanthus major* (M.E. Jones) Payson var. *nevadensis* Rollins**

FN 7:684 synonym for *Caulanthus major*; FOO 2:469 synonym for *Caulanthus major*; IN 2b:222; JPM 412.

Caulanthus pilosus S. Watson

Common names: hairy wild cabbage, chocolate drops

Origin: native Voucher: OSC, most recently collected in 2005

FN 7:684; FOO 2:469; FPN 160; FPN2 295; IL 2:257; IN 2b:224; JPM 412; JPM2 538; VP 2:477.

Synonyms:

***Streptanthus pilosus* (S. Watson) Jeps.**

FN 7:684 synonym for *Caulanthus pilosus*; FOO 2:469 synonym for *Caulanthus pilosus*; FPN 160 synonym for *Caulanthus pilosus*; IL 2:257 synonym for *Caulanthus pilosus*; PEK 359.

Chlorocrambe

Checklist contributor: Richard Halse, 12/1/2006

Flora of Oregon author: Ihsan Al-Shehbaz

Chlorocrambe hastata (S. Watson) Rydb.

Common names: spearhead

Origin: native Voucher: OSC, most recently collected in 2010

FN 7:686; FOO 2:469; FPN 160; FPN2 295; GWM 170; IL 2:242; IN 2b:196; PEK 356; VP 2:477.

Chorispora

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Chorispora tenella (Pall.) DC.

Common names: chorispora, crossflower, purple mustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 7:511; FOO 2:470; FPN 160; FPN2 295; IL 2:321; IN 2b:393; JPM 412; JPM2 539; PEK 388; VP 2:477.

Cochlearia

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Cochlearia groenlandica L.

Common names: Greenland scurvygrass, Danish scurvygrass

Origin: native Voucher: OSC, most recently collected in 2009

FN 7:515; FOO 2:471; FPN2 295; JPM2 539.

Synonyms:

***Cochlearia officinalis* L.**

FN 7:515 ambiguous synonym; FOO 2:471 synonym for *Cochlearia groenlandica*; FPN 160; IL 2:266; PEK 364; VP 2:478.

***Cochlearia officinalis* L. var. *arctica* (Schlecht ex DC.) Gelert**

FOO 2:471 synonym for *Cochlearia groenlandica*; JPM 413.

Conringia

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Conringia orientalis (L.) Dumort.

Common names: hare's-ear mustard, hedge cabbage

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2007

FN 7:517; FOO 2:471; FPN 161; FPN2 295; IL 2:321; IN 2b:230; JPM 413; JPM2 539; PEK 368; VP 2:478.

Crambe

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Crambe maritima L.

Common names: sea kale

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2001

FN 7:431; FOO 2:472; FPN 161; FPN2 296; PEK 387; VP 2:480.

Cusickiella

Checklist contributor: Henrietta Chambers, 4/3/2006

Flora of Oregon author: Ihsan Al-Shehbaz

Cusickiella douglasii (A. Gray) Rollins

Common names: Douglas' draba, alkali cusickiella

Origin: native Voucher: OSC, most recently collected in 2022

FN 7:413; FOO 2:472; FPN2 296; IN 2b:334; JPM 413; JPM2 539.

Synonyms:

***Draba douglasii* A. Gray**

FN 7:413 synonym for *Cusickiella douglasii*; FOO 2:472 synonym for *Cusickiella douglasii*; FPN 165; IL 2:297; PEK 377; VP 2:492.

Descurainia

Checklist contributor: Richard Halse, 5/10/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Descurainia californica (A. Gray) O.E. Schulz

Common names: Sierra tansymustard, California tansymustard

Origin: native Voucher: OSC, most recently collected in 2000

FN 7:521; FOO 2:473; FPN 161; FPN2 296; IL 2:269; IN 2b:414; JPM 414; JPM2 540; PEK 366.

Descurainia incana (Bernh. ex Fisch. & C.A. Mey.) Dorn

Common names: mountain tansymustard

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:522; FOO 2:473; FPN2 296; JPM 414; JPM2 540.

Descurainia incisa (Engelm.) Britton

FN 7:523; JPM 414.

Descurainia incisa (Engelm.) Britton ssp. ***incisa***

Common names: cutleaf tansymustard

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:523; FOO 2:474; FPN2 297; JPM 414; JPM2 540.

Synonyms:

***Descurainia incana* (Bernh. ex Fisch. & C.A. Mey.) Dorn ssp. *incisa* (Engelm. ex A. Gray)**

FN 7:523 synonym for *Descurainia incisa* ssp. *incisa*; FOO 2:474 synonym for *Descurainia incisa ssp. incisa*; IN 2b:410.

***Descurainia incisa* (Engelm.) Britton ssp. *viscosa* (Rydb.) Rollins**

FN 7:523 synonym for *Descurainia incisa* ssp. *incisa*; FOO 2:474 synonym for *Descurainia incisa ssp. incisa*.

***Descurainia richardsonii* (Sweet) O.E. Schulz var. *incisa* (Engelm.) Detling**

FOO 2:474 synonym for *Descurainia incisa ssp. incisa*; FPN 162.

***Descurainia richardsonii* (Sweet) O.E. Schulz var. *sonnei* (B.L. Rob.) C.L. Hitchc.**

FN 7:523 synonym for *Descurainia incisa* ssp. *incisa*; FOO 2:474 synonym for *Descurainia incisa ssp. incisa*; FPN 162; VP 2:485.

***Descurainia richardsonii* (Sweet) O.E. Schulz ssp. *viscosa* (Rydb.) Detling**

FN 7:523 synonym for *Descurainia incisa* ssp. *incisa*; FOO 2:474 synonym for *Descurainia incisa ssp. incisa*; GWM 171; IL 2:269; PEK 366.

***Descurainia richardsonii* (Sweet) O.E. Schulz var. *viscosa* (Rydb.) M. Peck**

FN 7:523 synonym for *Descurainia incisa* ssp. *incisa*; FOO 2:474 synonym for *Descurainia incisa ssp. incisa*; FPN 162; VP 2:485.

Descurainia longipedicellata (E. Fournier) O.E. Schulz

Common names: Western tansymustard, thread-stalk cutleaf tansymustard

Origin: native Voucher: OSC, most recently collected in 2020

FOO 2:474; JPM2 540.

Synonyms:

***Descurainia incisa* (Engelm.) Britton ssp. *filipes* (A. Gray) Rollins**

FN 7:524 synonym for *Descurainia longepedicellata (E. Fournier) E.E. Schulz in H.G.A. Engler*; FOO 2:474 synonym for *Descurainia longipedicellata*; JPM 414.

***Descurainia incisa* (Engelm.) Britton var. *filipes* (A. Gray) N.H. Holmgren**

FN 7:824 synonym for *Descurainia longepedicellata (E. Fournier) O.E. Schulz in H.G.A. Engler*; FOO 2:474 synonym for *Descurainia longipedicellata*; IN 2b:412.

***Descurainia longepedicellata* (E. Fourn.) O.E. Schulz**

FN 7:524; FPN2 297.

***Descurainia pinnata* (Walter) Britton ssp. *filipes* (A. Gray) Detling**

FN 7:524 synonym for *Descurainia longepedicellata (E. Fournier) O.E. Schulz in H.G. A. Engler*; FOO 2:474 synonym for *Descurainia longipedicellata*; IL 2:270; PEK 366.

***Descurainia pinnata* (Walter) Britton var. *filipes* (A. Gray) M. Peck**

FN 7:524 synonym for *Descurainia longepedicellata (E. Fournier) O.E. Schulz in H.G.A. Engler*; FOO 2:474 synonym for *Descurainia longipedicellata*; FPN 162; VP 2:483.

Descurainia nelsonii (Rydb.) Al-Shehbaz & Goodson

Common names: Nelson's tansymustard

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:525; FOO 2:474; FPN2 296; JPM2 540.

Synonyms:

***Descurainia pinnata* (Walter) Britton ssp. *nelsonii* (Rydb.) Detling**

FN 7:525 synonym for *Descurainia nelsonii*; FOO 2:474 synonym for *Descurainia nelsonii*; IL 2:270; PEK 366.

***Descurainia pinnata* (Walter) Britton var. *nelsonii* (Rydb.) M. Peck**

FN 7:525 synonym for *Descurainia nelsonii*; FOO 2:474 synonym for *Descurainia nelsonii*; FPN 162; IN 2b:414; VP 2:483.

Descurainia paradisa (A. Nelson & P.B. Kenn.) O.E. Schulz

Common names: paradise tansymustard, Nevada tansymustard

Origin: native Voucher: OSC, most recently collected in 2018

FN 7:526; FOO 2:474; FPN 162 synonym for *Descurainia pinnata* var. *paradisa*; FPN2 296; IL 2:270; JPM 414; JPM2 542.

Synonyms:

Descurainia paradisa* (A. Nelson & P.B. Kenn.) O.E. Schulz ssp. *paradisa

FN 7:526 synonym for *Descurainia paradisa*; FOO 2:474 synonym for *Descurainia paradisa*.

Descurainia paradisa* (A. Nelson & P.B. Kenn.) O.E. Schulz var. *paradisa

FN 7:526 synonym for *Descurainia paradisa*; FOO 2:474 synonym for *Descurainia paradisa*; IN 2b:414.

***Descurainia pinnata* (Walter) Britton ssp. *paradisa* (A. Nelson & P.B. Kenn.) Detling**

FN 7:526 synonym for *Descurainia paradisa*; FOO 2:474 synonym for *Descurainia paradisa*; PEK 366.

***Descurainia pinnata* (Walter) Britton var. *paradisa* (A. Nelson & P.B. Kenn.) M. Peck**

FN 7:526 synonym for *Descurainia paradisa*; FOO 2:474 synonym for *Descurainia paradisa*; FPN 162; VP 2:483.

Descurainia pinnata (Walter) Britton ssp. ***brachycarpa*** (Richardson) Detling

Common names: short-fruit western tansymustard, intermediate tansymustard, salty tansymustard

Origin: native Voucher: OSC, most recently collected in 2014

FN 7:527; FOO 2:475; FPN2 296; JPM2 542.

Synonyms:

***Descurainia pinnata* (Walter) Britton var. *brachycarpa* (Richardson) Fern.**

FN 7:527 synonym for *Descurainia pinnata* ssp. *brachycarpa*; FOO 2:475 synonym for *Descurainia pinnata ssp. brachycarpa*; FPN 162; VP 2:483 synonym for *Descurainia pinnata*.

***Descurainia pinnata* (Walter) Britton var. *halictorum* (Cockerell) M. Peck**

FN 7:527 excluded; FOO 2:475 synonym for *Descurainia pinnata ssp. brachycarpa*; FPN 162; VP 2:483.

***Descurainia pinnata* (Walter) Britton ssp. *intermedia* (Rydb.) Detling**

FN 7:527 synonym for *Descurainia pinnata* ssp. *brachycarpa*; FOO 2:475 synonym for *Descurainia pinnata ssp. brachycarpa*; GWM 170; IL 2:270; JPM 414.

***Descurainia pinnata* (Walter) Britton var. *intermedia* (Rydb.) C.L. Hitchc.**

FN 7:527 synonym for *Descurainia pinnata* ssp. *brachycarpa*; FOO 2:475 synonym for *Descurainia pinnata ssp. brachycarpa*; FPN 162; VP 2:482.

Misapplied names:

***Descurainia pinnata* (Walter) Britton ssp. *halictorum* (Cockerell) Detling**

FN 7:527 excluded; IL 2:270; JPM 414; PEK 366.

***Descurainia pinnata* (Walter) Britton var. *osmiarum* (Cockerell) Shinners**

IN 2b:414.

Descurainia sophia (L.) Webb ex Prantl

Common names: flixweed, herb Sophia, flixweed tansymustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 7:528; FOO 2:475; FPN 161; FPN2 296; IL 2:268; IN 2b:409; JPM 416; JPM2 542; PEK 366; VP 2:485.

Diplotaxis

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Diplotaxis muralis (L.) DC.

Common names: wallrocket, stinkweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1973

FN 7:433; FOO 2:476; FPN 162; FPN2 297; IL 2:275; IN 2b:231; JPM 416; JPM2 542; VP 2:485.

Diplotaxis tenuifolia (L.) DC.

Common names: perennial wallrocket, slimleaf wallrocket

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FN 7:433; FOO 2:476; FPN2 297; IL 2:275; JPM 416; JPM2 542; PEK 368.

Draba

Checklist contributor: Henrietta Chambers, 4/3/2006
Flora of Oregon author: Ihsan Al-Shehbaz

Draba albertina Greene

Common names: slender draba, Alaska whitlow-grass
Origin: native Voucher: OSC, most recently collected in 2011
FN 7:288; FOO 2:477; FPN2 297; IN 2b:328; JPM 417; JPM2 544; Rollins, 1993A 387.

Synonyms:

***Draba stenoloba* Ledeb. var. *nana* (O.E. Schulz) C.L. Hitchc.**
FN 7:288 synonym for *Draba albertina*; FOO 2:477 synonym for *Draba albertina*; FPN 163; PEK 377; VP 2:500.

Draba aureola S. Watson

Common names: great alpine whitlow-grass, golden alpine draba, Mt. Lassen draba
Origin: native Voucher: OSC, most recently collected in 1994
FN 7:295; FOO 2:478; FPN 165; FPN2 299; IL 2:298; JPM 418; JPM2 544; PEK 375; Rollins, 1993A 394; VP 2:490.

Draba cana Rydb.

Common names: lance-leaved draba, cushion draba, Brewer's draba, hoary whitlow-grass, canescent draba
Origin: native Voucher: OSC, most recently collected in 1966
FOO 2:478; FPN2 299; JPM2 544.

Draba crassifolia Graham

Common names: snowbed draba, Rocky Mountain draba, thick-leaved draba
Origin: native Voucher: BLMB, most recently collected in 2002
FOO 2:478; FPN 163; FPN2 297; IN 2b:330; PEK 377; Rollins, 1993A 405; VP 2:491.

Draba cusickii B.L. Rob. ex O.E. Schulz

Common names: Steens Mountain whitlow-grass, Cusick's draba
Origin: native Voucher: OSC, most recently collected in 2010
FN 7:304; FOO 2:479; IL 2:295; IN 2b:312.

Synonyms:

Draba cusickii* B.L. Rob. ex O.E. Schulz var. *cusickii
FOO 2:479 synonym for *Draba cusickii*; Rollins, 1993A 409.

***Draba sphaeroides* Payson**
FN 7:339; FOO 2:479 synonym for *Draba cusickii*; IN 2b:313; VP 2:499.

***Draba sphaeroides* Payson var. *cusickii* (B.L. Rob. ex O.E. Schulz) C.L. Hitchc.**
FN 7:304 synonym for *Draba cusickii*; FOO 2:479 synonym for *Draba cusickii*; PEK 375.

Draba cyclomorpha Payson

Common names: Lemmon's draba, granite draba
Origin: native Voucher: OSC, most recently collected in 2022
FN 7:305; FOO 2:479; FPN2 301.

Synonyms:

***Draba lemmonii* S. Watson var. *cyclomorpha* (Payson) O.E. Schulz**
FOO 2:479 synonym for *Draba cyclomorpha*; FPN 166; GWM 172; IL 2:295; PEK 376; Rollins, 1993A 429; VP 2:495.

Misapplied names:

***Draba lemmonii* S. Watson**
FN 7:316; FOO 2:479 synonym for *Draba cyclomorpha*; FPN 166; IL 2:295; JPM2 545; VP 2:494.

Draba densifolia Nutt.

Common names: Nuttall's draba, denseleaf draba

Origin: native Voucher: OSC, most recently collected in 2011

FN 7:306; FOO 2:479; FPN 166; FPN2 301; GWM 172; IN 2b:316; JPM 418; JPM2 545; PEK 376; Rollins, 1993B 410; VP 2:492.

Synonyms:

***Draba caeruleomontana* Payson & H. St. John**

FN 7:306 synonym for *Draba densifolia*; FOO 2:479 synonym for *Draba densifolia*; FPN 166 synonym for *Draba densifolia*; IL 2:297.

***Draba nelsonii* J.F. Macbr. & Payson**

FN 7:306 synonym for *Draba densifolia*; FOO 2:479 synonym for *Draba densifolia*; FPN 166 synonym for *Draba densifolia*; IL 2:297; PEK 376 synonym for *Draba densifolia*; Rollins, 1993A 412.

***Draba sphaerula* J.F. Macbr. & Payson**

FN 7:306 synonym for *Draba densifolia*; FOO 2:479 synonym for *Draba densifolia*; FPN 166 synonym for *Draba densifolia*; IL 2:297; Rollins, 1993A 412.

Draba howellii S. Watson

Common names: Howell's whitlow-grass, rosette draba, Howell's draba

Origin: native Voucher: OSC, most recently collected in 2001

FN 7:312; FOO 2:480; IL 2:295; JPM 418; JPM2 545; PEK 376; Rollins, 1993A 420.

Draba incerta Payson

Common names: Yellowstone draba

Origin: native Voucher: OSC, most recently collected in 2007

FN 7:313; FOO 2:480; FPN 165; FPN2 299; IL 2:295; IN 2b:322; PEK 376; VP 2:494.

Synonyms:

Draba incerta* Payson var. *incerta

FOO 2:480 synonym for *Draba incerta*; IN 2b:322; Rollins, 1993A 422.

Draba lonchocarpa Rydb.

Common names: lancepod whitlow-grass, lancefruit draba

Origin: native Voucher: OSC, most recently collected in 1991

FN 7:317; FOO 2:480; FPN 164; FPN2 300; GWM 172; IL 2:294; IN 2b:322; JPM2 545.

Synonyms:

Draba lonchocarpa* Rydb. var. *lonchocarpa

FOO 2:480 synonym for *Draba lonchocarpa*; FPN 164; IN 2b:322; JPM 418; Rollins, 1993A 430; VP 2:495.

***Draba nivalis* Lilj.**

FN 7:322; FOO 2:480 synonym for *Draba lonchocarpa*.

***Draba nivalis* Lilj. var. *elongata* S. Watson**

FN 7:317 synonym for *Draba lonchocarpa*; FOO 2:480 synonym for *Draba lonchocarpa*; IL 2:294 synonym for *Draba lonchocarpa*; PEK 377.

Draba nemorosa L.

Common names: woodland draba, woodland whitlow-grass

Origin: native Voucher: OSC, most recently collected in 2009

FN 7:321; FOO 2:480; FPN 163; FPN2 298; GWM 172; IL 2:294; IN 2b:332; JPM 420; JPM2 545; PEK 378; Rollins, 1993A 434; VP 2:495.

Synonyms:

***Draba nemorosa* L. var. *leiocarpa* Lindblom**

FN 7:321 synonym for *Draba nemorosa*; FOO 2:480 synonym for *Draba nemorosa*; IL 2:294.

Draba nemorosa* L. var. *nemorosa

FN 7:321 synonym for *Draba nemorosa*; FOO 2:480 synonym for *Draba nemorosa*; IL 2:294.

Draba novolympica Payson & H. St. John

Common names: Payson's draba, Trelease's whitlow-grass

Origin: native Voucher: OSC, most recently collected in 2010

FN 7:323; FOO 2:481; FPN2 301; IL 2:297; JPM2 545.

Synonyms:

***Draba paysonii* J.F. Macbr.**

FN 7:327; FOO 2:481 synonym for *Draba novolympica*; FPN 166; FPN2 302; IL 2:295; IN 2b:316.

***Draba paysonii* J.F. Macbr. var. *treleasei* (O.E. Schulz) C.L. Hitchc.**

FOO 2:481 synonym for *Draba novolympica*; JPM 420.

***Draba paysonii* J.F. Macbr. var. *treleasii* (O.E. Schulz) C.L. Hitchc.**

FN 7:323 synonym for *Draba novolympica*; FPN 166; GWM 174; IN 2b:316 synonym for *Draba paysonii*; PEK 376; Rollins, 1993A 441; VP 2:498.

Draba oligosperma Hook.

Common names: few-seeded whitlow-grass

Origin: native Voucher: OSC, most recently collected in 2018

FN 7:324; FOO 2:481; FPN 165; FPN2 300; GWM 174; IN 2b:320; JPM2 545; PEK 376; Rollins, 1993A 438.

Synonyms:

Draba oligosperma* Hook. var. *oligosperma

FOO 2:481 synonym for *Draba oligosperma*; FPN 165; JPM 420; VP 2:496.

Draba praealta Greene

Common names: tall draba, tall whitlow-grass

Origin: native Voucher: OSC, most recently collected in 2002

FN 7:331; FOO 2:481; FPN 163; FPN2 297; GWM 174; IN 2b:328; JPM 420; JPM2 545; PEK 377; Rollins, 1993A 446; VP 2:498.

Draba stenoloba Ledeb.

Common names: Alaska draba, Alaska whitlow-grass

Origin: native Voucher: OSC, most recently collected in 2002

FN 7:340; FOO 2:482; FPN 163; FPN2 298; GWM 174; IL 2:294; VP 2:499.

Draba verna L.

Common names: spring whitlow-grass, spring draba

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 7:345; FOO 2:482; FPN 163; FPN2 297; GWM 174; IL 2:292; IN 2b:332; JPM 420; JPM2 546; Love, 2006 ; Rollins, 1993A 462.

Synonyms:

***Draba verna* L. var. *aestivalis* Lej.**

FN 7:345 synonym for *Draba verna*; FOO 2:482 synonym for *Draba verna*; PEK 378.

***Draba verna* L. var. *boerhaavii* H.C. Hall**

FN 7:345 synonym for *Draba verna*; FOO 2:482 synonym for *Draba verna*; FPN 163; VP 2:500.

Draba verna* L. var. *verna

FN 7:345 synonym for *Draba verna*; FOO 2:482 synonym for *Draba verna*; FPN 163; PEK 378; VP 2:500.

Eruca

Checklist contributor: Richard Halse, 10/4/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Eruca vesicaria (L.) Cav.

FN 7:434; IN 2b:238.

Eruca vesicaria (L.) Cav. ssp. ***sativa*** (Mill.) Thell.

Common names: garden-rocket, rocket, rocket-salad, arugula

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1936

FN 7:434; FOO 2:483; FPN2 302; JPM 420; JPM2 546.

Synonyms:

Eruca sativa **Mill.**

FN 7:434 synonym for *Eruca vesicaria*; FOO 2:483 synonym for *Eruca vesicaria ssp. sativa*; FPN 167; IL 2:271; VP 2:502.

Erysimum

Checklist contributor: Richard Halse, 1/1/2004

Flora of Oregon author: Ihsan Al-Shehbaz

Erysimum arenicola S. Watson

Common names: Cascade wallflower, sand-dwelling wallflower

Origin: native Voucher: OSC, most recently collected in 2002

FN 7:536; FOO 2:484; FPN 168; FPN2 303.

Synonyms:

Erysimum arenicola **S. Watson var.** ***torulosum*** **(Piper) C.L. Hitchc.**

FN 7:536 synonym for *Erysimum arenicola*; FOO 2:484 synonym for *Erysimum arenicola*; FPN 168; VP 2:503.

Erysimum capitatum (Douglas ex Hook.) Greene

FN 7:537; FOO 2:484; FPN 168 synonym for *Erysimum asperum*; GWM 175; IL 2:318; JPM 421; PEK 386.

Erysimum capitatum (Douglas ex Hook.) Greene var. ***capitatum***

Common names: western wallflower, prairie rocket, sanddune wallflower

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:538; FOO 2:484; FPN2 303; IN 2b:390; JPM2 548.

Synonyms:

Erysimum asperum **(Nutt.) DC.**

FN 7:537; FOO 2:484 synonym for *Erysimum capitatum var. capitatum*; FPN 168; FPN2 303; PEK 386; VP 2:505.

Erysimum capitatum **(Douglas ex Hook.) Greene ssp.** ***capitatum***

FOO 2:484 synonym for *Erysimum capitatum var. capitatum*; JPM 422.

Erysimum capitatum (Douglas ex Hook.) Greene var. ***purshii*** (Durand) Rollins

Common names: Pursh's wallflower

Origin: native Voucher: CIC, most recently collected in 1976

FOO 2:484; FPN2 303; JPM2 548.

Erysimum cheiranthoides L.

Common names: wormseed mustard, treacle mustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2016

FN 7:539; FOO 2:485; FPN 167; FPN2 302; IL 2:315; IN 2b:391; JPM 422; JPM2 548; PEK 385; VP 2:505.

Erysimum concinnum Eastw.

Common names: coast wallflower, curly wallflower, Pacific wallflower

Origin: native Voucher: OSC, most recently collected in 2011

FN 7:540; FOO 2:485; JPM2 548; PEK 386.

Synonyms:

Erysimum menziesii **(Hook.) Wettst. ssp.** ***concinnum*** **(Eastw.) R.A. Price**

FN 7:540 excluded; FOO 2:485 synonym for *Erysimum concinnum*; JPM 422.

Erysimum inconspicuum (S. Watson) MacMill.

Common names: small-flowered rocket, small wallflower

Origin: native Voucher: OSC, most recently collected in 2008

FN 7:541; FOO 2:485; FPN 167; FPN2 303; IL 2:318; IN 2b:390; PEK 385; VP 2:506.

Synonyms:

Erysimum inconspicuum* (S. Watson) MacMill. var. *inconspicuum

FOO 2:485 synonym for *Erysimum inconspicuum*.

Erysimum occidentale (S. Watson) B.L. Rob.

Common names: pale wallflower

Origin: native Voucher: OSC, most recently collected in 2017

FN 7:543; FOO 2:486; FPN 167; FPN2 303; IL 2:318; PEK 386; VP 2:506.

Erysimum perenne (S. Watson ex Coville) Abrams

Common names: Sierra wallflower

Origin: native Voucher: OSC, most recently collected in 1980

FN 7:543; FOO 2:486; FPN2 303; IL 2:318; IN 2b:388 synonym for *Erysimum capitatum* var. *capitatum*; JPM2 549; VP 2:503 synonym for *Erysimum arenicola* var. *torulosum*.

Synonyms:

***Erysimum capitatum* (Douglas ex Hook.) Greene ssp. *perenne* (S. Watson ex Coville) R.A.**

FOO 2:486 synonym for *Erysimum perenne*; JPM 422.

***Erysimum capitatum* (Douglas ex Hook.) Greene var. *perenne* (S. Watson ex Coville) R.J.**

FN 7:543 synonym for *Erysimum perenne*; FOO 2:486 synonym for *Erysimum perenne*.

Erysimum repandum L.

Common names: spreading wallflower, repand wallflower

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 7:544; FOO 2:486; FPN 167; FPN2 303; IL 2:315; IN 2b:392; JPM 422; JPM2 549; PEK 385; VP 2:506.

Euclidium

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Euclidium syriacum (L.) W.T. Aiton

Common names: Syrian mustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2004

FN 7:553; FOO 2:486; FPN 168; FPN2 304; IN 2b:394; JPM 424; JPM2 549; VP 2:506.

Guillenia

Checklist contributor: Richard Halse, 10/4/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Guillenia lasiophylla (Hook. & Arn.) Greene

Common names: California mustard, hairyleaf caulanthus, Coast Range western cabbage

Origin: native Voucher: OSC, most recently collected in 1987

FN 7:683 synonym for *Caulanthus lasiophyllus*; FOO 2:487; JPM 424.

Synonyms:

***Caulanthus lasiophyllus* (Hook. & Arn.) Payson**

FN 7:683; FOO 2:487 synonym for *Guillenia lasiophylla*; FPN2 295; IN 2b:225; JPM2 538; VP 2:551 synonym for *Thelypodium lasiophyllum*.

***Thelypodium lasiophyllum* (Hook. & Arn.) Greene**

FN 7:683 synonym for *Caulanthus lasiophyllus*; FOO 2:487 synonym for *Guillenia lasiophylla*; FPN 179; IL 2:246; PEK 358; VP 2:551.

Hesperis

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Hesperis matronalis L.

Common names: dame's-rocket, dame's-violet
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021
FN 7:562; FOO 2:488; FPN 169; FPN2 304; IL 2:321; IN 2b:392; JPM 425; JPM2 550; PEK 367; VP 2:511.

Hirschfeldia

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Hirschfeldia incana (L.) Lagr.-Foss.

Common names: Mediterranean mustard
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021
FN 7:437; FOO 2:488; FPN2 304; IN 2b:241; JPM 425; JPM2 550.

Synonyms:
***Sinapis incana* L.**
FN 7:437 synonym for *Hirschfeldia incana*; FOO 2:488 synonym for *Hirschfeldia incana*; IL 2:272.

Hornungia

Checklist contributor: Richard Halse, 10/3/2005
Flora of Oregon author: Ihsan Al-Shehbaz

Hornungia procumbens (L.) Hayek

Common names: oval purse, prostrate hutchinsia
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017
FN 7:530; FOO 2:489; FPN2 304; IN 2b:266; JPM2 550.

Synonyms:
***Hutchinsia procumbens* (L.) Desv.**
FN 7:530 synonym for *Hornungia procumbens*; FPN 169; IL 2:290; JPM 425; PEK 374; VP 2:511.

Idahoa

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Idahoa scapigera (Hook.) A. Nelson & J.F. Macbr.

Common names: flatpod, oldstem idahoa, scalepod
Origin: native Voucher: OSC, most recently collected in 2022
FN 7:567; FOO 2:489; FPN 169; FPN2 305; IL 2:283; IN 2b:386; JPM 425; JPM2 550; PEK 360; VP 2:511.

Synonyms:
***Platyspermum scapigerum* Hook.**
FN 7:567 synonym for *Idahoa scapigera*; FOO 2:489 synonym for *Idahoa scapigera*; FPN 169 synonym for *Idahoa scapigera*; IL 2:283 synonym for *Idahoa scapigera*; PEK 360.

Isatis

Checklist contributor: Richard Halse, 10/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Isatis tinctoria L.

Common names: woad, dyer's woad
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017
FN 7:568; FOO 2:490; FPN 169; FPN2 305; IL 2:271; IN 2b:272; JPM 425; JPM2 550; KZ 2:402; VP 2:512.

Lepidium

Checklist contributor: Richard Halse, 11/1/2006
Flora of Oregon author: Ihsan Al-Shehbaz

Lepidium acutidens (A. Gray) Howell

Common names: alkali veiny peppergrass
Origin: native
Voucher: OSC, most recently collected in 1889
FN 7:575; FOO 2:492; FPN2 307; IL 2:263; JPM2 553.

Synonyms:

***Lepidium dictyotum* A. Gray var. *acutidens* A. Gray**

FN 7:575 synonym for *Lepidium acutidens*; FOO 2:492 synonym for *Lepidium acutidens*; FPN 171; IL 2:263 synonym for *Lepidium acutidens*; JPM 428; PEK 363; VP 2:516.

Lepidium appelianum Al-Shehbaz

Common names: globe-podded hoary cress, hairy whitetop
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2014
FN 7:576; FOO 2:492; FPN2 305; JPM2 553.

Synonyms:

***Cardaria pubescens* (C.A. Mey.) Jarm.**

FN 7:576 synonym for *Lepidium appelianum*; FOO 2:492 synonym for *Lepidium appelianum*; FPN 159; IL 2:630; IN 2b:245; JPM 410; VP 2:475.

***Cardaria pubescens* (C.A. Mey.) Jarm. var. *elongata* Rollins**

FN 7:576 synonym for *Lepidium appelianum*; FOO 2:492 synonym for *Lepidium appelianum*; IL 2:630; PEK 361.

***Hymenophysa pubescens* C.A. Mey.**

FN 7:576 synonym for *Lepidium appelianum*; FOO 2:492 synonym for *Lepidium appelianum*; IL 2:258.

Lepidium campestre (L.) W.T. Aiton

Common names: field cress, field pepperweed
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2022
FN 7:577; FOO 2:492; FPN 170; FPN2 305; IL 2:259; IN 2b:248; JPM 428; JPM2 553; PEK 361; VP 2:513.

Lepidium chalepense L.

Common names: lens-podded hoary cress, lenspod whitetop, Chalapa hoary cress
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2017
FN 7:577; FOO 2:492; FPN2 305; JPM2 553.

Synonyms:

***Cardaria chalepensis* (L.) Hand.-Mazz.**

FN 7:577 synonym for *Lepidium chalepense L.*; FOO 2:492 synonym for *Lepidium chalepense*; FPN 159; JPM 410.

***Cardaria draba* (L.) Desv. var. *repens* (Schrenk) O.E. Schulz**

FN 7:577 synonym for *Lepidium chalepense L.*; FOO 2:492 synonym for *Lepidium chalepense*; IN 2b:245.

Lepidium davisii Rollins

Common names: Davis' peppergrass, Davis' pepperwort
Origin: native
Voucher: OSC, most recently collected in 2014
FN 7:579; FOO 2:492; IN 2b:262.

Lepidium densiflorum Schrad.

Common names: common pepperweed, prairie peppergrass, miner's pepperweed, babyseed pepperweed

Origin: native Voucher: OSC, most recently collected in 2011

FN 7:579; FOO 2:493; FPN 171; FPN2 307; IL 2:261; IN 2b:250; JPM 428; JPM2 553.

Synonyms:

***Lepidium densiflorum* Schrad. var. *bourgeaunum* (Thell.) C.L. Hitchc.**

FN 7:591 synonym for *Lepidium ramosissimum*; FOO 2:493 synonym for *Lepidium densiflorum*; PEK 362.

Lepidium densiflorum* Schrad. var. *densiflorum

FN 7:579 synonym for *Lepidium densiflorum*; FOO 2:493 synonym for *Lepidium densiflorum*; FPN 171; IL 2:261; IN 2b:251; JPM 428; VP 2:514.

***Lepidium densiflorum* Schrad. var. *elongatum* (Rydb.) Thell.**

FN 7:579 synonym for *Lepidium densiflorum*; FOO 2:493 synonym for *Lepidium densiflorum*; FPN 171; JPM 428; VP 2:514.

***Lepidium densiflorum* Schrad. var. *macrocarpum* G.A. Mulligan**

FN 7:579 synonym for *Lepidium densiflorum*; FOO 2:493 synonym for *Lepidium densiflorum*; FPN 171; JPM 428; VP 2:514.

***Lepidium densiflorum* Schrad. var. *pubicarpum* (A. Nelson) Thell.**

FN 7:579 synonym for *Lepidium densiflorum*; FOO 2:493 synonym for *Lepidium densiflorum*; FPN 171; GWM 176; IL 2:261; IN 2b:251; JPM 428; VP 2:514.

***Lepidium densiflorum* Schrad. var. *ramosum* (A. Nelson) Thell.**

FN 7:579 synonym for *Lepidium densiflorum*; FOO 2:493 synonym for *Lepidium densiflorum*; IN 2b:251; JPM 428.

***Lepidium texanum* Buckley**

FN 7:592 synonym for *Lepidium ruderale*; FOO 2:493 synonym for *Lepidium densiflorum*; IL 2:261.

Lepidium dictyotum A. Gray

Common names: alkali pepperweed, veiny peppergrass

Origin: native Voucher: OSC, most recently collected in 2017

FN 7:580; FOO 2:493; FPN 170; FPN2 306; IL 2:262; IN 2b:252; JPM 428; JPM2 553.

Synonyms:

Lepidium dictyotum* A. Gray var. *dictyotum

FN 7:580 synonym for *Lepidium dictyotum*; FOO 2:493 synonym for *Lepidium dictyotum*; FPN 171; JPM 428; PEK 363; VP 2:516.

Lepidium didymum L.

Common names: lesser swinecress, lesser wartcress

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 7:580; FOO 2:494; FPN2 306; IL 2:263 synonym for *Coronopus didymus*; JPM2 553.

Synonyms:

***Coronopus didymus* (L.) Sm.**

FN 7:580 synonym for *Lepidium didymum*; FOO 2:494 synonym for *Lepidium didymum*; FPN 161; IL 2:263; JPM 413; PEK 364; VP 2:480.

Lepidium draba L.

Common names: heart-podded hoary cress, hoary pepperwort

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 7:581; FOO 2:494; FPN 159 synonym for *Cardaria draba*; FPN2 305; IL 2:258; IN 2b:244 synonym for *Cardaria draba var. draba*; JPM2 553.

Synonyms:

***Cardaria draba* (L.) Desv.**

FN 7:581 synonym for *Lepidium draba*; FOO 2:494 synonym for *Lepidium draba*; FPN 159; IL 2:259 synonym for *Lepidium draba*; IN 2b:244; JPM 410; PEK 361; Rollins, 1993A ; VP 2:474.

Cardaria draba* (L.) Desv. var. *draba

FN 7:581 synonym for *Lepidium draba*; FOO 2:494 synonym for *Lepidium draba*; IN 2b:245.

Lepidium draba* L. ssp. *draba

FOO 2:494 synonym for *Lepidium draba*.

Lepidium graminifolium L.

Common names: grassleaf pepperweed

Origin: exotic, not naturalized Voucher: GH, most recently collected in 1915

FN 7:571 excluded; FOO 2:490 uncertain status; FPN 170; FPN2 305; Hitchcock, 1936 272; VP 2:516.

Lepidium heterophyllum Benth.

Common names: purple-anther field pepperweed, Smith's pepperwort

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 7:582; FOO 2:494; FPN 169; FPN2 305; Halse, 1993 ; JPM 429; JPM2 554.

Lepidium latifolium L.

Common names: broad-leaved peppergrass, broad-leaved pepperweed, perennial pepperweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 7:585; FOO 2:494; FPN 170; FPN2 306; IN 2b:254; JPM 429; JPM2 554; PEK 362; VP 2:516.

Lepidium montanum Nutt.

Common names: mountain pepperweed, mountain pepperwort

Origin: native Voucher: OSC, most recently collected in 2008

FN 7:587; FOO 2:494; FPN 170; FPN2 306; IL 2:259; JPM 429; JPM2 554.

Synonyms:

***Lepidium montanum* Nutt. var. *canescens* (Thell.) C.L. Hitchc.**

FN 7:586 synonym for *Lepidium montanum*; FOO 2:494 synonym for *Lepidium montanum*; IL 2:259; JPM 429; PEK 363.

Lepidium montanum* Nutt. var. *montanum

FN 7:586 synonym for *Lepidium montanum*; FOO 2:494 synonym for *Lepidium montanum*; FPN 170; IL 2:259; IN 2b:256; JPM 429; VP 2:516.

***Lepidium montanum* Nutt. var. *nevadense* Rollins**

FN 7:586 synonym for *Lepidium montanum*; FOO 2:494 synonym for *Lepidium montanum*; IN 2b:256.

Lepidium nitidum Nutt.

Common names: shining pepperweed

Origin: native Voucher: OSC, most recently collected in 2018

FN 7:588; FOO 2:495; FPN 170; FPN2 306; IL 2:262; JPM 429; JPM2 554; VP 2:517.

Synonyms:

Lepidium nitidum* Nutt. var. *nitidum

FN 7:588 synonym for *Lepidium nitidum*; FOO 2:495 synonym for *Lepidium nitidum*; IL 2:262; JPM 429; PEK 363.

***Lepidium nitidum* Nutt. var. *oreganum* (Howell ex Greene) C.L. Hitchc.**

FN 7:588 synonym for *Lepidium nitidum*; FOO 2:495 synonym for *Lepidium nitidum*; JPM 429; PEK 363.

Lepidium oblongum Small

Common names: veiny pepperweed

Origin: native Voucher: OSC, most recently collected in 2012

FN 7:588; FOO 2:495; FPN2 307; JPM 429; JPM2 554; PEK 362.

Synonyms:

Lepidium oblongum* Small var. *oblongum

FOO 2:495 synonym for *Lepidium oblongum*; JPM 429.

Lepidium perfoliatum L.

Common names: clasping pepperweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 7:590; FOO 2:496; FPN 169; FPN2 305; IL 2:259; IN 2b:248; JPM 429; JPM2 556; PEK 362; VP 2:517.

Lepidium pinnatifidum Ledeb.

Common names: featherleaf pepperweed

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 1957

Lepidium ruderale L.

Common names: stinking pepperweed, narrow-leaved peppergrass

Origin: exotic, not naturalized Voucher: GH, most recently collected in 1916

FN 7:592; FOO 2:490; FPN 171; FPN2 307; Hitchcock, 1936 275; VP 2:519.

Lepidium sativum L.

Common names: garden cress, garden pepperwort, pepper cress

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1987

FN 7:592; FOO 2:496; FPN 170; FPN2 306; PEK 362; VP 2:519.

Lepidium strictum (S. Watson) Rattan

Common names: upright pepperweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 7:593; FOO 2:496; FPN 170; FPN2 306; IN 2b:252; JPM 430; JPM2 556; VP 2:519.

Misapplied names:

Lepidium pubescens **Desv.**

FN 7:576 synonym for *Lepidium appelianum*; FPN 170 synonym for *Lepidium strictum*; PEK 362.

Lepidium virginicum L.

FN 7:595; FPN 171; IL 2:261; IN 2b:249; JPM 430.

Lepidium virginicum L. ssp. ***menziesii*** (DC.) Thell.

Common names: medium pepperweed, Menzies' pepperweed, hairy pepperweed

Origin: native Voucher: OSC, most recently collected in 2020

FN 7:595; FOO 2:496; FPN2 307; JPM2 556.

Synonyms:

Lepidium menziesii **DC.**

FN 7:595 synonym for *Lepidium virginicum* ssp. *menziesii*; FOO 2:496 synonym for *Lepidium virginicum ssp. menziesii*; FPN 171 synonym for *Lepidium virginicum* var. *menziesii*; IL 2:261.

Lepidium virginicum **L. var. *medium* (Greene) C.L. Hitchc.**

FN 7:595 synonym for *Lepidium virginicum L. ssp. menziesii (DC.) Thellung*; FOO 2:496 synonym for *Lepidium virginicum ssp. menziesii*; FPN 171; JPM 430; PEK 362.

Lepidium virginicum **L. var. *menziesii* (DC.) C.L. Hitchc.**

FN 7:595 synonym for *Lepidium virginicum L. ssp. menziesii (DC.) Thellung*; FOO 2:496 synonym for *Lepidium virginicum ssp. menziesii*; FPN 171; VP 2:521.

Lepidium virginicum **L. var. *pubescens* (Greene) Schmitz**

FN 7:595 synonym for *Lepidium virginicum L. ssp. menziesii (DC.) Thellung*; FOO 2:496 synonym for *Lepidium virginicum ssp. menziesii*; FPN 171; GWM 176; JPM 430; PEK 363; VP 2:521.

Lobularia

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Lobularia maritima (L.) Desv.

Common names: sweet alyssum

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FN 7:598; FOO 2:497; FPN 173; FPN2 307; IN 2b:276; JPM 431; JPM2 556; VP 2:526.

Lunaria

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Lunaria annua L.

Common names: honesty, moonwort, money-plant, satin flower

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 7:597; FOO 2:497; FPN 173; FPN2 308; IN 2b:280; JPM 431; JPM2 557; VP 2:526.

Matthiola

Checklist contributor: Richard Halse, 4/15/2009

Flora of Oregon author: treatment pending

Matthiola incana (L.) W.T. Aiton

Common names: tenweeks stock

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008

FN 7:254; FPN2 278; IL 2:321; JPM 432; JPM2 557.

Nasturtium

Checklist contributor: Richard Halse, 11/1/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Nasturtium microphyllum Boenn. ex Rchb.

Common names: one-row yellowcress, watercress

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2016

FN 7:490; FOO 2:498; FPN2 308.

Nasturtium officinale W.T. Aiton

Common names: watercress

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 7:490; FOO 2:498; FPN2 308; IL 2:276 synonym for *Rorippa nasturtium-aquaticum*; IN 2b:346; JPM2 557.

Synonyms:

***Rorippa nasturtium-aquaticum* (L.) Hayek**

FN 7:492 synonym for *Nasturtium officinale*; FOO 2:498 synonym for *Nasturtium officinale*; FPN 175; IL 2:276; JPM 435; PEK 369; VP 2:537.

Nasturtium* × *sterile (Airy Shaw) Oefelein

Common names: sterile cress

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1916

FOO 2:498 uncertain status; FPN2 308.

Neslia

Checklist contributor:

Flora of Oregon author: treatment pending

Neslia paniculata (L.) Desv.

Common names: ballmustard

Origin: exotic, not naturalized Voucher: WS, most recently collected in 1912

FPN2 308.

Noccaea

Checklist contributor: Richard Halse, 1/1/2007

Flora of Oregon author: Ihsan Al-Shehbaz

Noccaea fendleri (A. Gray) Holub ssp. ***glauca*** (A. Nelson) Al-Shehbaz & M. Koch

Common names: alpine pennycress, rock pennycress

Origin: native Voucher: OSC, most recently collected in 2018

FN 7:602; FOO 2:499; FPN2 309; IN 2b:268 synonym for *Noccaea montana*; JPM2 557.

Synonyms:

***Thlaspi alpestre* L.**

FOO 2:499 synonym for *Noccaea fendleri ssp. glauca*; IL 2:266; PEK 364.

***Thlaspi fendleri* A. Gray var. *glaucum* (A. Nelson) C.L. Hitchc.**

FN 7:602 synonym for *Noccaea fendleri* ssp. *glauca*; FOO 2:499 synonym for *Noccaea fendleri ssp. glauca*; FPN 180; VP 2:556.

Thlaspi montanum* L. var. *montanum

FN 7:603 excluded; FOO 2:499 synonym for *Noccaea fendleri ssp. glauca*; JPM 447.

Noccaea fendleri (A. Gray) Holub ssp. ***siskiyouensis*** (P.K.Holmgren) Al-Shehbaz & M. Koch

Common names: Siskiyou pennycress

Origin: native Voucher: OSC, most recently collected in 2015

FN 7:603; FOO 2:499.

Synonyms:

***Noccaea fendleri* (A. Gray) Holub ssp. *siskiyouense* (P. Holmgren) Al-Shehbaz & M. Koch**

Odontarrhena

Checklist contributor:
Flora of Oregon author: Ihsan Al-Shehbaz

Odontarrhena muralis (Waldst. & Kit.) Endl.

Common names: yellowtuft

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2009

FOO 2:500.

Synonyms:

***Alyssum murale* Waldst. & Kit.**

FN 7:250; FOO 2:500 synonym for *Odontarrhena muralis*; FPN2 282; IN 2b:278.

Phoenicaulis

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Phoenicaulis cheiranthoides Nutt.

Common names: daggerpod

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:415; FOO 2:500; FPN 173; FPN2 309; GWM 177; IL 2:290; IN 2b:396; JPM 432; JPM2 558; Liston, 2000 ; PEK 374; VP 2:528.

Synonyms:

Phoenicaulis cheiranthoides* Nutt. ssp. *cheiranthoides

FN 7:415 synonym for *Phoenicaulis cheiranthoides*; FOO 2:500 synonym for *Phoenicaulis cheiranthoides*; IL 2:290.

***Phoenicaulis cheiranthoides* Nutt. ssp. *lanuginosa* (S. Watson) Abrams**

FN 7:415 synonym for *Phoenicaulis cheiranthoides*; FOO 2:500 synonym for *Phoenicaulis cheiranthoides*; IL 2:290.

Physaria

Checklist contributor: Henrietta Chambers, 10/6/2006
Flora of Oregon author: Ihsan Al-Shehbaz

Physaria chambersii Rollins

Common names: Chambers' bladderpod

Origin: native Voucher: OSC, most recently collected in 2011

FN 7:631; FOO 2:501; FPN2 310; IN 2b:301; JPM 432; JPM2 558; PEK 373.

Physaria douglasii (S. Watson) O'Kane & Al-Shehbaz ssp. ***douglasii***

Common names: Columbia bladderpod, Douglas' bladderpod

Origin: native Voucher: OSC, most recently collected in 1986

FN 7:635; FOO 2:502; FPN2 311.

Synonyms:

***Lesquerella douglasii* S. Watson**

FOO 2:502 synonym for *Physaria douglasii ssp. douglasii*; FPN 172; IL 2:287; PEK 374; VP 2:523.

Physaria geyeri (Hook.) A. Gray

FN 7:638; FPN 174; IL 2:286.

Physaria geyeri (Hook.) A. Gray ssp. ***geyeri***

Common names: Geyer's twinpod

Origin: native Voucher: OSC, most recently collected in 1894

FN 7:639; FOO 2:502; FPN2 310.

Synonyms:

Physaria geyeri* (Hook.) A. Gray var. *geyeri

FOO 2:502 synonym for *Physaria geyeri ssp. geyeri*; FPN 174; VP 2:530.

Physaria kingii (S. Watson) O'Kane & Al-Shehbaz ssp. ***cobrensis*** (Rollins & E.A. Shaw) O'Kane & Al-Shehbaz

Common names: Cobre bladderpod

Origin: native Voucher: OSC, most recently collected in 2005

FN 7:646; FOO 2:502.

Synonyms:

***Physaria cobrensis* (Rollins & E.A. Shaw) N.H. Holmgren**

FN 7:646 synonym for *Physaria kingii* ssp. *cobrensis*; FOO 2:502 synonym for *Physaria kingii ssp. cobrensis*; IN 2b:292.

Physaria kingii (S. Watson) O'Kane & Al-Shehbaz ssp. ***diversifolia*** (Greene) O'Kane & Al-Shehbaz

Common names: Wallowa bladderpod

Origin: native Voucher: OSC, most recently collected in 2017

FN 7:646; FOO 2:503; FPN2 311.

Synonyms:

***Lesquerella diversifolia* Greene**

FN 7:646 synonym for *Physaria kingii* ssp. *diversifolia*; FOO 2:503 synonym for *Physaria kingii ssp. diversifolia*; FPN 172 synonym for *Lesquerella occidentalis* ssp. *diversifolia*; IL 2:287.

***Lesquerella kingii* (S. Watson) S. Watson var. *sherwoodii* (M. Peck) C.L. Hitchc.**

FN 7:646 synonym for *Physaria kingii* ssp. *diversifolia*; FOO 2:503 synonym for *Physaria kingii ssp. diversifolia*; FPN 172.

***Lesquerella occidentalis* (S. Watson) S. Watson**

in part

FOO 2:503 ambiguous synonym for *Physaria kingii ssp. diversifolia*.

***Lesquerella occidentalis* (S. Watson) S. Watson ssp. *diversifolia* (Greene) Maguire & A.H.**

FN 7:646 synonym for *Physaria kingii* ssp. *diversifolia*; FOO 2:503 synonym for *Physaria kingii ssp. diversifolia*; GWM 176.

***Lesquerella occidentalis* (S. Watson) S. Watson var. *diversifolia* (Greene) C.L. Hitchc.**

FN 7:646 synonym for *Physaria kingii* ssp. *diversifolia*; FOO 2:503 synonym for *Physaria kingii ssp. diversifolia*; FPN 172; VP 2:526.

***Lesquerella sherwoodii* M. Peck**

FN 7:646 synonym for *Physaria kingii* ssp. *diversifolia*; FOO 2:503 synonym for *Physaria kingii ssp. diversifolia*; GWM 176; PEK 373.

Physaria occidentalis (S. Watson) O'Kane & Al-Shehbaz ssp. ***occidentalis***

Common names: western bladderpod

Origin: native Voucher: OSC, most recently collected in 2020

FN 7:654; FOO 2:503; FPN2 311; JPM2 560.

Synonyms:

***Lesquerella cusickii* M.E. Jones**

FOO 2:503 synonym for *Physaria occidentalis ssp. occidentalis*; FPN 172 synonym for *Lesquerella occidentalis* var. *cusickii*; IL 2:287.

***Lesquerella occidentalis* (S. Watson) S. Watson**

in part

FN 7:654 synonym for *Physaria occidentalis*; IL 2:287.

***Lesquerella occidentalis* (S. Watson) S. Watson var. *cusickii* (M.E. Jones) C.L. Hitchc.**

FN 7:654 synonym for *Physaria occidentalis* ssp. *occidentalis*; FOO 2:503 synonym for *Physaria occidentalis ssp. occidentalis*; FPN 172; VP 2:525.

Lesquerella occidentalis* (S. Watson) S. Watson ssp. *occidentalis

FN 7:654 synonym for *Physaria occidentalis*; FOO 2:503 synonym for *Physaria occidentalis ssp. occidentalis*; JPM 431.

Lesquerella occidentalis* (S. Watson) S. Watson var. *occidentalis

FN 7:654 synonym for *Physaria occidentalis*; FOO 2:503 synonym for *Physaria occidentalis ssp. occidentalis*; FPN 172; VP 2:526.

Physaria occidentalis* (S. Watson) O'Kane & Al-Shehbaz var. *occidentalis

FOO 2:503 synonym for *Physaria occidentalis ssp. occidentalis*; IN 2b:288 for *Physaria occidentalis*.

Physaria oregona S. Watson

Common names: Oregon twinpod

Origin: native Voucher: OSC, most recently collected in 2010

FN 7:655; FOO 2:503; FPN2 310; IL 2:286; VP 2:532.

Synonyms:

***Physaria oregana* S. Watson**

FPN 174; IL 2:286; PEK 373; VP 2:532.

Planodes

Checklist contributor:

Flora of Oregon author: treatment pending

Planodes virginicum (L.) Greene

Common names: Virginia rockcress

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2004

FN 7:493; IL 2:305 synonym for *Arabis virginica (L.) Trelease*; JPM2 560.

Polyctenium

Checklist contributor: Richard Halse, 1/1/1997

Flora of Oregon author: Ihsan Al-Shehbaz

Polyctenium fremontii (S. Watson) Greene

Common names: desert combleaf, two-grooved combleaf, Washoe combleaf

Origin: native Voucher: OSC, most recently collected in 2016

FN 7:416; FOO 2:503; FPN 174; FPN2 312; IL 2:302 synonym for *Smelowskia fremontii*; IN 2b:416; JPM 432; JPM2 560; VP 2:532.

Synonyms:

***Polyctenium fremontii* (S. Watson) Greene var. *confertum* Rollins**

FN 7:416 synonym for *Polyctenium fremontii*; FOO 2:503 synonym for *Polyctenium fremontii*; JPM 432.

Polyctenium fremontii* (S. Watson) Greene var. *fremontii

FN 7:416 synonym for *Polyctenium fremontii*; FOO 2:503 synonym for *Polyctenium fremontii*; JPM 432.

***Polyctenium williamsiae* Rollins**

FN 7:416 synonym for *Polyctenium fremontii*; FOO 2:503 synonym for *Polyctenium fremontii*; IN 2b:417.

***Smelowskia fremontii* S. Watson**

FN 7:416 synonym for *Polyctenium fremontii*; FOO 2:503 synonym for *Polyctenium fremontii*; IL 2:302; IN 2b:416 synonym for *Polyctenium fremontii* var. *fremontii*; PEK 379.

***Smelowskia fremontii* S. Watson var. *bisulcata* (Greene) O.E. Schulz**

FN 7:416 synonym for *Polyctenium fremontii*; FOO 2:503 synonym for *Polyctenium fremontii*; IL 2:302; IN 2b:416 synonym for *Polyctenium fremontii* var. *bisulcatum*.

Smelowskia fremontii* S. Watson var. *fremontii

FN 7:416 synonym for *Polyctenium fremontii*; FOO 2:503 synonym for *Polyctenium fremontii*; IL 2:302.

Raphanus

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Raphanus raphanistrum L.

Common names: jointed charlock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 7:439; FOO 2:504; FPN 175; FPN2 312; IL 2:275; IN 2b:242; JPM 432; JPM2 560; PEK 387; VP 2:533.

Raphanus sativus L.

Common names: wild radish, garden radish

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 7:439; FOO 2:504; FPN 175; FPN2 312; IL 2:275; IN 2b:242; JPM 434; JPM2 561; PEK 387; VP 2:533.

Rapistrum

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: treatment pending

Rapistrum rugosum (L.) All.

Common names: wild turnip, turnipweed, annual bastard cabbage

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1912

FN 7:441; FPN2 376; JPM 434; JPM2 561.

Rorippa

Checklist contributor: Richard Halse, 11/5/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Rorippa austriaca (Crantz) Besser

Common names: Austrian yellowcress

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FOO 2:505; FPN2 313; JPM 434; JPM2 561.

Rorippa columbiae (B.L. Rob.) Howell

Common names: Columbia yellowcress

Origin: native Voucher: OSC, most recently collected in 2017

FN 7:499; FOO 2:505; FPN 175 synonym for *Rorippa calycina* var. *columbiae*; FPN2 313; IL 2:278; IN 2b:338; JPM 434; JPM2 561; PEK 369.

Synonyms:

***Rorippa calycina* (Engelm.) Rydb.**

FN 7:498; FOO 2:505 synonym for *Rorippa columbiae*; FPN 175; FPN2 313.

***Rorippa calycina* (Engelm.) Rydb. var. *columbiae* (B.L. Rob.) Rollins**

FN 7:499 synonym for *Rorippa columbiae*; FOO 2:505 synonym for *Rorippa columbiae*; FPN 175; VP 2:535.

Rorippa curvipes Greene

Common names: bluntleaf yellowcress, common yellowcress

Origin: native Voucher: OSC, most recently collected in 2023

FN 7:499; FOO 2:506; FPN2 314; JPM 434; JPM2 561.

Synonyms:

Rorippa curvipes* Greene var. *curvipes

FN 7:499 synonym for *Rorippa curvipes*; FOO 2:506 synonym for *Rorippa curvipes*; IN 2b:340; JPM 435.

***Rorippa curvipes* Greene var. *truncata* (Jeps.) Rollins**

FN 7:499 synonym for *Rorippa curvipes*; FOO 2:506 synonym for *Rorippa curvipes*; IN 2b:340; JPM 435.

Rorippa curvisiliqua (Hook.) Bessey ex Britton

Common names: curvepod yellowcress, western yellowcress

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:500; FOO 2:506; FPN 176; FPN2 314; GWM 177; IL 2:278; JPM 435; JPM2 562; PEK 370.

Synonyms:

Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *curvisiliqua

FN 7:500 synonym for *Rorippa curvisiliqua*; FOO 2:506 synonym for *Rorippa curvisiliqua*; FPN 176; VP 2:536.

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *lyrata* (Nutt. ex Torr. & A. Gray) C.L.**

FN 7:500 synonym for *Rorippa curvisiliqua*; FOO 2:506 synonym for *Rorippa curvisiliqua*; FPN 176; VP 2:536.

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *occidentalis* (Greene) Stuckey**

FN 7:500 synonym for *Rorippa curvisiliqua*; FOO 2:506 synonym for *Rorippa curvisiliqua*; IN 2b:340.

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *orientalis* Stuckey**

FN 7:500 synonym for *Rorippa curvisiliqua*; FOO 2:506 synonym for *Rorippa curvisiliqua*; IN 2b:339; KZ 1:170.

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *spatulata* Stuckey**

FN 7:500 synonym for *Rorippa curvisiliqua*; FOO 2:506 synonym for *Rorippa curvisiliqua*; IN 2b:340; KZ 1:170.

Rorippa indica (L.) Hiern

Common names: variableleaf yellowcress

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902

FN 7:501; FOO 2:505 uncertain status; FPN2 313.

Rorippa palustris (L.) Besser ssp. ***hispida*** (Desv.) Jonsell

Common names: hairy marsh yellowcress

Origin: native Voucher: OSC, most recently collected in 2001

FN 7:502; FOO 2:507; FPN2 313; IN 2b:343; JPM2 562.

Synonyms:

***Rorippa islandica* (Oeder) Borbás var. *hispida* (Desv.) Butters & Abbe**

FN 7:502 synonym for *Rorippa palustris* ssp. *hispida*; FOO 2:507 synonym for *Rorippa palustris ssp. hispida*; FPN 176; PEK 369; VP 2:537.

***Rorippa palustris* (L.) Besser var. *hispida* (Desv.) Rydb.**

FN 7:502 synonym for *Rorippa palustris* ssp. *hispida*; FOO 2:507 synonym for *Rorippa palustris ssp. hispida*; IL 2:278 synonym for *Rorippa hispida (Desv.) Britt.*; JPM 435.

Rorippa palustris (L.) Besser ssp. ***palustris***

Common names: western bog yellowcress, smooth marsh yellowcress

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:502; FOO 2:507; FPN2 313; JPM2 562.

Synonyms:

***Rorippa islandica* (Oeder) Borbás var. *fernaldiana* Butters & Abbe**

FN 7:502 synonym for *Rorippa palustris (L.) Besser ssp. palustris*; FOO 2:507 synonym for *Rorippa palustris ssp. palustris*; PEK 369.

***Rorippa islandica* (Oeder) Borbás var. *glabrata* (Lunell) Butters & Abbe**

FN 7:502 synonym for *Rorippa palustris (L.) Besser ssp. palustris*; FOO 2:507 synonym for *Rorippa palustris ssp. palustris*; FPN 176; VP 2:537.

***Rorippa palustris* (L.) Besser var. *glabra* (O.E. Schulz) Roy L. Taylor & MacBryde**

FN 7:502 synonym for *Rorippa palustris (L.) Besser ssp. palustris*; FOO 2:507 synonym for *Rorippa palustris ssp. palustris*; IN 2b:344.

***Rorippa palustris* (L.) Besser ssp. *occidentalis* (S. Watson) Abrams**

FN 7:502 synonym for *Rorippa palustris (L.) Besser ssp. palustris*; FOO 2:507 synonym for *Rorippa palustris ssp. palustris*; IL 2:278.

***Rorippa palustris* (L.) Besser var. *occidentalis* (S. Watson) Rollins**

FN 7:502 synonym for *Rorippa palustris (L.) Besser ssp. palustris*; FOO 2:507 synonym for *Rorippa palustris ssp. palustris*; IN 2b:344; JPM 435.

Rorippa sinuata (Nutt.) Hitchc.

Common names: spreading yellowcress, western yellowcress

Origin: native Voucher: OSC, most recently collected in 2008

FN 7:504; FOO 2:507; FPN 175; FPN2 313; IL 2:276; IN 2b:338; JPM 435; JPM2 562; PEK 369; VP 2:539.

Rorippa sylvestris (L.) Besser

Common names: creeping yellowcress, shore yellowcress

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 7:505; FOO 2:507; FPN 175; FPN2 313; IN 2b:344; PEK 369; VP 2:539.

Rorippa tenerrima Greene

Common names: Modoc yellowcress, low yellowcress

Origin: native Voucher: OSC, most recently collected in 2007

FN 7:505; FOO 2:507; FPN2 313; IN 2b:338; JPM 435; JPM2 562.

Sinapis

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Sinapis arvensis L.

Common names: charlock, wild mustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015

FN 7:443; FOO 2:508; FPN 156 synonym for *Brassica kaber*; FPN2 314; IL 2:271; IN 2b:237; JPM 436; JPM2 564.

Synonyms:

***Brassica kaber* (DC.) L.C. Wheeler**

FN 7:443 synonym for *Sinapis arvensis*; FOO 2:508 synonym for *Sinapis arvensis*; FPN 156; IL 2:271 synonym for *Sinapis arvensis*; VP 2:462.

***Brassica kaber* (DC.) L.C. Wheeler var. *pinnatifida* (Stokes) L.C. Wheeler**

FOO 2:508 synonym for *Sinapis arvensis*; PEK 367.

Sisymbrium

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Sisymbrium altissimum L.

Common names: tumble mustard, Jim Hill mustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 7:668; FOO 2:509; FPN 176; FPN2 315; GWM 178; IL 2:267; IN 2b:402; JPM 436; JPM2 564; PEK 365; VP 2:541.

Sisymbrium irio L.

Common names: London rocket

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2006

FOO 2:509; JPM2 .

Sisymbrium linifolium (Nutt.) Nutt.

Common names: flax-leaved plains mustard, lava cress

Origin: native Voucher: OSC, most recently collected in 2017

FN 7:668; FOO 2:509; FPN2 315; IL 2:246 synonym for *Schoenocrambe linifolia*.

Synonyms:

***Schoenocrambe linearifolia* (Nutt.) Greene**

FN 7:690 synonym for *Hesperidanthus linearifolius (A. Gray) Rydberg*; FPN 176; IL 2:246; KZ 1:171; PEK 358; VP 2:539.

***Schoenocrambe linifolia* (Nutt.) Greene**

FN 7:668 synonym for *Sisymbrium linifolium*; FOO 2:509 synonym for *Sisymbrium linifolium*; FPN 176; IL 2:246; IN 2b:216; VP 2:539.

Sisymbrium loeselii L.

Common names: Loesel's tumblemustard, tall hedge mustard, small tumbleweed mustard

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FN 7:669; FOO 2:509; FPN 176; FPN2 315; IN 2b:400; JPM 438; JPM2 564; VP 2:541.

Sisymbrium officinale (L.) Scop.

Common names: hedge mustard

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 7:670; FOO 2:510; FPN 176; FPN2 314; IL 2:266; IN 2b:402; JPM 438; JPM2 565; VP 2:542.

Synonyms:

***Sisymbrium officinale* (L.) Scop. var. *leiocarpum* DC.**

FN 7:670 synonym for *Sisymbrium officinale*; FOO 2:510 synonym for *Sisymbrium officinale*; PEK 364.

Sisymbrium officinale* (L.) Scop. var. *officinale

FN 7:670 synonym for *Sisymbrium officinale*; FOO 2:510 synonym for *Sisymbrium officinale*; PEK 364.

Sisymbrium orientale L.

Common names: Indian hedge mustard

Origin: exotic, not naturalized Voucher: WS, most recently collected in 1911

FN 7:670; FPN2 315; IL 2:267; JPM 438; JPM2 565.

Smelowskia

Checklist contributor: Richard Halse, 10/4/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Smelowskia americana Rydb.

Common names: alpine smelowskia, Siberian smelowskia

Origin: native Voucher: OSC, most recently collected in 1992

FN 7:672; FOO 2:510; FPN2 315; IN 2b:415 synonym for *Smelowskia calycina*.

Synonyms:

***Smelowskia calycina* (Stephan ex Willd.) C.A. Mey.**

FOO 2:510 synonym for *Smelowskia americana*; FPN 177; FPN2 315 synonym for *Smelowskia americana*; IL 2:302; IN 2b:415; PEK 379; VP 2:542.

***Smelowskia calycina* (Stephan ex Willd.) C.A. Mey. var. *americana* (Regel & Herder) W.H.**

FN 7:672 synonym for *Smelowskia americana*; FOO 2:510 synonym for *Smelowskia americana*; FPN 177; GWM 178; IN 2b:416; KZ 1:172; VP 2:543.

Smelowskia ovalis M.E. Jones

Common names: short-fruited smelowskia, alpine false candytuft

Origin: native Voucher: OSC, most recently collected in 1977

FN 7:674; FOO 2:510; FPN 177; FPN2 315; IL 2:302; JPM2 565; PEK 379; VP 2:543.

Synonyms:

***Smelowskia ovalis* M.E. Jones var. *congesta* Rollins**

FN 7:674 synonym for *Smelowskia ovalis*; FOO 2:510 synonym for *Smelowskia ovalis*; JPM 438.

Smelowskia ovalis* M.E. Jones var. *ovalis

FN 7:674 synonym for *Smelowskia ovalis*; FOO 2:510 synonym for *Smelowskia ovalis*; VP 2:543.

Stanleya

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Stanleya confertiflora (B.L. Rob.) Howell

Common names: biennial stanleya

Origin: native Voucher: OSC, most recently collected in 2005

FN 7:696; FOO 2:511; FPN 177; FPN2 315; IL 2:240; IN 2b:196; PEK 356; VP 2:545.

Stanleya pinnata (Pursh) Britton

FN 7:697; FPN 177; IL 2:240; JPM 438; PEK 355; VP 2:545.

Stanleya pinnata (Pursh) Britton var. ***pinnata***

Common names: prince's plume, bush stanleya

Origin: native Voucher: OSC, most recently collected in 2009

FN 7:697; FOO 2:512; FPN2 315; IN 2b:191; JPM 438; JPM2 565; VP 2:545.

Stanleya viridiflora Nutt.

Common names: perennial stanleya

Origin: native Voucher: OSC, most recently collected in 2007

FN 7:698; FOO 2:512; FPN 177; FPN2 315; IL 2:240; IN 2b:195; JPM 438; JPM2 565; PEK 355; VP 2:547.

Streptanthella

Checklist contributor: Richard Halse, 10/4/2004

Flora of Oregon author: Ihsan Al-Shehbaz

Streptanthella longirostris (S. Watson) Rydb.

Common names: beaked streptanthella, fiddle mustard

Origin: native Voucher: OSC, most recently collected in 2018

FN 7:700; FOO 2:512; FPN 177; FPN2 316; IL 2:253; JPM 439; JPM2 566; PEK 360; VP 2:547.

Streptanthus

Checklist contributor: Richard Halse, 12/1/2006
Flora of Oregon author: Ihsan Al-Shehbaz

Streptanthus cordatus Nutt.

FN 7:708; FPN 178; IL 2:247; JPM 442; PEK 359.

Streptanthus cordatus Nutt. ssp. ***cordatus***

Common names: heartleaf twistflower
Origin: native
Voucher: OSC, most recently collected in 1998
FOO 2:513.

Synonyms:

Streptanthus cordatus **Nutt. var.** ***cordatus***

FN 7:709; FOO 2:513 synonym for *Streptanthus cordatus ssp. cordatus*; FPN2 316; IN 2b:226; JPM 442; JPM2 569.

Streptanthus glandulosus Hook. ssp. ***josephinensis*** Al-Shehbaz & M.S. Mayer

Common names: Josephine jewelflower
Origin: native
Voucher: OSC, most recently collected in 2018
FN 7:713; FOO 2:513.

Synonyms:

Streptanthus glandulosus **Hook. ssp.** ***glandulosus***

FN 7:713; FOO 2:513 synonym for *Streptanthus glandulosus ssp. josephinensis*; IL 2:249; JPM 443; JPM2 570; Rollins, 1993A .

Streptanthus glandulosus **Hook. ssp.** ***secundus*** **(Greene) Kruckeb.**

FN 7:714; FOO 2:513 synonym for *Streptanthus glandulosus ssp. josephinensis*; JPM 443; JPM2 570.

Streptanthus howellii S. Watson

Common names: Howell's jewelflower, Howell's streptanthus
Origin: native
Voucher: OSC, most recently collected in 2018
FN 7:716; FOO 2:514; IL 2:248; JPM 443; JPM2 572; PEK 359.

Streptanthus tortuosus Kellogg

Common names: mountain jewelflower, shield plant
Origin: native
Voucher: OSC, most recently collected in 2020
FN 7:722; FOO 2:514; IL 2:248; IN 2b:228; JPM 443; JPM2 573.

Synonyms:

Streptanthus tortuosus **Kellogg var.** ***orbiculatus*** **(Greene) H.M. Hall**

FN 7:722 synonym for *Streptanthus tortuosus*; FOO 2:514 synonym for *Streptanthus tortuosus*; IL 2:248; JPM 444; PEK 358.

Streptanthus tortuosus **Kellogg ssp.** ***tortuosus***

Streptanthus tortuosus **Kellogg var.** ***tortuosus***

FN 7:722 synonym for *Streptanthus tortuosus*; FOO 2:514 synonym for *Streptanthus tortuosus*; IL 2:248; JPM 444.

Strigosella

Checklist contributor: , 8/4/2010
Flora of Oregon author: Ihsan Al-Shehbaz

Strigosella africana (L.) Botsch.

Common names: African mustard
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2004
FN 7:554; FOO 2:515; FPN2 316; JPM2 573.

Synonyms:

Malcolmia africana **R. Br.**

FN 7:554 synonym for *Strigosella africana (L.) Botschantzev*; FOO 2:515 synonym for *Strigosella africana*; FPN 173; IN 2b:394; JPM 431; PEK 365; VP 2:528.

Subularia

Checklist contributor: Richard Halse, 10/4/2005
Flora of Oregon author: Ihsan Al-Shehbaz

Subularia aquatica L.

FN 7:509; FPN 178; IL 2:257; IN 2b:274; PEK 360; VP 2:547.

Subularia aquatica L. ssp. ***americana*** G.A. Mulligan & Calder

Common names: American water-awlwort, awlwort

Origin: native

FN 7:309; FOO 2:515; FPN2 316; IN 2b:274 synonym for *Subularia aquatica*; JPM2 573.

Synonyms:

Subularia aquatica **L. var. *americana* (G.A. Mulligan & Calder) B. Boivin**

FN 7:509 synonym for *Subularia aquatica* ssp. *americana*; FOO 2:515 synonym for *Subularia aquatica ssp. americana*; JPM 444.

Teesdalia

Checklist contributor: Richard Halse, 1/28/1996
Flora of Oregon author: Ihsan Al-Shehbaz

Teesdalia nudicaulis (L.) W.T. Aiton

Common names: shepherd's cress, teesdalia

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 7:565; FOO 2:516; FPN 178; FPN2 316; PEK 360; VP 2:548.

Thelypodium

Checklist contributor: Richard Halse, 10/4/2005
Flora of Oregon author: Ihsan Al-Shehbaz

Thelypodium brachycarpum Torr.

Common names: short-podded thelypodium, shortpod thelypody

Origin: native Voucher: OSC, most recently collected in 2016

FN 7:730; FOO 2:517; IL 2:243; JPM 446; JPM2 574; PEK 357.

Thelypodium eucosmum B.L. Rob.

Common names: arrowleaf thelypody

Origin: native Voucher: OSC, most recently collected in 2013

FN 7:731; FOO 2:517; FPN 179; FPN2 317; IL 2:243; PEK 358; VP 2:549.

Thelypodium flexuosum B.L. Rob.

Common names: spreading thelypodium, nodding thelypody, zigzag thelypody

Origin: native Voucher: OSC, most recently collected in 2010

FN 7:731; FOO 2:517; FPN 178; FPN2 317; IL 2:244; IN 2b:206; JPM 446; JPM2 574; PEK 356.

Thelypodium howellii S. Watson

FN 7:732; FOO 2:517; FPN 179; IL 2:243; VP 2:549.

Thelypodium howellii S. Watson ssp. ***howellii***

Common names: Howell's thelypody

Origin: native Voucher: OSC, most recently collected in 1969

FN 7:732; FOO 2:517; FPN2 317; IN 2b:204; JPM 446; JPM2 574.

Synonyms:

Thelypodium howellii **S. Watson var. *howellii***

FN 7:732 synonym for *Thelypodium howellii* ssp. *howellii*; FOO 2:517 synonym for *Thelypodium howellii ssp. howellii*; PEK 357.

Thelypodium howellii S. Watson ssp. ***spectabilis*** (M. Peck) Al-Shehbaz

Common names: spectacular thelypody

Origin: native Voucher: OSC, most recently collected in 2021

FN 7:732; FOO 2:518; FPN2 317.

Synonyms:

***Thelypodium howellii* S. Watson var. *spectabilis* M. Peck**

FN 7:732 synonym for *Thelypodium howellii* ssp. *spectabilis*; FOO 2:518 synonym for *Thelypodium howellii ssp. spectabilis*; IN 2b:204; PEK 357.

Thelypodium integrifolium (Nutt.) Endl.

FN 7:732; FOO 2:518; FPN 179; IL 2:245; JPM 446; PEK 357; VP 2:549.

Thelypodium integrifolium (Nutt.) Endl. ssp. ***complanatum*** Al-Shehbaz

Common names: entire-leaved thelypody

Origin: native Voucher: OSC, most recently collected in 2002

FN 7:734; FOO 2:518; FPN2 317; IN 2b:202; JPM 446; JPM2 574.

Thelypodium integrifolium (Nutt.) Endl. ssp. ***integrifolium***

Common names: entire-leaved thelypody

Origin: native Voucher: OSC, most recently collected in 1935

FN 7:733; FOO 2:518; FPN2 317; IN 2b:202.

Thelypodium laciniatum (Hook.) Endl.

Common names: cutleaf thelypody, western thelypodium, thick-leaved thelypody

Origin: native Voucher: OSC, most recently collected in 2020

FN 7:734; FOO 2:519; FPN 179; FPN2 318; IL 2:244; IN 2b:198; JPM 446; JPM2 574.

Synonyms:

Thelypodium laciniatum* (Hook.) Endl. var. *laciniatum

FOO 2:519 synonym for *Thelypodium laciniatum*; FPN 179; PEK 357; VP 2:551.

***Thelypodium laciniatum* (Hook.) Endl. var. *streptanthoides* (Leiberg) Payson**

FN 7:734 synonym for *Thelypodium laciniatum*; FOO 2:519 synonym for *Thelypodium laciniatum*; FPN 179; VP 2:551.

Thelypodium milleflorum A. Nelson

Common names: many-flowered thelypody

Origin: native Voucher: OSC, most recently collected in 2018

FN 7:735; FOO 2:519; FPN 179 synonym for *Thelypodium laciniatum* var. *milleflorum*; FPN2 318; IN 2b:200; JPM 446; JPM2 574.

Synonyms:

***Thelypodium laciniatum* (Hook.) Endl. var. *milleflorum* (A. Nelson) Payson**

FN 7:735 synonym for *Thelypodium milleflorum*; FOO 2:519 synonym for *Thelypodium milleflorum*; FPN 179; PEK 357; VP 2:551.

Thlaspi

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Thlaspi arvense L.

Common names: fanweed, field pennycress, pennycress, stinkweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 7:746; FOO 2:519; FPN 179; FPN2 318; GWM 178; IL 2:266; IN 2b:268; JPM 447; JPM2 576; PEK 364; VP 2:554.

Thysanocarpus

Checklist contributor: Richard Halse, 1/28/1996

Flora of Oregon author: Ihsan Al-Shehbaz

Thysanocarpus curvipes Hook.

Common names: sand fringepod, lacepod

Origin: native Voucher: OSC, most recently collected in 2020

FN 7:740; FOO 2:520; FPN 180; FPN2 318; IL 2:299; IN 2b:274; JPM 447; JPM2 576; VP 2:557.

Synonyms:

Thysanocarpus curvipes* Hook. var. *curvipes

FN 7:740 synonym for *Thysanocarpus curvipes*; FOO 2:520 synonym for *Thysanocarpus curvipes*; IL 2:299; PEK 388.

***Thysanocarpus curvipes* Hook. var. *elegans* (Fisch. & C.A. Mey.) B.L. Rob.**

FN 7:740 synonym for *Thysanocarpus curvipes*; FOO 2:520 synonym for *Thysanocarpus curvipes*; IL 2:299; PEK 388.

Thysanocarpus radians Benth.

Common names: ribbed fringepod, large fringepod

Origin: native Voucher: OSC, most recently collected in 2014

FN 7:741; FOO 2:520; IL 2:299; JPM 447; JPM2 576; PEK 389.

Tomostima

Checklist contributor:

Flora of Oregon author: Ihsan Al-Shehbaz

Tomostima platycarpa (Torr. & A. Gray) Al-Shehbaz, M. Koch & Jordon-Thaden

Common names: flat-podded whitlow-grass

Origin: native Voucher: WS, most recently collected in 1980

FOO 2:521.

Synonyms:

***Draba cuneifolia* Nutt.**

FN 7:303; FOO 2:521 synonym for *Tomostima platycarpa*; FPN 163; JPM 418; JPM2 545; VP 2:492.

***Draba cuneifolia* Nutt. var. *platycarpa* (Torr. & A. Gray) S. Watson**

FN 7:330 synonym for *Draba platycarpa*; FOO 2:521 synonym for *Tomostima platycarpa*; FPN 163; PEK 378.

***Draba platycarpa* Torr. & A. Gray**

FN 7:330; FOO 2:521 synonym for *Tomostima platycarpa*; FPN2 297; IL 2:294; Rollins, 1993A 444.

Tomostima reptans (Lam.) Al-Shehbaz, M. Koch & Jordon-Thaden

Common names: Carolina whitlow-grass

Origin: native Voucher: OSC, most recently collected in 1980

FOO 2:521.

Synonyms:

***Draba reptans* (Lam.) Fernald**

FN 7:333; FOO 2:521 synonym for *Tomostima reptans*; FPN 163; FPN2 298; IL 2:292; IN 2b:330; JPM 420; JPM2 546; PEK 378; Rollins, 1993A 449.

***Draba reptans* (Lam.) Fernald var. *micrantha* (Nutt.) Fernald**

FN 7:333 synonym for *Draba reptans*; FOO 2:521 synonym for *Tomostima reptans*; IL 2:294.

Draba reptans* (Lam.) Fernald var. *reptans

FN 7:333 synonym for *Draba reptans*; FOO 2:521 synonym for *Tomostima reptans*; FPN 163; IL 2:292; PEK 378; VP 2:499.

***Draba reptans* (Lam.) Fernald var. *stellifera* (O.E. Schulz) C.L. Hitchc.**

FN 7:333 synonym for *Draba reptans*; FOO 2:521 synonym for *Tomostima reptans*; FPN 163; PEK 378; VP 2:499.

Turritis

Checklist contributor: Richard Halse, 10/5/2005

Flora of Oregon author: Ihsan Al-Shehbaz

Turritis glabra L.

Common names: tower mustard, tower rockcress

Origin: native Voucher: OSC, most recently collected in 2017

FN 7:458; FOO 2:521; FPN2 318; IL 2:302; IN 2b:352; JPM2 577.

Synonyms:

***Arabis glabra* (L.) Bernh.**

FN 7:458 synonym for *Turritis glabra*; FOO 2:521 synonym for *Turritis glabra*; FPN 152; GWM 165; IL 2:302 synonym for *Turritis glabra*; JPM 400; PEK 380; VP 2:446.

Arabis glabra* (L.) Bernh. var. *glabra

FOO 2:521 synonym for *Turritis glabra*; JPM 400.

Excluded names:

Arabis beckwithii S. Watson

FN 7:399 synonym for <I>Boechera puberula</I>; IL 2:311.

Arabis nuttallii B.L. Rob.

FN 7:263; FPN 153; FPN2 284; GWM 168; IL 2:305; IN 2b:354; PEK 381; Rollins, 1936 ; VP 2:453.

Boechera microphylla (Nutt.) Dorn var. macounii (S. Watson) Dorn

FN 7:390 synonym for Boechera macounii (S. Watson) Windham & Al-Shehbaz; IN 2b:372.

Boechera polyantha (Greene) Al-Shehbaz

FN 7:398; FPN2 286.

Caulanthus glaucus S. Watson

FN 7:682; IL 2:257; IN 2b:220; JPM 411; JPM2 538.

Synonyms:

***Streptanthus glaucus* (S. Watson) Jeps.**

FN 7:682 synonym for *Caulanthus glaucus*; IL 2:257 synonym for *Caulanthus glaucus*; IN 2b:220 synonym for *Caulanthus glaucus*; PEK 359.

Draba lanceolata Royle

FN 7:299 excluded; FPN 164; GWM 172; VP 2:494.

Erucastrum gallicum (Willd.) O.E. Schulz

FN 7:435; FPN 167; FPN2 302; IL 2:274; IN 2b:241; JPM 421; JPM2 546; VP 2:502.

Erysimum menziesii (Hook.) Wettst.

JPM2 548.

Halimolobos virgata (Nutt.) O.E. Schulz

FN 7:457 synonym for Transberingia bursifolia (de Candolle) Al-Shehbaz & O'Kane ssp. virgata (Nuttall) Al-Shebaz & O'Kane; GWM 175; JPM 424; VP 2:509.

Lepidium bipinnatifidum auct. non Desv.

IL 2:262.

Lepidium ramosissimum A. Nelson

FN 7:591; FPN 171; FPN2 307; JPM2 556; VP 2:517.

Lepidium ramosissimum A. Nelson var. bourgeauanum (Thell.) Rollins

FN 7:591 synonym for <I>Lepidium ramosissimum</I>; IN 2b:251; JPM 430.

Lepidium virginicum L. var. virginicum

FPN 171; JPM 430; VP 2:521.

Synonyms:

Lepidium virginicum* L. ssp. *virginicum

FPN2 307; JPM2 556.

Physaria cordiformis Rollins

JPM2 558.

Physaria didymocarpa (Hook.) A. Gray var. didymocarpa
FPN 174; IL 2:286; VP 2:530.

Synonyms:
***Physaria didymocarpa* (Hook.) A. Gray**
FN 7:633; FPN 174; IL 2:286.

Physaria kingii (S. Watson) O'Kane & Al-Shehbaz ssp. kingii
FN 7:646; JPM2 558.

Physaria ludoviciana (Nutt.) O'Kane & Al-Shehbaz
FPN2 309; JPM2 560.

Rorippa armoracia (L.) Hitchc.
FN 7:459 synonym for <I>Armoracia rusticana</I>; FPN 175; IL 2:279.

Rorippa dubia (Persoon) H. Hara
FN 7:500; FPN2 313.

Rorippa islandica (Oeder) Borbás var. islandica
FN 7:494 excluded; FPN 175; VP 2:536.

Rorippa obtusa (Nutt.) Britton
FN 7:505; FPN 176; GWM 177; IL 2:278; PEK 369; VP 2:537.

Synonyms:
Rorippa obtusa* (Nutt.) Britton var. *obtusa
FN 7:505 synonym for *Rorippa teres*; VP 2:537.

Sinapis alba L.
FN 7:442; FPN2 314; IL 2:271; IN 2b:238; JPM 436; JPM2 564; VP 2:460 synonym for <I>Brassica hirta</I>.

Synonyms:
***Brassica hirta* Moench**
FN 7:442 synonym for *Sinapis alba*; FPN 156; IL 2:271 synonym for *Sinapis alba*; KZ 2:274; VP 2:460.

Thelypodium sagittatum (Nutt. ex Torr. & A. Gray) Endl.
FN 7:736; FPN 179; IL 2:243; PEK 357; VP 2:553.

Literature cited for Brassicaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Al-Shehbaz, I.A. 1984. The tribes of Cruciferae (Brassicaceae) in the southeastern United States. Journal of the Arnold Arboretum 65:343-373.

Al-Shehbaz, I.A. 2007. *Cardamine holmgrenii* (Brassicaceae), a new species from the Blue Mountains, Oregon. Harvard Papers in Botany 11(2):275.

Al-Shehbaz, I.A., and M.D. Windham. 2007. *Boechera*, draft treatment. In: Flora of North America North of Mexico, Volume 7. Flora of North America Editorial Committee, Eds. Oxford University Press, Inc., New York, NY.

Al-Shehbaz, I.A., and M.S. Mayer. 2008. New or noteworthy *Streptanthus* (Brassicaceae) for the Flora of North America. Novon 18(3):279-282.

Al-Shehbaz, I.A., and S.L. O'Kane. 2002. *Lesquerella* is united with *Physaria* (Brassicaceae). Novon 12:319-329.

Detling, L.E. 1936. The genus *Dentaria* in the Pacific states. American Journal of Botany 23:570-576.

Detling, L.E. 1937. The Pacific Coast species of *Cardamine*. American Journal of Botany 24:70-76.

Dorn, R.D. 2003. A new species of *Boechera* (Brassicaceae) from Utah and Colorado. Brittonia 55(1):1-3.

Douglas, G.W., D.V. Meidinger, and J. Pojar, Eds. 2002. Illustrated Flora of British Columbia. Volume 8: General Summary, Maps and Keys. B.C. Ministry of Sustainable Resource Management and B.C. Ministry of Forests, Victoria, BC, Canada.

Douglas, G.W., G.B. Straley, D. Meidinger, and J. Pojar, Eds. 1998. Illustrated Flora of British Columbia. Volume 2. Dicotyledons (Balsaminaceae through Cuscutaceae). B.C. Ministry of Environment, Lands & Parks and B.C. Ministry of Forests, Victoria, BC, Canada.

Fernald, M.L. 1950. Gray's Manual of Botany. 8th ed. American Book Company.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Giblin, D., and H. Palmer. 2024. Burke Herbarium image collection: *Boechera paddoensis*, Mt. Adams rockcress. Burke Museum Herbarium. https://burkeherbarium.org/imagecollection/taxon.php?Taxon=Boechera%20paddoensis

Halse, R.R. 1993. Noteworthy collections - Oregon. Madroño 40(3):184.

Hitchcock, C.L. 1936. The genus *Lepidium* in the United States. Madroño 3(7):272.

Knoke, D., and D. Giblin. 2025D. *Boechera lemmonii* - Burke Herbarium image collection. Burke Museum Herbarium. https://burkeherbarium.org/imagecollection/taxon.php?Taxon=Boechera%20lemmonii

Knoke, D., and D. Giblin. 2025E. *Cardamine bellidifolia* - Burke Herbarium image collection. Burke Museum Herbarium. https://burkeherbarium.org/imagecollection/taxon.php?Taxon=Cardamine%20bellidifolia

Knoke, D., and D. Giblin. 2025F. *Cardamine pensylvanica* - Burke Herbarium image collection. Burke Museum Herbarium. https://burkeherbarium.org/imagecollection/taxon.php?Taxon=Cardamine%20pensylvanica

Koch, M., and I. Al-Shehbaz. 2004. Taxonomic and phylogenetic evaluation of the American "*Thlaspi*" species: Identity and relationship to the Eurasian genus *Noccaea* (Brassicaceae). Systematic Botany 29(2):375-384.

Mansfield, D. 2000. Flora of Steens Mountain. Oregon State University Press, Corvallis, OR.

Nakamura, G., and J.K. Nelson, Eds. 2001. Illustrated Field Guide to Selected Rare Plants of Northern California. University of California Division of Agriculture and Natural Resources Publ. 3395, Oakland.

Peck, M. 1936. Six new plants from Oregon. Proceedings of the Biological Society of Washington 1949:109-112.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium. http://www.ipni.org

Post, A.R., R. Ali, A. Krings, J. Xiang, B.R. Sosinski, and J.C. Neal. 2011. On the identity of the weedy bittercresses (*Cardamine*: Brassicaceae) in United States nurseries: Evidence from molecules and morphology. Weed Science 59(1):123-135.

Rollins, R.C. 1936. The genus *Arabis* L. in the Pacific Northwest. Research Studies of the State College of Washington 4:1-52.

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Rollins, R.C. 1993B. New taxa and names in the Cruciferae of California. Harvard Papers in Botany 4:43-48.

Schulz, O.E. 1903. Monographie der gattung *Cardamine*. Botanisches Jahrbuch für Systematik, Pflanzengeschichte und Pflanzengeographie 32:280-623.

Stace, C. 1997. New flora of the Bitish Isles. 2nd edition. Cambridge University Press.

Stafleu, F.A., and R.S. Cowan. 1986. Taxonomic Literature. A Selective Guide to Botanical Publications and Collections with Dates, Commentaries and Types.Volume 6: Sti-Vuy. 2nd edition. Bohn, Scheltema & Holkema, Utrecht, Netherlands.

Windham, M.D., and I.A. Al-Shehbaz. 2006. New and noteworthy species of *Boechera* (Brassicaceae) I: sexual diploids. Harvard Papers in Botany 11(1):61-88.

Windham, M.D., and I.A. Al-Shehbaz. 2007A. New and noteworthy species of *Boechera* (Brassicaceae) II: apomictic hybrids. Harvard Papers in Botany 11(2):257-274.

Windham, M.D., and I.A. Al-Shehbaz. 2007B. New and noteworthy species of *Boechera (Brassicaceae) III: additional sexual diploids and apomictic hybrids. Harvard Papers in Botany 12(1):235-257.*

Zika, P.F. 2003A. A Crater Lake National Park Vascular Plant Checklist. Crater Lake Natural History Association, Crater Lake, OR.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest