Checklist of Oregon Campanulaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.

Version 2.4 © 2026 Oregon Flora Project

Campanula

Checklist contributor: Kenton Chambers, 5/3/1995

Flora of Oregon author: Nancy Morin

Campanula persicifolia L.

Common names: peachleaf bellflower

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1976

FOO 2:526; FPN 458; FPN2 513.

Campanula prenanthoides Durand

Common names: California harebell, California bellflower

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:526; FPN 459; IL 4:78 synonym for *Asyneuma prenanthoides*; JPM 460; PEK 755; VP 4:485.

Synonyms:

***Asyneuma prenanthoides* (Durand) McVaugh**

FOO 2:526 synonym for *Campanula prenanthoides*; FPN 459 synonym for *Campanula prenanthoides*; IL 4:78; JPM2 588.

***Smithiastrum prenanthoides* (Durand) Morin**

Campanula rapunculoides L.

Common names: rover bluebell, creeping bellflower

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FOO 2:526; FPN 459; FPN2 513; GWM 334; IN 4:518.

Campanula rotundifolia L.

Common names: American harebell, Scot's bellflower

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:527; FPN 459; FPN2 514; GWM 336; IL 4:74; IN 4:516; JPM 460; JPM2 589; PEK 756; VP 4:487.

Synonyms:

***Campanula sacajaweana* M. Peck**

FOO 2:527 synonym for *Campanula rotundifolia*; PEK 756.

Campanula scouleri Hook.

Common names: Scouler's harebell, pale bellflower

Origin: native Voucher: OSC, most recently collected in 2024

FOO 2:527; FPN 459; FPN2 514; IL 4:74; JPM 460; JPM2 589; PEK 755; VP 4:487.

Downingia

Checklist contributor: Kenton Chambers, 5/4/1995

Flora of Oregon author: Stephen Meyers

Downingia bacigalupii Weiler

Common names: Bach's calicoflower, Bach's downingia

Origin: native Voucher: OSC, most recently collected in 2017

FOO 2:528; FPN2 514; IN 4:521; JPM 461; JPM2 590; Weiler, 1962 .

Downingia bicornuta A. Gray

Common names: doublehorn downingia

Origin: native Voucher: OSC, most recently collected in 2012

FOO 2:528; IN 4:522; JPM 461; PEK 758.

Synonyms:

Downingia bicornuta* A. Gray var. *bicornuta

FOO 2:528 synonym for *Downingia bicornuta*; FPN2 515; IL 4:91; JPM 461; JPM2 590.

Downingia elegans (Douglas ex Lindl.) Torr.

Common names: showy downingia, elegant downingia

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:528; FPN 460; FPN2 514; JPM 462; JPM2 591; PEK 758; VP 4:488.

Synonyms:

***Downingia elegans* (Douglas ex Lindl.) Torr. var. *brachypetala* (Gand.) McVaugh**

FOO 2:528 synonym for *Downingia elegans*; FPN 460 synonym for *Downingia elegans*; IL 4:95; PEK 759.

Downingia elegans* (Douglas ex Lindl.) Torr. var. *elegans

FOO 2:528 synonym for *Downingia elegans*; IL 4:94; PEK 759.

Downingia insignis Greene

Common names: cupped downingia, harlequin calicoflower

Origin: native Voucher: OSC, most recently collected in 2013

FOO 2:528; IL 4:92; IN 4:522; JPM 462; JPM2 591; Joyal, 1986B ; PEK 759.

Downingia laeta (Greene) Greene

Common names: Great Basin downingia

Origin: native Voucher: OSC, most recently collected in 2016

FOO 2:528; FPN 459; FPN2 515; IL 4:94; IN 4:524; JPM 462; JPM2 591; PEK 759; VP 4:489.

Downingia yina Applegate

Common names: Cascade downingia, Willamette downingia

Origin: native Voucher: OSC, most recently collected in 2017

FOO 2:528; FPN 459; IN 4:522; JPM 462; JPM2 591; PEK 758; VP 4:489; Weiler, 1962 .

Synonyms:

***Downingia pulcherrima* Peck**

FOO 2:528 synonym for *Downingia yina*; FPN2 515; JPM2 591; Schultheis, 2010 .

***Downingia willamettensis* M. Peck**

FOO 2:528 synonym for *Downingia yina*; FPN 459 synonym for *Downingia yina* var. *major*; FPN2 515; JPM2 591; PEK 758.

***Downingia yina* Applegate var. *major* McVaugh**

FOO 2:528 synonym for *Downingia yina*; FPN 459; IL 4:94; VP 4:489.

Downingia yina* Applegate var. *yina

FOO 2:528 synonym for *Downingia yina*; IL 4:94.

Githopsis

Checklist contributor: Kenton Chambers, 4/27/1995

Flora of Oregon author: Nancy Morin

Githopsis specularioides Nutt.

Common names: common bluecup

Origin: native Voucher: OSC, most recently collected in 2014

FOO 2:529; FPN 460; FPN2 515; IL 4:80; JPM 464; JPM2 592; PEK 754; VP 4:489.

Heterocodon

Checklist contributor: Kenton Chambers, 4/27/1995
Flora of Oregon author: Nancy Morin

Heterocodon rariflorum Nutt.

Common names: rareflower heterocodon
Origin: native Voucher: OSC, most recently collected in 2021
FOO 2:530; FPN 460; IL 4:80; IN 4:519; JPM 464; JPM2 594; VP 4:491.

Synonyms:
***Heterocodon rariflorus* Nutt.**
FPN2 515.
***Specularia rariflorum* (Nutt.) McVaugh**
FOO 2:530 synonym for *Heterocodon rariflorum*; PEK 755.

Howellia

Checklist contributor: Kenton Chambers, 4/27/1995
Flora of Oregon author: Nancy Morin

Howellia aquatilis A. Gray

Common names: water howellia
Origin: native Voucher: OSC, most recently collected in 2016
FOO 2:530; FPN 460; FPN2 515; IL 4:88; JPM2 594; PEK 759; VP 4:491.

Lobelia

Checklist contributor: Kenton Chambers, 5/2/1995
Flora of Oregon author: Stephen Meyers

Lobelia cardinalis L.

Common names: cardinal flower
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1964
IN 4:520.

Lobelia dortmanna L.

Common names: water lobelia, Dortmann's cardinalflower
Origin: native Voucher: OSC, most recently collected in 2016
FOO 2:530; FPN 461; FPN2 516; IL 4:96; PEK 757; VP 4:492.

Lobelia erinus L.

Common names: edging lobelia
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1998
FPN2 516; JPM2 594.

Lobelia pedunculata R. Br.

Common names: blue star creeper, matted pratia
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2023

Nemacladus

Checklist contributor: Kenton Chambers, 5/2/1995
Flora of Oregon author: Nancy Morin

Nemacladus capillaris Greene

Common names: common threadplant
Origin: native Voucher: OSC, most recently collected in 1991
FOO 2:531; IL 4:87; JPM 466; JPM2 596; PEK 757.

Nemacladus rigidus Curran

Common names: stoutstem threadplant

Origin: native Voucher: OSC, most recently collected in 2009

FOO 2:532; FPN2 516; IL 4:86; IN 4:526; JPM 466; JPM2 597; PEK 757.

Porterella

Checklist contributor: Kenton Chambers, 4/28/1995

Flora of Oregon author: Nancy Morin

Porterella carnosula (Hook. & Arn.) Torr.

Common names: fleshy porterella

Origin: native Voucher: OSC, most recently collected in 2009

FOO 2:532; FPN 461; FPN2 517; IL 4:95; IN 4:520; JPM 468; JPM2 598; PEK 757; VP 4:493.

Triodanis

Checklist contributor: Kenton Chambers, 4/28/1995

Flora of Oregon author: Nancy Morin

Triodanis biflora (Ruíz & Pav.) Greene

Common names: small Venus' looking-glass

Origin: native Voucher: OSC, most recently collected in 1950

FOO 2:533; JPM 468; JPM2 598.

Synonyms:

***Specularia biflora* (Ruíz & Pav.) Fisch. & C.A. Mey.**

FOO 2:533 synonym for *Triodanis biflora*; PEK 754.

***Triodanus biflora* (Ruíz & Pav.) Greene**

IL 4:78.

Triodanis perfoliata (L.) Nieuwl.

Common names: clasping Venus' looking-glass

Origin: native Voucher: OSC, most recently collected in 2010

FOO 2:533; FPN 461; FPN2 517; IN 4:518; JPM 468; JPM2 598; VP 4:494.

Synonyms:

***Specularia perfoliata* (L.) A. DC.**

FOO 2:533 synonym for *Triodanis perfoliata*; PEK 754.

***Triodanus perfoliata* (L.) Nieuwl.**

IL 4:78.

Excluded names:

Campanula medium L.

FPN 458; FPN2 513.

Campanula scabrella Engelm.

FPN 459; FPN2 514; GWM 336; Heckard, 1980 ; IL 4:76; JPM 460; JPM2 589; PEK 756; VP 4:487.

Nemacladus interior (Munz) G.T. Robbins

IL 4:86; JPM 466; JPM2 596; McVaugh, 1939 .

Literature cited for Campanulaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Heckard, L.R. 1980. Noteworthy collections. Madroño 27(4):179-180.

Joyal, E. 1986B. Noteworthy collections - Oregon. Madroño 33(1):80.

McVaugh, R. 1939. Some realignments in the genus *Nemacladus*. American Midland Naturalist 22:521-550.

McVaugh, R. 1941. A monograph on the genus *Downingia*. Memoirs of the Torrey Botanical Club 19(4):1-57.

McVaugh, R. 1943A. *Nemacladus*. In: North American Flora. Volume 32A, part 1. New York Botanical Garden, NY.

McVaugh, R. 1943B. *Downingia*. In: North American Flora. Volume 32A, part 1. New York Botanical Garden, NY.

McVaugh, R. 1945. The genus *Triodanis* Rafinesque and its relationships to *Specularia* and *Campanula*. Wrightia 1:13-32.

Morin, N. 1983. Systematics of *Githopsis* (Campanulaceae). Systematic Botany 8:436-468.

Schultheis, L.M. 2010. Morphologically cryptic species within *Downingia yina* (Campanulaceae). Madroño 57(1):20-41.

Shetler, S.G. 1963. A checklist and key to the species of *Campanula* native or commonly naturalized in North America. Rhodora 65:319-337.

Weiler, J.H., Jr. 1962. A Biosystematic Study of the Genus *Downingia*. Ph.D. thesis. University of California, Berkeley.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest