Checklist of Oregon Caryophyllaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Agrostemma

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Agrostemma githago L.

FN 5:215; FPN 111; IL 2:159; IN 2a:446; JPM 478; Oregon Flora Project, 2007C ; PEK 316; VP 2:251.

Agrostemma githago L. var. ***githago***

Common names: common corn-cockle, corn campion
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 1952
FOO 2:543; FPN2 340; JPM2 605.

Arenaria

Checklist contributor: Henrietta Chambers, 2/2/2007
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Arenaria montana L.

Common names: rock sandwort
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 1977
FOO 2:543 uncertain status.

Arenaria serpyllifolia L.

FN 5:55; FPN 111; GWM 140; IL 2:150; IN 2a:426; PEK 309; VP 2:262.

Arenaria serpyllifolia L. var. ***serpyllifolia***

Common names: thyme-leaf sandwort
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2023
FN 5:56; FOO 2:543; FPN2 340; JPM2 605.

Synonyms:

Arenaria serpyllifolia* L. ssp. *serpyllifolia

Chambers, 2000C ; Chambers, 2000D ; FN 5:56 synonym for *Arenaria serpyllifolia* var. *serpyllifolia*; FOO 2:543 synonym for *Arenaria serpyllifolia var. serpyllifolia*; JPM 480.

Atocion

Checklist contributor:
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Atocion armeria (L.) Raf.

Common names: sweet William catchfly
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2021
FOO 2:544; FPN2 341.

Synonyms:

***Silene armeria* L.**

FN 5:174; FOO 2:544 synonym for *Atocion armeria*; FPN 117; IN 2a:454; JPM2 619; VP 2:283.

Cardionema

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Cardionema ramosissimum (Weinm.) A. Nelson & J.F. Macbr.

Common names: sandmat, sandcarpet

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:46; FOO 2:544; JPM 480; JPM2 606; VP 2:262.

Synonyms:

Cardionema ramosissima **(Weinm.) A. Nelson & J.F. Macbr.**

FN 5:46; FPN 113; FPN2 341; IL 2:114; PEK 296; VP 2:262.

Cerastium

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Cerastium arvense L.

FN 5:79; FPN 113; GWM 141; IL 2:142; IN 2a:416; JPM 480; PEK 314; VP 2:264.

Cerastium arvense L. ssp. ***strictum*** Gaudin

Common names: field chickweed, field mouse-ear chickweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:80; FOO 2:545; FPN2 341; JPM2 606.

Cerastium beeringianum Cham. & Schltdl.

Common names: Bering mouse-ear chickweed

Origin: native Voucher: WTU, most recently collected in 2010

FN 5:81; FOO 2:546; FPN 113; FPN2 342; IN 2a:417; JPM2 606; VP 2:265.

Synonyms:

Cerastium beeringianum **Cham. & Schltdl. var.** ***capillare*** **Fernald & Wiegand**

FOO 2:546 synonym for *Cerastium beeringianum*; JPM 480.

Cerastium berringianum **Cham. & Schltdl.**

FN 5:81; FPN 113.

Cerastium brachypetalum Pers.

Common names: gray mouse-ear chickweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 5:82; FOO 2:546; FPN2 342.

Cerastium brachypodum (Engelm. ex A. Gray) B.L. Rob.

Common names: short-stalked mouse-ear chickweed

Origin: native Voucher: OSC, most recently collected in 2002

FN 5:83; FOO 2:546; FPN2 342; IL 2:143; IN 2a:318; PEK 315.

Cerastium dichotomum L.

Common names: forked mouse-ear chickweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1998

FN 5:84; FOO 2:547; FPN2 342; JPM 480; JPM2 606.

Synonyms:

Cerastium siculum **Guss.**

FN 5:84 synonym for *Cerastium dichotomum*; FOO 2:547 synonym for *Cerastium dichotomum*; FPN 114.

Cerastium fontanum Baumg.

FN 5:86; IN 2a:418.

Cerastium fontanum Baumg. ssp. ***vulgare*** (Hartm.) Greuter & Burdet

Common names: common mouse-ear chickweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:86-87; FOO 2:547; FPN2 342; JPM 480; JPM2 606.

Synonyms:

Cerastium holosteoides **Fr.**

FOO 2:547 synonym for *Cerastium fontanum ssp. vulgare*; PEK 314.

Cerastium vulgatum **L.**

FN 5:86 synonym for *Cerastium fontanum*; FPN 114; GWM 141; IL 2:142; JPM 480 synonym for *Cerastium fontanum*; VP 2:268.

Cerastium glomeratum Thuill.

Common names: sticky mouse-ear chickweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:87; FOO 2:547; FPN2 342; IN 2a:419; JPM 481; JPM2 606.

Synonyms:

Cerastium glomeratum **Thuill. var.** ***apetalum*** **(Dumort.) Fenzl.**

FOO 2:547 synonym for *Cerastium glomeratum*; PEK 315.

Cerastium glomeratum **Thuill. var.** ***glomeratum***

FN 5:87 synonym for *Cerastium glomeratum*; FOO 2:547 synonym for *Cerastium glomeratum*; PEK 315.

Cerastium viscosum **L. var.** ***viscosum***

FN 5:87 synonym for *Cerastium glomeratum*; FOO 2:547 synonym for *Cerastium glomeratum*; IL 2:142.

Misapplied names:

Cerastium viscosum **L.**

FN 5:87 synonym for *Cerastium glomeratum*; FPN 114; IL 2:142; JPM 481 synonym for *Cerastium glomeratum*; VP 2:266.

Cerastium nutans Raf.

FN 5:87; FPN 114; IL 2:143; PEK 315; VP 2:266.

Cerastium nutans Raf. var. ***nutans***

Common names: nodding mouse-ear chickweed

Origin: native Voucher: OSC, most recently collected in 2017

FN 5:88; FOO 2:547; FPN2 342; KZ 2:197.

Cerastium pumilum Curtis

Common names: European chickweed, dwarf mouse-ear chickweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:88; FOO 2:547; FPN2 342.

Cerastium semidecandrum L.

Common names: five-stamen mouse-ear chickweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 5:90; FOO 2:548; FPN 114; FPN2 342; KZ 1:197; PEK 315.

Cerastium viride A. Heller

Common names: western field mouse-ear chickweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:92; FOO 2:548; FPN2 341; JPM2 606.

Cherleria

Checklist contributor:

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Cherleria biflora (L.) A.J. Moore & Dillenb.

Common names: mountain sandwort

Origin: native

Voucher: OSC, most recently collected in 2002

FOO 2:548; FPN2 343.

Synonyms:

***Minuartia biflora* (L.) Schinz & Thell.**

FN 5:; FOO 2:548 synonym for *Cherleria biflora*.

Cherleria obtusiloba (Rydb.) A.J. Moore

Common names: alpine stichwort, alpine sandwort, twinflower sandwort

Origin: native

Voucher: OSC, most recently collected in 2005

FOO 2:548; FPN2 343.

Synonyms:

***Arenaria obtusiloba* (Rydb.) Fernald**

FN 5:131 synonym for *Minuartia obtusiloba*; FOO 2:548 synonym for *Cherleria obtusiloba*; FPN 112; GWM 140; IL 2:150; PEK 309; VP 2:259.

***Minuartia obtusiloba* (Rydb.) House**

FN 5:131; FOO 2:548 synonym for *Cherleria obtusiloba*; IN 2a:399; JPM 484; JPM2 612.

Corrigiola

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Corrigiola litoralis L.

FN 5:49; FPN 114; IL 2:113; KZ 1:197; PEK 296; VP 2:268.

Corrigiola litoralis L. ssp. ***litoralis***

Common names: shore whitlow-wort

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 1926

FN 5:49; FOO 2:549; FPN2 343.

Dianthus

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Dianthus armeria L.

FN 5:160; FPN 114; IL 2:171; IN 2a:444; PEK 323; VP 2:269.

Dianthus armeria L. ssp. ***armeria***

Common names: Deptford pink, grass pink

Origin: exotic, naturalized

Voucher: SOC, most recently collected in 2004

FN 5:160; FOO 2:550; FPN2 343; JPM 481; JPM2 607.

Dianthus barbatus L.

FN 5:161; FPN 114; IL 2:171; IN 2a:444; VP 2:269.

Dianthus barbatus L. ssp. ***barbatus***

Common names: sweet William

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2016

FN 5:161; FOO 2:550; FPN2 343; JPM 481; JPM2 607.

Dichodon

Checklist contributor:

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Dichodon viscidus (M. Bieb.) Holub

Common names: anomalous mouse-ear chickweed

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2008

FOO 2:550; FPN2 343.

Synonyms:

***Cerastium dubium* (Bast.) Guépin**

FN 5:85; FOO 2:550 synonym for *Dichodon viscidus*; FPN 113; IN 2a:420; KZ 2:161; Kartesz & Meacham, 2007 .

Eremogone

Checklist contributor: Henrietta Chambers, 2/2/2007

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Eremogone aculeata (S. Watson) Ikonn.

Common names: prickly sandwort

Origin: native

Voucher: OSC, most recently collected in 2024

FN 5:59; FOO 2:552; FPN2 344; IN 2a:428; JPM2 608.

Synonyms:

***Arenaria aculeata* S. Watson**

Chambers, 2000C ; Chambers, 2000D ; FN 5:59 synonym for *Eremogone aculeata*; FOO 2:552 synonym for *Eremogone aculeata*; FPN 113; GWM 139; IL 2:151; JPM 479; VP 2:253.

Arenaria aculeata* S. Watson var. *aculeata

FN 5:59 synonym for *Eremogone aculeata*; FOO 2:552 synonym for *Eremogone aculeata*; PEK 311.

***Arenaria aculeata* S. Watson var. *uintahensis* (A. Nelson) M. Peck**

FN 5:68 synonym for *Eremogone kingii* var. *glabrescens*; FOO 2:552 synonym for *Eremogone aculeata*; PEK 311.

***Arenaria salmonensis* L.F. Hend.**

FOO 2:552 synonym for *Eremogone aculeata*; FPN 113 synonym for *Arenaria aculeata*; IL 2:150.

***Arenaria uintahensis* A. Nelson**

FN 5:68 synonym for *Eremogone kingii* var. *glabrescens*; FOO 2:552 synonym for *Eremogone aculeata*; IL 2:151.

Eremogone capillaris (Poir.) Fenzl

FN 5:60; IN 2a:428.

Synonyms:

***Arenaria capillaris* Poir.**

FN 5:60 synonym for *Eremogone capillaris*; FPN 113; GWM 139; IL 2:150 synonym for *Arenaria formosa*; VP 2:253.

Eremogone capillaris (Poir.) Fenzl var. ***americana*** (Maguire) R.L. Hartman & Rabeler

Common names: slender mountain sandwort

Origin: native

Voucher: OSC, most recently collected in 2010

FN 5:60; FOO 2:552; FPN2 344.

Synonyms:

***Arenaria capillaris* Poir. var. *americana* (Maguire) R.J. Davis**

Chambers, 2000C ; Chambers, 2000D ; FN 5:60 synonym for *Eremogone capillaris* var. *americana*; FOO 2:552 synonym for *Eremogone capillaris var. americana*; FPN 113.

***Arenaria formosa* (Fisch.) Regel**

FN 5:60 synonym for *Eremogone capillaris var. capillaris*; FOO 2:552 synonym for *Eremogone capillaris var. americana*; IL 2:150; PEK 310.

Eremogone congesta (Nutt.) Ikonn.

FN 5:60; FOO 2:552; IN 2a:435.

Synonyms:

***Arenaria congesta* Nutt.**

Chambers, 2000C ; FN 5:61 synonym for *Eremogone congesta*; FPN 112; GWM 139; IL 2:152; JPM 479.

Eremogone congesta (Nutt.) Ikonn. var. ***congesta***

Common names: ballhead sandwort

Origin: native

Voucher: OSC, most recently collected in 2023

FN 5:61; FOO 2:552; FPN2 344; JPM2 608.

Synonyms:

Arenaria congesta* Nutt. var. *congesta

Chambers, 2000C ; Chambers, 2000D ; FN 5:61 synonym for *Eremogone congesta* var. *congesta*; FOO 2:552 synonym for *Eremogone congesta var. congesta*; FPN 112; IL 2:152; JPM 479; PEK 310; VP 2:255.

Eremogone congesta (Nutt.) Ikonn. var. ***crassula*** (Maguire) R.L. Hartm. & Rabeler

Common names: ballhead sandwort

Origin: native

Voucher: WTU, most recently collected in 2015

FN 5:62; FOO 2:552; JPM2 608.

Synonyms:

***Arenaria congesta* Nutt. var. *crassula* Maguire**

FN 5:62 synonym for *Eremogone congesta* var. *crassula*; FOO 2:552 synonym for *Eremogone congesta var. crassula*; JPM 479; KZ 1:195.

Eremogone congesta (Nutt.) Ikonn. var. ***prolifera*** (Maguire) R.L. Hartm. & Rabeler

Common names: ballhead sandwort

Origin: native

Voucher: OSC, most recently collected in 1994

FN 5:62; FOO 2:552; FPN2 344.

Synonyms:

***Arenaria burkei* Howell**

FN 5:63 synonym for *Eremogone congesta var. subcongesta*; FOO 2:552 synonym for *Eremogone congesta var. prolifera*; FPN 112 synonym for *Arenaria congesta* var. *congesta*; IL 2:151; PEK 310.

***Arenaria congesta* Nutt. var. *prolifera* Maguire**

Chambers, 2000C ; Chambers, 2000D ; FN 5:62 synonym for *Eremogone congesta* var. *prolifera*; FOO 2:552 synonym for *Eremogone congesta var. prolifera*; FPN 112; VP 2:255.

Eremogone congesta (Nutt.) Ikonn. var. ***subcongesta*** (S. Watson) R.L. Hartm. & Rabeler

Common names: ballhead sandwort

Origin: native

Voucher: OSC, most recently collected in 2014

Eremogone franklinii (Douglas ex Hook.) R.L. Hartm. & Rabeler var. ***franklinii***

Common names: Franklin's sandwort

Origin: native

Voucher: OSC, most recently collected in 2019

FN 5:66; FOO 2:553; FPN2 344.

Synonyms:

Arenaria franklinii* Douglas ex Hook. var. *franklinii

Chambers, 2000C ; Chambers, 2000D ; FN 5:66 synonym for *Eremogone franklinii* var. *franklinii*; FOO 2:553 synonym for *Eremogone franklinii var. franklinii*; FPN 113; IL 2:150; PEK 310; VP 2:256.

Eremogone franklinii (Douglas ex Hook.) R.L. Hartm. & Rabeler var. ***thompsonii*** (M. Peck) R.L. Hartm. & Rabeler

Common names: Thompson's sandwort

Origin: native

Voucher: OSC, most recently collected in 1950

FN 5:66; FOO 2:553; FPN2 344.

Synonyms:

***Arenaria franklinii* Douglas ex Hook. var. *thompsonii* M. Peck**

Chambers, 2000C ; Chambers, 2000D ; FN 5:66 synonym for *Eremogone franklinii* var. *thompsonii*; FOO 2:553 synonym for *Eremogone franklinii var. thompsonii*; FPN 113; IL 2:150; PEK 310; VP 2:256.

Eremogone kingii (S. Watson) Ikonn.

FN 5:67; IN 2a:430.

Eremogone kingii (S. Watson) Ikonn. var. ***glabrescens*** (S. Watson) Dorn

Common names: King's sandwort

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:68; FOO 2:553; FPN2 345; JPM2 608.

Synonyms:

***Arenaria kingii* (S. Watson) M.E. Jones var. *glabrescens* (S. Watson) Maguire**

Chambers, 2000C ; Chambers, 2000D ; FN 5:68 synonym for *Eremogone kingii* var. *glabrescens*; FOO 2:553 synonym for *Eremogone kingii var. glabrescens*; FPN 112; JPM 479; VP 2:256.

Eremogone pumicola (Coville & Leiberg) Ikonn.

Common names: Crater Lake sandwort, pumice sandwort

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:69; FOO 2:553; FPN2 344.

Synonyms:

***Arenaria pumicola* Coville & Leiberg**

Chambers, 2000C ; Chambers, 2000D ; FN 5:69 synonym for *Eremogone pumicola*; FOO 2:553 synonym for *Eremogone pumicola*; Hickman, 1971 ; IL 2:151; PEK 310.

Gypsophila

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Gypsophila elegans M. Bieb.

Common names: baby's breath

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

FN 5:155; FPN2 345; IN 2a:440; JPM2 610.

Gypsophila paniculata L.

Common names: baby's-breath

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2012

FN 5:154; FOO 2:554; FPN 114; FPN2 345; IN 2a:440; JPM2 610; KZ 1:198; VP 2:269.

Synonyms:

Gypsophila paniculata* L. var. *paniculata

FOO 2:554 synonym for *Gypsophila paniculata*; JPM 481.

Gypsophila pilosa Huds.

Common names: Turkish baby's breath

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1912

Herniaria

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Herniaria glabra L.

Common names: smooth rupturewort, green carpet

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2014

FN 5:; FOO 2:554; FPN2 345.

Herniaria hirsuta L. var. ***cinerea*** (DC.) Loret & Barrandon

Common names: hairy rupturewort

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1948

FN 5:44; FOO 2:555; FPN2 345; JPM2 610.

Synonyms:

Herniaria hirsuta* L. ssp. *hirsuta

FN 5:44; FOO 2:555 synonym for *Herniaria hirsuta var. cinerea*; JPM 482.

Holosteum

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Holosteum umbellatum L.

FPN 115; IL 2:143; IN 2a:420; PEK 315; VP 2:271.

Holosteum umbellatum L. ssp. ***umbellatum***

Common names: jagged chickweed
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2017
FN 5:95; FOO 2:555; FPN2 345; JPM 482; JPM2 610.

Honckenya

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Honckenya peploides (L.) Ehrh. ssp. ***major*** (Hook.) Hultén

Common names: seaside sandwort, seaside sandplant
Origin: native
Voucher: OSC, most recently collected in 2017
FN 5:139; FOO 2:555; FPN2 346.

Synonyms:

***Arenaria peploides* L. var. *major* Hook.**

FN 5:139 synonym for *Honckenya peploides* ssp. *major*; FOO 2:555 synonym for *Honckenya peploides ssp. major*; IL 2:154 synonym for *Honkenya peploides* var. *major*; PEK 308.

***Honckenya peploides* (L.) Ehrh. var. *major* (Hook.) Abrams**

FN 5:139 synonym for *Honckenya peploides* ssp. *major*.

***Honkenya peploides* L.**

FN 5:139 synonym for *Honckenya peploides*; FPN 115; IL 2:154; VP 2:271.

***Honkenya peploides* L. var. *major* Hook.**

IL 2:154.

Loeflingia

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Loeflingia squarrosa Nutt.

Common names: spreading-leaved loeflingia, California loeflingia, spreading pygmyleaf
Origin: native
Voucher: OSC, most recently collected in 1949
FN 5:27; FOO 2:556; FPN 110; FPN2 346; IL 2:158; IN 2a:394; JPM 482; JPM2 610; PEK 314.

Synonyms:

***Loeflingia squarrosa* Nutt. ssp. *artemisiarum* Barneby & Twisselm.**

Barneby & Twisselmann, 1970 ; FN 5:27 synonym for *Loeflingia squarrosa*.

***Loeflingia squarrosa* Nutt. var. *artemisiarum* (Barneby & Twisselm.) Dorn**

FOO 2:556 synonym for *Loeflingia squarrosa*; JPM 482.

Lychnis

Checklist contributor: Henrietta Chambers, 4/25/2000
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Lychnis coronaria (L.) Desr.

Common names: mullein pink, rose campion

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:180 synonym for *Silene coronaria*; FOO 2:556; FPN 115; FPN2 346; IL 2:170; JPM 482; JPM2 611; PEK 316; VP 2:274.

Synonyms:

***Silene coronaria* (L.) Clairv.**

FN 5:180; FOO 2:556 synonym for *Lychnis coronaria*; IN 2a:450.

Moehringia

Checklist contributor: Henrietta Chambers, 4/25/2000

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Moehringia lateriflora (L.) Fenzl

Common names: blunt-leaved sandwort

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:71; FOO 2:557; FPN2 346; IL 2:152; IN 2a:424.

Synonyms:

***Arenaria lateriflora* L.**

FN 5:71 synonym for *Moehringia lateriflora*; FOO 2:557 synonym for *Moehringia lateriflora*; FPN 111; GWM 139; IL 2:152 synonym for *Moehringia lateriflora*; PEK 308; VP 2:258.

Moehringia macrophylla (Hook.) Fenzl

Common names: big-leaved sandwort

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:71; FOO 2:557; FPN2 346; IL 2:152; JPM 485; JPM2 612.

Synonyms:

***Arenaria macrophylla* Hook.**

FN 5:71 synonym for *Moehringia macrophylla*; FOO 2:557 synonym for *Moehringia macrophylla*; FPN 111; GWM 140; IL 2:152 synonym for *Moehringia macrophylla*; PEK 309; VP 2:258.

Moenchia

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Moenchia erecta (L.) G. Gaertn., B. Mey., & Scherb.

FN 5:93; PEK 316.

Moenchia erecta (L.) G. Gaertn., B. Mey., & Scherb. ssp. ***erecta***

Common names: munchkin chickweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 5:93; FOO 2:558; FPN2 347; JPM 485; JPM2 614.

Myosoton

Checklist contributor: Henrietta Chambers, 1/1/1999

Flora of Oregon author: treatment pending

Myosoton aquaticum (L.) Moench

Common names: giant chickweed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902

FOO 2:540 uncertain status; FPN2 347.

Synonyms:

***Stellaria aquatica* (L.) Scop.**

FPN 120; VP 2:302.

Paronychia

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: treatment pending

Paronychia franciscana Eastw.

Common names: San Francisco whitlow wort
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1926
FN 5:38; FOO 2:540 uncertain status; FPN2 347; IL 2:113; JPM 486; JPM2 614.

Petrorhagia

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Petrorhagia dubia (Raf.) G. López & Romo

Common names: hairy pink
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017
FN 5:165; FOO 2:558; JPM 486; JPM2 614.

Polycarpon

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Polycarpon tetraphyllum (L.) L.

FN 5:26; IL 2:158; JPM 486; KZ 1:201.

Polycarpon tetraphyllum (L.) L. ssp. ***tetraphyllum***

Common names: four-leaved allseed, fourleaf manyseed
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FN 5:26; FOO 2:559; FPN2 348.

Pseudostellaria

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Pseudostellaria jamesiana (Torr.) W.A. Weber & R.L. Hartm.

Common names: tuber starwort, sticky starwort
Origin: native Voucher: OSC, most recently collected in 2020
FN 5:115; FOO 2:559; FPN2 348; IN 2a:422; JPM 487; JPM2 615.

Synonyms:
***Stellaria jamesiana* Torr.**
FOO 2:559 synonym for *Pseudostellaria jamesiana*; FPN 121; GWM 146; IL 2:142; PEK 313; VP 2:306.

Sabulina

Checklist contributor:
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Sabulina austromontana (S.J. Wolf & Packer) Dillenb. & Kadereit

Common names: Rocky Mountain sandwort

Origin: native

Voucher: OSC, most recently collected in 1944

FOO 2:560; FPN2 348.

Synonyms:

***Minuartia austromontana* S.J. Wolf & Packer**

FN 5:120; FOO 2:560 synonym for *Sabulina austromontana*; Wolf et al., 1979 .

Misapplied names:

***Minuartia elegans* (Cham. & Schlecht.) Schischkin**

FN 5:125.

Sabulina californica (A. Gray) Dillenb. & Kadereit

Common names: California sandwort

Origin: native

Voucher: OSC, most recently collected in 2000

FOO 2:560.

Synonyms:

***Arenaria californica* (A. Gray) W.H. Brewer**

FN 5:121 synonym for *Minuartia californica*; FOO 2:560 synonym for *Sabulina californica*; IL 2:146; PEK 311.

***Minuartia californica* (A. Gray) Mattf.**

FN 5:121; FOO 2:560 synonym for *Sabulina californica*; IL 2:146 synonym for *Arenaria californica*; JPM 484; JPM2 611.

Sabulina cismontana (Meinke & Zika) Dillenb. & Kadereit

Common names: cismontane sandwort

Origin: native

Voucher: OSC, most recently collected in 2010

FOO 2:561; FPN2 348.

Synonyms:

***Minuartia cismontana* Meinke & Zika**

FN 5:122; FOO 2:561 synonym for *Sabulina cismontana*; JPM2 611.

Sabulina douglasii (Fenzl ex Torr. & A. Gray) Dillenb. & Kadereit

Common names: Douglas' stitchwort

Origin: native

Voucher: OSC, most recently collected in 2017

FOO 2:561; FPN2 348.

Synonyms:

***Arenaria douglasii* Fenzl ex Torr. & A. Gray**

FN 5:124 synonym for *Minuartia douglasii*; FOO 2:561 synonym for *Sabulina douglasii*; IL 2:146; PEK 311.

***Minuartia douglasii* (Torr. & A. Gray) Mattf.**

FN 5:124; FOO 2:561 synonym for *Sabulina douglasii*; IL 2:146 synonym for *Arenaria douglasii*; JPM 484; JPM2 612; McNeill, 1980 .

Sabulina howellii (S. Watson) Dillenb. & Kadereit

Common names: Howell's sandwort

Origin: native

Voucher: OSC, most recently collected in 2017

FOO 2:561.

Synonyms:

***Arenaria howellii* S. Watson**

FN 5:127 synonym for *Minuartia howellii*; FOO 2:561 synonym for *Sabulina howellii*; IL 2:146; PEK 311.

***Minuartia howellii* (S. Watson) Mattf.**

FN 5:127; FOO 2:561 synonym for *Sabulina howellii*; IL 2:146 synonym for *Arenaria howellii*; JPM 484; JPM2 612.

Sabulina macra (A. Nelson & J.F. Macbr.) Dillenb. & Kadereit

Common names: slender sandwort, slender stitchwort

Origin: native Voucher: OSC, most recently collected in 1992

FOO 2:561; FPN2 348.

Synonyms:

***Arenaria stricta* Michx.**

FN 5:135 synonym for *Minuartia tenella*; FOO 2:561 synonym for *Sabulina macra*; FPN 111; VP 2:262.

***Arenaria stricta* Michx. var. *puberulenta* (M. Peck) C.L. Hitchc.**

FN 5:135 synonym for *Minuartia tenella*; FOO 2:561 synonym for *Sabulina macra*; FPN 111.

***Arenaria tenella* Nutt.**

FN 5:135 synonym for *Minuartia tenella*; FOO 2:561 synonym for *Sabulina macra*; FPN 111 synonym for *Arenaria stricta*; IL 2:147; PEK 311.

***Minuartia tenella* (Nutt.) Mattf.**

FN 5:135; FOO 2:561 synonym for *Sabulina macra*; IL 2:147 synonym for *Arenaria tenella*.

Sabulina nuttallii (Pax) Dillenb. & Kadereit var. ***fragilis*** (Maguire & A.H. Holmgren) Dillenb. & Kadereit

Common names: brittle sandwort

Origin: native Voucher: OSC, most recently collected in 2014

FOO 2:562; FPN2 349.

Synonyms:

***Arenaria nuttallii* Pax ssp. *fragilis* Maguire & A.H. Holmgren**

FN 5:130 synonym for *Minuartia nuttallii* var. *fragilis*; FOO 2:562 synonym for *Sabulina nuttallii var. fragilis*; PEK 310.

***Arenaria nuttallii* Pax var. *fragilis* (Maguire & A.H. Holmgren) C.L. Hitchc.**

FN 5:130 synonym for *Minuartia nuttallii* var. *fragilis*; FOO 2:562 synonym for *Sabulina nuttallii var. fragilis*; FPN 112; VP 2:259.

***Minuartia nuttallii* (Pax) Briq. ssp. *fragilis* (Maguire & A.H. Holmgren) McNeill**

FN 5:130 synonym for *Minuartia nuttallii* var. *fragilis*; FOO 2:562 synonym for *Sabulina nuttallii var. fragilis*; JPM 484.

***Minuartia nuttallii* (Pax) Briq. var. *fragilis* (Maguire & A.H. Holmgren) Rabeler & R.L.**

FN 5:130; FOO 2:562 synonym for *Sabulina nuttallii var. fragilis*; JPM2 612.

Sabulina nuttallii (Pax) Dillenb. & Kadereit var. ***gracilis*** (B.L. Rob.) Dillenb. & Kadereit

Common names: brittle sandwort

Origin: native Voucher: OSC, most recently collected in 2011

FOO 2:562; FPN2 349.

Synonyms:

***Arenaria nuttallii* Pax var. *gracilis* B.L. Rob.**

FN 5:130 synonym for *Minuartia nuttallii* var. *gracilis*; FOO 2:562 synonym for *Sabulina nuttallii var. gracilis*; IL 2:147; PEK 309.

***Minuartia nuttallii* (Pax) Briq. ssp. *gracilis* (B.L. Rob.) McNeill**

FN 5:130 synonym for *Minuartia nuttallii* var. *gracilis*; FOO 2:562 synonym for *Sabulina nuttallii var. gracilis*; JPM 484.

***Minuartia nuttallii* (Pax) Briq. var. *gracilis* (B.L. Rob.) Rabeler & R.L. Hartman**

FN 5:130; FOO 2:562 synonym for *Sabulina nuttallii var. gracilis*; JPM2 612.

Sabulina nuttallii (Pax) Dillenb. & Kadereit var. ***gregaria*** (A. Heller) Dillenb. & Kadereit

Common names: brittle sandwort

Origin: native Voucher: OSC, most recently collected in 2010

FOO 2:562.

Synonyms:

***Arenaria nuttallii* Pax var. *gregaria* (A. Heller) Jeps.**

FN 5:130 synonym for *Minuartia nuttallii* var. *gregaria*; FOO 2:562 synonym for *Sabulina nuttallii var. gregaria*; IL 2:147; PEK 310.

***Minuartia nuttallii* (Pax) Briq. ssp. *gregaria* (A. Heller) McNeill**

FN 5:130 synonym for *Minuartia nuttallii* var. *gregaria*; FOO 2:562 synonym for *Sabulina nuttallii var. gregaria*; JPM 484.

***Minuartia nuttallii* (Pax) Briq. var. *gregaria* (A. Heller) Rabeler & R.L. Hartman**

FN 5:130; FOO 2:562 synonym for *Sabulina nuttallii var. gregaria*; JPM2 612.

Sabulina nuttallii (Pax) Dillenb. & Kadereit var. ***nuttallii***

Common names: Nuttall's sandwort

Origin: native Voucher: OSC, most recently collected in 2008

FOO 2:562; FPN2 349.

Synonyms:

Arenaria nuttallii* Pax ssp. *nuttallii

FN 5:129 synonym for *Minuartia nuttallii*; FOO 2:562 synonym for *Sabulina nuttallii var. nuttallii*; PEK 309.

Arenaria nuttallii* Pax var. *nuttallii

FN 5:129 synonym for *Minuartia nuttallii*; FOO 2:562 synonym for *Sabulina nuttallii var. nuttallii*; FPN 112; IL 2:147; PEK 309; VP 2:259.

Minuartia nuttallii* (Pax) Briq. var. *nuttallii

FN 5:130; FOO 2:562 synonym for *Sabulina nuttallii var. nuttallii*.

Sabulina pusilla (S. Watson) Dillenb. & Kadereit

Common names: annual sandwort

Origin: native Voucher: OSC, most recently collected in 2013

FOO 2:562; FPN2 348.

Synonyms:

***Arenaria pusilla* S. Watson**

FN 5:123 synonym for *Minuartia pusilla*; FOO 2:562 synonym for *Sabulina pusilla*; FPN 111; IL 2:147; PEK 311; VP 2:259.

***Minuartia pusilla* (S. Watson) Mattf.**

FN 5:132; FOO 2:562 synonym for *Sabulina pusilla*; IL 2:147 synonym for *Arenaria pusilla*; IN 2a:403; JPM 485; JPM2 612.

Sabulina rubella (Wahlenb.) Dillenb. & Kadereit

Common names: reddish sandwort, beautiful sandwort, boreal stitchwort

Origin: native Voucher: OSC, most recently collected in 2013

FOO 2:562; FPN2 349.

Synonyms:

***Arenaria propinqua* Richardson**

FN 5:134 synonym for *Minuartia rubella*; FOO 2:562 synonym for *Sabulina rubella*; FPN 112 synonym for *Arenaria rubella*; IL 2:147.

***Arenaria rubella* (Wahlenb.) Sm.**

FN 5:134 synonym for *Minuartia rubella*; FOO 2:562 synonym for *Sabulina rubella*; FPN 112; GWM 140; PEK 309; VP 2:261.

***Minuartia rubella* (Wahlenb.) Hiern**

FN 5:134; FOO 2:562 synonym for *Sabulina rubella*; IN 2a:402; JPM 485; JPM2 612.

Sagina

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Sagina alexandrae Iamonico

Common names: Irish moss, Scotch moss, heath pearlwort
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1965
FOO 2:563 uncertain status; Iamonico, 2016 .

Synonyms:
***Sagina subulata* (Sw.) Presl**
FN 5:143; FOO 2:563 synonym; IN 2a:406; Iamonico, 2016 ; JPM2 615.

Sagina apetala Ard.

Common names: common pearlwort
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 5:146; FOO 2:564; FPN 116; FPN2 350; JPM 487; JPM2 615; VP 2:277.

Synonyms:
***Sagina apetala* Ard. var. *barbata* Fenzl**
FN 5:146 synonym for *Sagina apetala*; FOO 2:564 synonym for *Sagina apetala*; IL 2:145; PEK 307.

Sagina decumbens (Elliott) Torr. & A. Gray ssp. ***occidentalis*** (S. Watson) G.E. Crow

Common names: western pearlwort
Origin: native Voucher: OSC, most recently collected in 2022
FN 5:145; FOO 2:564; FPN2 350; JPM 487; JPM2 615.

Synonyms:
***Sagina occidentalis* S. Watson**
FN 5:145 synonym for *Sagina decumbens* ssp. *occidentalis*; FOO 2:564 synonym for *Sagina decumbens ssp. occidentalis*; FPN 116; IL 2:145; IN 2a:406; PEK 307; VP 2:278.

Sagina japonica (Sw.) Ohwi

Common names: Japanese pearlwort
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902
FN 5:147; FOO 2:563 uncertain status; FPN2 349.

Sagina maxima A. Gray ssp. ***crassicaulis*** (S. Watson) G.E. Crow

Common names: fleshy pearlwort, thick-stemmed pearlwort
Origin: native Voucher: OSC, most recently collected in 2018
FN 5:147; FOO 2:564; FPN2 349; JPM 487; JPM2 615.

Synonyms:
***Sagina crassicaulis* S. Watson**
FN 5:147 synonym for *Sagina maxima* ssp. *crassicaulis*; FOO 2:564 synonym for *Sagina maxima ssp. crassicaulis*; FPN 116; IL 2:145; PEK 307; VP 2:278.

Sagina procumbens L.

Common names: procumbent pearlwort
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 5:143; FOO 2:564; FPN 116; FPN2 350; IL 2:145; IN 2a:405; JPM 487; JPM2 615; PEK 307; VP 2:278.

Sagina saginoides (L.) H. Karst.

Common names: alpine pearlwort, arctic pearlwort
Origin: native Voucher: OSC, most recently collected in 2018
FN 5:142; FOO 2:564; FPN 116; FPN2 350; GWM 142; IN 2a:404; JPM 487; JPM2 615; PEK 307; VP 2:278.

Synonyms:
***Sagina saginoides* (L.) H. Karst. var. *hesperia* Fernald**
FN 5:142 synonym for *Sagina saginoides*; FOO 2:564 synonym for *Sagina saginoides*; IL 2:145.

Saponaria

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Saponaria ocymoides L.

Common names: rock soapwort, saponaria
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 1989
FN 5:158; FOO 2:565; FPN2 350.

Saponaria officinalis L.

Common names: bouncing-bet
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2022
FN 5:157; FOO 2:565; FPN 116; FPN2 350; IL 2:171; IN 2a:442; JPM 487; JPM2 615; PEK 322; VP 2:280.

Scleranthus

Checklist contributor: Henrietta Chambers, 9/14/1999
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Scleranthus annuus L.

FN 5:150; FPN 117; IL 2:114; PEK 297; VP 2:280.

Scleranthus annuus L. ssp. ***annuus***

Common names: annual knawel, German knotgrass
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2022
FN 5:150; FOO 2:565; FPN2 350; JPM 488; JPM2 615.

Silene

Checklist contributor: Susan Kephart, Henrietta Chambers, 12/15/1995
Flora of Oregon author: Rich Rabeler, Ronald Hartman

Silene acaulis (L.) Jacq.

Common names: moss campion
Origin: native
Voucher: OSC, most recently collected in 2022
FN 5:173; FOO 2:568; FPN 118; FPN2 351; GWM 142; IL 2:162; IN 2a:456.

Synonyms:

***Silene acaulis* (L.) Jacq. var. *exscapa* (All.) DC.**
FN 5:173 synonym for *Silene acaulis*; FOO 2:568 synonym for *Silene acaulis*; FPN 118; VP 2:283.

***Silene acaulis* (L.) Jacq. var. *exscaposa* (All.) DC.**
PEK 322.

Silene antirrhina L.

Common names: sleepy catchfly
Origin: native
Voucher: OSC, most recently collected in 2024
FN 5:174; FOO 2:568; FPN 117; FPN2 351; IL 2:160; IN 2a:454; JPM 491; JPM2 619; PEK 318; VP 2:283.

Silene bernardina S. Watson

Common names: Palmer's catchfly, mountain catchfly
Origin: native
Voucher: OSC, most recently collected in 2007
FN 5:175; FOO 2:568; FPN2 353; IL 2:165; IN 2a:462; JPM 491; JPM2 619.

Synonyms:

***Silene bernardina* S. Watson var. *rigidula* (B.L. Rob.) Tiehm**
FN 5:175 synonym for *Silene bernardina*; Simpson, 2003 .

***Silene montana* S. Watson**
FN 5:175 synonym for *Silene bernardina*; FOO 2:568 synonym for *Silene bernardina*; IL 2:165; PEK 320.

Silene bridgesii Rohrb.

Common names: Bridges' catchfly

Origin: native Voucher: OSC, most recently collected in 1887

FN 5:176; FOO 2:568; IL 2:163; JPM 491; JPM2 620.

Silene conoidea L.

Common names: large sand catchfly

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1978

FN 5:180; FOO 2:569; FPN 117; FPN2 352; IN 2a:468; JPM 491; JPM2 620; VP 2:285.

Silene dichotoma Ehrh.

Common names: forked catchfly

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1906

FN 5:181; FPN 117; JPM 491; PEK 318; VP 2:285.

Synonyms:

Silene dichotoma* Ehrh. ssp. *dichotoma

FOO 2:566 uncertain status; FPN2 352; JPM2 620.

Silene dioica (L.) Clairv.

Common names: red campion

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2003

FN 5:181; FOO 2:570; FPN2 352; IL 2:160 synonym for *Silene antirrhina*.

Synonyms:

***Lychnis dioica* L.**

FN 5:181 synonym for *Silene dioica*; FOO 2:570 synonym for *Silene dioica*; FPN 115; VP 2:276.

Silene douglasii Hook.

FN 5:182; FOO 2:570; FPN 119; GWM 143; IL 2:167; IN 2a:464; JPM 491.

Silene douglasii Hook. var. ***douglasii***

Common names: Douglas' catchfly

Origin: native Voucher: OSC, most recently collected in 2017

FN 5:183; FOO 2:570; FPN 119; FPN2 353; JPM2 620; PEK 320; VP 2:287.

Synonyms:

***Silene douglasii* Hook. var. *monantha* (S. Watson) B.L. Rob.**

FN 5:183 synonym for *Silene douglasii* var. *douglasii*; FOO 2:570 synonym for *Silene douglasii var. douglasii*; FPN 119; JPM 491 synonym for *Silene douglasii*; VP 2:287.

Silene douglasii Hook. var. ***oraria*** (M. Peck) C.L. Hitchc. & Maguire

Common names: Cascade Head catchfly

Origin: native Voucher: OSC, most recently collected in 1988

FN 5:183; FOO 2:570; FPN 119; FPN2 353; VP 2:287.

Synonyms:

***Silene oraria* M. Peck**

FN 5:183 synonym for *Silene douglasii* var. *oraria*; FOO 2:570 synonym for *Silene douglasii var. oraria*; FPN 119 synonym for *Silene douglasii* var. *oraria*; PEK 320.

Silene douglasii Hook. var. ***rupinae*** Kephart & Sturgeon

Common names: cliff-dwelling campion

Origin: native Voucher: OSC, most recently collected in 1991

FN 5:183; FOO 2:570; FPN2 353.

Silene gallica L.

Common names: small-flowered catchfly

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:185; FOO 2:571; FPN 117; FPN2 352; IL 2:160; JPM 491; JPM2 620; Nelson, 1918B ; PEK 318; VP 2:287.

Silene grayi S. Watson

Common names: Gray's catchfly

Origin: native Voucher: OSC, most recently collected in 2005

FN 5:185; FOO 2:571; IL 2:167; JPM 491; JPM2 620; PEK 321.

Silene greenei (B.L. Rob.) Howell ssp. ***greenei***

Common names: bell catchfly

Origin: native Voucher: OSC, most recently collected in 2021

Rabeler & Gandhi, 2021 .

Synonyms:

Silene campanulata **S. Watson ssp.** ***glandulosa*** **C.L. Hitchc. & Maguire**

FN 5:177; FOO 2:569; FPN2 352; JPM 491; JPM2 620; PEK 320.

Silene campanulata **S. Watson var.** ***greenei*** **S. Watson**

FN 5:177 synonym for *Silene campanulata* ssp. *glandulosa*; FOO 2:569 synonym for *Silene campanulata ssp. glandulosa*; IL 2:163; PEK 319.

Silene hookeri Nutt.

FN 5:186; FOO 2:571; FPN 118; IL 2:162; JPM 491; JPM2 620; PEK 319; VP 2:287.

Synonyms:

Silene bolanderi **A. Gray**

FOO 2:; JPM2 619.

Silene hookeri **Nutt. ssp.** ***bolanderi*** **(A. Gray) Abrams**

FN 5:187; IL 2:162.

Silene hookeri Nutt. ssp. ***hookeri***

Common names: Hooker's catchfly

Origin: native Voucher: OSC, most recently collected in 2017

FN 5:187; FOO 2:572; FPN2 352; IL 2:162.

Synonyms:

Silene hookeri **Nutt. ssp.** ***pulverulenta*** **(M. Peck) C.L. Hitchc. & Maguire**

FN 5:187 synonym for *Silene hookeri* ssp. *hookeri*.

Silene pulverulenta **M. Peck**

FN 5:187 synonym for *Silene hookeri* ssp. *hookeri*; FOO 2:572 synonym for *Silene hookeri ssp. hookeri*; IL 2:162 synonym for *Silene hookeri*; PEK 319.

Silene latifolia Poir.

Common names: white campion

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:191; FOO 2:572.

Synonyms:

Lychnis alba **Mill.**

FN 5:191 synonym for *Silene latifolia*; FOO 2:572 synonym for *Silene latifolia*; FPN 115; GWM 141; IL 2:170; PEK 316; VP 2:273.

Silene latifolia **Poir. ssp.** ***alba*** **(Mill.) Greuter & Burdet**

FN 5:191 synonym for *Silene latifolia*; FOO 2:572 synonym for *Silene latifolia*; JPM 492.

Silene lemmonii S. Watson

Common names: Lemmon's catchfly

Origin: native Voucher: OSC, most recently collected in 1999

FN 5:192; FOO 2:572; IL 2:163; JPM 492; JPM2 621; PEK 320.

Silene menziesii Hook.

Common names: Menzies' catchfly

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:193; FOO 2:572; FPN 118; FPN2 353; GWM 143; IL 2:163; IN 2a:466; JPM 492; JPM2 621.

Synonyms:

Silene menziesii* Hook. var. *menziesii

FN 5:193 synonym for *Silene menziesii*; FOO 2:572 synonym for *Silene menziesii*; FPN 118; PEK 319; VP 2:289.

***Silene menziesii* Hook. var. *viscosa* (Greene) C.L. Hitchc. & Maguire**

FN 5:193 synonym for *Silene menziesii*; FOO 2:572 synonym for *Silene menziesii*; FPN 118; KZ 1:203; PEK 319; VP 2:291.

Silene noctiflora L.

Common names: night-flowering catchfly

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1997

FN 5:194; FOO 2:573; FPN 118; FPN2 352; IL 2:160; IN 2a:454; JPM 492; JPM2 621; PEK 318; VP 2:291.

Silene nuda (S. Watson) C.L. Hitchc. & Maguire

Common names: western fringed catchfly, sticky catchfly

Origin: native Voucher: OSC, most recently collected in 2015

FN 5:195; FOO 2:573; IN 2a:460; JPM 492; JPM2 621; PEK 319.

Synonyms:

***Silene scaposa* B.L. Rob. var. *lobata* C.L. Hitchc. & Maguire**

FN 5:202 synonym for *Silene scaposa*; FOO 2:573 synonym for *Silene nuda*; FPN 119; PEK 322; VP 2:292.

Silene oregana S. Watson

Common names: Oregon catchfly

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:196; FOO 2:574; FPN 118; FPN2 353; GWM 143; IL 2:165; IN 2a:458; JPM 492; JPM2 621; PEK 321; VP 2:291.

Silene parryi (S. Watson) C.L. Hitchc. & Maguire

Common names: Parry's catchfly

Origin: native Voucher: OSC, most recently collected in 2025

FN 5:197; FOO 2:574; FPN 119; FPN2 353; VP 2:291.

Synonyms:

***Silene douglasii* Hook. var. *macounii* (S. Watson) B.L. Rob.**

FN 5:197 synonym for *Silene parryi*; FOO 2:574 synonym for *Silene parryi*; PEK 320.

***Silene macounii* S. Watson**

FN 5:197 synonym for *Silene parryi*; FOO 2:574 synonym for *Silene parryi*; FPN 119 synonym for *Silene parryi*; IL 2:167.

Silene pectinata S. Watson

Common names: sticky catchfly

Origin: native Voucher: OSC, most recently collected in 2015

FN 5:195 synonym for *Silene nuda*; FOO 2:574; IL 2:165; IN 2a:460.

Synonyms:

***Silene insectivora* L.F. Hend.**

FN 5:195 synonym for *Silene nuda*; FOO 2:574 synonym for *Silene pectinata*; IL 2:166.

Silene pendula L.

Common names: nodding catchfly

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022

FN 5:198; FOO 2:566 excluded; FPN2 351; JPM2 621; Nelson, 1920 .

Silene scaposa B.L. Rob.

Common names: Robinson's catchfly

Origin: native Voucher: OSC, most recently collected in 2012

FN 5:202; FOO 2:574; FPN 119; FPN2 352; IL 2:166.

Synonyms:

Silene scaposa* B.L. Rob. var. *scaposa

FN 5:202 synonym for *Silene scaposa*; FOO 2:574 synonym for *Silene scaposa*; FPN 119; PEK 322; VP 2:292.

Silene scouleri Hook.

FN 5:204; FPN 119; IL 2:166; IN 2a:458; PEK 321.

Silene scouleri Hook. ssp. ***scouleri***

Common names: Scouler's catchfly

Origin: native Voucher: OSC, most recently collected in 1996

FN 5:204; FOO 2:575; FPN2 354; JPM2 621.

Synonyms:

***Silene grandis* Eastw.**

FN 5:204 synonym for *Silene scouleri* ssp. *scouleri*; FOO 2:575 synonym for *Silene scouleri ssp. scouleri*; FPN 119 synonym for *Silene scouleri* var. *pacifica*; IL 2:166; PEK 321.

***Silene pacifica* Eastw.**

FN 5:204 synonym for *Silene scouleri* ssp. *scouleri*; FOO 2:575 synonym for *Silene scouleri ssp. scouleri*; IL 2:166.

***Silene scouleri* Hook. ssp. *grandis* (Eastw.) C.L. Hitchc. & Maguire**

FN 5:204 synonym for *Silene scouleri* ssp. *scouleri*; FOO 2:575 synonym for *Silene scouleri ssp. scouleri*; JPM 493.

***Silene scouleri* Hook. var. *pacifica* (Eastw.) C.L. Hitchc.**

FN 5:204 synonym for *Silene scouleri* ssp. *scouleri*; FOO 2:575 synonym for *Silene scouleri ssp. scouleri*; FPN 119; KZ 1:204; VP 2:294.

Silene scouleri* Hook. var. *scouleri

FN 5:204 synonym for *Silene scouleri* ssp. *scouleri*; FOO 2:575 synonym for *Silene scouleri ssp. scouleri*; FPN 119; VP 2:294.

Silene serpentinicola T.W. Nelson & J.P. Nelson

Common names: serpentine catchfly, serpentine Indian pink

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:572 synonym for *Silene hookeri ssp. serpentinicola*; JPM2 622.

Synonyms:

***Silene hookeri* Nutt. ssp. *serpentinicola* (T.W. Nelson & J.P. Nelson) K.L. Chambers & S.C.**

Chambers & Meyers, 2011 ; FOO 2:572.

Silene spaldingii S. Watson

Common names: Spalding's campion

Origin: native Voucher: OSC, most recently collected in 2011

FN 5:207; FOO 2:575; FPN 118; FPN2 353; IL 2:167; PEK 322; VP 2:294.

Silene suksdorfii B.L. Rob.

Common names: Suksdorf's catchfly

Origin: native Voucher: OSC, most recently collected in 2009

FN 5:209; FOO 2:575; FPN 119; FPN2 353; IL 2:170; JPM 493; JPM2 622; PEK 320; VP 2:296.

Silene vulgaris (Moench) Garcke

Common names: bladder campion

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 5:213; FOO 2:575; FPN2 351; JPM 493; JPM2 622.

Synonyms:

***Silene cucubalus* Wibel**

FN 5:213 synonym for *Silene vulgaris*; FOO 2:575 synonym for *Silene vulgaris*; FPN 117; IL 2:160 synonym for *Silene latifolia*; JPM 493 synonym for *Silene vulgaris*; PEK 317; VP 2:285.

***Silene latifolia* (Mill.) Britton & Rendle**

FN 5:213 synonym for *Silene vulgaris*.

Spergula

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Spergula arvensis L.

Common names: corn spurrey, stickwort

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 5:15; FOO 2:576; FPN 119; FPN2 354; IL 2:154; JPM2 622; VP 2:296.

Synonyms:

Spergula arvensis* L. ssp. *arvensis

FOO 2:576 synonym for *Spergula arvensis*; JPM 493.

Spergula arvensis* L. var. *arvensis

FN 5:15 synonym for *Spergula arvensis*; FOO 2:576 synonym for *Spergula arvensis*; KZ 1:205; PEK 306.

***Spergula arvensis* L. var. *sativa* (Boenn.) Rchb.**

FN 5:15 synonym for *Spergula arvensis*; FOO 2:576 synonym for *Spergula arvensis*; PEK 307.

Spergularia

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Spergularia bocconi (Scheele) Graebn.

Common names: Bocconi's sand-spurrey

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1916

FN 5:20; FOO 2:576 uncertain status; FPN2 355; JPM2 624.

Synonyms:

***Spergularia bocconii* (Scheele) Graebn.**

FPN 120; IL 2:155; JPM 494; VP 2:298.

Spergularia canadensis (Pers.) G. Don

FN 5:20; FPN 120; IL 2:155; VP 2:298.

Spergularia canadensis (Pers.) G. Don var. ***occidentalis*** R. Rossbach

Common names: Canadian sand-spurrey

Origin: native Voucher: OSC, most recently collected in 2006

FN 5:20; FOO 2:577; FPN2 355; IL 2:155; JPM 494; JPM2 624; PEK 306.

Spergularia diandra (Guss.) Heldr. & Sart.

Common names: alkali sand-spurrey

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2004

FN 5:19; FOO 2:577; FPN 120; FPN2 355; IL 2:155; IN 2a:395; PEK 306; VP 2:299.

Spergularia macrotheca (Chamisso & Schl.) Heynh.

FN 5:18; FPN 120; IL 2:156; JPM 494; PEK 305; VP 2:299.

Spergularia macrotheca (Chamisso & Schl.) Heynh. var. ***macrotheca***

Common names: beach sand-spurrey, sticky sand-spurrey

Origin: native Voucher: OSC, most recently collected in 2013

FN 5:18; FOO 2:577; FPN2 355; IL 2:156; JPM 494; JPM2 624.

Spergularia marina (L.) Griseb.

Common names: salt-marsh sand-spurrey, salt sand-spurrey

Origin: uncertain Voucher: OSC, most recently collected in 2017

FN 5:22 synonym for *Spergularia salina*; FOO 2:577; FPN 120; IL 2:155; IN 2a:395; JPM 494; JPM2 624; PEK 306; VP 2:299.

Synonyms:

***Spergularia salina* J. Presl & C. Presl**

FN 5:22; FOO 2:577 synonym for *Spergularia marina*; FPN 120 synonym for *Spergularia media*; FPN2 355; IL 2:155 synonym for *Spergularia marina*.

Spergularia salina* J. Presl & C. Presl var. *salina

Spergularia media (L.) C. Presl

FN 5:21; FOO 2:577 uncertain status; FPN 120; IL 2:155; IN 2a:396; JPM 494; PEK 306; VP 2:300.

Spergularia media (L.) C. Presl var. ***media***

Common names: stout sand-spurrey

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902

FPN2 355; JPM2 624.

Spergularia rubra (L.) J. Presl & C. Presl

Common names: red sand-spurrey

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:19; FOO 2:577; FPN 120; FPN2 355; GWM 143; IL 2:156; IN 2a:396; JPM 494; JPM2 624; PEK 306; VP 2:300.

Spergularia villosa (Pers.) Cambess.

Common names: hairy sandspurry

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902

FN 5:22; FOO 2:576 uncertain status; FPN 120; FPN2 355; IL 2:156; JPM 496; JPM2 624; KZ 1:205; VP 2:300.

Stellaria

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Stellaria borealis Bigelow

FOO 2:579; FPN 122 synonym for *Stellaria calycantha* var. *calycantha*; IL 2:139; IN 2a:412.

Synonyms:

***Stellaria calycantha* (Ledeb.) Bong.**

in part

IL 2:139 synonym for *Stellaria borealis*.

Stellaria borealis Bigelow ssp. ***borealis***

Common names: boreal starwort

Origin: native Voucher: OSC, most recently collected in 2020

FOO 2:579; FPN2 357.

Synonyms:

***Stellaria borealis* Bigelow var. *bongardiana* Fernald**

FOO 2:579 synonym for *Stellaria borealis ssp. borealis*; IL 2:139.

***Stellaria calycantha* (Ledeb.) Bong. var. *floribunda* Fernald**

FOO 2:579 synonym for *Stellaria borealis ssp. borealis*; PEK 312.

Stellaria borealis Bigelow ssp. ***sitchana*** (Steud.) Piper & Beattie

Common names: Sitka starwort

Origin: native Voucher: OSC, most recently collected in 2021

FOO 2:579; FPN2 357; JPM 496; JPM2 625.

Synonyms:

Stellaria borealis **Bigelow var. *sitchana* (Steud.) Fernald**

FOO 2:579 synonym for *Stellaria borealis ssp. sitchana*; IL 2:139.

Stellaria calycantha **(Ledeb.) Bong. var. *bongardiana* Fernald**

FOO 2:579 synonym for *Stellaria borealis ssp. sitchana*; PEK 312; VP 2:304.

Stellaria calycantha **(Ledeb.) Bong. var. *sitchana* (Steud.) Fernald**

FOO 2:579 synonym for *Stellaria borealis ssp. sitchana*; FPN 122; PEK 312; VP 2:304.

Stellaria borealis Bigelow × ***Stellaria longifolia*** Muhl. ex Willd.

Origin: native Voucher: OSC, most recently collected in 1928

FOO 2:578 uncertain status.

Stellaria calycantha (Ledeb.) Bong.

sensu stricto,

Common names: northern starwort

Origin: native

FOO 2:579; JPM 496; JPM2 625.

Synonyms:

Stellaria borealis **Bigelow var. *simcoei* (Howell) Fernald**

FOO 2:579 synonym for *Stellaria calycantha*; FPN 121 synonym for *Stellaria simcoei*; IL 2:139.

Stellaria calycantha **(Ledeb.) Bong. var. *calycantha***

FOO 2:579 synonym for *Stellaria calycantha*; FPN 122; PEK 312; VP 2:304.

Stellaria calycantha **(Ledeb.) Bong. var. *simcoei* (Howell) Fernald**

FOO 2:579 synonym for *Stellaria calycantha*; PEK 312.

Stellaria simcoei **(Howell) C.L. Hitchc.**

FOO 2:579 synonym for *Stellaria calycantha*; FPN 121; VP 2:310.

Stellaria crispa Cham. & Schltdl.

Common names: crisp starwort

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:580; FPN 121; FPN2 357; GWM 144; IL 2:139; JPM 496; JPM2 625; PEK 312; VP 2:306.

Stellaria graminea L.

Common names: common starwort

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2002

FOO 2:580; FPN 122; FPN2 356; GWM 144; IL 2:138; IN 2a:410; JPM 496; JPM2 625; PEK 313; VP 2:306.

Stellaria humifusa Rottb.

Common names: salt-marsh starwort

Origin: native Voucher: OSC, most recently collected in 2001

FOO 2:580; FPN 122; FPN2 357; IL 2:138; PEK 313; VP 2:306.

Stellaria longifolia Willd.

Common names: long-leaved starwort

Origin: native Voucher: OSC, most recently collected in 2019

FOO 2:580; FPN 122; FPN2 356; IL 2:138; IN 2a:410; JPM 497; JPM2 626; PEK 313; VP 2:307.

Stellaria longipes Goldie

Chinnappa, Morton, 1991 ; FPN 121; GWM 146; IL 2:139; IN 2a:408.

Stellaria longipes Goldie ssp. ***longipes***

Common names: Goldie's starwort

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:580; FPN2 356; JPM2 626.

Synonyms:

***Stellaria longipes* Goldie var. *altocaulis* (Hultén) C.L. Hitchc.**

FN 5:108; FOO 2:580 synonym for *Stellaria longipes ssp. longipes*; FPN 121; KZ 1:206; VP 2:307.

***Stellaria longipes* Goldie var. *laeta* (Richardson) S. Watson**

FOO 2:580 synonym for *Stellaria longipes ssp. longipes*; PEK 313.

Stellaria longipes* Goldie var. *longipes

FOO 2:580 synonym for *Stellaria longipes ssp. longipes*; FPN 121; JPM 497; KZ 1:206; PEK 313; VP 2:309.

Stellaria media (L.) Vill.

Common names: common chickweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FOO 2:581; FPN 120; FPN2 356; IL 2:138; IN 2a:408; JPM 497; JPM2 626; PEK 314; VP 2:309.

Stellaria nitens Nutt.

Common names: shining starwort

Origin: native Voucher: OSC, most recently collected in 2023

FOO 2:581; FPN 121; FPN2 356; IL 2:138; IN 2a:414; JPM 497; JPM2 626; PEK 313; VP 2:309.

Stellaria obtusa Engelm.

Common names: Rocky Mountain starwort

Origin: native Voucher: OSC, most recently collected in 2010

FOO 2:581; FPN 121; FPN2 357; GWM 146; IL 2:139; IN 2a:414; JPM 497; JPM2 626; PEK 312; VP 2:309.

Stellaria umbellata Turcz. ex Kar. & Kir.

Common names: umbellate starwort

Origin: native Voucher: OSC, most recently collected in 2018

FOO 2:581; FPN 121; FPN2 356; GWM 146; IL 2:138; IN 2a:413; JPM 497; JPM2 626; PEK 313; VP 2:310.

Vaccaria

Checklist contributor: Henrietta Chambers, 9/14/1999

Flora of Oregon author: Rich Rabeler, Ronald Hartman

Vaccaria hispanica (Mill.) Rauschert

Common names: cow soapwort, cowcockle

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2008

FN 5:156; FOO 2:581; FPN2 357; IN 2a:440; JPM 497; JPM2 626.

Synonyms:

***Saponaria vaccaria* L.**

FN 5:156 synonym for *Vaccaria hispanica*; FOO 2:581 synonym for *Vaccaria hispanica*; FPN 122 synonym for *Vaccaria segetalis*; IL 2:171 synonym for *Vaccaria vulgaris L.*; PEK 322.

***Vaccaria segetalis* (Neck.) Garcke**

FOO 2:581 synonym for *Vaccaria hispanica*; FPN 122; VP 2:310.

***Vaccaria vulgaris* Host**

FOO 2:581 synonym for *Vaccaria hispanica*; IL 2:171.

Excluded names:

Arenaria congesta Nutt. var. suffrutescens (A. Gray) B.L. Rob.

Chambers, 2000C ; FN 5:63 synonym for <I>Eremogone congesta</I> var. <I>suffrutescens</I>; IL 2:152; JPM 479; KZ 1:196; PEK 310.

Arenaria paludicola B.L. Rob.

FN 5:55; FPN 111; FPN2 340; IL 2:147; JPM 479; JPM2 605; KZ 1:196; VP 2:259.

Cerastium tomentosum L.

FN 5:91; FOO 2:545 uncertain status; FPN2 341.

Eremogone congesta (Nutt.) Ikonn. var. cephaloidea (Rydb.) R.L. Hartm. & Rabeler

FN 5:61; FPN2 344.

Synonyms:

***Arenaria congesta* Nutt. var. *cephaloidea* (Rydb.) Maguire**

Chambers, 2000C ; FN 5:61 synonym for *Eremogone congesta* var. *cephaloidea*; FPN 112; KZ 1:195; VP 2:255.

Minuartia stricta (Sw.) Hiern

FN 5:135; IN 2a:402; JPM 485; JPM2 612.

Petrorhagia prolifera (L.) P.W. Ball & Heywood

FOO 2:558 uncertain status; FPN2 347; JPM 486; JPM2 614.

Silene californica Durand

FN 5:190 synonym for Silene laciniata ssp. californica; IL 2:162; JPM 491; PEK 318.

Silene conica L.

FN 5:179; FPN 117; VP 2:283.

Silene multinervia S. Watson

FN 5:179 synonym for Silene coniflora; IL 2:160; JPM 492; PEK 318.

Silene scouleri Hook. ssp. hallii (S. Watson) C.L. Hitchc. & Maguire

FN 5:204; FPN2 354.

Silene verecunda S. Watson

FN 5:211; FOO 2:566 excluded; IL 2:167; IN 2a:466; JPM 493; JPM2 622.

Stellaria alsine Grimm

FN 5:100; FPN 121; FPN2 356; KZ 1:205; VP 2:303.

Literature cited for Caryophyllaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Barneby, R.C., and E.C. Twisselmann. 1970. Notes on *Loeflingia* (Caryophyllaceae). Madroño 20:398-407.

Chambers, H. 2000C. Oregon sandworts. Oregon Flora Newsletter 6(2):9.

Chambers, H. 2000D. Key to the Oregon Species of *Arenaria*. Oregon Flora Newsletter 6(2):11.

Chambers, K.L., and S.C. Meyers. 2011. Nomenclatural changes for some taxa in the Oregon flora. Journal of the Botanical Research Institute of Texas 5(2):619-623.

Chinnappa, C.C., and J.K. Morton. 1991. Studies on the *Stellaria longipes* complex (Caryophyllaceae). Rhodora 93:129-135.

Hickman, J.C. 1971. *Arenaria*, section *Eremogone*, (Caryophyllaceae in the Pacific Northwest: a key and discussion. Madroño 21:201-207.

Hitchcock, C.L., and B. Maguire. 1947. A revision of the North American species of *Silene*. University of Washington Publications in Biology 13:1-73.

Iamonico, D. 2016. A new name in *Sagina*, *Sagina alexandrae* (Caryophyllaceae). Phytotaxa 282(2):164.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kephart, S.B., and K.B. Sturgeon. 1992. A new varietal designation within *Silene douglasii* (Caryophyllaceae). Madroño 40:90-100.

McNeill, J. 1980. The delimitation of *Arenaria* (Caryophyllaceae) and related genera in North America with 11 new combinations in *Minuartia*. Rhodora 82:495-502.

Morton, J.K., and R.K. Rabeler. 1989. Biosystematic studies on the *Stellaria calycantha* (Caryophyllaceae) complex. Canadian Journal of Botany 67:121-127.

Nelson, J.C. 1918B. Some Oregon exotics. American Botanist 24:126-129.

Nelson, J.C. 1920. Additions to the flora of western Oregon during 1919. Torreya 20(3):37-45.

Rabeler, R.K., and K.N. Gandhi. 2021. A new combination in North American *Silene* (Caryophyllaceae). Journal of the Botanical Research Institute of Texas 15(1):57-58.

Tiehm, A. 1985. A new species and a new combination in western North American *Silene*. Brittonia 37:344-346.

Wolf, S.J., J.G. Packer, and K.E. Denford. 1979. The taxonomy of *Minuartia rossii* (Caryophyllaceae). Canadian Journal of Botany 57:1673-1686.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest