Checklist of Oregon Cyperaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Amphiscirpus

Checklist contributor: Peter Zika, 3/7/2006
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Amphiscirpus nevadensis (S. Watson) Oteng-Yeb.

Common names: Nevada clubrush
Origin: native
Voucher: OSC, most recently collected in 2015
FN 23:28; FOO 1:168; FPN2 721; JPM2 1306.

Synonyms:

***Scirpus nevadensis* S. Watson**
FN 23:028 synonym for *Amphiscirpus nevadensis*; FPN 601; IL 1:273; IN 6:76; JPM 1148; PEK 148; VP 1:381.

Bolboschoenus

Checklist contributor: Peter Zika, 3/6/2006
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Bolboschoenus fluviatilis (Torr.) Soják

Common names: river bulrush
Origin: native
Voucher: OSC, most recently collected in 2003
FN 23:42; FOO 1:170; FPN2 721; JPM2 1306.

Synonyms:

***Scirpus fluviatilis* (Torr.) A. Gray**
FN 23:042 synonym for *Bolboschoenus fluviatilis*; FPN 602; IL 1:275; IN 6:71; JPM 1147; PEK 149; VP 1:377.

Bolboschoenus glaucus (Lam.) S.G. Sm.

Common names: tuberous bulrush
Origin: exotic, not naturalized
Voucher: F, most recently collected in 1923
FN 23:43; FOO 1:170; JPM2 1308; KZ 2002 excluded.

Misapplied names:

***Scirpus tuberosus* Desf.**
JPM 1148.

Bolboschoenus maritimus (L.) Palla ssp. ***paludosus*** (A. Nelson) T. Koyama

Common names: seacoast bulrush
Origin: native and exotic
Voucher: OSC, most recently collected in 2023
FN 23:41; FOO 1:171; FPN2 721; JPM2 1308.

Synonyms:

***Scirpus maritimus* L.**
FN 23:041 synonym for *Bolboschoenus maritimus*; FPN 602; IN 6:72; JPM 1147; VP 1:379.

***Scirpus maritimus* L. var. *paludosus* (A. Nelson) Kük.**
FN 23:041 synonym for *Bolboschoenus maritimus* ssp. *paludosus*; FPN 602; VP 1:379.

***Scirpus pacificus* Britton**
FN 23:041 synonym for *Bolboschoenus maritimus* ssp. *paludosus*; IL 1:275; PEK 148.

***Scirpus paludosus* A. Nelson**
FN 23:041 synonym for *Bolboschoenus maritimus* ssp. *paludosus*; FPN 602 synonym for *Scirpus maritimus*; IL 1:275; PEK 149.

Bulbostylis

Checklist contributor: Peter Zika, 10/1/1996
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Bulbostylis capillaris (L.) Kunth ex C.B. Clarke

Common names: densetuft hairsedge
Origin: native Voucher: OSC, most recently collected in 1900
FN 23:136; FOO 1:171; FPN2 722; JPM 1107; JPM2 1308; PEK 145.

Synonyms:
***Stenophyllus capillaris* (L.) Britton**
IL 1:267.

Calliscirpus

Checklist contributor:
Flora of Oregon author: Barbara Wilson

Calliscirpus criniger (A. Gray) C.N. Gilmour, J.R. Starr & Naczi

Common names: fringed cottongrass
Origin: native Voucher: OSC, most recently collected in 2009
FOO 1:171; Gilmour et al., 2013 .

Synonyms:
***Eriophorum cringerum* (A. Gray) Beetle**
FN 23:027; KZ 2:304; PEK 145.
***Eriophorum criniger* (A. Gray) Beetle**
JPM 1143; PEK 145.
***Eriophorum crinigerum* (A. Gray) Beetle**
FN 23:27; JPM2 1346.
***Scirpus criniger* A. Gray**
FN 23:027 synonym for *Eriophorum criniger*; Gray, 1876 ; IL 1:277; PEK 146 synonym for *Eriophorum criniger*.

Carex

Checklist contributor: Peter Zika, Barbara Wilson, 3/18/2009
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Carex abrupta Mack.

Common names: abrupt-beaked sedge
Origin: native Voucher: OSC, most recently collected in 2015
FN 23:349; FOO 1:187; FPN2 747; GWM 44; IL 1:309; JPM 1121; JPM2 1321; PEK 168; Wilson et al., 2008 74.

Carex agastachys L. f.

Common names: southern pendulous sedge
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019
Jiménez-Mejías et al., 2017 .

Carex amplifolia Boott

Common names: big-leaf sedge, ample-leaved sedge
Origin: native Voucher: OSC, most recently collected in 2023
FN 23:487; FOO 1:187; FPN 583; FPN2 731; IL 1:327; IN 6:128; JPM 1121; JPM2 1321; PEK 179; VP 1:237; Wilson et al., 2008 78.

Carex angustata Boott

Common names: narrow-leaved sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:389; FOO 1:188; FPN2 737; JPM 1121; JPM2 1321; Standley, 1985 ; Wilson et al., 2008 80.

Synonyms:

***Carex eurycarpa* Holm**

FN 23:389 synonym for *Carex angustata*; FPN 587; GWM 48; IL 1:338; PEK 186; VP 1:265.

***Carex oxycarpa* Holm**

FN 23:389 synonym for *Carex angustata*; FPN 587 synonym for *Carex eurycarpa*; IL 1:338.

Carex aperta Boott

Common names: Columbia sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:395; FOO 1:188; FPN 587; FPN2 738; IL 1:335; PEK 184; VP 1:237; Wilson et al., 2008 84.

Synonyms:

***Carex accedens* Holm**

FN 23:395 synonym for *Carex aperta*; FPN 588 synonym for *Carex scopulorum*; IL 1:332.

Carex aquatilis Wahlenb.

FN 23:397; FOO 1:189; FPN 588; GWM 46; IL 1:336; IN 6:142; JPM 1121; PEK 185; VP 1:239.

Carex aquatilis Wahlenb. var. ***aquatilis***

Common names: water sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:397; FOO 1:189; FPN2 738; JPM 1121; JPM2 1321; Wilson et al., 2008 86.

Synonyms:

***Carex suksdorfii* Kük.**

FN 23:397 synonym for *Carex aquatilis* var. *aquatilis*; FPN 588 synonym for *Carex aquatilis*; PEK 185.

Carex aquatilis Wahlenb. var. ***dives*** (Holm) Kük.

Common names: Sitka sedge, water sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:398; FOO 1:189; FPN 588 synonym for *Carex sitchensis*; FPN2 737; JPM 1121; JPM2 1321; Standley, 1985 ; Wilson et al., 2008 88.

Synonyms:

***Carex sitchensis* J.D. Prescott ex Bong.**

FN 23:398 synonym for *Carex aquatilis* var. *dives*; FPN 588; IL 1:336; PEK 185; VP 1:331.

Carex aquatilis Wahlenb. var. ***dives*** (Holm) Kük. × ***Carex obnupta*** L.H. Bailey

Origin: native Voucher: OSC, most recently collected in 2008

FOO 1:189.

Carex arcta Boott

Common names: northern clustered sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:321; FOO 1:189; FPN 591; FPN2 741; IL 1:315; JPM 1121; JPM2 1321; PEK 165; VP 1:241; Wilson et al., 2008 90.

Carex arenaria L.

Common names: sand sedge

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 23:307; FOO 1:189; FPN 577; FPN2 736; Wilson et al., 2008 92; Wilson, 1996 .

Carex atherodes Spreng.

Common names: awned sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:499; FOO 1:190; FPN 580; FPN2 723; IL 1:341; IN 6:114; JPM 1121; JPM2 1321; PEK 187; VP 1:241; Wilson et al., 2008 94.

Carex athrostachya Olney

Common names: long-bract sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:347; FOO 1:190; FPN 592; FPN2 745; GWM 46; IL 1:302; IN 6:162; JPM 1121; JPM2 1321; PEK 172; VP 1:241; Wilson et al., 2008 96.

Carex atrosquama Mack.

Common names: brass-fruit sedge

Origin: native Voucher: OSC, most recently collected in 2007

FN 23:405; FOO 1:190; FPN 585 synonym for *Carex atrata* var. *atrosquama*; FPN2 731; IL 1:331; PEK 181; Wilson et al., 2008 98.

Synonyms:

***Carex atrata* L. var. *atrosquama* (Mack.) Cronquist**

FN 23:405 synonym for *Carex atrosquama*; FPN 585.

Carex aurea Nutt.

sensu stricto,

Common names: golden sedge, pumpkin sedge

Origin: native

FN 23:425; FOO 1:190; IL 1:322; JPM2 1322; Wilson et al., 2008 100.

Carex barbarae Dewey

Common names: whiteroot sedge

Origin: native Voucher: OSC, most recently collected in 2013

FN 23:387; FOO 1:190; IL 1:336; JPM 1122; JPM2 1322; PEK 186; Wilson et al., 2008 102.

Carex bebbii (L.H. Bailey) Olney ex Fernald

Common names: Bebb's sedge

Origin: native Voucher: OSC, most recently collected in 2002

FN 23:370; FOO 1:191; FPN 595; FPN2 746; IL 1:304; IN 6:168; PEK 171; VP 1:247; Wilson et al., 2008 104.

Carex bolanderi Olney

Common names: Bolander's sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:323; FOO 1:191; FPN 591 synonym for *Carex deweyana*; FPN2 742; IL 1:301; JPM 1122; JPM2 1322; PEK 167; Wilson et al., 2008 106.

Synonyms:

***Carex deweyana* Schwein. var. *bolanderi* (Olney) W. Boott**

FN 23:323 synonym for *Carex bolanderi*; VP 1:261.

Misapplied names:

***Carex deweyana* Schwein.**

Carex brainerdii Mack.

Common names: Brainerd's sedge

Origin: native Voucher: OSC, most recently collected in 2012

FN 23:535; FOO 1:192; IL 1:319; JPM 1122; JPM2 1322; PEK 174; Wilson et al., 2008 108.

Carex brevior (Dewey) Mack. ex Lunell

Common names: plains oval sedge

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 23:372; FOO 1:193; FPN 595; FPN2 746; Hermann, 1974 ; IL 1:304; IN 6:171; PEK 172; VP 1:248; Wilson et al., 2008 112.

Carex breweri Boott

Common names: Brewer's sedge

Origin: native Voucher: OSC, most recently collected in 2018

FN 23:571; FOO 1:193; FPN 579; FPN2 727; IL 1:289; IN 6:108; JPM2 1322; PEK 159; VP 1:249; Wilson et al., 2008 114.

Synonyms:

Carex breweri* Boott var. *breweri

FN 23:571 excluded; FPN 579; JPM 1122; VP 1:249.

Misapplied names:

***Carex engelmannii* L.H. Bailey**

FN 23:571; FPN 579 synonym for *Carex breweri* var. *paddoensis*; FPN2 727; IL 1:289; PEK 159; Wilson et al., 2008 166.

Carex buchananii Berggr.

Common names: leatherleaf sedge, New Zealand copper sedge, bronze sedge, red fox sedge

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FOO 1:193; FPN2 736; Wilson et al., 2008 400 excluded.

Carex buxbaumii Wahlenb.

Common names: brown bog sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:409; FOO 1:193; FPN 584; FPN2 733; IL 1:329; IN 6:138; JPM 1122; JPM2 1322; PEK 182; VP 1:251; Wilson et al., 2008 118.

Carex californica L.H. Bailey

Common names: California sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:429; FOO 1:194; FPN 586; FPN2 728; IL 1:323; JPM 1122; JPM2 1322; PEK 176; VP 1:251; Wilson et al., 2008 120.

Carex canescens L.

FN 23:317; FPN 591; GWM 47; IL 1:314; IN 6:158; JPM 1122; PEK 165; VP 1:253.

Carex canescens L. ssp. ***canescens***

Common names: silvery sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:318; FOO 1:194; FPN2 741; JPM2 1322; Wilson et al., 2008 122.

Carex capillaris L.

Common names: hair sedge

Origin: native Voucher: OSC, most recently collected in 2007

FN 23:476; FOO 1:194; FPN 586; FPN2 730; GWM 47; IN 6:126; PEK 178; VP 1:253; Wilson et al., 2008 124.

Carex capitata L.

Common names: capitate sedge

Origin: native Voucher: OSC, most recently collected in 2018

FN 23:569; FOO 1:194; FPN 578; FPN2 727; IL 1:290; IN 6:106; JPM 1122; JPM2 1322; PEK 159; VP 1:255; Wilson et al., 2008 126.

Carex chordorrhiza Ehrh. ex L. f.

Common names: rope-root sedge

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1999

FN 23:299; FOO 1:194; FPN2 738; Wilson et al., 2008 128; Wilson, 1996 ; Zika, 2003B .

Carex comans Berggr.

Common names: frosted curls

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2012

FPN2 722.

Carex comosa Boott

Common names: bristly sedge

Origin: native Voucher: OSC, most recently collected in 2004

FN 23:510; FOO 1:195; FPN 581; FPN2 729; IL 1:344; JPM 1122; JPM2 1322; PEK 187; VP 1:255; Wilson et al., 2008 132.

Carex concinna R. Br. ex Richardson

Common names: cute sedge

Origin: native Voucher: OSC, most recently collected in 2005

FN 23:548; FOO 1:195; FPN 581; FPN2 725; PEK 175; VP 1:255; Wilson et al., 2008 134.

Carex concinnoides Mack.

Common names: northwestern sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:548; FOO 1:196; FPN 581; FPN2 724; GWM 47; IL 1:321; JPM 1122; JPM2 1322; PEK 175; Wilson et al., 2008 136.

Carex cordillerana Saarela & B.A. Ford

Common names: cordilleran sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:562; FOO 1:196; FPN2 726; Wilson et al., 2008 140.

Misapplied names:

Carex backii **Boott**

FN 23:562; FPN 582; FPN2 726; IN 6:124; VP 1:247.

Carex saximontana **Mack.**

FN 23:562; FPN2 726; IL 1:315; PEK 173.

Carex crawfordii Fernald

Common names: Crawford's sedge

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2005

FN 23:363; FOO 1:196; FPN 593; FPN2 746; IL 1:303; VP 1:257; Wilson et al., 2008 144; Zika & Wilson, 1998 ; Zika, 2003B .

Carex cusickii Mack. ex Piper & Beattie

Common names: Cusick's sedge

Origin: native Voucher: OSC, most recently collected in 2020

FN 23:280; FOO 1:196; FPN 590; FPN2 739; IL 1:297; JPM 1124; JPM2 1324; PEK 163; VP 1:259; Wilson et al., 2008 146.

Synonyms:

Carex obovoidea **Cronquist**

FN 23:280 synonym for *Carex cusickii*; FPN 590 synonym for *Carex cusickii*; VP 1:301.

Carex davyi Mack.

Common names: Davy's sedge

Origin: native Voucher: OSC, most recently collected in 2009

FOO 1:197; FPN2 745; Galash, 2024 ; IL 1:306; JPM 1124; JPM2 1324; Wilson et al., 2008 138 excluded.

Synonyms:

Carex constanceana **Stacey**

FPN 593 synonym for *Carex petasata*; Wilson et al., 2008 138.

Carex deflexa Hornem. var. ***boottii*** L.H. Bailey

Common names: mountain mat sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:536; FOO 1:197; FPN2 725; JPM2 1324; Wilson et al., 2008 148.

Carex densa (L.H. Bailey) L.H. Bailey

Common names: dense sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:285; FOO 1:198; FPN 590; FPN2 740; IL 1:295; JPM 1124; JPM2 1324; PEK 162; Simpson, 2001A ; VP 1:261; Wilson et al., 2008 150.

Synonyms:

Carex breviligulata **Mack.**

FN 23:285 synonym for *Carex densa*; IL 1:296; PEK 162.

Carex dudleyi **Mack.**

FN 23:285 synonym for *Carex densa*; IL 1:296; JPM 1124; Mackenzie, 1922 ; Simpson, 2001A .

Carex vicaria **L.H. Bailey**

FN 23:285 synonym for *Carex densa*; IL 1:295; PEK 162.

Carex diandra Schrank

Common names: lesser panicled sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:281; FOO 1:198; FPN 590; FPN2 740; IL 1:297; IN 6:150; JPM 1124; JPM2 1324; PEK 163; VP 1:263; Wilson et al., 2008 154.

Carex disperma Dewey

Common names: two-seed sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:298; FOO 1:199; FPN 588; FPN2 739; GWM 48; IL 1:314; IN 6:156; JPM 1124; JPM2 1324; PEK 164; VP 1:263; Wilson et al., 2008 156.

Carex distans L.

Common names: distant sedge

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FOO 1:199; FPN2 730.

Carex douglasii Boott

Common names: Douglas' sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:304; FOO 1:199; FPN 589; FPN2 736; IL 1:291; IN 6:146; JPM 1124; JPM2 1324; PEK 160; VP 1:264; Wilson et al., 2008 158.

Carex duriuscula C.A. Mey.

Common names: spikerush sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:304; FOO 1:199; FPN2 736; JPM2 1324; KZ 1:231; Wilson et al., 2008 160.

Synonyms:

Carex eleocharis **L.H. Bailey**

FN 23:304 synonym for *Carex duriuscula*; FPN 589 synonym for *Carex stenophylla*; JPM 1126; PEK 160.

Carex stenophylla **Wahlenb.**

FN 23:305 excluded; FPN 589; IL 1:291; IN 6:146; PEK 160; VP 1:333.

Carex echinata Murray ssp. ***echinata***

Common names: star sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:330; FOO 1:200; FPN2 741; JPM 1124; JPM2 1324; Reznicek & Ball, 1980 ; Wilson et al., 2008 162.

Synonyms:

***Carex angustior* Mack.**

FPN 592 synonym for *Carex muricata*; IL 1:300; PEK 166.

***Carex ormantha* (Fernald) Mack.**

FPN 592 synonym for *Carex muricata*; IL 1:300; PEK 166.

Misapplied names:

***Carex muricata* L.**

FN 23:292; FPN 592; IN 6:160; VP 1:293.

Carex echinata Murray ssp. ***phyllomanica*** (W. Boott) Reznicek

Common names: coastal star sedge

Origin: native Voucher: OSC, most recently collected in 2010

FN 23:331; FOO 1:200; FPN2 741; JPM 1126; JPM2 1324; Reznicek & Ball, 1980 ; Wilson et al., 2008 164.

Synonyms:

***Carex phyllomanica* W. Boott**

FN 23:331 synonym for *Carex echinata* ssp. *phyllomanica*; FPN 592; IL 1:300; PEK 166; VP 1:311.

Carex exsiccata L.H. Bailey

Common names: western inflated sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:506; FOO 1:200; FPN 581 synonym for *Carex vesicaria* var. *major*; FPN2 732; IL 1:342; JPM2 1325; PEK 188; Wilson et al., 2008 168.

Synonyms:

***Carex vesicaria* L. var. *major* Boott**

FN 23:506 synonym for *Carex exsiccata*; FPN 581; JPM 1138.

Misapplied names:

***Carex vesicaria* L.**

Carex feta L.H. Bailey

Common names: green-sheath sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:360; FOO 1:200; FPN 592; FPN2 743; IL 1:302; JPM 1126; JPM2 1325; PEK 172; VP 1:265; Wilson et al., 2008 170.

Carex filifolia Nutt.

FN 23:567; FPN 579; GWM 48; IL 1:317; IN 6:108; JPM 1126; PEK 173; VP 1:267.

Carex filifolia Nutt. var. ***filifolia***

Common names: threadleaf sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:567; FOO 1:201; FPN2 724; JPM 1126; JPM2 1325; Wilson et al., 2008 172.

Synonyms:

***Carex exserta* Mack.**

FN 23:568 synonym for *Carex filifolia* var. *erostrata*; IL 1:316; IN 6:108; PEK 173.

Misapplied names:

***Carex filifolia* Nutt. var. *erostrata* Kük.**

FN 23:568; JPM 1126; JPM2 1325.

Carex fracta Mack.

Common names: fragile-sheath sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:361; FOO 1:201; FPN 592; FPN2 743; IL 1:303; JPM 1126; JPM2 1325; PEK 169; VP 1:270; Wilson et al., 2008 176.

Carex geyeri Boott

Common names: elk sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:564; FOO 1:202; FPN 578; FPN2 726; GWM 49; IL 1:316; IN 6:104; JPM 1126; JPM2 1325; PEK 176; VP 1:270; Wilson et al., 2008 178.

Carex gynocrates Wormsk. ex Drejer

Common names: northern bog sedge

Origin: native Voucher: OSC, most recently collected in 2005

FN 23:300; FOO 1:202; FPN 580 synonym for *Carex dioica*; FPN2 726; KZ 1:232; PEK 165; Wilson et al., 2008 180.

Synonyms:

***Carex dioica* L.**

FN 23:300 ambiguous synonym; FPN 580; IN 6:113; VP 1:263.

***Carex dioica* L. var. *gynocrates* (Wormsk. ex Drejer) Ostenf.**

FN 23:300 synonym for *Carex gynocrates*; FPN 580; GWM 47.

Carex gynodynama Olney

Common names: Olney's hairy sedge, wonderwoman sedge

Origin: native Voucher: OSC, most recently collected in 2012

FN 23:472; FOO 1:203; FPN2 723; IL 1:324; JPM 1127; JPM2 1325; PEK 177; Wilson et al., 2008 182.

Carex halliana L.H. Bailey

Common names: Hall's sedge, Oregon sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:495; FOO 1:203; FPN 582; FPN2 725; JPM 1127; JPM2 1325; PEK 179; VP 1:272; Wilson et al., 2008 184.

Synonyms:

***Carex oregonensis* Olney**

FN 23:495 synonym for *Carex halliana*; FPN 582 synonym for *Carex halliana*; IL 1:340; PEK 179.

Carex harfordii Mack.

Common names: Monterey sedge, Harford's sedge

Origin: native Voucher: OSC, most recently collected in 2000

FOO 1:203; IL 1:311; JPM 1127; JPM2 1326; Wilson et al., 2008 186; Zika, 2003C .

Carex hassei L.H. Bailey

Common names: false golden sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:425; FOO 1:203; FPN 586 synonym for *Carex aurea*; FPN2 736; IL 1:322; IN 6:122 synonym for *Carex aurea*; JPM 1127; JPM2 1326; PEK 176 synonym for *Carex aurea*; VP 1:245 synonym for *Carex aurea*; Wilson et al., 2008 188.

Synonyms:

***Carex aurea* Nutt.**

in part

Misapplied names:

***Carex garberi* Fernald**

FN 23:426; FPN 586 synonym for *Carex aurea*; FPN2 736 synonym for *Carex hassei*; JPM 1126.

Carex haydeniana Olney

Common names: cloud sedge

Origin: native Voucher: OSC, most recently collected in 2005

FN 23:352; FOO 1:204; FPN 594; FPN2 745; GWM 49; IN 6:166; JPM 1127; JPM2 1326; VP 1:272; Whitkus & Packer, 1984 ; Wilson et al., 2008 190.

Synonyms:

***Carex nubicola* Mack.**

FN 23:352 synonym for *Carex haydeniana*; IL 1:309.

Misapplied names:

***Carex haydenii* Dewey**

FN 23:395; PEK 167.

Carex hendersonii L.H. Bailey

Common names: timber sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:434; FOO 1:204; FPN 585; FPN2 729; IL 1:323; JPM 1127; JPM2 1326; PEK 177; VP 1:275; Wiegand, 1922 ; Wilson et al., 2008 192.

Carex heteroneura W. Boott

Common names: different-nerved sedge, smooth-fruit sedge, blackened sedge

Origin: native Voucher: OSC, most recently collected in 2007

FN 23:411; FOO 1:204; FPN 585 synonym for *Carex atrata* var. *erecta*; FPN2 730; IL 1:330; JPM 1127; JPM2 1326.

Synonyms:

***Carex atrata* L.**

FN 23:404; FPN 585; IN 6:136; VP 1:243.

***Carex atrata* L. var. *erecta* W. Boott**

FN 23:411 synonym for *Carex heteroneura*; FPN 585.

***Carex epapillosa* Mack.**

FN 23:411; FPN 585 synonym for *Carex atrata* var. *erecta*; FPN2 730 synonym for *Carex heteroneura*; IL 1:330; PEK 181.

***Carex heteroneura* W. Boott var. *epapillosa* (Mack.) F.J. Herm.**

FN 23:411 synonym for *Carex epapillosa*; JPM 1127; Wilson et al., 2008 194.

Carex hirsutella Mack.

Common names: hairy-leaved sedge, fuzzy wuzzy sedge

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2014

FN 23:484; FOO 1:204; FPN2 723.

Synonyms:

***Carex complanata* Torr. & Hook. var. *hirsuta* (L.H. Bailey) Gleason**

***Carex hirsuta* Willd.**

Carex hirta L.

Common names: hairy sedge

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2010

FN 23:501; FOO 1:205; FPN2 724; Reznicek, 1993 ; Wilson et al., 2008 401 excluded.

Carex hoodii Boott

Common names: Hood's sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:291; FOO 1:205; FPN 590; FPN2 739; GWM 49; IL 1:293; IN 6:150; JPM 1127; JPM2 1326; PEK 161; VP 1:275; Wilson et al., 2008 198.

Carex hystericina Muhl. ex Willd.

Common names: porcupine sedge, bottlebrush sedge

Origin: native Voucher: OSC, most recently collected in 2021

Boivin, 1979 ; FN 23:509; FOO 1:206; FPN2 731; IN 6:118; JPM2 1326; PEK 187; VP 1:275; Voss, 1972 ; Wilson et al., 2008 200.

Synonyms:

***Carex hystricina* Muhl. ex Willd.**

FPN 581; IL 1:343; JPM 1127; PEK 187.

Carex idahoa L.H. Bailey

Common names: Idaho sedge

Origin: native Voucher: OSC, most recently collected in 2010

FN 23:409; FOO 1:206; FPN 584 synonym for *Carex pelocarpa*; FPN2 726; JPM2 1326; KZ 1:233; Wilson et al., 2008 202.

Synonyms:

***Carex parryana* Dewey ssp. *idahoa* (L.H. Bailey) D.F. Murray**

FN 23:409 synonym for *Carex idahoa*; IN 6:130 synonym for *Carex parryana*.

Carex illota L.H. Bailey

Common names: sheep sedge, small-headed sedge

Origin: native Voucher: OSC, most recently collected in 2017

FN 23:346; FOO 1:206; FPN 591; FPN2 740; GWM 49; IL 1:299; IN 6:160; JPM 1127; JPM2 1326; PEK 168; VP 1:276; Wilson et al., 2008 204.

Carex infirminervia Naczi

Common names: weak-veined sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:324; FOO 1:206; FPN2 742; JPM2 1328; Wilson et al., 2008 206.

Misapplied names:

***Carex deweyana* Schwein.**

Carex inops L.H. Bailey

Common names: long-rhizome sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:543; FPN 582 synonym for *Carex pensylvanica* var. *vespertina*; IL 1:319; PEK 173.

Synonyms:

Carex inops* L.H. Bailey ssp. *inops

FN 23:544; FOO 1:206; FPN2 726; JPM 1128; JPM2 1328; Wilson et al., 2008 208.

Carex integra Mack.

Common names: smooth-beak sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:346; FOO 1:207; FPN 593; FPN2 744; IL 1:310; JPM 1128; JPM2 1328; PEK 168; VP 1:276; Wilson et al., 2008 210.

Carex interior L.H. Bailey

Common names: inland sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:328; FOO 1:207; FPN 591; FPN2 741; IL 1:299; IN 6:160; JPM 1128; JPM2 1328; PEK 166; VP 1:276; Wilson et al., 2008 212.

Carex interrupta Boeckeler

Common names: greenfruit sedge

Origin: native Voucher: OSC, most recently collected in 2020

FN 23:396; FOO 1:208; FPN 588; FPN2 738; IL 1:335; PEK 184; VP 1:277; Wilson et al., 2008 214.

Carex jonesii L.H. Bailey

Common names: Jones' sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:277; FOO 1:208; FPN 590; FPN2 739; GWM 50; IL 1:297; IN 6:154; JPM 1128; JPM2 1328; PEK 163; VP 1:277; Wilson et al., 2008 216.

Carex kelloggii W. Boott

FN 23:393 synonym for *Carex lenticularis* var. *lipocarpa*; FOO 1:208; FPN 587 synonym for *Carex lenticularis* var. *lenticularis*; GWM 50; IL 1:335; PEK 183.

Synonyms:

***Carex lenticularis* Michx.**

FN 23:391; FPN 587; IN 6:138; JPM 1128; VP 1:279.

Carex kelloggii W. Boott var. ***impressa*** (L.H. Bailey) B.L. Wilson & Otting

Common names: mountain shore sedge

Origin: native Voucher: OSC, most recently collected in 2022

FOO 1:208; FPN2 737.

Synonyms:

***Carex lenticularis* Michx. var. *impressa* (L.H. Bailey) L.A. Standl.**

FN 23:392; JPM 1128; JPM2 1328; Standley, 1985 ; Wilson et al., 2008 228.

***Carex paucicostata* Mack.**

FN 23:392 synonym for *Carex lenticularis* var. *impressa*; IL 1:334; PEK 185.

Carex kelloggii W. Boott var. ***kelloggii***

Common names: Kellogg's sedge, lakeshore sedge

Origin: native Voucher: OSC, most recently collected in 2021

FOO 1:209; FPN2 737.

Synonyms:

***Carex lenticularis* Michx. var. *lipocarpa* (T. Holm) L.A. Standl.**

FN 23:393; JPM 1128; JPM2 1328; Standley, 1985 ; Wilson et al., 2008 230.

Misapplied names:

Carex lenticularis* Michx. var. *lenticularis

FN 23:392; FPN 587.

Carex kelloggii W. Boott var. ***limnophila*** (Holm) B.L. Wilson & R.E. Brainerd

Common names: coastal shore sedge

Origin: native Voucher: OSC, most recently collected in 2013

FOO 1:209; FPN2 737.

Synonyms:

***Carex hindsii* C.B. Clarke**

FN 23:392 synonym for *Carex lenticularis* var. *limnophila*; FPN 587 synonym for *Carex lenticularis* var. *limnophila*; IL 1:334; PEK 184.

***Carex lenticularis* Michx. var. *limnophila* (Holm) Cronquist**

FN 23:392; FPN 587; JPM 1128; JPM2 1328; Standley, 1985 ; Wilson et al., 2008 228.

Carex klamathensis B.L. Wilson & Janeway

Common names: Klamath sedge

Origin: native Voucher: OSC, most recently collected in 2015

FOO 1:209; JPM2 1328; Wilson et al., 2007 ; Wilson et al., 2008 218.

Synonyms:

***Carex livida* (Wahlenb.) Willd.**

in part

Carex kobomugi Ohwi

Common names: Japanese sedge

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015

FN 23:308; FOO 1:209; FPN2 732; Wilson et al., 2008 220.

Carex laeviculmis Meinsh.

Common names: smoothstem sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:322; FOO 1:209; FPN 591; FPN2 741; GWM 50; IL 1:299; JPM 1128; JPM2 1328; PEK 165; VP 1:277; Wilson et al., 2008 222.

Carex lasiocarpa Ehrh.

Common names: slender woolly sedge, woollyfruit sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:497; FOO 1:210; FPN 582; FPN2 724; IL 1:340; JPM 1128; JPM2 1328; PEK 179; VP 1:279; Wilson et al., 2008 224.

Synonyms:

***Carex lasiocarpa* Ehrh. var. *americana* Fernald**

FPN 582.

Carex leporina L.

Common names: oval broom sedge, eggbract sedge, hare sedge, oval sedge

Origin: native Voucher: OSC, most recently collected in 2018

FN 23:353 excluded; FOO 1:210; FPN 594; FPN2 744; Hipp et al., 2007 ; JPM2 1330; VP 1:283; Wilson et al., 2008 232.

Synonyms:

***Carex ovalis* Gooden.**

FN 23:353; JPM 1131.

***Carex tracyi* Mack.**

FN 23:353 synonym for *Carex ovalis*; FPN 594 synonym for *Carex leporina*; IL 1:307; PEK 170.

Carex leporinella Mack.

Common names: bog hare sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:356; FOO 1:211; FPN 594; FPN2 744; GWM 51; IL 1:308; IN 6:174; JPM 1130; JPM2 1330; PEK 170; VP 1:283; Wilson et al., 2008 234.

Carex leptalea Wahlenb.

Common names: delicate sedge, bristlystalked sedge, bristle-stalked sedge, jelly bean sedge

Origin: native Voucher: OSC, most recently collected in 2022

Calder & Taylor, 1965 ; Calder & Taylor, 1968 ; FN 23:565; FOO 1:211; FPN 580; FPN2 726; Gleason & Cronquist, 1991 ; IL 1:315; IN 6:112; JPM 1130; JPM2 1330; PEK 173; VP 1:283; Wilson et al., 2008 236.

Carex leptopoda Mack.

Common names: slender-foot sedge, short-scaled sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:323; FOO 1:211; FPN 591 synonym for *Carex deweyana*; FPN2 742; IL 1:301; JPM2 1330; PEK 167; Wilson et al., 2008 238.

Synonyms:

***Carex deweyana* Schwein. ssp. *leptopoda* (Mack.) Calder & Roy L. Taylor**

FN 23:323 synonym for *Carex leptopoda*; IN 6:258 synonym for *Carex deweyana*; JPM 1124; VP 1:261 synonym for *Carex deweyana*.

Misapplied names:

***Carex deweyana* Schwein.**

Carex limosa L.

Common names: mud sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:417; FOO 1:211; FPN 583; FPN2 734; IL 1:327; IN 6:138; JPM 1130; JPM2 1330; PEK 179; VP 1:285; Wilson et al., 2008 240.

Carex livida (Wahlenb.) Willd.

Common names: pale sedge, livid sedge

Origin: native

FOO 1:212; FPN 586; JPM2 1330; Wilson et al., 2008 242.

Carex longii Mack.

Common names: green-and-white sedge

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1999

FN 23:368; FOO 1:212; FPN2 743; JPM2 1330; Wilson et al., 2008 244.

Carex luzulina Olney

Common names: woodrush sedge, spring sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:481; FOO 1:213; FPN 582; FPN2 724; GWM 51; IL 1:325; IN 6:125; JPM 1130; JPM2 1330; PEK 178; VP 1:287; Wilson et al., 2008 246.

Synonyms:

***Carex ablata* L.H. Bailey**

FN 23:481 synonym for *Carex luzulina* var. *ablata*; FPN 582 synonym for *Carex luzulina*; IL 1:326; PEK 178.

***Carex luzulina* Olney var. *ablata* (L.H. Bailey) F.J. Herm.**

FN 23:481; JPM 1130.

Carex luzulina* Olney var. *luzulina

FN 23:481; JPM 1130.

Carex lyngbyei Hornem.

Common names: Lyngbye's sedge

Origin: native Voucher: OSC, most recently collected in 2013

FN 23:383; FOO 1:213; FPN 587; FPN2 737; IL 1:339; JPM 1130; JPM2 1330; PEK 186; Standley, 1985 ; VP 1:287; Wilson et al., 2008 248.

Synonyms:

***Carex lyngbyei* Hornem. var. *robusta* (L.H. Bailey) Cronquist**

FN 23:383 synonym for *Carex lyngbyei*; FPN 587.

Carex macrocephala Willd. ex Spreng.

Common names: big-head sedge, largehead sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:308; FOO 1:213; FPN 582; FPN2 732; IL 1:293; PEK 164; VP 1:287; Wilson et al., 2008 250.

Carex macrochaeta C.A. Mey.

Common names: long-awn sedge, large-awn sedge

Origin: native Voucher: OSC, most recently collected in 2015

FN 23:419; FOO 1:213; FPN 583; FPN2 728; IL 1:328; PEK 180; VP 1:289; Wilson et al., 2008 252.

Carex media R. Br. ex Richardson

Common names: Scandinavian sedge

Origin: native Voucher: OSC, most recently collected in 2005

FN 23:406; FOO 1:214; FPN2 735; Wilson et al., 2008 256.

Synonyms:

***Carex vahlii* Schkuhr**

FN 23:405 synonym for *Carex norvegica*; PEK 180.

Misapplied names:

***Carex norvegica* Retz.**

FN 23:405; FPN 584; FPN2 735 synonym for *Carex media*; GWM 52; IN 6:132; JPM 1131; VP 1:299.

Carex mendocinensis Olney ex W. Boott

Common names: Mendocino sedge

Origin: native Voucher: OSC, most recently collected in 2012

FN 23:471; FOO 1:214; FPN2 723; IL 1:325; JPM 1130; JPM2 1332; Wilson et al., 2008 258.

Synonyms:

***Carex debiliformis* Mack.**

FN 23:471 synonym for *Carex mendocinensis*; PEK 177.

Carex mertensii J.D. Prescott ex Bong.

Common names: Mertens' sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:407; FOO 1:215; FPN 585; FPN2 730; IL 1:332; JPM 1130; JPM2 1332; PEK 182; VP 1:289; Wilson et al., 2008 260.

Carex micropoda C.A. Mey.

Common names: timberline sedge

Origin: native Voucher: OSC, most recently collected in 1999

FN 23:529; FOO 1:215; FPN2 727; Wilson et al., 2008 262.

Synonyms:

***Carex pyrenaica* Wahlenb.**

FN 23:530 synonym for *Carex micropoda*; FPN 579; FPN2 727 synonym for *Carex micropoda*; GWM 53; IL 1:289; IN 6:110; PEK 159; VP 1:319.

Carex microptera Mack.

Common names: small-wing sedge

Origin: native Voucher: OSC, most recently collected in 2023

Dorn, 1988 ; FN 23:351; FOO 1:215; FPN 594; FPN2 747; GWM 51; IL 1:308; IN 6:164; JPM 1130; JPM2 1332; PEK 167; VP 1:291; Wilson et al., 2008 264; Wilson, 1997 .

Synonyms:

***Carex festivella* Mack.**

FN 23:351 synonym for *Carex microptera*; FPN 594 synonym for *Carex microptera*; GWM 48; IL 1:308; PEK 167.

***Carex limnophila* F.J. Herm.**

FPN 593; GWM 51; IN 6:162; VP 1:283.

Carex multicaulis L.H. Bailey

Common names: many-stemmed sedge, stick sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:565; FOO 1:215; FPN2 726; IL 1:316; IN 6:106; JPM 1131; JPM2 1332; PEK 175; Simpson, 2001A ; Wilson et al., 2008 266.

Carex nardina Fr.

Common names: spikenard sedge, spike sedge

Origin: native Voucher: OSC, most recently collected in 2025

FN 23:569; FOO 1:215; FPN 578; FPN2 728; IN 6:106; VP 1:295; Wilson et al., 2008 270.

Synonyms:

***Carex hepburnii* Boott**

FN 23:569 synonym for *Carex nardina*; FPN 578 synonym for *Carex nardina*; IL 1:288.

***Carex nardina* Fr. var. *hepburnii* (Boott) Kük.**

FN 23:569 synonym for *Carex nardina*; GWM 52; KZ 1:235.

Carex nebrascensis Dewey

Common names: Nebraska sedge

Origin: native Voucher: OSC, most recently collected in 2020

FN 23:388; FOO 1:216; FPN 587; FPN2 738; IN 6:142; JPM 1131; JPM2 1332; Simpson, 2003 ; VP 1:295; Wilson et al., 2008 272.

Synonyms:

***Carex nebraskensis* Dewey**

IL 1:334; PEK 184.

Carex nervina L.H. Bailey

Common names: Sierra sedge

Origin: native Voucher: OSC, most recently collected in 2010

FN 23:277; FOO 1:216; IL 1:298; JPM 1131; JPM2 1332; PEK 163; Wilson et al., 2008 274.

Carex neurophora Mack.

Common names: veined sedge, alpine nerved sedge

Origin: native Voucher: OSC, most recently collected in 2018

FN 23:278; FOO 1:216; FPN 590; FPN2 739; GWM 52; IL 1:298; IN 6:155; JPM 1131; JPM2 1332; PEK 163; VP 1:297; Wilson et al., 2008 276.

Carex nigricans C.A. Mey.

Common names: black alpine sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:530; FOO 1:216; FPN 579; FPN2 727; GWM 52; IL 1:290; IN 6:110; JPM 1131; JPM2 1332; PEK 160; VP 1:297; Wilson et al., 2008 278.

Carex nudata W. Boott

Common names: torrent sedge, naked sedge

Origin: native Voucher: OSC, most recently collected in 2020

FN 23:389; FOO 1:217; FPN 587; FPN2 737; IL 1:337; JPM 1131; JPM2 1332; PEK 186; Tipton, 1996B ; VP 1:300; Wilson et al., 2008 280.

Synonyms:

***Carex suborbiculata* Mack.**

FN 23:389 synonym for *Carex nudata*; FPN 587 synonym for *Carex nudata*; IL 1:338; PEK 186.

Carex obnupta L.H. Bailey

Common names: slough sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:388; FOO 1:217; FPN 587; FPN2 737; IL 1:339; JPM 1131; JPM2 1333; PEK 187; VP 1:301; Wilson et al., 2008 282.

Carex pachycarpa Mack.

Common names: many-rib sedge

Origin: native Voucher: OSC, most recently collected in 2020

FOO 1:218; FPN2 743; IL 1:312; JPM2 1333.

Misapplied names:

***Carex multicostata* Mack.**

FN 23:377; FPN 593; FPN2 743 synonym for *Carex pachycarpa*; GWM 51; IL 1:305; IN 6:172; JPM 1131; JPM2 1332; PEK 169; VP 1:293; Wilson et al., 2008 268.

Carex pachystachya Cham. ex Steud.

Common names: thick-headed sedge, Chamisso sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:349; FOO 1:218; FPN 594; FPN2 748; IL 1:311; IN 6:164; JPM 1131; JPM2 1333; PEK 169; VP 1:305; Wilson et al., 2008 286; Wilson, 1997 .

Misapplied names:

***Carex macloviana* d'Urv.**

FN 23:352; FPN2 747.

Carex pansa L.H. Bailey

Common names: sanddune sedge

Origin: native Voucher: OSC, most recently collected in 2018

FN 23:305; FOO 1:218; FPN 589; FPN2 736; IL 1:292; JPM 1132; JPM2 1333; PEK 161; VP 1:305; Wilson et al., 2008 290.

Carex paysonis Clokey

Common names: Payson's sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:415; FOO 1:218; FPN 584; FPN2 734; GWM 53; IN 6:132; VP 1:309; Wilson et al., 2008 294.

Misapplied names:

***Carex podocarpa* R. Br.**

FN 23:416; FPN 584 synonym for *Carex paysonis*; FPN2 734; PEK 181; VP 1:309.

Carex pellita Muhl. ex Willd.

Common names: woolly sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:497; FOO 1:219; FPN2 724; JPM2 1333; Wilson et al., 2008 296.

Misapplied names:

***Carex lanuginosa* Michx.**

FN 23:497 synonym for *Carex lasiocarpa*; FPN 582; GWM 50; IL 1:340; IN 6:128; PEK 179; VP 1:279.

Carex pelocarpa F.J. Herm.

Common names: duskyseed sedge

Origin: native Voucher: OSC, most recently collected in 2005

FN 23:412; FOO 1:219; FPN 585 synonym for *Carex nova*; FPN2 734; KZ 1:144; Wilson et al., 2008 298.

Misapplied names:

***Carex nova* L.H. Bailey**

FN 23:412; FPN 585; FPN2 734 synonym for *Carex pelocarpa*; IN 6:134; PEK 182; VP 1:299.

Carex pendula Huds.

Common names: pendulous sedge

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 23:421; FOO 1:220; FPN2 731; JPM2 1333; Wilson et al., 2008 300.

Carex petasata Dewey

Common names: Liddon's sedge

Origin: native Voucher: OSC, most recently collected in 2013

FN 23:359; FOO 1:220; FPN 593; FPN2 744; IL 1:305; IN 6:166; JPM 1132; JPM2 1333; PEK 171; VP 1:310; Wilson et al., 2008 302.

Carex phaeocephala Piper

Common names: dunhead sedge, alpine hare sedge

Origin: native Voucher: OSC, most recently collected in 2016

FN 23:355; FOO 1:221; FPN 592; FPN2 744; GWM 53; IL 1:307; IN 6:168; JPM 1132; JPM2 1333; PEK 170; VP 1:311; Wilson et al., 2008 304.

Synonyms:

***Carex eastwoodiana* Stacey**

FN 23:355 synonym for *Carex tahoensis*; FPN 592 synonym for *Carex phaeocephala*; PEK 170.

Carex pluriflora Hultén

Common names: black bog sedge, many-flower sedge

Origin: native Voucher: OSC, most recently collected in 1989

Christy, 1991 ; FN 23:418; FOO 1:221; FPN 583; FPN2 734; VP 1:311; Wilson et al., 2008 306.

Carex praeceptorum Mack.

Common names: teacher's sedge, early sedge

Origin: native Voucher: OSC, most recently collected in 2020

FN 23:319; FOO 1:221; FPN2 742; IN 6:158; JPM 1132; JPM2 1333; PEK 165; VP 1:313; Wilson et al., 2008 308.

Carex praegracilis W. Boott

Common names: black creeper sedge, clustered field sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:305; FOO 1:221; FPN 589; FPN2 736; IL 1:292; IN 6:146; JPM 1132; JPM2 1334; PEK 161; VP 1:313; Wilson et al., 2008 310.

Carex praticola Rydb.

Common names: meadow sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:354; FOO 1:221; FPN 594; FPN2 744; IL 1:306; IN 6:168; JPM 1132; JPM2 1334; PEK 170; VP 1:315; Wilson et al., 2008 312.

Synonyms:

Carex piperi **Mack. ex Piper & Beattie**

FN 23:354 synonym for *Carex praticola*; IL 1:307; PEK 171.

Carex preslii Steud.

Common names: Presl's sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:350; FOO 1:222; FPN 594 synonym for *Carex pachystachya*; FPN2 747; GWM 53; IL 1:312; JPM 1132; JPM2 1334; PEK 169; Wilson et al., 2008 314.

Carex pumila Thunb.

Common names: Asian sand sedge

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1916

FN 23:495; FPN2 722; Reznicek, 1993 .

Carex raynoldsii Dewey

Common names: Raynolds' sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:412; FOO 1:223; FPN 584; FPN2 730; GWM 54; IL 1:329; IN 6:132; JPM 1132; JPM2 1334; PEK 180; VP 1:319; Wilson et al., 2008 320.

Carex retrorsa Schwein.

Common names: retrorse sedge, knotsheath sedge

Origin: native Voucher: OSC, most recently collected in 2016

FN 23:508; FOO 1:223; FPN 581; FPN2 732; IL 1:343; IN 6:120; PEK 188; VP 1:319; Wilson et al., 2008 322.

Carex rossii Boott

Common names: Ross' sedge

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:536; FOO 1:223; FPN 582; FPN2 725; IL 1:320; IN 6:120; JPM 1134; JPM2 1334; PEK 174; VP 1:321; Wilson et al., 2008 324; Wilson, 1997 .

Synonyms:

Carex brevipes **W. Boott**

FN 23:536 synonym for *Carex deflexa* var. *boottii*; FPN 582 synonym for *Carex rossii*; IL 1:320; PEK 174.

Carex saxatilis L.

Common names: russet sedge, rock sedge

Origin: native Voucher: OSC, most recently collected in 1995

FN 23:503; FOO 1:223; FPN 581; FPN2 738; IN 6:118; VP 1:325; Wilson et al., 2008 328.

Synonyms:

Carex saxatilis **L. var.** ***major*** **Olney**

FPN 581; Zika & Alverson, 1993 .

Carex scabriuscula Mack.

Common names: Siskiyou sedge

Origin: native Voucher: OSC, most recently collected in 2007

FN 23:552; FOO 1:224; IL 1:317; JPM2 1334; PEK 175; Wilson et al., 2008 330.

Synonyms:

***Carex gigas* (Holm) Mack.**

Dunlop, 1997 ; FN 23:552 synonym for *Carex scabriuscula*; IL 1:317; JPM 1126.

Carex scirpoidea Michx.

FN 23:550; FOO 1:224; FPN 580; GWM 54; IL 1:318; VP 1:325.

Carex scirpoidea Michx. ssp. ***pseudoscirpoidea*** (Rydb.) D.A. Dunlop

Common names: western singlespike sedge

Origin: native Voucher: OSC, most recently collected in 2007

Dunlop, 1997 ; FN 23:550; FOO 1:225; FPN2 723; JPM2 1336; Wilson et al., 2008 332.

Synonyms:

***Carex pseudoscirpoidea* Rydb.**

FN 23:551 synonym for *Carex scirpoidea* ssp. *pseudoscirpoidea*; FPN 580 synonym for *Carex scirpoidea* var. *pseudoscirpoidea*; GWM 53; IL 1:318; PEK 175.

***Carex scirpoidea* Michx. var. *pseudoscirpoidea* (Rydb.) Cronquist**

FN 23:551 synonym for *Carex scirpoidea* ssp. *pseudoscirpoidea*; FPN 580; IN 6:114; JPM 1134.

Carex scirpoidea Michx. ssp. ***scirpoidea***

Common names: northern singlespike sedge

Origin: native Voucher: OSC, most recently collected in 2010

FN 23:551; FOO 1:225; FPN2 723; Wilson et al., 2008 334.

Synonyms:

Carex scirpoidea* Michx. var. *scirpoidea

FPN 580.

Carex scirpoidea Michx. ssp. ***stenochlaena*** (Holm) Á. Löve & D. Löve

Common names: Alaskan singlespike sedge

Origin: native Voucher: OSC, most recently collected in 2008

FN 23:552; FOO 1:225; FPN2 723; Wilson et al., 2008 336.

Synonyms:

***Carex scirpoidea* Michx. var. *stenochlaena* T. Holm**

FN 23:552 synonym for *Carex scirpoidea* ssp. *stenochlaena*; FPN 580.

***Carex stenochlaena* (T. Holm) Mackenzie**

Hermann, 1970 ; IL 1:318.

Carex scoparia Schkuhr ex Willd.

FN 23:362; FPN 595; FPN2 743; IL 1:303; JPM 1134; PEK 171; VP 1:326.

Carex scoparia Schkuhr ex Willd. var. ***scoparia***

Common names: pointed broom sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:362; FOO 1:225; JPM2 1336; KZ 1:237; Wilson et al., 2008 338.

Carex scopulorum Holm

FN 23:399; FPN 588; GWM 55; IL 1:332; IN 6:142; PEK 182; VP 1:327.

Carex scopulorum Holm var. ***bracteosa*** (L.H. Bailey) F.J. Herm.

Common names: mountain sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:399; FOO 1:226; FPN2 738; JPM 1134; JPM2 1336; Standley, 1985 ; Wilson et al., 2008 340.

Synonyms:

Carex campylocarpa **Holm**

FN 23:399 synonym for *Carex scopulorum* var. *bracteosa*; FPN 588 synonym for *Carex scopulorum*; GWM 46; IL 1:333; PEK 183.

Carex gymnoclada **Holm**

FN 23:399 synonym for *Carex scopulorum* var. *bracteosa*; FPN 588 synonym for *Carex scopulorum*; IL 1:333; PEK 183.

Carex serpenticola Zika

Common names: serpentine sedge

Origin: native Voucher: OSC, most recently collected in 2007

FN 23:544; FOO 1:226; JPM2 1336; Wilson et al., 2008 344; Zika, 1999 .

Carex serratodens W. Boott

Common names: two-tooth sedge, saw-toothed sedge

Origin: native Voucher: OSC, most recently collected in 2006

FN 23:413; FOO 1:226; JPM 1134; JPM2 1336; PEK 182; Wilson et al., 2008 346.

Synonyms:

Carex bifida **Boott**

FN 23:413 synonym for *Carex serratodens*; IL 1:329.

Carex sheldonii Mack.

Common names: Sheldon's sedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:500; FOO 1:226; FPN 580; FPN2 724; IL 1:341; IN 6:114; JPM 1134; JPM2 1336; PEK 188; VP 1:327; Wilson et al., 2008 348.

Carex simulata Mack.

Common names: short-beaked sedge, analogue sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:305; FOO 1:227; FPN 588; FPN2 736; IL 1:292; IN 6:145; JPM 1134; JPM2 1336; PEK 160; VP 1:329; Wilson et al., 2008 352.

Carex spectabilis Dewey

Common names: showy sedge

Origin: native Voucher: OSC, most recently collected in 2010

FN 23:416; FOO 1:227; FPN 584; FPN2 734; GWM 55; IL 1:328; JPM 1134; JPM2 1336; PEK 180; VP 1:331; Wilson et al., 2008 354.

Synonyms:

Carex tolmiei **Boott**

FN 23:416 synonym for *Carex spectabilis*; FPN 584 synonym for *Carex spectabilis*; IL 1:328.

Carex stipata Muhl. ex Willd.

FPN 590; GWM 55; IL 1:298; IN 6:152; PEK 164; VP 1:333.

Carex stipata Muhl. ex Willd. var. ***stipata***

Common names: awl-fruit sedge, sawbeak sedge

Origin: native Voucher: OSC, most recently collected in 2018

FN 23:276; FOO 1:228; FPN2 740; JPM 1136; JPM2 1337; Wilson et al., 2008 356.

Carex straminiformis L.H. Bailey

Common names: Shasta sedge

Origin: native Voucher: OSC, most recently collected in 2018

FN 23:378; FOO 1:228; FPN 595; FPN2 746; IL 1:305; IN 6:172; JPM 1136; JPM2 1337; PEK 172; VP 1:335; Wilson et al., 2008 358.

Carex subbracteata Mack.

Common names: smallbract sedge, small-bracted sedge

Origin: native and exotic Voucher: OSC, most recently collected in 2009

FOO 1:229; FPN2 744; IL 1:312; JPM 1136; JPM2 1337.

Carex subfusca W. Boott

Common names: rusty sedge, pale broom sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:349; FOO 1:229; FPN 593; FPN2 745; IL 1:310; IN 6:162; JPM 1136; JPM2 1337; PEK 168; VP 1:335; Wilson et al., 2008 362.

Synonyms:

***Carex teneriformis* Mack.**

FN 23:349 synonym for *Carex subfusca*; FPN 593 synonym for *Carex subfusca*; IL 1:310; PEK 168.

Carex subnigricans Stacey

Common names: nearlyblack sedge, dark mountain sedge

Origin: native Voucher: OSC, most recently collected in 2005

FN 23:571; FOO 1:229; FPN 579; FPN2 728; GWM 55; IN 6:110; JPM 1136; JPM2 1337; PEK 159; VP 1:337; Wilson et al., 2008 364.

Carex sychnocephala J. Carey

Common names: many-headed sedge

Origin: native Voucher: OSC, most recently collected in 2015

FOO 1:229; FPN2 745; Wilson et al., 2008 366.

Carex tahoensis Smiley

Common names: Tahoe hare sedge, Tahoe sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:355; FOO 1:230; FPN2 744; JPM 1136; JPM2 1337; Wilson et al., 2008 370.

Carex tiogana D.W. Taylor & J.D. Mastrog.

Common names: Tioga Pass sedge

Origin: native Voucher: OSC, most recently collected in 2007

FN 23:476 uncertain status; FOO 1:230; Galash, 2024 ; JPM 1136; JPM2 1337.

Carex tribuloides Wahlenb. var. ***tribuloides***

Common names: tribulation sedge, blunt broom sedge

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2009

FN 23:363; FOO 1:231; FPN2 745; Wilson et al., 2008 376; Zika & Alverson, 2005 .

Carex tumulicola Mack.

Common names: foothill sedge

Origin: native Voucher: OSC, most recently collected in 2018

FN 23:291; FOO 1:231; FPN 590; FPN2 739; IL 1:294; JPM 1136; JPM2 1338; PEK 162; VP 1:339; Wilson et al., 2008 378.

Carex unilateralis Mack.

Common names: one-sided sedge, lateral sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:347; FOO 1:231; FPN 592; FPN2 745; IL 1:302; JPM 1136; JPM2 1338; PEK 173; VP 1:341; Wilson et al., 2008 380.

Carex utriculata Boott

Common names: southern beaked sedge, inflated sedge, Northwest Territory sedge

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:507; FOO 1:231; FPN 581 synonym for *Carex rostrata*; FPN2 732; JPM 1136; JPM2 1338; Wilson et al., 2008 382.

Misapplied names:

***Carex rostrata* Stokes ex With.**

FN 23:507; FPN 581; FPN2 732; GWM 54; IL 1:343; IN 6:120; PEK 188; VP 1:321; Wilson et al., 2008 326.

Carex vallicola Dewey

Common names: valley sedge

Origin: native Voucher: OSC, most recently collected in 2011

FN 23:290; FOO 1:232; FPN 589; FPN2 739; IL 1:294; IN 6:148; JPM 1138; JPM2 1338; PEK 161; VP 1:341; Wilson et al., 2008 384.

Carex vernacula L.H. Bailey

Common names: native sedge, foetid sedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:311; FOO 1:232; FPN 588 synonym for *Carex foetida*; FPN2 739; IL 1:291; JPM 1138; JPM2 1338; PEK 160; VP 1:270; Wilson et al., 2008 386.

Synonyms:

***Carex foetida* All.**

FN 23:311 excluded; FPN 588; IN 6:145; VP 1:267.

***Carex foetida* All. var. *vernacula* (L.H. Bailey) Kük.**

FN 23:311 synonym for *Carex vernacula*; FPN 588; GWM 48.

Carex vesicaria L.

Common names: inflated sedge, blister sedge

Origin: native Voucher: OSC, most recently collected in 2002

FN 23:506; FOO 1:233; IL 1:342; JPM2 1338; PEK 188; Wilson et al., 2008 388.

Synonyms:

Carex vesicaria* L. var. *vesicaria

FPN 581; JPM 1138.

Carex vespertina (L.H. Bailey) Howell

Common names: lowland long-rhizome sedge

Origin: native Voucher: OSC, most recently collected in 1995

Synonyms:

***Carex pensylvanica* Lam.**

FN 23:544; FPN 582.

***Carex pensylvanica* Lam. var. *vespertina* L.H. Bailey**

FN 23:544 synonym for *Carex inops* ssp. *inops*; FPN 582.

Carex viridula Michx.

FN 23:526; FPN 583 synonym for *Carex oederi*; IL 1:341; PEK 178.

Carex viridula Michx. ssp. ***viridula***

Common names: little green sedge, green sedge

Origin: native Voucher: OSC, most recently collected in 2006

FOO 1:233; FPN2 729; JPM2 1338; KZ 1:238; Wilson et al., 2008 390.

Synonyms:

***Carex oederi* Retz.**

FN 23:526 synonym for *Carex viridula* var. *viridula*; FPN 583; IN 6:128; VP 1:303.

***Carex oederi* Retz. var. *viridula* (Michx.) Kük.**

FN 23:526 synonym for *Carex viridula* var. *viridula*; FPN 583; VP 1:303.

Carex viridula* Michx. var. *viridula

FN 23:526; JPM 1138.

Carex vulpinoidea Michx.

Common names: fox sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:283; FOO 1:233; FPN 590; FPN2 740; IL 1:296; IN 6:152; JPM 1138; JPM2 1338; PEK 162; Simpson, 2000 ; Simpson, 2001A ; VP 1:345; Wilson et al., 2008 392.

Carex whitneyi Olney

Common names: Whitney's sedge

Origin: native Voucher: OSC, most recently collected in 2010

FN 23:485; FOO 1:233; FPN2 724; IL 1:324; JPM 1138; JPM2 1338; PEK 177; Wilson et al., 2008 394.

Carex zikae Roalson & Waterway

Common names: short-stemmed sedge

Origin: native Voucher: OSC, most recently collected in 2010

FPN2 725.

Synonyms:

***Carex brevicaulis* Mack.**

FN 23:538; FOO 1:192; FPN 582; IL 1:320; JPM 1122; JPM2 1322; PEK 174; VP 1:248; Wilson et al., 2008 110.

Cyperus

Checklist contributor: Peter Zika, 10/1/1996

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Cyperus acuminatus Torr. & Hook.

Common names: short flatsedge, sharp-pointed flatsedge

Origin: native Voucher: OSC, most recently collected in 2016

FN 23:152; FOO 1:234; FPN 596; FPN2 749; IL 1:258; IN 6:94; JPM 1139; JPM2 1340; PEK 141; Simpson, 2001A ; VP 1:346.

Cyperus aggregatus (Willd.) Endl.

Common names: ballast sedge

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1916

FN 23:188; FPN2 748.

Cyperus bipartitus Torr.

Common names: shining flatsedge

Origin: native Voucher: OSC, most recently collected in 2017

FN 23:161; FOO 1:235; FPN2 749; JPM 1139; JPM2 1340.

Synonyms:

***Cyperus niger* Ruíz & Pav. var. *rivularis* (Kunth) V.E. Grant**

FN 23:160; IN 6:94.

***Cyperus rivularis* Kunth**

FN 23:161 synonym for *Cyperus bipartitus*; FPN 596; IL 1:256; IN 6:94; PEK 141; VP 1:347.

Cyperus difformis L.

Common names: Asian flatsedge

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 23:156; FOO 1:235; FPN2 749; JPM 1139; JPM2 1340.

Cyperus eragrostis Lam.

Common names: tall flatsedge

Origin: uncertain Voucher: OSC, most recently collected in 2024

FN 23:154; FOO 1:235; FPN2 748; JPM 1139; JPM2 1340; PEK 142.

Cyperus erythrorhizos Muhl.

Common names: red-rooted flatsedge

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:172; FOO 1:235; FPN 596; FPN2 749; IL 1:260; IN 6:90; JPM 1139; JPM2 1340; PEK 141; VP 1:347.

Cyperus esculentus L.

FN 23:168; FPN 596; IL 1:259; IN 6:90; JPM 1139; PEK 142; Schippers et al., 1995 ; VP 1:347.

Cyperus esculentus L. var. ***leptostachyus*** Boeck.

Common names: yellow nutsedge, yellow nutgrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 23:169; FOO 1:235; FPN2 748; JPM2 1342.

Cyperus fuscus L.

Common names: brown flatsedge
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020
FPN2 749; Legler & Giblin, 2017 .

Cyperus niger Ruíz & Pav.

Common names: black flatsedge
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019
FOO 1:236; FPN2 748; JPM 1139; JPM2 1342.

Synonyms:

Cyperus melanostachys **Kunth**
IL 1:256; PEK 141.

Cyperus odoratus L.

Common names: scented sedge
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1915
FN 23:191; FPN2 749; JPM 1139; JPM2 1342.

Synonyms:

Cyperus ferax **Rich.**
FN 23:191 synonym for *Cyperus odoratus*; IL 1:261.

Cyperus schweinitzii Torr.

Common names: Schweinitz's flatsedge
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2006
FN 23:174; FOO 1:236; FPN 596; FPN2 749; IN 6:90; VP 1:349.

Misapplied names:

Cyperus bushii **Britton**
FN 23:176 synonym for *Cyperus lupulinus* ssp. *lupulinus*; IL 1:258; PEK 142.

Cyperus lupulinus **(Spreng.) Marcks**
FN 23:176.

Cyperus lupulinus **(Spreng.) Marcks ssp.** ***lupulinus***
FN 23:176; FPN2 749.

Cyperus lupulinus **(Spreng.) Marcks ssp.** ***macilentus*** **(Fernald) Marcks**
FN 23:176; PEK 142.

Cyperus × ***mesochorus*** **Geise**

Cyperus squarrosus L.

Common names: awned flatsedge
Origin: native Voucher: OSC, most recently collected in 2023
FN 23:165; FOO 1:237; FPN2 749; JPM 1140; JPM2 1342.

Synonyms:

Cyperus aristatus **Rottb.**
FN 23:165 synonym for *Cyperus squarrosus*; FPN 596; IN 6:93; PEK 141; VP 1:346.

Cyperus inflexus **Muhl.**
FN 23:165 synonym for *Cyperus squarrosus*; FPN 596 synonym for *Cyperus aristatus*; IL 1:257; PEK 141.

Cyperus strigosus L.

Common names: false nutsedge

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:184; FOO 1:237; FPN 596; FPN2 748; IL 1:260; IN 6:90; JPM 1140; JPM2 1342; PEK 141; VP 1:349.

Dulichium

Checklist contributor: Peter Zika, 5/11/1995

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Dulichium arundinaceum (L.) Britton

FN 23:198; FPN 597; FPN2 749; GWM 56; IL 1:278; JPM 1140; PEK 150; VP 1:349.

Dulichium arundinaceum (L.) Britton var. ***arundinaceum***

Common names: three-way sedge

Origin: native Voucher: OSC, most recently collected in 2015

FN 23:198; FOO 1:237; JPM2 1342.

Eleocharis

Checklist contributor: Peter Zika, 10/1/1996

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Eleocharis acicularis (L.) Roem. & Schult.

Common names: needle spikerush

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:108; FOO 1:240; FPN 597; FPN2 750; GWM 56; IL 1:264; IN 6:83; JPM 1140; VP 1:353.

Synonyms:

Eleocharis acicularis **(L.) Roem. & Schult. var.** ***acicularis***

FN 23:108 excluded; JPM 1142; JPM2 1344.

Eleocharis acicularis **(L.) Roem. & Schult. var.** ***occidentalis*** **Svenson**

FN 23:108 synonym for *Eleocharis acicularis*; FPN 597 synonym for *Eleocharis acicularis*; JPM2 1344; PEK 143.

Eleocharis bella (Piper) Svenson

Common names: delicate spikerush, pretty spikerush

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:110; FOO 1:240; FPN 598; FPN2 750; IN 6:84; JPM2 1344; PEK 143; VP 1:353.

Synonyms:

Eleocharis acicularis **(L.) Roem. & Schult. var.** ***bella*** **Piper**

FN 23:110 synonym for *Eleocharis bella*; FPN 598 synonym for *Eleocharis bella*; IL 1:264 synonym for *Eleocharis acicularis*; IN 6:84 synonym for *Eleocharis bella*; JPM 1142; VP 1:353 synonym for *Eleocharis bella*.

Eleocharis bolanderi A. Gray

Common names: Bolander's spikerush

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:82; FOO 1:240; FPN 598; FPN2 751; IL 1:265; IN 6:85; JPM 1142; JPM2 1344; PEK 144; VP 1:355.

Eleocharis coloradoensis (Britton) Gilly

Common names: dwarf spikerush

Origin: native Voucher: OSC, most recently collected in 2002

FN 23:106; FOO 1:238 uncertain status; FPN2 750; JPM2 1344.

Synonyms:

Eleocharis parvula **(Roem. & Schult.) Link ex Bluff, Nees & Schauer**

in part

Eleocharis parvula **(Roem. & Schult.) Link ex Bluff, Nees & Schauer var.** ***anachaeta*** **(Torr.)**

FN 23:107 synonym for *Eleocharis coloradoensis*; FPN 597; IN 6:82; PEK 143.

Eleocharis decumbens C.B. Clarke

Common names: decumbent spikerush
Origin: native Voucher: OSC, most recently collected in 1982
FN 23:082; FOO 1:240; IL 1:265; JPM2 1344.

Eleocharis engelmannii Steud.

Common names: Engelmann's spikerush
Origin: native Voucher: OSC, most recently collected in 2023
FN 23:104; FOO 1:241; FPN2 751; IL 1:263.

Synonyms:

Eleocharis engelmannii* Steud. var. *engelmannii
JPM2 1345.

***Eleocharis engelmannii* Steud. var. *monticola* (Fernald) Svenson**
FN 23:104 synonym for *Eleocharis engelmannii*; PEK 143.

***Eleocharis obtusa* (Willd.) Schult. var. *engelmannii* (Steud.) Gilly**
FN 23:104 excluded; IN 6:86 synonym for *Eleocharis ovata*; JPM 1142; VP 1:355 synonym for *Eleocharis ovata*.

Eleocharis erythropoda Steud.

Common names: bald spikerush
Origin: native Voucher: OSC, most recently collected in 2019
FN 23:75; FOO 1:241; FPN2 752.

Eleocharis macrostachya Britton

sensu stricto,
Common names: confusing spikerush, pale spikerush
Origin: native Voucher: OSC, most recently collected in 2021
FOO 1:241.

Eleocharis obtusa (Willd.) Schult.

Common names: blunt spikerush
Origin: native Voucher: OSC, most recently collected in 2024
FN 23:105; FOO 1:241; FPN 598 synonym for *Eleocharis ovata*; FPN2 751; IL 1:263; JPM 1142; JPM2 1345; PEK 144.

Synonyms:

***Eleocharis obtusa* (Willd.) Schult. var. *gigantea* (C.B. Clarke) Fernald**
FN 23:105 synonym for *Eleocharis obtusa*; PEK 144.

Eleocharis obtusa* (Willd.) Schult. var. *obtusa
JPM 1142; Larson & Catling, 1996 ; PEK 144.

***Eleocharis ovata* (Roth) Roem. & Schult.**
in part

Eleocharis ovata (Roth) Roem. & Schult.

sensu stricto,
Common names: ovoid spikerush
Origin: uncertain
FN 23:103; FOO 1:242; PEK 144.

Eleocharis palustris (L.) Roem. & Schult.

Common names: common spikerush, marsh spikerush, creeping spikerush
Origin: native Voucher: OSC, most recently collected in 2021
FN 23:72; FOO 1:242; FPN 598; FPN2 752; GWM 56; IL 1:263; IN 6:86; JPM2 1345; VP 1:356.

Synonyms:

Eleocharis macrostachya **Britton**
in part
Eleocharis palustris **(L.) Roem. & Schult. var. *major* Sond.**
PEK 145.
Eleocharis palustris **(L.) Roem. & Schult. var. *palustris***
PEK 145.

Misapplied names:

Eleocharis mamillata **H. Lindb.**
FN 23:074; PEK 145.
Eleocharis uniglumis **(Link) Schult.**
FN 23:076; FPN 598 synonym for *Eleocharis palustris*; FPN2 752; PEK 145.

Eleocharis parishii Britton

Common names: Parish's spikerush
Origin: native Voucher: OSC, most recently collected in 2007
FN 23:80; FOO 1:242; IL 1:265; IN 6:85; JPM 1142; JPM2 1345; PEK 144.

Eleocharis parvula (Roem. & Schult.) Link ex Bluff, Nees & Schauer

sensu stricto,
Common names: small spikerush
Origin: native
FN 23:107; FOO 1:242; JPM2 1345.

Synonyms:

Eleocharis parvula **(Roem. & Schult.) Link ex Bluff, Nees & Schauer var. *parvula***
FPN 597.
Scirpus nanus **Spreng.**
IL 1:270.

Eleocharis quadrangulata (Michx.) Roem. & Schult.

Common names: square-stemmed spikerush, four-angled spikerush
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1997
FN 23:120; FOO 1:242; FPN2 750; JPM 1142; JPM2 1345.

Eleocharis quinqueflora (Hartmann) Sw.

Common names: few-flowered spikerush
Origin: native
FN 23:114; FOO 1:243; JPM2 1346.

Synonyms:

Eleocharis pauciflora **(Lightf.) Link**
FN 23:114 synonym for *Eleocharis quinqueflora*; FPN 597; GWM 58; IN 6:82; Schwarz, 1949 ; VP 1:357.
Eleocharis pauciflora **(Lightf.) Link var. *pauciflora***
PEK 143.
Eleocharis pauciflora **(Lightf.) Link var. *suksdorfiana*** **(Beauverd) Svenson**
FN 23:115 synonym for *Eleocharis suksdorfiana*; FPN 597 synonym for *Eleocharis rostellata*; PEK 143.
Scirpus pauciflorus **Lightf.**
FPN 597 synonym for *Eleocharis pauciflora*; IL 1:271.

Eleocharis rostellata (Torr.) Torr.

Common names: walking spikerush, walking sedge

Origin: native Voucher: OSC, most recently collected in 2017

FN 23:090; FOO 1:243; FPN 597; FPN2 750; IL 1:266; IN 6:83; JPM 1142; JPM2 1346; PEK 143; VP 1:357.

Eleocharis suksdorfiana Beauv.

Common names: Suksdorf's spikerush

Origin: native Voucher: OSC, most recently collected in 2024

FN 23:115; FOO 1:244; FPN 597 synonym for *Eleocharis rostellata*; FPN2 750; JPM2 1346.

Misapplied names:

Eleocharis quinqueflora **(Hartmann) Sw.**

Eriophorum

Checklist contributor: Peter Zika, 10/1/1996

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Eriophorum angustifolium Honck.

FN 23:024; FPN 599 synonym for *Eriophorum polystachion*; IL 1:269; PEK 146.

Eriophorum angustifolium Honck. ssp. ***angustifolium***

Common names: tall cottongrass, many-spike cottongrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:24; FOO 1:244; FPN2 753.

Synonyms:

Eriophorum polystachion **L.**

FN 23:023 excluded; FPN 599; IN 6:80; VP 1:363.

Eriophorum chamissonis C.A. Mey.

Common names: russet cottongrass

Origin: native Voucher: OSC, most recently collected in 2023

Cayouette, 2004 ; FN 23:25; FOO 1:244; FPN 599; FPN2 752; IL 1:268; PEK 146; VP 1:361.

Eriophorum gracile W.D.J. Koch ex Roth

Common names: slender cottongrass

Origin: native Voucher: OSC, most recently collected in 2020

FN 23:25; FOO 1:245; FPN 599; FPN2 752; GWM 58; IL 1:269; JPM 1143; JPM2 1346; PEK 146; VP 1:363.

Isolepis

Checklist contributor: Peter Zika, 3/7/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Isolepis cernua (Vahl) Roem. & Schult.

Common names: low clubrush

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:139; FOO 1:246; FPN2 753; JPM2 1348.

Synonyms:

Scirpus cernuus **Vahl**

FN 23:139 synonym for *Isolepis cernua*; FPN 600; IL 1:271; JPM 1147; PEK 147; VP 1:373.

Isolepis setacea (L.) R. Br.

Common names: fiber-optic plant, Eurasian bulrush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 23:139; FOO 1:246; FPN2 753; JPM2 1348.

Synonyms:

***Scirpus setaceous* L.**

JPM 1148.

***Scirpus setaceus* L.**

FN 23:140 synonym for *Isolepis setacea*; PEK 147.

Kobresia

Checklist contributor: Peter Zika, 11/20/1996

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Kobresia myosuroides (Vill.) Fiori

Common names: Bellard's bog sedge

Origin: native Voucher: OSC, most recently collected in 2005

FN 23:253; FOO 1:246; FPN 600; FPN2 753; JPM2 1348.

Synonyms:

***Elyna bellardii* (All.) Hartm.**

PEK 151.

***Kobresia bellardi* (All.) Degl.**

IL 1:281; Loiseleur-Deslongchamps, 1807 626.

***Kobresia bellardii* (All.) Degl.**

FN 23:253 synonym for *Kobresia myosuroides*; FPN 600 synonym for *Kobresia myosuroides*; GWM 58; IN 6:95; JPM 1143; VP 1:367.

Kobresia simpliciuscula (Wahlenb.) Mack.

Common names: simple bog sedge

Origin: native Voucher: OSC, most recently collected in 1992

FN 23:252; FOO 1:246; FPN 600; FPN2 753; GWM 59; PEK 151; VP 1:367.

Lipocarpha

Checklist contributor: Peter Zika, 11/30/1996

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Lipocarpha aristulata (Coville) G.C. Tucker

Common names: awned lipocarpha

Origin: native Voucher: OSC, most recently collected in 1944

Coville, 1894 ; FN 23:196; FOO 1:247; FPN2 753; JPM 1144; JPM2 1349.

Synonyms:

***Hemicarpha aristulata* (Coville) Smyth**

FN 23:196 synonym for *Lipocarpha aristulata*; FPN 599 synonym for *Hemicarpha micrantha*; IL 1:279; PEK 150.

***Hemicarpha micrantha* (Vahl) Britton var. *aristulata* Coville**

FN 23:196 synonym for *Lipocarpha aristulata*; VP 1:365.

Lipocarpha micrantha (Vahl) G.C. Tucker

Common names: small-flowered lipocarpha

Origin: native Voucher: OSC, most recently collected in 2013

FN 23:197; FOO 1:247; FPN2 753; JPM 1144; JPM2 1349.

Synonyms:

***Hemicarpha micrantha* (Vahl) Britton**

FN 23:197 synonym for *Lipocarpha micrantha*; FPN 599; IL 1:278; IN 6:81; PEK 150; VP 1:365.

Lipocarpha occidentalis (A. Gray) G.C. Tucker

Common names: western halfchaff sedge

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:197; FOO 1:247; FPN2 753; JPM 1144; JPM2 1349.

Synonyms:

***Hemicarpha occidentalis* A. Gray**

FN 23:197 synonym for *Lipocarpha occidentalis*; FPN 599; IL 1:279; PEK 150; VP 1:365.

Rhynchospora

Checklist contributor: Peter Zika, 11/30/1996

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Rhynchospora alba (L.) Vahl

Common names: white beakrush

Origin: native Voucher: OSC, most recently collected in 2016

FN 23:214; FOO 1:248; FPN 600; FPN2 754; IL 1:280; JPM 1144; JPM2 1349; PEK 151; VP 1:369.

Rhynchospora capitellata (Michx.) Vahl

Common names: brownish beakrush

Origin: native Voucher: OSC, most recently collected in 1997

FN 23:210; FOO 1:248; IL 1:280; JPM 1144; JPM2 1349; PEK 151.

Schoenoplectiella

Checklist contributor:

Flora of Oregon author: not applicable

Schoenoplectiella mucronata (L.) J. Jung & H.K. Choi

Common names: bog bulrush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2003

Jung & Choi, 2010 .

Synonyms:

***Schoenoplectus mucronatus* (L.) Palla**

FOO 1:251; FPN2 754; JPM2 1350.

Schoenoplectiella saximontana (Fernald) Lye

Common names: Rocky Mountain bulrush

Origin: uncertain Voucher: OSC, most recently collected in 2017

Synonyms:

***Schoenoplectus saximontanus* (Fernald) J. Raynal**

FPN2 754; JPM2 1352.

Schoenoplectus

Checklist contributor: Peter Zika, 3/6/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Schoenoplectus acutus (Muhl. ex Bigelow) Á. Löve & D. Löve

FN 23:48; FPN2 754.

Synonyms:

***Scirpus acutus* Muhl. ex J.M. Bigelow**

FN 23:048 synonym for *Schoenoplectus acutus*; FPN 601; IL 1:274; IN 6:72; PEK 148; VP 1:370.

Schoenoplectus acutus (Muhl. ex Bigelow) Á. Löve & D. Löve var. ***occidentalis*** (S. Watson) S.G. Sm.

Common names: tule, hardstem bulrush

Origin: native Voucher: OSC, most recently collected in 2006

FN 23:49; FOO 1:250; JPM2 1350.

Synonyms:

***Scirpus acutus* Muhl. ex J.M. Bigelow var. *occidentalis* (S. Watson) Beetle**

FN 23:048 synonym for *Schoenoplectus acutus* var. *occidentalis*; FPN 601 synonym for *Scirpus acutus*; IN 6:72 synonym for *Scirpus acutus*; JPM 1147; VP 1:370 synonym for *Scirpus acutus*.

***Scirpus rubiginosus* Beetle**

FN 23:049 synonym for *Schoenoplectus acutus* var. *occidentalis*; PEK 148.

Schoenoplectus americanus (Pers.) Volkart ex Schinz & R. Keller

Common names: Olney's three-square bulrush, chairmaker's bulrush

Origin: native Voucher: OSC, most recently collected in 2014

FN 23:52; FOO 1:250; FPN2 755; JPM2 1350.

Synonyms:

***Scirpus americanus* Pers.**

FN 23:052 synonym for *Schoenoplectus americanus*.

***Scirpus chilensis* Nees & Meyen ex Kunth**

FPN 601 synonym for *Scirpus olneyi*; PEK 147.

***Scirpus olneyi* A. Gray**

FN 23:052 synonym for *Schoenoplectus americanus*; FPN 601; IL 1:273; VP 1:381.

Schoenoplectus californicus (C.A. Mey.) Soják

Common names: California bulrush, tule

Origin: uncertain Voucher: OSC, most recently collected in 2009

FN 23:50; FOO 1:251; FPN2 755; JPM2 1350.

Synonyms:

***Scirpus californicus* (C.A. Mey.) Steud.**

FN 23:050 synonym for *Schoenoplectus californicus*; IL 1:274; JPM 1147.

Schoenoplectus heterochaetus (Chase) Soják

Common names: pale great bulrush, slender bulrush

Origin: native Voucher: OSC, most recently collected in 1896

FN 23:49; FOO 1:251; FPN2 754; JPM2 1350.

Synonyms:

***Scirpus heterochaetus* Chase**

Chase, 1904 ; FN 23:049 synonym for *Schoenoplectus heterochaetus*; FPN 601; IL 1:274; JPM 1147; PEK 148; VP 1:377.

Schoenoplectus* × *kuekenthalianus (Junge) D.H. Kent

Common names: Kuekenthal's bulrush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2003

FPN2 755.

Schoenoplectus pungens (Vahl) Palla

Common names: common three-square, common three-square bulrush, western bulrush

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:51; FOO 1:251; FPN2 755.

Synonyms:

***Schoenoplectus pungens* (Vahl) Palla var. *badius* (C. Presl) S.G. Sm.**

FN 23:51.

***Schoenoplectus pungens* (Vahl) Palla var. *longispicatus* (Britton) S.G. Sm.**

FN 23:51; JPM2 1352.

***Scirpus americanus* Pers. var. *monophyllos* (J. Presl & C. Presl) T. Koyama**

FN 23:052 synonym for *Schoenoplectus pungens* var. *badius*; VP 1:373.

***Scirpus pungens* Vahl**

FN 23:051 synonym for *Schoenoplectus pungens*; IN 6:74; JPM 1148; Schuyler, 1974 .

***Scirpus pungens* Vahl var. *longispicatus* (Britton) Cronquist**

IN 6:74.

Misapplied names:

***Scirpus americanus* Pers.**

FPN 601; Schuyler, 1974 ; VP 1:371.

Schoenoplectus subterminalis (Torr.) Soják

Common names: water bulrush, water clubrush

Origin: native Voucher: OSC, most recently collected in 2013

FN 23:54; FOO 1:252; FPN2 754; JPM2 1352.

Synonyms:

***Scirpus subterminalis* Torr.**

FN 23:054 synonym for *Schoenoplectus subterminalis*; FPN 601; IL 1:272; IN 6:76; JPM 1148; PEK 147; VP 1:383.

Schoenoplectus tabernaemontani (C.C. Gmel.) Palla

Common names: tule, soft-stem bulrush

Origin: native Voucher: OSC, most recently collected in 2022

FN 23:47; FOO 1:252; FPN2 755; JPM2 1352.

Synonyms:

***Scirpus tabernaemontani* C.C. Gmel.**

FN 23:047 synonym for *Schoenoplectus tabernaemontani*; IN 6:74 synonym for *Scirpus lacustris ssp. Glaucua*; JPM 1148; VP 1:371 synonym for *Scirpus lacustris ssp. Glaucus*.

***Scirpus validus* Vahl**

FN 23:047 synonym for *Schoenoplectus tabernaemontani*; FPN 602; IL 1:273; IN 6:74; PEK 148; VP 1:383.

***Scirpus validus* Vahl var. *creber* Fernald**

FN 23:047 synonym for *Schoenoplectus tabernaemontani*; PEK 148.

Scirpus validus* Vahl var. *validus

IL 1:273.

Schoenoplectus triqueter (L.) Palla

Common names: streambank bulrush, triangular clubrush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2008

FN 23:50; FOO 1:252; FPN2 755; JPM2 1352.

Scirpus

Checklist contributor: Peter Zika, 12/24/1996

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Scirpus atrocinctus Fernald

Common names: blackgirdle bulrush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1997

FN 23:19; FOO 1:253; FPN 602 synonym for *Scirpus cyperinus*; FPN2 756; KZ 1:247; VP 1:377 synonym for *Scirpus cyperinus*.

Scirpus congdonii Britton

Common names: Congdon's bulrush

Origin: native Voucher: OSC, most recently collected in 2014

FN 23:16; FOO 1:253; FPN 602; FPN2 756; IL 1:276; JPM 1147; JPM2 1352; PEK 149; VP 1:375.

Scirpus cyperinus (L.) Kunth

Common names: woolgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

Dennis, 1965 ; FN 23:20; FOO 1:253; FPN 602; FPN2 756; JPM2 1352; VP 1:375.

Synonyms:

***Scirpus cyperinus* (L.) Kunth var. *brachypodus* (Fernald) Gilly**

FN 23:019 synonym for *Scirpus atrocinctus*; FPN 602.

Misapplied names:

***Scirpus pedicellatus* Fernald**

FN 23:020; KZ 1:247.

Scirpus georgianus R.M. Harper

Common names: Georgia bulrush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FOO 1:253; FPN2 755.

Scirpus microcarpus J. Presl & C. Presl

Common names: small-fruited bulrush

Origin: native Voucher: OSC, most recently collected in 2023

FN 23:18; FOO 1:254; FPN 602; FPN2 755; GWM 59; IL 1:276; IN 6:69; JPM 1147; JPM2 1353; Presl, 1828 ; VP 1:379.

Synonyms:

***Scirpus microcarpus* J. Presl & C. Presl var. *longispicatus* M. Peck**

PEK 149.

Scirpus microcarpus* J. Presl & C. Presl var. *microcarpus

PEK 149.

Scirpus pallidus (Britton) Fernald

Common names: pale bulrush

Origin: native Voucher: OSC, most recently collected in 2021

FN 23:15; FOO 1:254; FPN 602; FPN2 755; IL 1:276; IN 6:69; PEK 149; VP 1:381.

Scirpus pendulus Muhl.

Common names: drooping bulrush

Origin: native Voucher: OSC, most recently collected in 2019

FN 23:12; FOO 1:255; FPN2 755; JPM 1148; JPM2 1353; Schuyler, 1967 .

Misapplied names:

***Scirpus lineatus* Michx.**

FN 23:012; IL 1:277; PEK 149.

Trichophorum

Checklist contributor: Peter Zika, 3/6/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Trichophorum cespitosum (L.) Hartman

Common names: tufted clubrush

Origin: native Voucher: OSC, most recently collected in 2017

FN 23:29; FOO 1:255; FPN2 756; Hartman, 1849 259.

Synonyms:

***Scirpus caespitosus* L.**

FN 23:029 synonym for *Trichophorum cespitosum*; Hartman, 1849 259; IL 1:271.

***Scirpus cespitosus* L.**

FN 23:029 synonym for *Trichophorum cespitosum*; FPN 601; Hartman, 1849 259; IN 6:80; Linnaei, 1753 ; VP 1:375.

Excluded names:

Carex albonigra Mack.

FPN 585; FPN2 735; IL 1:331; IN 6:134; JPM 1121; JPM2 1321; VP 1:237; Wilson et al., 2008 76.

Synonyms:
***Carex albo-nigra* Mack.**
PEK 181.

Carex brunnescens (Pers.) Poir.

FPN 591; GWM 46; IL 1:314; IN 6:156; PEK 164; VP 1:249.

Carex brunnescens (Pers.) Poir. ssp. brunnescens

FN 23:320; FPN2 741; Wilson et al., 2008 116.

Carex tenera Dewey

FPN 595; FPN2 746; IL 1:304; PEK 171; VP 1:337.

Carex tenera Dewey var. tenera

FN 23:371; Wilson et al., 2008 372.

Eleocharis acicularis (L.) Roem. & Schult. var. gracilescens Svenson

JPM2 1344.

Eleocharis atropurpurea (Retz.) J. Presl & K. Presl

FPN 598; FPN2 751; IL 1:262; JPM 1142; JPM2 1344; VP 1:353.

Literature cited for Cyperaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Ball, P.W., and D.E. Wujek. 2002. *Eriophorum*. In: Flora of North America North of Mexico, Volume 23. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Boivin, B. 1979. Flora of the Prairie Provinces, Part IV. Phytologia 43:1-106; 223-251.

Calder, J.A., and R.L. Taylor. 1965. New taxa and nomenclatural changes with respect to the flora of the Queen Charlotte Islands, British Columbia. Canadian Journal of Botany 43:1387-1400.

Calder, J.A., and R.L. Taylor. 1968. Monograph No. 4: Flora of the Queen Charlotte Islands, Part 1: Systematics of the Vascular Plants. The Queen's Printer, Ottawa, Ontario, Canada.

Cayouette, J. 2004. A taxonomic review of the *Eriophorum russeolum* -- *E. scheuchzeri* complex (Cyperaceae) in North America. Sida 21:791-814.

Chase, A. 1904. The North American allies of *Scirpus lacustris<\I>. Rhodora 6(64):65-71.*

Christy, J.A. 1991. Noteworthy collections - Oregon. Madroño 38(3):204.

Coville, F.V. 1894. The genus *Hemicarpha* in North America. Bulletin of the Torrey Botanical Club 21:34-37.

Dennis, L.R.J. 1965. A species of *Scirpus* new to Oregon. Leaflets of Western Botany 10:179-180.

Dorn, R.D. 1988. Vascular Plants of Wyoming. Mountain West Publishing, Cheyenne.

Dunlop, D. 1997. Taxonomic changes in *Carex* (section *Scirpinae*, Cyperaceae). Novon 7:355-356.

Friedland, S. 1941. The American species of *Hemicarpha*. American Journal of Botany 28:855-861.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Gale, S. 1944. *Rhynchospora*, section *Eurhynchospora*, in Canada, the United States and the West Indies. Rhodora 46:89-134, 159-197, 207-249, 255-278.

Gilmour, C.N., J.R. Starr, and R.F.C. Naczi. 2013. *Calliscirpus*, a new genus for two narrow endemics of the California Floristic Province, *C. criniger* and *C. brachythrix sp. nov.* (Cyperaceae). Kew Bulletin 68(1):1-21.

Gleason, H.A., and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. 2nd Ed. The New York Botanical Garden, NY.

Goetghebeur, P., and A. van den Borre. 1989. Studies in Cyperaceae 8. A revision of *Lipocarpha*, including *Hemicarpha* and *Rikliella*. Wageningen Agricultural University Papers 89-1:1-87.

Gray, A. 1876. Characters of new plants of California and elsewhere, principally of those collected by H. N. Bolander in the state geological survey. Proceedings of the American Academy of Arts and Sciences 7:327-401.

Hartman, C.J. 1849. Femte upplagan rattadoch forokad. In: Handbok i skandinaviens flora. Zacharias Haeggstrom, Stockholm, Sweden.

Hermann, F.J. 1970. Manual of the Carices of the Rocky Mountains and Colorado Basin, Agriculture Handbook No. 374. Forest Service, United States Department of Agriculture, Washington, DC, U.S.A.

Hermann, F.J. 1974. Manual of the genus *Carex* in Mexico and Central America. Handbook #467. U.S. Department of Agriculture, Washington, DC.

Hipp, A.L., P.E. Rothrock, A.A. Reznicek, and P.E. Berry. 2007. Chromosome number changes associated with speciation in sedges: a phylogenetic study in *Carex* section *Ovales* (Cyperaceae) using AFLP data. Aliso 23:193-203.

Jermy, A.C., D. Simpson, M. Foley, and M. Porter. 2007. Sedges of the British Isles. B.S.B.I. Handbook No. 1. 3rd ed. Botanical Society of the British Isles, London, England.

Jiménez-Mejías, P., M. Miguez, M.A. Spencer, C.E. Jarvis, and S. Martín-Bravo. 2017. Typification of 18th Century names in *Carex* sect. Rhynchocystis (Cyperaceae): *Carex pendula* and allies. Taxon 66(4):973-975.

Jung, J., and H. Choi. 2010. Systematic rearrangement of Korean *Scirpus* L. s.l. (Cyperaceae) as inferred from Nuclear ITS and Chloroplast rbcl sequences. Journal of Plant Biology 53:222-232.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Koyama, T. 1958. Taxonomic study of the genus *Scirpus* L. Journal of the Faculty of Science, University of Tokyo. Section III, Botany 7:271-366.

Kral, R. 1971. A treatment of *Abildgaardia*, *Bulbostylis*, and *Fimbristylis* (Cyperaceae) for North America. Sida 4:57-227.

Kuykendall, K., B.L. Wilson, and P.F. Zika. 1997. Following *Carex globosa* into and out of the flora of Oregon. In: Conservation and Management of Native Plants and Fungi. Kaye, T.N., A. Liston, R.M. Love, D.L. Luoma, R.J. Meinke and M.V. Wilson, Eds. Native Plant Society of Oregon, Corvallis, OR.

Larson, B.M.H., and P.M. Catling. 1996. The separation of *Eleocharis obtusa* and *Eleocharis ovata* (Cyperaceae) in eastern Canada. Canadian Journal of Botany 74:238-242.

Legler, B., and D. Giblin. 2017. Noteworthy collections. Madroño 64(1):5.

Lightcap, B.W., and A.E. Schuyler. 1984. *Scirpus triqueter* established along tidal portions of the Columbia River. Bartonia 50:23-24.

Linnaei, C. 1753. Species Plantarum. Volume 1. Impensis Laurentii Salvii, Holmiae, Sweden.

Loiseleur-Deslongchamps, J. 1807. Flora Gallica. Volume 2. Paris, France.

Mackenzie, K.K. 1922. A monograph of the California species of the genus *Carex*. Erythaea 8:7-95.

Naczi, R.F., C.T. Bryson, and T.S. Cochrane. 2002. Seven new species and one new combination in *Carex* (Cyperaceae) from North America. Novon 12(4):508-532.

Presl, K.B. 1828. Reliquiae Haenkeanae. 1973 reprint edition. A. Asher & Co. B.V., Amsterdam.

Reznicek, A.A. 1993. *Carex pumila* (Cyperaceae) in North America. Castanea 58:220-224.

Reznicek, A.A., and P.W. Ball. 1980. The taxonomy of *Carex* section *Stellulatae* in North America North of Mexico. Contributions from the University of Michigan Herbarium 14:153-203.

Saarela, J.M., and B.A. Ford. 2001. Taxonomy of the *Carex backii* complex (section Phyllostachyae, Cyperaceae). Systematic Botany 26(4):704-721.

Schippers, P., S.J. Ter Borg, and J.J. Bos. 1995. A revision of the infraspecific taxonomy of *Cyperus esculentus* (yellow nutsedge) with an experimentally evaluated character set. Systematic Botany 20:461-484.

Schuyler, A.E. 1967. A taxonomic revision of North American leafy species of *Scirpus*. Proceedings of the Academy of Natural Sciences of Philadelphia 119:295-323.

Schuyler, A.E. 1974. Typification and application of the names *Scirpus americanus* Pers., *S. olneyi* Gray, and *S. pungens* Vahl. Rhodora 76:51-52.

Schwarz, O. 1949. *Heleocharis*. Mitteilungen Thüring Botanischen Gesellschaft 1:89.

Smith, S.G., J.J. Bruhl, M.S. Gonzalez-Elizondo, and F.J. Menapace. 2002. *Eleocharis*. In: Flora of North America, Volume 23. Oxford University Press, New York.

Standley, L.A. 1985. Systematics of the Acutae group of *Carex* (Cyperaceae) in the Pacific Northwest. Systematic Botany Monographs 7:1-106.

Svenson, H.K. 1957. Cyperaceae: Scirpeae. In: North American Flora. Volume 18(9). New York Botanical Garden, NY.

Tucker, G.C. 1983. The taxonomy of *Cyperus* (Cyperaceae) in Costa Rica and Panama. Systematic Botany Monographs 2:1-85.

Tucker, G.C. 1984. A revision of the genus *Kyllinga* Rottb. (Cyperaceae) in Mexico and Central America. Rhodora 86:507-538.

Tucker, G.C. 1987. The genera of Cyperaceae in the southeastern United States. Journal of the Arnold Arboretum 68:361-445.

Voss, E.G. 1972. Michigan Flora, 3 volumes. Cranbrook Institute of Science, Bloomfield Hills.

Whitkus, R., and J.G. Packer. 1984. A contribution to the taxonomy of the *Carex macloviana* aggregate (Cyperaceae) in western Canada and Alaska. Canadian Journal of Botany 62:1592-1607.

Wiegand, K.M. 1922. *Carex laxiflora* and its relatives. Rhodora 24:189-201.

Wilson, B.L, R.E. Brainerd, L.P. Janeway, K. Kuykendall, D. Lytjen, B. Newhouse, N. Otting, S. Meyers, and P. Zika. 2007. Description of *Carex klamathensis* (Cyperaceae), a rare sedge of the Klamath Region of Oregon and California, U.S.A. Journal of the Botanical Research Institute of Texas 1:69-77.

Wilson, B.L., R. Brainerd, D. Lytjen, B. Newhouse, and N. Otting. 2008. Field Guide to the Sedges of the Pacific Northwest. Oregon State University Press, Corvallis, OR.

Zika, P., K. Kuykendall, and B.L. Wilson. 1999. *Carex serpenticola* (Cyperaceae), a new species from the Klamath mountains of Oregon and California. Madroño 45(3):261-269.

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. Journal of the Torrey Botanical Society 130(1):43-46.

Zika, P.F. 2003C. Noteworthy collections. Madroño 50(4):313-314.

Zika, P.F., and B.L. Wilson. 1998. Noteworthy collections, Oregon. *Carex crawfordii* (Cyperaceae). Madroño 45:86-87.

Zika, P.F., and E.R. Alverson. 1993. Noteworthy collections from Oregon. Madroño 40(3):181-184.

Zika, P.F., and E.R. Alverson. 2005. Noteworthy collections: Oregon. Madroño 52(4):273-274.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest