Checklist of Oregon Ericaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Allotropa

Checklist contributor: Gary Wallace, 7/7/1995
Flora of Oregon author: Stephen Meyers

Allotropa virgata Torr. & A. Gray

Common names: sugarstick, candystick
Origin: native Voucher: OSC, most recently collected in 2016
FN 8:391; FOO 2:616; FPN 341; FPN2 402; IL 3:293; JPM 545; JPM2 686; PEK 586; VP 4:3; Wallace, 1975 .

Arbutus

Checklist contributor: Henrietta Chambers, 11/17/1998
Flora of Oregon author: Stephen Meyers

Arbutus menziesii Pursh

Common names: Pacific madrone
Origin: native Voucher: OSC, most recently collected in 2021
FN 8:399; FOO 2:617; FPN 342; FPN2 402; IL 3:307; JPM 545; JPM2 686; PEK 592; VP 4:4.

Arctostaphylos

Checklist contributor: Kenton Chambers, 4/3/2003
Flora of Oregon author: Kenton Chambers

Arctostaphylos canescens Eastw.

Common names: hoary manzanita, downy manzanita
Origin: native Voucher: OSC, most recently collected in 2015
Chambers, 2003C ; Chambers, 2003D ; FN 8:429; FOO 2:618; IL 3:319; JPM 550; PEK 594.

Synonyms:
Arctostaphylos canescens* Eastw. ssp. *canescens
FN 8:429; FOO 2:618 synonym for *Arctostaphylos canescens*; JPM 550; JPM2 691.

Arctostaphylos canescens Eastw. × ***Arctostaphylos nevadensis*** A. Gray

Common names: hoary manzanita - pinemat manzanita hybrid
Origin: native Voucher: OSC, most recently collected in 1886

Synonyms:
***Arctostaphylos* × *parvifolia* Howell**
FN 8:435 ambiguous synonym; FOO 2:620 synonym for *Arctostaphylos canescens* × *Arctostaphylos nevadensis*; IL 3:319; PEK 594.

Arctostaphylos canescens Eastw. × ***Arctostaphylos patula*** Greene

Common names: hoary manzanita - greenleaf manzanita hybrid
Origin: native

Arctostaphylos columbiana Piper

Common names: hairy manzanita, Columbia manzanita, bristly manzanita
Origin: native Voucher: OSC, most recently collected in 2021
Chambers, 2003C ; Chambers, 2003D ; FN 8:425; FOO 2:618; FPN 342; FPN2 403; IL 3:320; JPM 551; JPM2 691; PEK 593; VP 4:5.

Synonyms:
***Arctostaphylos nortensis* (P.V. Wells) P.V. Wells**
FN 8:428; JPM 555; JPM2 696.

Arctostaphylos columbiana Piper × ***Arctostaphylos nevadensis*** A. Gray

Common names: hairy manzanita - pinemat manzanita hybrid

Origin: native Voucher: OSC, most recently collected in 1976

FPN2 402.

Arctostaphylos glandulosa Eastw.

Chambers, 2003C ; FN 8:443; JPM 551; PEK 594.

Arctostaphylos glandulosa Eastw. ssp. ***glandulosa***

Common names: Eastwood's manzanita

Origin: native Voucher: OSC, most recently collected in 2007

FN 8:443; FOO 2:619; JPM 551; JPM2 692.

Synonyms:

Arctostaphylos intricata **Howell**

FN 8:443 synonym for *Arctostaphylos glandulosa* ssp. *glandulosa*; FOO 2:619 synonym for *Arctostaphylos glandulosa ssp. glandulosa*; IL 3:323; PEK 594.

Arctostaphylos hispidula Howell

Common names: Howell's manzanita, Gasquet manzanita

Origin: native Voucher: OSC, most recently collected in 2016

Chambers, 2003D ; FN 8:420; FOO 2:619; IL 3:314; JPM 552; JPM2 694.

Synonyms:

Arctostaphylos hispidula **Howell var. *hispidula***

FOO 2:619 synonym for *Arctostaphylos hispidula*; PEK 593.

Arctostaphylos hispidula **Howell var. *viscosissima* (M. Peck) M. Peck**

FOO 2:619 synonym for *Arctostaphylos hispidula*; PEK 593.

Arctostaphylos stanfordiana **Parry**

FN 8:419; FOO 2:619 synonym for *Arctostaphylos hispidula*; IL 3:313; JPM 556.

Arctostaphylos × ***media*** Greene

Common names: intermediate manzanita

Origin: native Voucher: OSC, most recently collected in 2005

Chambers, 2003D ; FN 8:415; FOO 2:621 uncertain status; FPN 342; FPN2 402; IL 3:312.

Arctostaphylos mewukka Merriam ssp. ***mewukka***

Common names: Indian manzanita

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 1977

Arctostaphylos nevadensis A. Gray

Common names: pinemat manzanita

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 2003C ; Chambers, 2003D ; FN 8:435; FOO 2:620; FPN 342; IL 3:312; JPM 555; PEK 593; VP 4:5.

Synonyms:

Arctostaphylos nevadensis **A. Gray ssp. *nevadensis***

FN 8:435; FOO 2:620 synonym for *Arctostaphylos nevadensis*; FPN2 403; JPM2 695.

Arctostaphylos nevadensis A. Gray × ***Arctostaphylos patula*** Greene

Common names: pinemat manzanita - greenleaf manzanita hybrid

Origin: native Voucher: OSC, most recently collected in 1935

FN 8:435; FPN2 402.

Arctostaphylos × *oblongifolia* Howell

Common names: ashy manzanita, Waldo manzanita
Origin: native Voucher: OSC, most recently collected in 2008
FN 8:424 synonym for *Arctostaphylos viscida* ssp. *pulchella*; IL 3:323.

Misapplied names:

***Arctostaphylos* × *cinerea* Howell**
Chambers, 2003D ; FN 8:429; FOO 2:618 synonym for *Arctostaphylos canescens*; IL 3:319; PEK 594.

Arctostaphylos patula Greene

Common names: green-leaved manzanita
Origin: native Voucher: OSC, most recently collected in 2021
Chambers, 2003C ; Chambers, 2003D ; FN 8:416; FOO 2:620; FPN 342; FPN2 403; IL 3:314; JPM 555; JPM2 696; PEK 593; VP 4:5.

Arctostaphylos patula Greene × *Arctostaphylos uva-ursi* (L.) Spreng.

Common names: greenleaf manzanita - kinnikinnick hybrid
Origin: native
FN 8:415.

Arctostaphylos patula Greene × *Arctostaphylos viscida* Parry

Origin: native

Arctostaphylos uva-ursi (L.) Spreng.

Common names: kinnikinnick, bearberry
Origin: native Voucher: OSC, most recently collected in 2023
Chambers, 2003C ; Chambers, 2003D ; FN 8:414; FOO 2:621; FPN 342; FPN2 403; IL 3:312; JPM 558; JPM2 699; VP 4:7.

Synonyms:

***Arctostaphylos uva-ursi* (L.) Spreng. var. *coactilis* Fernald & J.F. Macbr.**
FN 8:414 synonym for *Arctostaphylos uva-ursi*; FOO 2:621 synonym for *Arctostaphylos uva-ursi*; PEK 593.

Arctostaphylos uva-ursi* (L.) Spreng. var. *uva-ursi
FOO 2:621 synonym for *Arctostaphylos uva-ursi*; PEK 593.

Arctostaphylos viscida Parry

Common names: white-leaved manzanita
Origin: native Voucher: OSC, most recently collected in 2017
Chambers, 2003C ; Chambers, 2003D ; FN 8:423; FOO 2:621; IL 3:317; JPM 558; PEK 594.

Synonyms:

***Arctostaphylos pulchella* Howell**
FN 8:424 synonym for *Arctostaphylos viscida* ssp. *pulchella*; FOO 2:621 synonym for *Arctostaphylos viscida*; IL 3:317.

***Arctostaphylos viscida* Parry ssp. *pulchella* (Howell) P.V. Wells**
Chambers, 2003D ; FN 8:424; FOO 2:621 synonym for *Arctostaphylos viscida*; JPM 559; JPM2 699.

Arctostaphylos viscida* Parry ssp. *viscida
FN 8:423; FOO 2:621 synonym for *Arctostaphylos viscida*; JPM 559; JPM2 699.

Calluna

Checklist contributor: Richard Halse, 2/18/2009
Flora of Oregon author: Stephen Meyers

Calluna vulgaris (L.) Hull

Common names: heather, Scotch heather
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017
FN 8:491; FOO 2:622; FPN2 403.

Cassiope

Checklist contributor: Gary Wallace, 7/19/1995
Flora of Oregon author: Stephen Meyers

Cassiope mertensiana (Bong.) G. Don

FN 8:447; FOO 2:622; FPN 343; IL 3:305; JPM 559; JPM2 700; PEK 591; Piper, 1907 ; VP 4:8.

Cassiope mertensiana (Bong.) G. Don var. ***gracilis*** (Piper) C.L. Hitchc.

Common names: slender white heather
Origin: native Voucher: OSC, most recently collected in 2002
FN 8:448 synonym for *Cassiope mertensiana* ssp. *gracilis*; FOO 2:622; FPN 343; VP 4:8.

Synonyms:

Cassiope mertensiana **(Bong.) G. Don ssp.** ***gracilis*** **Piper**

FN 8:448; FOO 2:622 synonym for *Cassiope mertensiana var. gracilis*; FPN2 404; Piper, 1907 .

Cassiope mertensiana (Bong.) G. Don var. ***mertensiana***

Common names: white heather
Origin: native Voucher: OSC, most recently collected in 2008
FN 8:448 synonym for *Cassiope mertensiana* ssp. *mertensiana*; FOO 2:622; FPN 343; VP 4:8.

Synonyms:

Cassiope mertensiana **(Bong.) G. Don ssp.** ***mertensiana***

FN 8:448; FOO 2:622 synonym for *Cassiope mertensiana var. mertensiana*; FPN2 404; Piper, 1907 .

Chimaphila

Checklist contributor: Henrietta Chambers, 11/17/1998
Flora of Oregon author: Stephen Meyers

Chimaphila menziesii (R. Br.) Spreng.

Common names: little prince's pine
Origin: native Voucher: OSC, most recently collected in 2016
Don, 1824 ; FN 8:386; FOO 2:623; FPN 343; FPN2 404; IL 3:292; JPM 559; JPM2 700; PEK 583; Sprengle, 1825 ; VP 4:9.

Chimaphila umbellata (L.) W.P.C. Barton

Common names: pipsissewa, prince's pine
Origin: native Voucher: OSC, most recently collected in 2021
Barton, 1817 ; Blake, 1917 ; FN 8:387; FOO 2:623; FPN 343; JPM 559; JPM2 700; Linnaei, 1753 ; Oregon Flora Project, 1999E ; VP 4:9.

Synonyms:

Chimaphila umbellata **(L.) W.P.C. Barton var.** ***occidentalis*** **(Rydb.) S.F. Blake**

FN 8:387 synonym for *Chimaphila umbellata* ssp. *umbellata*; FOO 2:623 synonym for *Chimaphila umbellata*; FPN 343; IL 3:292; PEK 583.

Chimaphila umbellata **(L.) W.P.C. Barton ssp.** ***umbellata***

FN 8:387; FOO 2:623 synonym for *Chimaphila umbellata*; FPN2 404.

Cladothamnus

Checklist contributor: Henrietta Chambers, 11/17/1998
Flora of Oregon author: Stephen Meyers

Cladothamnus pyroliflorus Bong.

Common names: copper bush
Origin: native Voucher: OSC, most recently collected in 2000
Bohm et al., 1978 ; Chambers, 1996A ; FN 8:474 synonym for *Elliottia pyroliflora*; FOO 2:624; FPN 343; PEK 588; VP 4:11.

Synonyms:

Elliottia pyroliflora **(Bong.) S.W. Brim & P.F. Stevens**

FN 8:474; FOO 2:624 synonym for *Cladothamnus pyroliflorus*; FPN2 404; KZ 2:187.

Empetrum

Checklist contributor: Peter Zika, 4/1/2003
Flora of Oregon author: Stephen Meyers

Empetrum nigrum L.

Common names: black crowberry
Origin: native Voucher: OSC, most recently collected in 2019
FN 8:487; FOO 2:625; FPN 286; FPN2 404; IL 3:45; JPM 544; JPM2 700; PEK 506; VP 3:405.

Erica

Checklist contributor: Richard Halse, 2/18/2009
Flora of Oregon author: Kenton Chambers

Erica carnea L.

Common names: spring heath, snow heather
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1997
Bailey & Bailey, 1976 435; FN 8:492; FOO 2:625 uncertain status; FPN2 402.

Erica lusitanica Rudolphi

Common names: Spanish heath
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2008
FN 8:493; FOO 2:625; JPM 560; JPM2 700.

Gaultheria

Checklist contributor: Henrietta Chambers, 11/17/1998
Flora of Oregon author: Stephen Meyers

Gaultheria humifusa (Graham) Rydb.

Common names: alpine wintergreen
Origin: native Voucher: OSC, most recently collected in 2024
FN 8:513; FOO 2:625; FPN 344; FPN2 405; IL 3:306; JPM 560; JPM2 702; PEK 592; VP 4:12.

Gaultheria ovatifolia A. Gray

Common names: slender wintergreen, western teaberry, Oregon wintergreen
Origin: native Voucher: OSC, most recently collected in 2008
FN 8:513; FOO 2:626; FPN 344; FPN2 405; IL 3:306; JPM 560; JPM2 702; PEK 592; VP 4:12.

Gaultheria shallon Pursh

Common names: salal
Origin: native Voucher: OSC, most recently collected in 2024
FN 8:514; FOO 2:626; FPN 344; FPN2 405; IL 3:307; JPM 560; JPM2 702; PEK 591; VP 4:12.

Hemitomes

Checklist contributor: Gary Wallace, 7/7/1995
Flora of Oregon author: Stephen Meyers

Hemitomes congestum A. Gray

Common names: gnome plant
Origin: native Voucher: OSC, most recently collected in 2016
FN 8:396; FOO 2:627; FPN 344; FPN2 405; IL 3:297; JPM 560; JPM2 702; PEK 588; VP 4:13.

Kalmia

Checklist contributor: Kenton Chambers, 2/6/1997
Flora of Oregon author: Stephen Meyers

Kalmia microphylla (Hook.) A. Heller

Common names: alpine laurel, western swamp laurel

Origin: native Voucher: OSC, most recently collected in 2018

Ebinger, 1974 ; FN 8:484; FOO 2:627; FPN 344; IL 3:302; Jaynes, 1969 .

Synonyms:

Kalmia microphylla* (Hook.) A. Heller var. *microphylla

FN 8:484; FOO 2:627 synonym for *Kalmia microphylla*; FPN2 405.

***Kalmia microphylla* (Hook.) A. Heller var. *occidentalis* (Small) Ebinger**

FN 8:484; FOO 2:627 synonym for *Kalmia microphylla*; FPN2 405.

***Kalmia occidentalis* Small**

FN 8:484 synonym for *Kalmia microphylla* var. *occidentalis*; FOO 2:627 synonym for *Kalmia microphylla*; FPN 344; IL 3:302 synonym for *Kalmia polifolia* ssp. *occidentalis*.

***Kalmia polifolia* Wangenh.**

FN 8:485; FOO 2:627 synonym for *Kalmia microphylla*; FPN 344 synonym for *Kalmia occidentalis*; JPM 560; JPM2 702; VP 4:14.

***Kalmia polifolia* Wangenh. ssp. *microphylla* (Hook.) Calder & Roy L. Taylor**

FN 8:484 synonym for *Kalmia microphylla*; FOO 2:627 synonym for *Kalmia microphylla*; JPM 561.

***Kalmia polifolia* Wangenh. var. *microphylla* (Hook.) Rehder**

FN 8:484 synonym for *Kalmia microphylla*; FOO 2:627 synonym for *Kalmia microphylla*; FPN 344 synonym for *Kalmia microphylla*; GWM 260; PEK 590; VP 4:14.

***Kalmia polifolia* Wangenh. ssp. *occidentalis* (Small) Abrams**

FOO 2:627 synonym for *Kalmia microphylla*; FPN 344 synonym for *Kalmia occidentalis*; IL 3:302.

Kalmia polifolia* Wangenh. var. *polifolia

FOO 2:627 synonym for *Kalmia microphylla*; PEK 590; VP 4:14.

Misapplied names:

Kalmia polifolia* Wangenh. ssp. *polifolia

IL 3:302 excluded; JPM 561.

Kalmiopsis

Checklist contributor: Henrietta Chambers, 11/17/1997

Flora of Oregon author: Robert Meinke

Kalmiopsis fragrans Meinke & Kaye

Common names: Umpqua kalmiopsis, fragrant kalmiopsis

Origin: native Voucher: OSC, most recently collected in 2015

FN 8:479; FOO 2:628.

Misapplied names:

***Kalmiopsis leachiana* (L.F. Hend.) Rehder**

Kalmiopsis leachiana (L.F. Hend.) Rehder

Common names: Siskiyou kalmiopsis

Origin: native

FN 8:479; FOO 2:628; IL 3:302; Wade, 2001 .

Leucothoë

Checklist contributor: Henrietta Chambers, 11/17/1998

Flora of Oregon author: Stephen Meyers

Leucothoë davisiae Torr.

Common names: Sierra laurel, western leucothoë

Origin: native Voucher: OSC, most recently collected in 2015

FN 8:510; FOO 2:629; IL 3:306; JPM 561; JPM2 703; PEK 591.

Menziesia

Checklist contributor: Henrietta Chambers, 11/17/1998
Flora of Oregon author: Stephen Meyers

Menziesia ferruginea Sm.

Common names: fool's huckleberry, rusty menziesia

Origin: native Voucher: OSC, most recently collected in 2000

Bohm et al., 1984 ; FN 8:451; FOO 2:629; FPN 345; Hickman & Johnson, 1969 ; IL 3:301; JPM 561; JPM2 703; VP 4:17.

Synonyms:

Menziesia ferruginea* Sm. var. *ferruginea

FOO 2:629 synonym for *Menziesia ferruginea*; FPN 345; PEK 589; VP 4:17.

***Menziesia ferruginea* Sm. var. *glabella* (A. Gray) M. Peck**

FN 8:451 synonym for *Menziesia ferruginea*; FOO 2:629 synonym for *Menziesia ferruginea*; FPN 345; PEK 590; VP 4:17.

Moneses

Checklist contributor: Henrietta Chambers, 1/15/1999
Flora of Oregon author: Stephen Meyers

Moneses uniflora (L.) A. Gray

Common names: wood-nymph, single delight, one-flowered wintergreen

Origin: native Voucher: OSC, most recently collected in 2018

FN 8:384; FOO 2:630; FPN 347 synonym for *Pyrola uniflora*; FPN2 406; GWM 263 synonym for *Pyrola uniflora*; Haber & Cruise, 1974 ; IL 3:291; JPM 561; JPM2 703.

Synonyms:

***Moneses uniflora* (L.) A. Gray var. *reticulata* (Nutt.) S.F. Blake**

FN 8:384 synonym for *Moneses uniflora*; FOO 2:630 synonym for *Moneses uniflora*; IL 3:292; PEK 585.

***Pyrola uniflora* L.**

Chambers, 1999C ; FN 8:384 synonym for *Moneses uniflora*; FOO 2:630 synonym for *Moneses uniflora*; FPN 347; GWM 263; IL 3:291 synonym for *Moneses uniflora*; VP 4:26.

Monotropa

Checklist contributor: Gary Wallace, 1/11/1997
Flora of Oregon author: Stephen Meyers

Monotropa hypopitys L.

Common names: pinesap

Origin: native Voucher: OSC, most recently collected in 2016

FN 8:393; FOO 2:630; FPN 344 synonym for *Hypopitys monotropa*; FPN2 406; JPM 562; JPM2 703.

Synonyms:

***Hypopitys fimbriata* (A. Gray) Howell**

FN 8:393 synonym for *Monotropa hypopitys*; FOO 2:630 synonym for *Monotropa hypopitys*; FPN 344 synonym for *Hypopitys monotropa*; IL 3:295; PEK 586.

***Hypopitys lanuginosa* (Michx.) Nutt.**

FN 8:393 synonym for *Monotropa hypopitys*; FOO 2:630 synonym for *Monotropa hypopitys*; IL 3:295.

***Hypopitys latisquama* Rydb.**

FOO 2:630 synonym for *Monotropa hypopitys*; FPN 344 synonym for *Hypopitys monotropa*; IL 3:295 synonym for *Hypopitys lanuginosa*; PEK 586.

***Hypopitys monotropa* Crantz**

FN 8:393 synonym for *Monotropa hypopitys*; FOO 2:630 synonym for *Monotropa hypopitys*; FPN 344; GWM 260; VP 4:13.

Monotropa uniflora L.

Common names: Indian pipe

Origin: native Voucher: OSC, most recently collected in 2019

FN 8:392; FOO 2:630; FPN 346; FPN2 406; IL 3:293; JPM 562; JPM2 703; PEK 586; VP 4:18.

Orthilia

Checklist contributor: Henrietta Chambers, 1/15/1999

Flora of Oregon author: Stephen Meyers

Orthilia secunda (L.) House

Common names: one-sided wintergreen, sidebells, one-sided pyrola

Origin: native Voucher: OSC, most recently collected in 2018

FN 8:388; FOO 2:631; FPN2 406; Haber & Cruise, 1974 ; JPM 562; JPM2 704.

Synonyms:

***Pyrola secunda* L.**

Chambers, 1999C ; FN 8:388 synonym for *Orthilia secunda*; FOO 2:631 synonym for *Orthilia secunda*; FPN 347; GWM 263; IL 3:291; VP 4:24.

Pyrola secunda* L. var. *secunda

FOO 2:631 synonym for *Orthilia secunda*; FPN 347; VP 4:26.

***Remischia secunda* (L.) Garcke**

FOO 2:631 synonym for *Orthilia secunda*; PEK 584.

Phyllodoce

Checklist contributor: Henrietta Chambers, 11/17/1998

Flora of Oregon author: Stephen Meyers

Phyllodoce breweri (A. Gray) A. Heller

Common names: purple mountain heather

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 1938

FOO 2:632 uncertain status; JPM 562; JPM2 704.

Phyllodoce empetriformis (Sm.) D. Don

Common names: pink mountain heather

Origin: native Voucher: OSC, most recently collected in 2021

FN 8:478; FOO 2:632; FPN 346; FPN2 406; GWM 261; IL 3:303; JPM 562; JPM2 704; PEK 590; VP 4:18.

Phyllodoce glanduliflora (Hook.) Coville

Common names: yellow mountain heather

Origin: native Voucher: OSC, most recently collected in 2012

FN 8:478; FOO 2:632; FPN 346; FPN2 406; GWM 261; IL 3:303; PEK 591; VP 4:18.

Phyllodoce* × *intermedia (Hook.) Rydb.

Common names: hybrid mountain heather

Origin: native Voucher: OSC, most recently collected in 1976

FN 8:478; FOO 2:632 uncertain status; FPN 346; FPN2 406.

Pityopus

Checklist contributor: Gary Wallace, 7/7/1995

Flora of Oregon author: Stephen Meyers

Pityopus californicus (Eastw.) H.F. Copel.

Common names: pinefoot

Origin: native Voucher: OSC, most recently collected in 1997

FN 8:395; FOO 2:632; FPN2 407; JPM 562; JPM2 704; PEK 586.

Synonyms:

***Pityopus californica* (Eastw.) H.F. Copel.**

FN 8:395 synonym for *Pityopus californicus*; FPN 346; IL 3:296; VP 4:20.

Pleuricospora

Checklist contributor: Gary Wallace, 7/7/1995

Flora of Oregon author: Stephen Meyers

Pleuricospora fimbriolata A. Gray

Common names: fringed pinesap

Origin: native Voucher: OSC, most recently collected in 1995

FN 8:397; FOO 2:633; FPN 346; FPN2 407; IL 3:296; JPM 562; JPM2 704; PEK 587; VP 4:20.

Synonyms:

***Pleuricospora longipetala* Howell**

FN 8:397 synonym for *Pleuricospora fimbriolata*; FOO 2:633 synonym for *Pleuricospora fimbriolata*; FPN 346 synonym for *Pleuricospora fimbriolata*; IL 3:296.

Pterospora

Checklist contributor: Gary Wallace, 7/7/1995

Flora of Oregon author: Stephen Meyers

Pterospora andromedea Nutt.

Common names: pinedrops

Origin: native Voucher: OSC, most recently collected in 2023

FN 8:389; FOO 2:633; FPN 347; FPN2 407; GWM 261; IL 3:295; JPM 564; JPM2 704; PEK 587; VP 4:21.

Pyrola

Checklist contributor: Henrietta Chambers, 1/15/1999

Flora of Oregon author: Stephen Meyers

Pyrola aphylla Sm.

Common names: leafless wintergreen

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 1999C ; FN 8:383 synonym for *Pyrola picta*; FOO 2:634; FPN 347; FPN2 408; GWM 262 ambiguous synonym; IL 3:291; JPM2 ; PEK 585; VP 4:22.

Synonyms:

***Pyrola picta* Sm.**

in part

Pyrola asarifolia Michx.

Chambers, 1999C ; FN 8:380; FOO 2:634; FPN 348; GWM 262; JPM 564; VP 4:23.

Pyrola asarifolia Michx. ssp. ***asarifolia***

Common names: alpine pyrola, bog wintergreen

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 1999C ; FN 8:381; FOO 2:634; FPN2 407; Haber, 1983 ; JPM 564; JPM2 706.

Synonyms:

Pyrola asarifolia* Michx. var. *asarifolia

FOO 2:634 synonym for *Pyrola asarifolia ssp. asarifolia*; FPN 348; VP 4:23.

***Pyrola asarifolia* Michx. var. *incarnata* Fernald**

FOO 2:634 synonym for *Pyrola asarifolia ssp. asarifolia*; FPN 348 synonym for *Pyrola asarifolia* var. *asarifolia*; IL 3:290.

***Pyrola asarifolia* Michx. var. *purpurea* (Bunge) Fernald**

FN 8:381 synonym for *Pyrola asarifolia* ssp. *asarifolia*; FPN 348; VP 4:23.

***Pyrola uliginosa* Torr.**

FN 8:381 synonym for *Pyrola asarifolia* ssp. *asarifolia*; FOO 2:634 synonym for *Pyrola asarifolia ssp. asarifolia*; IL 3:290 synonym for *Pyrola asarifolia* var. *incarnata*; PEK 584.

Pyrola asarifolia Michx. ssp. ***bracteata*** (Hook.) Haber

Common names: long-bracted wintergreen, pink wintergreen

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 1999C ; FN 8:381; FOO 2:635; FPN2 407; JPM 564; JPM2 706.

Synonyms:

***Pyrola bracteata* Hook.**

FN 8:318 synonym for *Pyrola asarifolia* ssp. *bracteata*; FOO 2:635 synonym for *Pyrola asarifolia ssp. bracteata*; FPN 348 synonym for *Pyrola asarifolia* var. *asarifolia*; IL 3:288; PEK 584.

Pyrola chlorantha Sw.

Common names: green-flowered wintergreen

Origin: native Voucher: OSC, most recently collected in 2011

Chambers, 1999C ; FN 8:381; FOO 2:635; FPN 348; FPN2 408; GWM 264 synonym for *Pyrola virens*; Haber, 1983 ; IL 3:290; JPM 564; JPM2 706; PEK 585.

Synonyms:

***Pyrola virens* Schreb.**

FN 8:381 synonym for *Pyrola chlorantha*; FOO 2:635 synonym for *Pyrola chlorantha*; FPN 348 synonym for *Pyrola chlorantha*; GWM 264; VP 4:26.

Pyrola dentata Sm.

Common names: Nootka wintergreen, toothleaf pyrola

Origin: native

Chambers, 1999C ; FN 8:383 synonym for *Pyrola picta*; FOO 2:636 synonym for *Pyrola picta*; FPN 348; FPN2 408; GWM 263; VP 4:23.

Synonyms:

Pyrola dentata* Sm. var. *dentata

FOO 2:636 synonym for *Pyrola picta*; IL 3:290; PEK 585.

***Pyrola dentata* Sm. var. *integra* A. Gray**

FN 8:383 synonym for *Pyrola picta*; FOO 2:636 synonym for *Pyrola picta*; FPN 348 synonym for *Pyrola dentata*; IL 3:290; PEK 585.

***Pyrola picta* Sm.**

in part

Pyrola minor L.

Common names: lesser wintergreen, snowline wintergreen

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 1999C ; FN 8:383; FOO 2:635; FPN 347; FPN2 407; GWM 263; IL 3:291; JPM 564; JPM2 706; PEK 585; VP 4:24.

Pyrola picta Sm.

sensu stricto,

Common names: white-veined wintergreen, white-vein pyrola

Origin: native Voucher: OSC, most recently collected in 1978

Synonyms:

***Pyrola crypta* Jolles**

FOO 2:636 synonym for *Pyrola picta*.

Rhododendron

Checklist contributor: Henrietta Chambers, 1/15/1999

Flora of Oregon author: Stephen Meyers

Rhododendron albiflorum Hook.

Common names: white-flowered azalea, white rhododendron

Origin: native Voucher: OSC, most recently collected in 2015

FN 8:464; FOO 2:636; FPN 348; FPN2 409; IL 3:299; PEK 589; VP 4:27.

Rhododendron columbianum (Piper) Harmaja

Common names: western Labrador tea

Origin: native Voucher: OSC, most recently collected in 2018

FN 8:459; FOO 2:637; FPN2 408; Hart et al., 2017 ; JPM2 708.

Synonyms:

***Ledum* × *columbianum* Piper**

FOO 2:637 synonym for *Rhododendron columbianum*; IL 3:299; KZ 1:255; PEK 588.

***Ledum glandulosum* Nutt.**

FN 8:459 synonym for *Rhododendron columbianum*; FOO 2:637 synonym for *Rhododendron columbianum*; FPN 345; GWM 261; IL 3:298; JPM 561; PEK 588; VP 4:16.

***Ledum glandulosum* Nutt. var. *columbianum* (Piper) C.L. Hitchc.**

FOO 2:637 synonym for *Rhododendron columbianum*; FPN 345; VP 4:16.

Ledum glandulosum* Nutt. var. *glandulosum

FOO 2:637 synonym for *Rhododendron columbianum*; FPN 345; VP 4:16.

***Rhododendron neoglandulosum* Harmaja**

FN 8:459 synonym for *Rhododendron columbianum*; IN 2b:440 synonym for *Ledum glandulosum*.

Rhododendron macrophyllum D. Don

Common names: Pacific rhododendron, western rhododendron

Origin: native Voucher: OSC, most recently collected in 2022

FN 8:462; FOO 2:637; FPN 348; FPN2 409; IL 3:299; JPM 566; JPM2 708; Oregon Flora Project, 1999E ; PEK 589; VP 4:27.

Rhododendron occidentale (Torr. & A. Gray) A. Gray

Common names: western azalea

Origin: native Voucher: OSC, most recently collected in 2018

FN 8:467; FOO 2:638; FPN 348; FPN2 408; IL 3:299; JPM 566; JPM2 708; PEK 589; VP 4:29.

Synonyms:

***Rhododendron occidentale* (Torr. & A. Gray) A. Gray var. *paludosum* Jeps.**

FOO 2:638 synonym for *Rhododendron occidentale*; Hrusa, 2012 .

Sarcodes

Checklist contributor: Gary Wallace, 7/7/1995

Flora of Oregon author: Stephen Meyers

Sarcodes sanguinea Torr.

Common names: snow plant

Origin: native Voucher: OSC, most recently collected in 1998

FN 8:391; FOO 2:638; IL 3:296; JPM 566; JPM2 708; PEK 587.

Vaccinium

Checklist contributor: Henrietta Chambers, 3/3/1999

Flora of Oregon author: Stephen Meyers

Vaccinium caespitosum Michx.

Common names: dwarf bilberry

Origin: native Voucher: OSC, most recently collected in 2008

Chambers, 1999E ; FN 8:524; FOO 2:639; FPN 350; FPN2 410; GWM 264; IL 3:328; JPM 566; PEK 596; VP 4:31.

Synonyms:

Vaccinium caespitosum* Michx. var. *caespitosum

FOO 2:639 synonym for *Vaccinium caespitosum*; IL 3:328.

***Vaccinium cespitosum* Michx.**

FN 8:524; JPM2 708.

Vaccinium corymbosum L.

Common names: high-bush blueberry

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FN 8:526; FOO 2:639 uncertain status; FPN2 409.

Vaccinium deliciosum Piper

Common names: Cascade bilberry

Origin: native Voucher: OSC, most recently collected in 2012

Chambers, 1999E ; FN 8:523; FOO 2:640; FPN 350; FPN2 410; IL 3:328; JPM 567; JPM2 709; PEK 596; VP 4:31.

Vaccinium macrocarpon Aiton

Common names: cranberry

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2008

FN 8:519; FOO 2:640; FPN 349; FPN2 409; JPM 567; JPM2 709; VP 4:32; Zika, 2000 .

Vaccinium membranaceum Douglas ex Torr.

Common names: thin-leaved huckleberry, black huckleberry

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 1999E ; FN 8:523; FOO 2:640; FPN 350; FPN2 410; GWM 264; IL 3:328; JPM 567; JPM2 709; PEK 596; VP 4:32; Vander Kloet & Dickinson, 1999 .

Synonyms:

***Vaccinium coccineum* Piper**

FOO 2:640 synonym for *Vaccinium membranaceum*.

***Vaccinium coccinium* Piper**

Chambers, 1999E ; FN 8:523 synonym for *Vaccinium membranaceum*; IL 3:328.

***Vaccinium globulare* Rydb.**

Chambers, 1999E ; FN 8:523 synonym for *Vaccinium membranaceum*; FOO 2:640 synonym for *Vaccinium membranaceum*; FPN 350; VP 4:31.

Vaccinium myrtillus L.

Common names: whortleberry

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 1999E ; FN 8:523; FOO 2:640; FPN 349; FPN2 410; VP 4:32.

Vaccinium ovalifolium Sm.

Common names: early blueberry, oval-leaf blueberry

Origin: native Voucher: OSC, most recently collected in 2014

Chambers, 1999E ; FN 8:524; FOO 2:640; FPN 350; FPN2 410; IL 3:329; PEK 596; VP 4:34.

Synonyms:

***Vaccinium alaskaense* Howell**

Chambers, 1999E ; FN 8:524 synonym for *Vaccinium ovalifolium*; FOO 2:640 synonym for *Vaccinium ovalifolium*; FPN 350; VP 4:30.

Vaccinium ovatum Pursh

Common names: evergreen huckleberry, California huckleberry

Origin: native Voucher: OSC, most recently collected in 2021

FN 8:530; FOO 2:641; FPN 349; FPN2 409; IL 3:327; JPM 567; JPM2 709; PEK 595; VP 4:34.

Synonyms:

***Vaccinium ovatum* Pursh var. *saporosum* Jeps.**

FN 8:530 synonym for *Vaccinium ovatum*; FOO 2:641 synonym for *Vaccinium ovatum*; IL 3:327; KZ 1:257.

Vaccinium oxycoccos L.

Common names: small cranberry, bog cranberry, wild cranberry, swamp cranberry

Origin: native Voucher: OSC, most recently collected in 2019

FN 8:519; FOO 2:641; FPN 349; FPN2 409; VP 4:34.

Synonyms:

***Oxycoccus palustris* Pers. var. *intermedium* (A. Gray) Howell**

FN 8:519 synonym for *Vaccinium oxycoccos*; FOO 2:641 synonym for *Vaccinium oxycoccos*; IL 3:329.

***Vaccinium oxycoccos* L. var. *intermedium* A. Gray**

FN 8:519 synonym for *Vaccinium oxycoccos*; FOO 2:641 synonym for *Vaccinium oxycoccos*; IL 3:329 synonym for *Oxycoccus palustris* var. *intermedium*; PEK 596.

Vaccinium oxycoccos* L. var. *oxycoccos

FOO 2:641 synonym for *Vaccinium oxycoccos*; PEK 596; VP 4:35.

Vaccinium parvifolium Sm.

Common names: red huckleberry

Origin: native Voucher: OSC, most recently collected in 2020

Chambers, 1999E ; FN 8:522; FOO 2:641; FPN 349; FPN2 410; IL 3:329; JPM 567; JPM2 709; PEK 596; VP 4:35.

Vaccinium scoparium Leiberg ex Coville

Common names: grouseberry, grouse whortleberry

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 1999E ; FN 8:522; FOO 2:641; FPN 349; FPN2 410; GWM 264; IL 3:329; JPM 567; JPM2 709; PEK 596; VP 4:35.

Vaccinium uliginosum L.

Common names: bog bilberry, bog blueberry

Origin: native Voucher: OSC, most recently collected in 2012

FN 8:518; FOO 2:642; FPN 349; IL 3:327; VP 4:35.

Synonyms:

***Vaccinium occidentale* A. Gray**

FN 8:518 synonym for *Vaccinium uliginosum*; FOO 2:642 synonym for *Vaccinium uliginosum*; FPN 350; IL 3:327; PEK 595; VP 4:34.

***Vaccinium uliginosum* L. var. *alpinum* Bigelow**

FN 8:518 synonym for *Vaccinium uliginosum*; FOO 2:642 synonym for *Vaccinium uliginosum*; PEK 595.

***Vaccinium uliginosum* L. ssp. *occidentale* (A. Gray) Hultén**

FN 8:518 synonym for *Vaccinium uliginosum*; FOO 2:642 synonym for *Vaccinium uliginosum*; FPN2 409; JPM 567; JPM2 709.

Vaccinium uliginosum* L. var. *uliginosum

FOO 2:642 synonym for *Vaccinium uliginosum*; PEK 595.

Excluded names:

Rhododendron groenlandicum (Oeder) Kron & Judd

FN 8:460; FOO 2:636 uncertain status; FPN2 408.

Synonyms:

***Ledum groenlandicum* Oeder**

FN 8:460 synonym for *Rhododendron groenlandicum*; FPN 345; IL 3:298; PEK 588; VP 4:16.

Literature cited for Ericaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Bailey, L.H., and E.Z. Bailey. 1976. Hortus Third: A concise dictionary of plants cultivated in the United States and Canada. MacMillan Publishing Co., New York, NY, U.S.A.

Barton, W.P.C. 1817. Vegetable materia medica of the United States; or medical botany. Volume 1. M. Carey & Son, Philedelphia, PA.

Blake, S.F. 1917. The varieties of *Chimaphila umbellata<\I>. Rhodora 19:237-244.*

Bohm, B., H. Banek, and J.R. Maze. 1984. Flavonoid variation in North American *Menziesia* (Ericaceae). Systematic Botany 9:324-345.

Bohm, B.A., S.W. Brim, R.J. Hebda, and P.F. Stevens. 1978. Generic limits in the tribe Cladothamneae (Ericaceae), and its position in the Rhododendroideae. Journal of the Arnold Arboretum 59:311-341.

Camp, W.H. 1940. Aphyllous forms in *Pyrola*. Bulletin of the Torrey Botanical Club 67:453-465.

Chambers, H. 1999C. Oregon pyrolas. Oregon Flora Newsletter 5(2):9-10.

Chambers, K.L. 2003C. Manzanitas- A study in speciation patterns Part I: Overview of evolution in *Arctostaphylos*. Oregon Flora Newsletter 9(2):11-12.

Chambers, K.L. 2003D. Manzanitas- A study in speciation patterns -part II: Summary of the Oregon taxa of *Arctostaphylos*. Oregon Flora Newsletter 9(3):15,17.

Don, D. 1824. A monograph of the genus *Pyrola*. Memoirs of the Wernerian Natural History Society 5(1):220-246.

Ebinger, J.E. 1974. A systematic study of the genus *Kalmia* (Ericaceae). Rhodora 76:315-398.

Gottlieb, L.D. 1968. Hybridization between *Arctostaphylos viscida* and *A. canescens* in Oregon. Brittonia 20:83-93.

Haber, E. 1972. The priority of the binomial *Pyrola chlorantha*. Rhodora 74:396-397.

Haber, E. 1983. Morphological variability and flavonol chemistry of the *Pyrola asarifolia* complex (Ericaceae) in North America. Systematic Botany 8:277-298.

Haber, E., and J.E. Cruise. 1974. Generic limits in the Pyroloideae (Ericaceae). Canadian Journal of Botany 52:877-883.

Hart, A., K. Kron, & E. Gillespie. 2017. Molecular phylogenetic analysis of the north-temperate labrador teas (Ericaceae: *Rhodoendron* subsect. *Ledum*) suggests a complex genetic history. Journal of the Botanical Research Institute Texas 11(1):53-65.

Hickman, J.C., and M.P. Johnson. 1969. An analysis of geographical variation in western North American *Menziesia* (Ericaceae). Madroño 20:1-11.

Hitchcock, C.L. 1956. The *Ledum glandulosum complex*. Leaflets of Western Botany 8(1):1-8.

Hrusa, G.F. 2012. Morphological and isoenzyme variation in *Rhododendron occidentale* (western azalea) (section *Pentanthera*; Ericaceae). Madroño 59(3):128-142.

Jaynes, R.A. 1969. Chromosome counts of *Kalmia* species and revaluation [sic] of *K. polifolia* var. *microphylla*. Rhodora 71:280-284.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Kron, K.A., and W.S. Judd. 1990. Phylogenetic relationships within the Rhodoreae (Ericaceae) with specific comments on the placement of *Ledum*. Systematic Botany 15(1):57-67.

Kruckeberg, A.R. 1977. Manzanita (*Arctostaphylos*) hybrids in the Pacific Northwest: Effects of human and natural disturbance. Systematic Botany 2:233-250.

Kurashige, Y., M. Mine, N. Kobayashi, T. Handa, K. Takayanagi, and T. Yukawa. 1998. Investigation of sectional relationships in the genus *Rhododendron* (Ericaceae) based on matK sequences. Journal of Japanese Botany 73:143-153.

Linnaei, C. 1753. Species Plantarum. Volume 1. Impensis Laurentii Salvii, Holmiae, Sweden.

Parker, V.T., and M.C. Vasey. 2016. Two new subspecies of *Arctostaphylos* (Ericaceae) from California and implications for understanding diversification in this genus. Madroño 63(3):283-291.

Piper, C.V. 1907. New plants of the Pacific slope with some revisions. Smithsonian Miscellaneous Collections 50:195-202.

Sprengle, C. 1825. Systema Vegetabilium. Volume 2. Gottingae.

Vander Kloet, S.P. 1989. Typification of some North American *Vaccinium* species names. Taxon 38:129-135.

Vander Kloet, S.P., and T.A. Dickinson. 1999. The taxonomy of *Vaccinium* section *Myrtillus*. Brittonia 51:231-254.

Wallace, G.D. 1975. Studies of the Monotropoideae (Ericaceae): taxonomy and distribution. Wasmann Journal of Biology 33:1-88.

Wells, P.V. 1988. New combinations in *Arctostaphylos (Ericaceae)*: Annotated list of changes in status. Madroño 35(4):330-341.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest