Checklist of Oregon Juncaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Juncus

Checklist contributor: Peter Zika, 3/24/2003
Flora of Oregon author: Peter Zika

Juncus acuminatus Michx.

Common names: tapered rush, knotty-leaf rush, sharp-fruited rush
Origin: native Voucher: OSC, most recently collected in 2023
FN 22:251; FOO 1:271; FPN 571; FPN2 715; IL 1:366; JPM 1159; JPM2 1366; PEK 198; VP 1:185; Zika, 2000 .

Juncus anthelatus (Wiegand) R.E. Brooks

Common names: Kentucky rush, poverty rush
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015
FN 22:223; FOO 1:271; FPN2 717; JPM2 1366.

Juncus articulatus L.

FN 22:255; FPN 572; IL 1:362; IN 6:60; JPM 1159; PEK 197; VP 1:187.

Juncus articulatus L. ssp. ***articulatus***

Common names: joint-leaved rush, jointed rush
Origin: native Voucher: OSC, most recently collected in 2024
FOO 1:271; FPN2 715; JPM2 1366.

Juncus balticus Willd.

FN 22:216 synonym for *Juncus arcticus* var. *balticus*; FPN 569; IL 1:354; IN 6:50; JPM 1159.

Juncus balticus Willd. ssp. ***ater*** (Rydb.) Snogerup

Common names: Baltic rush, dark Baltic rush
Origin: native Voucher: OSC, most recently collected in 2019
FOO 1:271; FPN2 713; JPM2 1366.

Synonyms:

***Juncus arcticus* Willd.**
in part
FPN 569.

***Juncus arcticus* Willd. var. *balticus* (Willd.) Trautv.**
in part

Juncus balticus* Willd. ssp. *balticus
IL 1:354.

Juncus balticus* Willd. var. *balticus
FPN 570; PEK 193; VP 1:189.

***Juncus balticus* Willd. ssp. *cascadensis* Lint**
GWM 34.

***Juncus balticus* Willd. var. *montanus* Engelm.**
FN 22:216 synonym for *Juncus arcticus* var. *balticus*; FPN 570; PEK 193; VP 1:189.

***Juncus balticus* Willd. var. *vallicola* Rydb.**
FN 22:216 synonym for *Juncus arcticus* var. *balticus*; FPN 570; VP 1:189.

Juncus bolanderi Engelm.

Common names: Bolander's rush
Origin: native Voucher: OSC, most recently collected in 2022
FN 22:250; FOO 1:271; FPN 572; FPN2 715; IL 1:365; JPM 1159; JPM2 1366; PEK 198; VP 1:189.

Juncus brevicaudatus (Engelm.) Fernald

Common names: short-tailed rush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1999

FN 22:244; FOO 1:271; FPN2 714; Zika, 2000 ; Zika, 2003B 43-46.

Juncus breweri Engelm.

Common names: Brewer's rush, salt rush

Origin: native Voucher: OSC, most recently collected in 2013

FN 22:216 synonym for *Juncus arcticus* var. *balticus*; FOO 1:272; FPN2 713; JPM 1159; JPM2 1366.

Synonyms:

***Juncus arcticus* Willd.**

in part

***Juncus arcticus* Willd. var. *balticus* (Willd.) Trautv.**

in part

Juncus bryoides F.J. Herm.

Common names: mosslike dwarf rush, moss rush

Origin: native Voucher: OSC, most recently collected in 1979

FN 22:232; FOO 1:272; FPN2 712; JPM 1159; JPM2 1366.

Synonyms:

***Juncus kelloggii* Engelm.**

in part

Juncus bufonius L.

FN 22:224; FOO 1:272; FPN 568; GWM 35; IL 1:356; IN 6:63; JPM 1159; Kirschner, 2002A ; PEK 194; VP 1:189.

Juncus bufonius L. var. ***bufonius***

Common names: toad rush

Origin: native Voucher: OSC, most recently collected in 2024

FOO 1:273; FPN2 712; JPM 1160; JPM2 1366; KZ 341.

Juncus bufonius L. var. ***congestus*** Wahlenb.

Common names: Swedish toad rush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008

FOO 1:273; FPN2 712; JPM 1160; JPM2 1366.

Juncus bufonius L. var. ***occidentalis*** F.J. Herm.

Common names: western toad rush

Origin: native Voucher: OSC, most recently collected in 2011

FN 22:224 synonym for *Juncus bufonius*; FOO 1:273; FPN2 712; JPM 1160; JPM2 1366.

Misapplied names:

***Juncus sphaerocarpus* Nees**

FPN 568 synonym for *Juncus bufonius*; GWM 38; IL 1:356; PEK 194.

Juncus bulbosus L.

Common names: bulbous rush, spreading rush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FN 22:247; FOO 1:273; FPN2 715.

Synonyms:

***Juncus supinus* Moench**

FN 22:219 synonym for *Juncus compressus*; FPN 572; VP 1:207.

Juncus canadensis J. Gay ex LaHarpe

Common names: Canada rush, Canadian rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 22:243; FOO 1:273; FPN2 714; Zika, 2000 .

Juncus capillaris F.J. Herm.

Common names: hairstem rush

Origin: native Voucher: OSC, most recently collected in 1896

FN 22:232; FOO 1:273; FPN 568; JPM 1160; JPM2 1367; PEK 196.

Synonyms:

Juncus kelloggii **Engelm.**

in part

Juncus capitatus Weigel

Common names: capitate rush, leafybract dwarf rush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2010

FOO 1:274; JPM2 1367.

Juncus compressus Jacq.

Common names: round-fruited rush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FOO 1:274; FPN2 717.

Juncus confusus Coville

Common names: Colorado rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:221; FOO 1:274; FPN 574; FPN2 717; GWM 35; IL 1:357; IN 6:49; JPM 1160; JPM2 1367; PEK 194; VP 1:191.

Juncus conglomeratus L.

Common names: compact rush

Origin: exotic, not naturalized Voucher: MICH, most recently collected in 1921

FN 22:214 synonym for *Juncus effusus*; FOO 1:274; FPN2 713.

Juncus covillei Piper

Common names: Coville's rush

Origin: native Voucher: OSC, most recently collected in 2020

FN 22:229; FOO 1:274; FPN 573; FPN2 718; IL 1:359; JPM 1160; JPM2 1367; PEK 196; VP 1:193.

Synonyms:

Juncus covillei **Piper var.** ***covillei***

FN 22:229; FPN 573; JPM 1160.

Juncus covillei **Piper var.** ***obtusatus*** **(Engelm.) C.L. Hitchc.**

FN 22:229; FPN 574; JPM 1160.

Juncus obtusatus **Engelm.**

FN 22:229 synonym for *Juncus covillei* var. *obtusatus*; FPN 574 synonym for *Juncus covillei* var. *obtusatus*; IL 1:360.

Juncus diffusissimus Buckley

Common names: slim pod rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015

FOO 1:275; FPN2 715; JPM2 1367.

Juncus drummondii E. Mey.

Common names: Drummond's rush, threeflower rush

Origin: native Voucher: OSC, most recently collected in 2018

FN 22:214; FOO 1:275; FPN 568; FPN2 713; GWM 35; IL 1:352; IN 6:52; JPM 1160; JPM2 1367; PEK 192.

Synonyms:

***Juncus drummondii* E. Mey. var. *subtriflorus* (E. Mey.) C.L. Hitchc.**

FN 22:214 synonym for *Juncus drummondii*; FPN 568; VP 1:194.

Misapplied names:

Juncus drummondii* E. Mey. var. *drummondii

FPN 569; KZ 2:408; Kartesz & Meacham, 2007 ; VP 1:194.

Juncus dudleyi Wiegand

Common names: Dudley's rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:224; FOO 1:275; FPN 575 synonym for *Juncus tenuis* var. *dudleyi*; FPN2 717; IL 1:357; JPM 1160; JPM2 1367; PEK 194.

Synonyms:

***Juncus tenuis* Willd. var. *dudleyi* (Wiegand) F.J. Herm.**

FN 22:224 synonym for *Juncus dudleyi*; FPN 575; VP 1:209.

Juncus effusus L.

FN 22:214; FOO 1:276; FPN 569; IL 1:353; JPM 1162.

Juncus effusus L. ssp. ***effusus***

Common names: pasture rush, soft rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FOO 1:276; FPN2 714; JPM2 1368.

Synonyms:

***Juncus effusus* L. var. *compactus* Lej. & Court.**

FPN 569; VP 1:194.

Juncus effusus L. ssp. ***pacificus*** (Fernald & Wiegand) Piper & Beattie

Common names: common rush, Pacific rush

Origin: native Voucher: OSC, most recently collected in 2021

FOO 1:276; FPN2 714; JPM2 1368.

Synonyms:

***Juncus effusus* L. var. *pacificus* Fernald & Wiegand**

FN 22:214 synonym for *Juncus effusus*; FPN 569; JPM 1162; PEK 193; VP 1:194.

Juncus effusus L. ssp. ***solutus*** (Fernald & Wiegand) Hämet-Ahti

Common names: eastern soft rush, Nova Scotia rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 22:214 synonym for *Juncus effusus*; FOO 1:276; FPN2 714; JPM2 1368.

Juncus ensifolius Wickstr.

Common names: dagger-leaved rush, swordleaf rush

Origin: native Voucher: OSC, most recently collected in 2023

FN 22:235; FOO 1:277; FPN 570; FPN2 716; GWM 35; IL 1:368; JPM 1162; JPM2 1368; Oregon Flora Project, 2000L ; PEK 199.

Synonyms:

Juncus ensifolius* Wickstr. var. *ensifolius

FN 22:235; FPN 570; IN 6:56; VP 1:195.

***Juncus tracyi* Rydb.**

FPN 570; VP 1:211.

Juncus ensifolius Wickstr. × ***Juncus nevadensis*** S. Watson

Origin: native

Juncus exiguus (Fernald & Wiegand) Lint ex Snogerup & Zika

Common names: Klamath rush, weak rush

Origin: native Voucher: OSC, most recently collected in 2015

FOO 1:277; FPN2 714; JPM2 1368.

Synonyms:

***Juncus effusus* L. var. *exiguus* Fernald & Wiegand**

FN 22:214 synonym for *Juncus effusus*; JPM 1162; PEK 193.

Juncus falcatus E. Mey.

FN 22:228; FPN 573; IL 1:359; PEK 195; VP 1:195.

Juncus falcatus E. Mey. ssp. ***sitchensis*** (Buchenau) Hultén

Common names: sickle-leaved rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:228 synonym for *Juncus falcatus* var. *sitchensis*; FOO 1:278; FPN2 718; JPM2 1368.

Synonyms:

***Juncus falcatus* E. Mey. var. *sitchensis* Buchenau**

FN 22:228; FPN 573.

Misapplied names:

Juncus falcatus* E. Mey. ssp. *falcatus

JPM2 1368.

Juncus falcatus* E. Mey. var. *falcatus

FN 22:228; JPM 1162.

Juncus filiformis L.

Common names: thread rush

Origin: native Voucher: OSC, most recently collected in 2014

FN 22:214; FOO 1:278; FPN 569; FPN2 713; GWM 36; IL 1:353; IN 6:52; PEK 193; VP 1:197.

Juncus gerardi Loisel.

IL 1:356.

Synonyms:

***Juncus gerardii* Loisel.**

FN 22:219; FPN 574; VP 1:197.

Juncus gerardi Loisel. ssp. ***gerardi***

Common names: saltmeadow rush, mud rush, black grass, Gerard's rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2012

FOO 1:278; FPN2 717.

Synonyms:

Juncus gerardii* Loisel. ssp. *gerardii

JPM2 1368.

Juncus gerardii* Loisel. var. *gerardii

Juncus hemiendytus F.J. Herm.

FN 22:232; FOO 1:278; FPN 568; GWM 36; JPM 1162; PEK 196; VP 1:197.

Juncus hemiendytus F.J. Herm. var. ***abjectus*** (F.J. Herm.) Ertter

Common names: Center Basin rush, least rush

Origin: native Voucher: OSC, most recently collected in 2018

FN 22:233; FOO 1:278; FPN2 712; JPM 1162; JPM2 1368.

Synonyms:

***Juncus abjectus* F.J. Herm.**

FN 22:233 synonym for *Juncus hemiendytus* var. *abjectus*; FPN 568; PEK 197.

***Juncus kelloggii* Engelm.**

in part

Juncus hemiendytus F.J. Herm. var. ***hemiendytus***

Common names: dwarf rush

Origin: native Voucher: OSC, most recently collected in 2018

FN 22:233; FOO 1:278; FPN2 713; JPM 1162; JPM2 1368.

Synonyms:

***Juncus kelloggii* Engelm.**

in part

Juncus hesperius (Piper) Lint

Common names: bog rush, coast rush

Origin: native Voucher: OSC, most recently collected in 2013

FOO 1:278; FPN2 714; JPM2 1370.

Synonyms:

***Juncus effusus* L. var. *brunneus* Engelm.**

FN 22:214 synonym for *Juncus effusus*; IL 1:353; JPM 1162; PEK 193.

Juncus howellii F.J. Herm.

Common names: Howell's rush

Origin: native Voucher: OSC, most recently collected in 2011

FN 22:227; FOO 1:279; FPN 573; FPN2 717; GWM 36; JPM 1162; JPM2 1370; PEK 197; VP 1:199.

Juncus inflexus L. ssp. ***inflexus***

Common names: European blue rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2010

FOO 1:279; FPN2 713.

Juncus interior Wiegand

Common names: interior juncus

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:224; FOO 1:279; FPN 574; FPN2 717; JPM2 1370.

Juncus kelloggii Engelm.

sensu stricto,

Common names: Kellogg's rush

Origin: native

FN 22:231; FOO 1:279; FPN 568; JPM2 1370; PEK 196.

Synonyms:

***Juncus brachystylus* (Engelm.) Piper**

FPN 568 synonym for *Juncus kelloggii*; IL 1:361.

Juncus laccatus Zika

Common names: shiny rush

Origin: native Voucher: OSC, most recently collected in 2017

FOO 1:279; FPN2 714; JPM2 1370.

Synonyms:

***Juncus effusus* L. var. *gracilis* Hook.**

FN 22:214 synonym for *Juncus effusus*; FPN 569; JPM 1162; PEK 193; VP 1:194.

Juncus lescurii Bol.

Common names: San Francisco rush

Origin: native Voucher: OSC, most recently collected in 2018

FOO 1:280; IL 1:354; JPM2 1370.

Synonyms:

***Juncus lesueurii* Bol.**

FN 22:217; FPN 569; FPN2 713 synonym for *Juncus breweri*; JPM 1162; PEK 193; VP 1:199.

Juncus longistylis Torr.

Common names: long-styled rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:226; FOO 1:280; FPN 574; FPN2 718; GWM 36; IL 1:360; IN 6:54; JPM 1162; JPM2 1370; PEK 195; VP 1:201.

Juncus marginatus Rostk.

Common names: grass rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 22:229; FOO 1:280; FPN2 717; JPM2 1370.

Synonyms:

Juncus marginatus* Rostk. var. *marginatus

JPM 1164.

Juncus mertensianus Bong.

Common names: Mertens' rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:252; FOO 1:280; FPN 572; FPN2 715; IL 1:363; IN 6:60; JPM 1164; JPM2 1371; PEK 197; VP 1:201.

Juncus mexicanus Willd. ex Roem. & Schult.

Common names: Mexican rush

Origin: native Voucher: OSC, most recently collected in 2023

FN 22:217 synonym for *Juncus arcticus* var. *mexicanus*; FOO 1:280; FPN2 713; IL 1:354; JPM 1164; JPM2 1371.

Synonyms:

***Juncus arcticus* Willd. var. *mexicanus* (Willd. ex Roem. & Schult.) Balslev**

FN 22:217.

Juncus nevadensis S. Watson

FN 22:253; FOO 1:280; FPN 572; GWM 36; IL 1:364; IN 6:58; JPM 1164; PEK 198.

Synonyms:

***Juncus badius* Suksd.**

FN 22:253 synonym for *Juncus nevadensis*; FPN 573 synonym for *Juncus nevadensis* var. *badius*; IL 1:364.

***Juncus columbianus* Coville**

FN 22:253 synonym for *Juncus nevadensis*; FPN 573 synonym for *Juncus nevadensis* var. *columbianus*; IL 1:364; PEK 198.

***Juncus nevadensis* S. Watson var. *badius* (Suksd.) C.L. Hitchc.**

FN 22:253 synonym for *Juncus nevadensis*; FPN 573; VP 1:203.

***Juncus nevadensis* S. Watson var. *columbianus* (Coville) H. St. John**

FN 22:253 synonym for *Juncus nevadensis*; FPN 573; KZ 1:342; VP 1:203.

Juncus nevadensis S. Watson var. ***inventus*** (L.F. Hend.) C.L. Hitchc.

Common names: Oregon rush

Origin: native Voucher: OSC, most recently collected in 2014

FN 22:253 synonym for *Juncus nevadensis*; FOO 1:281; FPN 572; FPN2 715; JPM2 1371; VP 1:203.

Misapplied names:

***Juncus phaeocephalus* Engelm.**

FN 22:234; IL 1:367; JPM 1164; KZ 2:409; Kartesz & Meacham, 2007 ; PEK 199.

***Juncus phaeocephalus* Engelm. var. *glomeratus* Engelm.**

PEK 199.

***Juncus phaeocephalus* Engelm. var. *paniculatus* Engelm.**

FN 22:234 synonym for *Juncus phaeocephalus*; JPM 1164; JPM2 1371.

Juncus phaeocephalus* Engelm. var. *phaeocephalus

JPM 1164; JPM2 1371.

Juncus nevadensis S. Watson var. ***nevadensis***

Common names: Sierra rush

Origin: native Voucher: OSC, most recently collected in 2024

FOO 1:281; FPN 573; FPN2 715; JPM2 1371.

Synonyms:

***Juncus mertensianus* Bong. ssp. *gracilis* (Engelm.) F.J. Herm.**

FN 22:253 synonym for *Juncus nevadensis*; FPN 573 synonym for *Juncus nevadensis* var. *nevadensis*; GWM 36; IN 6:58 synonym for *Juncus nevadensis*; VP 1:201 synonym for *Juncus nevadensis*.

Misapplied names:

***Juncus dubius* Engelm.**

FN 22:254; IL 1:365; JPM 1160; JPM2 1367; PEK 198.

Juncus occidentalis (Coville) Wiegand

Common names: prairie rush, western rush

Origin: native Voucher: OSC, most recently collected in 2020

FN 22:223; FOO 1:281; FPN 575 synonym for *Juncus tenuis* var. *congestus*; FPN2 717; IL 1:358; JPM 1164; JPM2 1371; PEK 195.

Synonyms:

***Juncus tenuis* Willd. var. *congestus* Engelm.**

FN 22:223 synonym for *Juncus occidentalis*; FPN 575; VP 1:209.

Juncus orthophyllus Coville

Common names: straight-leaved rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:226; FOO 1:282; FPN 574; FPN2 718; GWM 38; IL 1:358; IN 6:54; JPM 1164; JPM2 1371; PEK 195; VP 1:203.

Juncus oxymeris Engelm.

Common names: pointed rush

Origin: native Voucher: OSC, most recently collected in 2021

FN 22:235; FOO 1:282; FPN 570; FPN2 716; IL 1:367; JPM 1164; JPM2 1371; PEK 199; VP 1:205.

Juncus parryi Engelm.

Common names: Parry's rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:213; FOO 1:282; FPN 568; FPN2 713; GWM 38; IL 1:352; IN 6:52; JPM 1164; JPM2 1371; PEK 192; VP 1:205.

Juncus patens E. Mey.

Common names: gray rush, spreading rush

Origin: native Voucher: OSC, most recently collected in 2021

FN 22:215; FOO 1:282; FPN 569; FPN2 713; IL 1:353; JPM 1164; JPM2 1371; PEK 193; VP 1:207.

Juncus pelocarpus E. Mey.

Common names: brown-fruited rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1999

FN 22:245; FOO 1:282; FPN2 714; Zika, 2003B 44.

Juncus planifolius R. Br.

Common names: New Zealand rush, flat-leaved rush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FOO 1:283; FPN2 712; JPM2 1372.

Juncus pylaei Laharpe

Common names: Pylaei's soft rush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008

FPN2 713.

Juncus regelii Buchenau

Common names: Regel's rush

Origin: native Voucher: OSC, most recently collected in 2016

FN 22:227; FOO 1:283; FPN 573; FPN2 718; GWM 38; IL 1:359; IN 6:54; JPM 1164; JPM2 1372; PEK 195; VP 1:207.

Juncus saximontanus A. Nelson

Common names: Rocky Mountain rush

Origin: native Voucher: OSC, most recently collected in 2018

FN 22:236 synonym for *Juncus ensifolius* var. *montanus*; FOO 1:283; FPN 571 synonym for *Juncus ensifolius* var. *montanus*; FPN2 716; GWM 38; IL 1:368; JPM 1165; JPM2 1372.

Synonyms:

***Juncus ensifolius* Wickstr. var. *brunnescens* (Rydb.) Cronquist**

FN 22:236 synonym for *Juncus ensifolius* var. *montanus*; IN 6:56.

***Juncus ensifolius* Wickstr. var. *montanus* (Engelm.) C.L. Hitchc.**

FN 22:236; FPN 569; IN 6:56; VP 1:195.

***Juncus saximontanus* A. Nelson var. *robustior* M. Peck**

FPN 571 synonym for *Juncus ensifolius* var. *montanus*; PEK 200.

Juncus saximontanus* A. Nelson var. *saximontanus

PEK 200.

Misapplied names:

Juncus xiphioides* E. Mey. var. *xiphioides

GWM 39.

Juncus supiniformis Engelm.

Common names: hair-leaved rush, spreading rush

Origin: native Voucher: OSC, most recently collected in 2017

FN 22:247; FOO 1:283; FPN 571; FPN2 715; IL 1:362; JPM 1165; JPM2 1372; PEK 197; VP 1:207.

Synonyms:

***Juncus oreganus* S. Watson**

FN 22:247 synonym for *Juncus supiniformis*; FPN 571 synonym for *Juncus supiniformis*; IL 1:362; PEK 197.

Juncus tenuis Willd.

Common names: path rush, poverty rush, slender rush

Origin: native Voucher: OSC, most recently collected in 2024

FN 22:223; FOO 1:284; FPN 575; FPN2 717; GWM 39; IL 1:358; IN 6:49; JPM 1165; JPM2 1372; PEK 195; VP 1:209.

Synonyms:

Juncus tenuis* Willd. var. *tenuis

FPN 575; VP 1:209.

Juncus tiehmii Ertter

Common names: Tiehm's dwarf rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:231; FOO 1:284; FPN2 712; JPM 1165; JPM2 1372.

Juncus torreyi Coville

Common names: Torrey's rush

Origin: native Voucher: OSC, most recently collected in 2019

FN 22:249; FOO 1:284; FPN 571; FPN2 715; IL 1:366; IN 6:58; JPM 1165; JPM2 1372; PEK 199; VP 1:209.

Juncus triglumis L.

FN 22:239; FPN 570; FPN2 716; IN 6:63.

Juncus triglumis L. var. ***albescens*** Lange

Common names: three-flowered rush

Origin: native Voucher: OSC, most recently collected in 1992

FN 22:240; FOO 1:284; FPN 570.

Juncus trilocularis Zika

Common names: foothill rush

Origin: native Voucher: OSC, most recently collected in 2018

FOO 1:284; FPN2 717; Zika, 2012 .

Misapplied names:

Juncus brachyphyllus **Wiegand**

FN 22:221; FPN 574; GWM 35; IL 1:357; JPM 1159; JPM2 1366; PEK 194; VP 1:189.

Juncus uncialis Greene

Common names: inch-high rush, twelfth rush

Origin: native Voucher: OSC, most recently collected in 2017

FN 22:232; FOO 1:284; FPN 568; FPN2 712; IL 1:361; JPM 1165; JPM2 1372; PEK 197.

Luzula

Checklist contributor: Peter Zika, 4/1/2003

Flora of Oregon author: Peter Zika

Luzula campestris (L.) DC. ssp. ***campestris***

Common names: field woodrush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1991

FOO 1:286; FPN2 718.

Synonyms:

Luzula campestris **(L.) DC.**

in part

FN 22:266; GWM 39.

Luzula cascadensis Zika

Common names: Cascades woodrush

Origin: native Voucher: OSC, most recently collected in 2018

FOO 1:286; FPN2 718.

Synonyms:

Luzula campestris **(L.) DC.**

in part

Misapplied names:

Luzula multiflora **(Ehrh.) Lej.**

Luzula comosa E. Mey.

FN 22:262; FOO 1:286; JPM 1166.

Luzula comosa E. Mey. var. ***comosa***

Common names: pale woodrush

Origin: native Voucher: OSC, most recently collected in 2013

FOO 1:286; FPN2 719; JPM2 1374.

Synonyms:

***Luzula multiflora* (Ehrh.) Lej. var. *comosa* (E. Mey.) Fernald & Wiegand**

PEK 201.

Luzula comosa E. Mey. var. ***laxa*** Buchenau

Common names: Pacific woodrush

Origin: native Voucher: OSC, most recently collected in 2023

FN 22:262; FOO 1:286; FPN2 719; JPM2 1374.

Luzula forsteri (Sm.) DC. ssp. ***forsteri***

Common names: southern woodrush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1910

FOO 1:286; FPN2 719.

Luzula hitchcockii Hämet-Ahti

Common names: Hitchcock's woodrush, smooth woodrush

Origin: native Voucher: OSC, most recently collected in 2016

FN 22:259; FOO 1:286; FPN 575; FPN2 719.

Misapplied names:

***Luzula glabrata* (Hoppe) Desv.**

FN 22:258 excluded; FPN2 719 synonym for *Luzula hitchcockii*; GWM 40; IL 1:369; PEK 201; VP 1:217.

Luzula macrantha (S. Watson) Zika & B.L. Wilson

Common names: prairie woodrush, large-anthered woodrush

Origin: native Voucher: OSC, most recently collected in 2023

FOO 1:287; FPN2 719.

Luzula multiflora (Ehrh.) Lej.

Common names: common woodrush

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015

FOO 1:287; PEK 201.

Synonyms:

Luzula campestris **(L.) DC. var.** ***multiflora*** **(Ehrh.) Célak.**

FPN 576; VP 1:215.

Luzula multiflora **(Ehrh.) Lej. ssp.** ***multiflora***

FN 22:265.

Luzula multiflora **(Ehrh.) Lej. var.** ***multiflora***

PEK 201.

Misapplied names:

Luzula campestris **(L.) DC.**

FPN 576; IN 6:65.

Luzula campestris **(L.) DC. var.** ***congesta*** **(Thuill.) E. Mey.**

FPN 576; VP 1:215.

Luzula campestris **(L.) DC. var.** ***frigida*** **Buchenau**

FN 22:265 synonym for *Luzula multiflora* ssp. *frigida*; FPN 576; VP 1:215.

Luzula multiflora **(Ehrh.) Lej. var.** ***congesta*** **(Thuill.) E. Mey.**

PEK 201.

Luzula multiflora **(Ehrh.) Lej. ssp.** ***frigida*** **(Buchenau) Krecz.**

FN 22:265; KZ 1:343.

Luzula subcongesta **(S. Watson) Jeps.**

FN 22:267; GWM 41; IL 1:370; JPM 1166; JPM2 1375; PEK 201.

Luzula orestera Sharsm.

Common names: Sierra woodrush, alpine woodrush

Origin: native Voucher: OSC, most recently collected in 2002

FN 22:261; FOO 1:287; FPN 576 synonym for *Luzula spicata*; FPN2 718; GWM 40; JPM 1166; JPM2 1374.

Luzula parviflora (Ehrh.) Desv.

Common names: small-flowered woodrush

Origin: native Voucher: OSC, most recently collected in 2023

FN 22:259; FOO 1:287; FPN 575; FPN2 719; GWM 40; IL 1:369; IN 6:65; JPM 1166; VP 1:217.

Synonyms:

Luzula parviflora **(Ehrh.) Desv. ssp.** ***fastigiata*** **(E. Mey.) Hämet-Ahti**

IN 6:65 synonym for *Luzula parviflora*; JPM2 1374; KZ 1:343.

Luzula parviflora **(Ehrh.) Desv. var.** ***melanocarpa*** **(Michx.) Buchenau**

PEK 200.

Luzula parviflora **(Ehrh.) Desv. ssp.** ***parviflora***

JPM2 1375.

Luzula parviflora **(Ehrh.) Desv. var.** ***parviflora***

PEK 200.

Misapplied names:

Luzula divaricata **S. Watson**

FN 22:258; FPN 575; FPN2 719 synonym for *Luzula parviflora*; IL 1:370; JPM 1166; JPM2 1374; PEK 201; VP 1:215.

Luzula piperi (Coville) M.E. Jones

Common names: Piper's woodrush

Origin: native Voucher: OSC, most recently collected in 2018

FN 22:259; FOO 1:287; FPN 575; FPN2 719; IL 1:370; JPM2 1375.

Misapplied names:

Luzula wahlenbergii **Rupr.**

FN 22:259; GWM 41; PEK 200; VP 1:219.

Luzula spicata (L.) DC.

FN 22:261; FPN 576; GWM 40; IL 1:371; IN 6:67; JPM 1166; JPM2 1375; VP 1:219.

Luzula spicata (L.) DC. ssp. ***spicata***

Common names: spiked woodrush

Origin: native Voucher: WS, most recently collected in 1977

FOO 1:288; FPN2 718.

Luzula subsessilis (S. Watson) Buchenau

Common names: prairie woodrush

Origin: native Voucher: OSC, most recently collected in 2021

FOO 1:288; FPN2 718; JPM2 1375.

Excluded names:

Juncus nodosus L.

FPN 571; FPN2 715; IL 1:366; IN 6:58; JPM 1164; JPM2 1371; PEK 199; VP 1:203.

Juncus xiphioides E. Mey.

FN 22:235; GWM 39; IL 1:368; JPM 1165; JPM2 1374; Oregon Flora Project, 2000L ; PEK 199.

Literature cited for Juncaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Clemants, S.E. 1990. Juncaceae (Rush Family) of New York State. Bulletin of the New York State Museum 475:67.

Coffey, J.C. 1970. Investigations in *Luzula*: species of the southeastern U.S. Castanea 35:68-77.

Edgar, E. 1975. Australasian *Luzula*. New Zealand Journal of Botany 13:781-802.

Fernald, M.L. 1913. The variations of *Luzula campestris* in North America. Rhodora 15:38-43.

Hämet-Ahti, L. 1965. *Luzula piperi*, an overlooked woodrush in western North America and eastern Asia. Aquilo, Serie Botanica 3:11-21.

Hämet-Ahti, L. 1971. A synopsis of the species of *Luzula*, subgenus *Anthelaea* Griseb. (Juncaceae) indigenous in North America. Annales Botanici Fennici 8:368-381.

Hämet-Ahti, L. 1973. Notes on the *Luzula arcuata* and *L. parviflora* groups in eastern Asia and Alaska. Annales Botanici Fennici 10:123-130.

Hämet-Ahti, L. 1975. Additional notes on *Luzula subcongesta* and *L. parviflora* (Juncaceae) in North America. Annales Botanici Fennici 12:27-29.

Hämet-Ahti, L. 1980. The *Juncus effusus* aggregates in eastern North America. Annales Botanici Fennici 17:183-191.

Holm, T. 1926. The bulbiferous form of *Luzula multiflora*. Rhodora 28:133-138.

Hulten, E., and M. Fries. 1986. Atlas of North European Vascular Plants North of the Tropic of Cancer, 3 volumes. Koeltz Scientific Books, Germany.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kirschner, J. 1990. *Luzula multiflora* and allied species (Juncaceae): a nomenclatural study. Taxon 39:106-114.

Kirschner, J., Ed. 2002A. Juncaceae 1: *Rostkovia* to *Luzula*, Species Plantarum: Flora of the World Part 6. Australian Biological Resources Study, Canberra, Australia.

Kirschner, J., Ed. 2002B. Juncaceae 2: *Juncus<\I> subg. Juncus, Species Plantarum: Flora of the World Part 7. Australian Biological Resources Study, Canberra, Australia.*

Kirschner, J., Ed. 2002C. Juncaceae 3: *Juncus* subg. Agathryon, Species Plantarum: Flora of the World Part 8. Australian Biological Resources Study, Canberra, Australia.

Kirschner, J. 2012. *Luzula*, hairy wood rush. In: The Jepson Manual: Vascular Plants of California, second edition. Baldwin, B.G., D.H. Goldman, D.J. Keil, R. Patterson, T.J. Rosatti, and D.H. Wilkin, Eds. University of California Press, Berkeley, CA.

Munz, P.A., and D.D. Keck. 1968. A California Flora with Supplement. University of California Press.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium. http://www.ipni.org

Snogerup, S., P. Zika, and J. Kirschner. 2002. Taxonomic and nomenclatural notes on *Juncus*. Preslia, Praha 74:247-266.

Stace, C. 1997. New flora of the Bitish Isles. 2nd edition. Cambridge University Press.

Voss, E.G. 1966. Nomenclatural notes on monocots. Rhodora 68:435-463.

Zika, P. 2000. Unexpected rushes (*Juncus*) in Oregon's cranberry fields. Oregon Flora Newsletter 6(1):3.

Zika, P.F. 1991. Noteworthy collections - Oregon. Madroño 38(3):204-205.

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. Journal of the Torrey Botanical Society 130(1):43-46.

Zika, P.F. 2003D. The native subspecies of *Juncus effusus* (Juncaceae) in western North America. Brittonia 55:150-156.

Zika, P.F. 2004. Noteworthy collections from Oregon and Washington. Madroño 51:395-397.

Zika, P.F. 2006C. A key to *Juncus* section *Juncotypus* in British Columbia. Botanical Electronic News 358:2.

Zika, P.F. 2009A. Noteworthy Collections, California. Madroño 56:65-66.

Zika, P.F. 2009B. Noteworthy Collections, California. Madroño 56:130.

Zika, P.F. 2009C. The status of *Juncus marginatus* (Juncaceae) in California. Madroño 56:283-284.

Zika, P.F. 2012. *Juncus trilocularis* (Juncaceae), a new rush species from western North America. Rhodora 114(959):309-329.

Zika, P.F. 2012B. *Juncus* rush. In: The Jepson Manual: Vascular Plants of California, second edition. Baldwin, B.G., D.H. Goldman, D.J. Keil, R. Patterson, T.J. Rosatti, and D.H. Wilkin, Eds. University of California Press, Berkeley, CA.

Zika, P.F., E.R. Alverson, and B.L. Wilson. 2000. Noteworthy collections. Madroño 47:213-216.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest