Checklist of Oregon Lamiaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Agastache

Checklist contributor: Henrietta Chambers, 9/1/1995
Flora of Oregon author: Alexander Abair

Agastache cusickii (Greenm.) A. Heller

Common names: Cusick's horsemint, Cusick's giant hyssop
Origin: native Voucher: OSC, most recently collected in 1993
FPN 401; FPN2 478; IL 3:626; IN 4:316; PEK 673; VP 4:249.

Synonyms:

Agastache cusickii* (Greenm.) A. Heller var. *cusickii
VP 4:249.

***Agastache cusickii* (Greenm.) A. Heller var. *parva* Cronquist**
FPN 401; VP 4:249.

Agastache occidentalis (Piper) A. Heller

Common names: western giant hyssop, giant horsemint
Origin: native Voucher: OSC, most recently collected in 2025
FPN 401; FPN2 478; IL 3:626; VP 4:249.

Agastache urticifolia (Benth.) Kuntze

FPN 401; GWM 298; IL 3:624; IN 4:316; JPM 713; JPM2 837; PEK 673.

Agastache urticifolia (Benth.) Kuntze var. ***urticifolia***

Common names: nettle-leaved horsemint, nettle-leaved giant hyssop
Origin: native Voucher: OSC, most recently collected in 2021
FPN 401; FPN2 479; VP 4:250.

Ajuga

Checklist contributor: Henrietta Chambers, 9/1/1995
Flora of Oregon author: Alexander Abair

Ajuga reptans L.

Common names: common bugle, bugleweed, ajuga
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017
FPN 401; FPN2 479; IN 4:302; VP 4:280.

Ballota

Checklist contributor: Henrietta Chambers, 3/7/1997
Flora of Oregon author: treatment pending

Ballota nigra L. ssp. ***foetida*** Hayek

Common names: black horehound
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902
FPN2 478.

Clinopodium

Checklist contributor:
Flora of Oregon author: Alexander Abair

Clinopodium douglasii (Benth.) Kuntze

Common names: yerba buena, Oregon tea

Origin: native

Voucher: OSC, most recently collected in 2019

FPN2 479; JPM2 837.

Synonyms:

***Satureja douglasii* (Benth.) Briq.**

FPN 407; IL 3:646; JPM 729; PEK 679; VP 4:270.

Clinopodium vulgare L.

Common names: wild basil, savory

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2022

FPN2 479; KZ 1:345.

Synonyms:

***Satureja vulgaris* (L.) Fritsch**

Halse, 1992A ; IN 4:308.

Dracocephalum

Checklist contributor: Henrietta Chambers, 6/13/1995

Flora of Oregon author: Stephen Meyers

Dracocephalum parviflorum Nutt.

Common names: American dragonhead, small-flowered dragonhead

Origin: native

Voucher: OSC, most recently collected in 2015

FPN 401; FPN2 479; IN 4:318; PEK 674.

Synonyms:

***Moldavica parviflora* (Nutt.) Britton**

FPN 401 synonym for *Dracocephalum parviflorum*; IL 3:627; VP 4:262.

Galeopsis

Checklist contributor:

Flora of Oregon author: treatment pending

Galeopsis tetrahit L. var. ***tetrahit***

Common names: brittlestem hempnettle

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2016

FPN 402; FPN2 480; VP 4:251.

Glechoma

Checklist contributor: Henrietta Chambers, 6/13/1995

Flora of Oregon author: Alexander Abair

Glechoma hederacea L.

Common names: ground ivy, gill-over-the-ground, creeping charlie

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2017

FPN2 480; IN 4:318; JPM2 837; PEK 674; VP 4:253.

Synonyms:

***Glecoma hederacea* L.**

FPN 402; IL 3:627; IN 4:318; JPM 714; VP 4:253.

Hedeoma

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora of Oregon author: treatment pending

Hedeoma pulegioides (L.) Pers.

Common names: American pennyroyal

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 1931

FPN2 480; Gleason & Cronquist, 1991 438.

Lallemantia

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora of Oregon author: Stephen Meyers

Lallemantia peltata (L.) Fisch. & C.A. Mey.

Common names: lion's heart

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 1991

FPN2 481.

Lamiastrum

Checklist contributor: , 2/23/2010

Flora of Oregon author: Alexander Abair

Lamiastrum galeobdolon (L.) Ehrend. & Polatschek

Common names: yellow archangel

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2018

JPM2 .

Lamium

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora of Oregon author: Alexander Abair

Lamium amplexicaule L.

Common names: common deadnettle, henbit

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2024

FPN 403; FPN2 481; IL 3:630; IN 4:324; JPM 714; JPM2 838; PEK 675; VP 4:254.

Lamium maculatum L.

Common names: spotted deadnettle

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 1965

FPN 403; FPN2 481; IL 3:630; PEK 676; VP 4:254.

Lamium purpureum L.

Common names: red deadnettle, purple deadnettle

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2024

FPN 403; FPN2 481; IL 3:630; IN 4:324; JPM 714; JPM2 838; PEK 675; VP 4:256.

Synonyms:

***Lamium purpureum* L. var. *incisum* (Willd.) Pers.**

KZ 2:418.

Lamium purpureum* L. var. *purpureum

Lavandula

Checklist contributor: Richard Halse, 4/15/2009

Flora of Oregon author: Alexander Abair

Lavandula angustifolia Mill.

Common names: English lavendar

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2012

FPN2 477.

Lavandula stoechas L.

Common names: Spanish lavender, butterfly lavender, bract lavender, French lavender

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2023

FPN2 477.

Leonurus

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora of Oregon author: Alexander Abair

Leonurus cardiaca L.

Common names: motherwort

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1996

FPN 403; FPN2 482; IN 4:324; VP 4:256.

Lycopus

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora of Oregon author: Alexander Abair

Lycopus americanus Muhl. ex W.P.C. Barton

Common names: American water horehound, cutleaf water horehound, American bugleweed

Origin: native Voucher: OSC, most recently collected in 2024

FPN 403; FPN2 482; IL 3:659; IN 4:314; JPM 715; JPM2 839; PEK 682; VP 4:257.

Lycopus asper Greene

Common names: rough bugleweed, Pacific water horehound

Origin: native Voucher: OSC, most recently collected in 2013

FPN 403; FPN2 482; IN 4:313; JPM 715; JPM2 839; VP 4:257.

Misapplied names:

***Lycopus lucidus* Turcz.**

FPN 403 synonym for *Lycopus asper*; IL 3:659; PEK 682.

Lycopus europaeus L.

Common names: European water horehound, European bugleweed

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 2008

FPN2 482.

Lycopus uniflorus Michx.

Common names: northern bugleweed

Origin: native Voucher: OSC, most recently collected in 2024

FPN 403; FPN2 482; GWM 298; IL 3:658; JPM 715; JPM2 839; PEK 682; VP 4:257.

Marrubium

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora of Oregon author: Alexander Abair

Marrubium vulgare L.

Common names: common horehound, white horehound

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FPN 404; FPN2 482; GWM 298; IL 3:624; IN 4:308; JPM 715; JPM2 839; PEK 673.

Melissa

Checklist contributor: Henrietta Chambers, 9/1/1995

Flora of Oregon author: Alexander Abair

Melissa officinalis L.

Common names: lemon balm, garden balm

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FPN 404; FPN2 483; IL 3:645; JPM 716; JPM2 839; PEK 679; VP 4:259.

Mentha

Checklist contributor: Henrietta Chambers, 10/20/1995

Flora of Oregon author: Alexander Abair

Mentha canadensis L.

Common names: field mint, corn mint

Origin: native Voucher: OSC, most recently collected in 2019

FPN 404 synonym for *Mentha arvensis*; FPN2 483; IL 3:662 synonym for *Mentha arvensis* var. *canadensis*; JPM2 840; KZ 2:488.

Synonyms:

***Mentha arvensis* L.**

FPN 404; IN 4:312; JPM 716; JPM2 840.

Mentha arvensis* L. var. *arvensis

IL 3:662; PEK 681; VP 4:260.

***Mentha arvensis* L. var. *canadensis* (L.) Kuntze**

IL 3:662; PEK 681.

***Mentha arvensis* L. var. *glabrata* (Benth.) Fernald**

FPN 404; IL 3:662; PEK 681; VP 4:261.

***Mentha arvensis* L. var. *lanata* Piper**

IL 3:662; PEK 681.

Mentha longifolia (L.) Huds.

Common names: horsemint

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1930

FPN2 483 & 484; JPM2 840.

Mentha × *piperita* L.

FPN 405; FPN2 483; IL 3:661; IN 4:312; JPM 716; JPM2 840; PEK 680; VP 4:261.

Mentha × *piperita* L. ssp. *piperita*

Common names: peppermint

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2016

Synonyms:

***Mentha citrata* Ehrh.**

FPN 405; IL 3:661; IN 4:312; PEK 681; VP 4:261.

***Mentha* × *piperita* L. ssp. *citrata* (Ehrh.) Briq.**

Misapplied names:

***Mentha aquatica* L.**

FPN2 483; JPM2 840; KZ 2:347.

Mentha pulegium L.

Common names: pennyroyal

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FPN 404; FPN2 483; IL 3:661; JPM 716; JPM2 840; PEK 681.

Mentha spicata L.

Common names: spearmint
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FPN 404; FPN2 484; IL 3:659; IN 4:312; JPM2 842; PEK 680; VP 4:262.

Synonyms:
Mentha spicata* L. var. *spicata
JPM 716.

Mentha suaveolens Ehrh.

Common names: apple mint, round-leaved mint
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021
FPN2 484; JPM 716; JPM2 842.

Misapplied names:
***Mentha rotundifolia* (L.) Huds.**
FPN 404; FPN2 484; IL 3:661; JPM2 840; PEK 681; VP 4:262.

Mentha* × *verticillata L.

Common names: whorled mint
Origin: exotic, not naturalized

Mentha* × *villosa Huds.

JPM2 842.

Mentha* × *villosa Huds. var. ***alopecuroides*** (Hull) Briq.

Common names: woolly mint
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1922

Synonyms:
***Mentha alopecuroides* Hull**
FPN 404; IL 3:661; VP 4:262.

Moluccella

Checklist contributor: Henrietta Chambers, 10/20/1995
Flora of Oregon author: treatment pending

Moluccella laevis L.

Common names: shellflower, bells of Ireland
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1997
IN 4:324; JPM 716.

Monardella

Checklist contributor: Henrietta Chambers, 6/3/1997
Flora of Oregon author: treatment pending

Monardella angustifolia Elvin, Ertter & Mansfield

Common names: narrow-leaved monardella, Leslie Gulch monardella
Origin: native Voucher: OSC, most recently collected in 2023
Galash, 2024 .

Monardella odoratissima Benth.

Common names: mountain monardella, western mountain balm, mountain coyotemint, mountain pennyroyal
Origin: native Voucher: OSC, most recently collected in 2016
FPN 405; IN 4:308; JPM 721; PEK 678; VP 4:265.

Synonyms:

***Monardella glauca* Greene**
IL 3:654 synonym for *Monardella odoratissima* ssp. *glauca*; JPM 720.

***Monardella odoratissima* Benth. ssp. *discolor* (Greene) Epling**
FPN2 484; IL 3:654; KZ 1:348; PEK 679.

***Monardella odoratissima* Benth. var. *discolor* (Greene) H. St. John**
FPN 405; VP 4:265.

***Monardella odoratissima* Benth. ssp. *glauca* (Greene) Epling**
IL 3:654; JPM2 848; KZ 1:349; PEK 678.

***Monardella odoratissima* Benth. var. *glauca* (Greene) H. St. John**
IN 4:310.

Monardella odoratissima* Benth. ssp. *odoratissima
FPN2 484; IL 3:651; JPM 721; KZ 1:349; PEK 678.

Monardella odoratissima* Benth. var. *odoratissima
FPN 405; VP 4:265.

***Monardella odoratissima* Benth. var. *ovata* Jeps.**
IN 4:310.

***Monardella odoratissima* Benth. ssp. *pallida* (A. Heller) Epling**
IL 3:654; JPM 721; JPM2 848; KZ 1:349; PEK 678.

Monardella purpurea Howell

IL 3:651; JPM 721; JPM2 848; PEK 679.

Monardella purpurea Howell ssp. ***purpurea***

Common names: Siskiyou monardella
Origin: native Voucher: OSC, most recently collected in 1996

Monardella sheltonii Torr.

Common names: Shelton's coyotemint
Origin: native Voucher: OSC, most recently collected in 2017
IL 3:650 synonym for *Monardella villosa* ssp. *sheltonii*; JPM 722; JPM2 848.

Synonyms:

***Monardella villosa* Benth. ssp. *sheltonii* (Torr.) Epling**
IL 3:650; PEK 678.

Monardella villosa Benth. ssp. ***villosa***

Common names: coyotemint
Origin: native Voucher: OSC, most recently collected in 2017
JPM 722; JPM2 849.

Synonyms:

***Monardella villosa* Benth. ssp. *subserrata* (Greene) Epling**
IL 3:650; KZ 1:349; PEK 678.

Nepeta

Checklist contributor: Henrietta Chambers, 12/6/1995
Flora of Oregon author: Stephen Meyers

Nepeta cataria L.

Common names: catnip, catmint

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FPN 405; FPN2 485; GWM 300; IL 3:627; IN 4:318; JPM 722; JPM2 850; PEK 674; VP 4:266.

Origanum

Checklist contributor: Henrietta Chambers, 12/6/1995

Flora of Oregon author: Alexander Abair

Origanum vulgare L.

Common names: oregano, wild marjoram

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FPN 406; FPN2 485; IL 3:648; JPM 724; PEK 679; VP 4:266.

Physostegia

Checklist contributor: Henrietta Chambers, 5/26/2002

Flora of Oregon author: Alexander Abair

Physostegia parviflora Nutt. ex A. Gray

Common names: purple dragonhead, western false dragonhead

Origin: native Voucher: OSC, most recently collected in 1994

FPN 406; FPN2 485; IN 4:320; PEK 675.

Synonyms:

Dracocephalum nuttallii **Britton**

IL 3:628; VP 4:250.

Pogogyne

Checklist contributor: Henrietta Chambers, 1/14/1997

Flora of Oregon author: Alexander Abair

Pogogyne floribunda Jokerst

Common names: profuse-flowered pogogyne, profuse-flowered mesamint

Origin: native Voucher: OSC, most recently collected in 2016

JPM 724; JPM2 851.

Pogogyne serpylloides (Torr.) A. Gray

Common names: thyme-leaf mesamint

Origin: native Voucher: OSC, most recently collected in 2011

Pogogyne zizyphoroides Benth.

Common names: bristly pogogyne, Sacramento pogogyne, Sacramento mesamint

Origin: native Voucher: OSC, most recently collected in 1979

IL 3:648; JPM 724; JPM2 851.

Synonyms:

Pogogyne ziziphoroides **Benth.**

PEK 680.

Prunella

Checklist contributor: Henrietta Chambers, 12/13/1995

Flora of Oregon author: Alexander Abair

Prunella vulgaris L.

FPN 406; GWM 300; IN 4:322; JPM 725; PEK 674.

Prunella vulgaris L. var. ***lanceolata*** (W.P.C. Barton) Fernald

Common names: native self-heal, lance-leaved self-heal, lance-leaved heal-all

Origin: native Voucher: OSC, most recently collected in 2024

FPN 406; FPN2 486; JPM 725; JPM2 852; PEK 675; VP 4:268.

Synonyms:

***Prunella vulgaris* L. ssp. *lanceolata* (W.P.C. Barton) Hultén**

IL 3:628; KZ 1:350.

Prunella vulgaris L. var. ***vulgaris***

Common names: Eurasian self-heal, common self-heal, common heal-all

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FPN 406; FPN2 486; JPM 725; JPM2 852; PEK 675; VP 4:268.

Synonyms:

***Prunella vulgaris* L. var. *calvescens* Fernald**

PEK 675.

***Prunella vulgaris* L. var. *hispida* Benth.**

PEK 675.

Prunella vulgaris* L. ssp. *vulgaris

IL 3:628.

Pycnanthemum

Checklist contributor:

Flora of Oregon author: treatment pending

Pycnanthemum californicum Torr. ex Durand

Common names: California mountainmint

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2017

JPM2 852.

Rosmarinus

Checklist contributor:

Flora of Oregon author: treatment pending

Rosmarinus officinalis L.

Common names: rosemary

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2017

Salvia

Checklist contributor: Henrietta Chambers, 1/23/1996

Flora of Oregon author: Alexander Abair

Salvia aethiopis L.

Common names: African sage, Mediterranean sage

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FPN 407; FPN2 486; IN 4:328; JPM 726; JPM2 854; PEK 677; VP 4:269.

Synonyms:

***Salvia aethiopsis* L.**

IL 3:636; PEK 677.

Salvia dorrii (Kellogg) Abrams var. ***dorrii***

Common names: gray ball sage

Origin: native

Voucher: OSC, most recently collected in 2013

FPN2 486; JPM 728; JPM2 854.

Synonyms:

Salvia dorrii* (Kellogg) Abrams ssp. *dorrii

IL 3:639.

***Salvia dorrii* (Kellogg) Abrams var. *gracilior* M. Peck**

IN 4:330; PEK 678.

Salvia dorrii (Kellogg) Abrams var. ***incana*** (Benth.) Strachan

Common names: fleshy sage

Origin: native

Voucher: OSC, most recently collected in 2020

FPN2 486; JPM 728; JPM2 854.

Synonyms:

***Salvia dorrii* (Kellogg) Abrams ssp. *carnosa* (Douglas ex Greene) Abrams**

IL 3:639; PEK 677.

***Salvia dorrii* (Kellogg) Abrams var. *carnosa* (Douglas ex Greene) Cronquist**

FPN 407; VP 4:269.

Salvia reflexa Hornem.

Common names: lanceleaf sage, mintweed

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 1999

FPN2 486; IN 4:328.

Salvia sclarea L.

Common names: clary sage, eye-bright, Europe sage, clear-eye

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2004

FPN 407; FPN2 486; IN 4:328; VP 4:270.

Salvia sonomensis Greene

Common names: creeping sage, Sonoma sage

Origin: uncertain

Voucher: OSC, most recently collected in 2007

IL 3:639; JPM 728; JPM2 855.

Scutellaria

Checklist contributor: Henrietta Chambers, 12/27/1995

Flora of Oregon author: Alexander Abair

Scutellaria angustifolia Pursh

FPN 408; IL 3:623; IN 4:306; VP 4:272.

Scutellaria angustifolia Pursh ssp. ***angustifolia***

Common names: narrow-leaved skullcap

Origin: native

Voucher: OSC, most recently collected in 2024

FPN2 487.

Synonyms:

Scutellaria angustifolia* Pursh var. *angustifolia

PEK 672.

Scutellaria angustifolia Pursh ssp. ***micrantha*** Olmstead

Common names: small-flowered skullcap
Origin: native Voucher: OSC, most recently collected in 2022
FPN2 487.

Misapplied names:
Scutellaria antirrhinoides **Benth.**

Scutellaria antirrhinoides Benth.

Common names: snapdragon skullcap
Origin: native Voucher: OSC, most recently collected in 2018

Scutellaria galericulata L.

Common names: willow-weed skullcap, marsh skullcap
Origin: native Voucher: OSC, most recently collected in 2013
FPN 408; FPN2 487; IL 3:621; JPM 730; JPM2 856; VP 4:273.

Synonyms:
Scutellaria epilobifolia **A. Ham.**
PEK 672.

Scutellaria lateriflora L.

Common names: mad-dog skullcap, hoodwort
Origin: native Voucher: OSC, most recently collected in 2021
FPN 408; FPN2 487; IL 3:624; JPM 730; JPM2 856; PEK 672; VP 4:273.

Scutellaria nana A. Gray

Common names: dwarf skullcap
Origin: native Voucher: OSC, most recently collected in 2023
FPN 408; FPN2 487; IL 3:621; IN 4:306; JPM 730; JPM2 856; PEK 673; VP 4:273.

Synonyms:
Scutellaria nana **A. Gray var.** ***nana***
FPN 408; IN 4:306; VP 4:275.

Scutellaria tuberosa Benth.

Common names: blue skullcap
Origin: native Voucher: OSC, most recently collected in 2003
IL 3:621; JPM 730; JPM2 856; PEK 672.

Stachys

Checklist contributor: Henrietta Chambers, 2/6/1996
Flora of Oregon author: Alexander Abair

Stachys arvensis L.

Common names: staggerweed, field woundwort
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1912
FPN2 488.

Stachys byzantina C. Koch

Common names: lamb's ear, woolly hedgenettle
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018
FPN2 487.

Stachys cooleyae A. Heller

Common names: Cooley's hedge nettle, great betony, great hedge nettle

Origin: native Voucher: OSC, most recently collected in 2024

Chambers & Chambers, 1997A ; FPN 408; FPN2 488; IL 3:632 synonym for *Stachys ciliata*.

Stachys cooleyae A. Heller × ***Stachys mexicana*** Benth.

Origin: native Voucher: OSC, most recently collected in 1964

Stachys mexicana Benth.

Common names: Mexican betony, coast hedge nettle, great betony, Mexican hedge nettle

Origin: native Voucher: OSC, most recently collected in 2021

Chambers & Chambers, 1997A ; FPN 408; FPN2 488; JPM2 858; VP 4:276.

Synonyms:

***Stachys emersonii* Piper**

FPN 408 synonym for *Stachys mexicana*; IL 3:632; PEK 676.

Misapplied names:

***Stachys ajugoides* Benth.**

***Stachys ajugoides* Benth. var. *rigida* (Nutt. ex Benth.) Jeps. & Hoover**

Stachys pilosa Nutt.

Common names: marsh betony, woundwort, marsh hedge nettle, prairie woundwort

Origin: native Voucher: OSC, most recently collected in 2018

Chambers & Chambers, 1997A ; FPN 408 synonym for *Stachys palustris* var. *pilosa*; IL 3:632 synonym for *Stachys palustris* ssp. *pilosa*; JPM2 859.

Synonyms:

***Stachys palustris* L.**

Chambers & Chambers, 1997A ; FPN 408; IN 4:320; VP 4:276.

***Stachys palustris* L. ssp. *pilosa* (Nutt.) Epling**

Chambers & Chambers, 1997A synonym; IL 3:632; JPM 731; PEK 677.

***Stachys palustris* L. var. *pilosa* (Nutt.) Fernald**

FPN 408; VP 4:277.

Stachys pilosa* Nutt. var. *pilosa

FPN2 488.

Stachys rigida Nutt. ex Benth.

Common names: rigid betony, rigid hedge nettle

Origin: native Voucher: OSC, most recently collected in 2022

Chambers & Chambers, 1997A ; Epling, 1938 ; FPN 408; VP 4:277.

Synonyms:

Stachys ajugoides **Benth.**

Stachys ajugoides **Benth. var.** ***rigida*** **(Nutt. ex Benth.) Jeps. & Hoover**

Stachys rigida **Nutt. ex Benth. ssp.** ***quercetorum*** **(A. Heller) Epling**

IL 3:633; PEK 677.

Stachys rigida **Nutt. ex Benth. var.** ***quercetorum*** **(A. Heller) Epling ex Munz**

JPM2 859.

Stachys rigida **Nutt. ex Benth. ssp.** ***rigida***

IL 3:633; PEK 677.

Stachys rigida **Nutt. ex Benth. var.** ***rigida***

FPN 408; FPN2 488; JPM2 859; VP 4:277.

Stachys rigida **Nutt. ex Benth. ssp.** ***rivularis*** **(A. Heller) Epling**

IL 3:634; PEK 677.

Misapplied names:

Stachys ajugoides **Benth. var.** ***ajugoides***

JPM 731.

Stachys ciliata **Douglas ex Benth.**

FPN 408 ambiguous synonym for *Stachys mexicana*; IL 3:632; KZ 1:353; PEK 676.

Thymus

Checklist contributor: Henrietta Chambers, 2/9/1996

Flora of Oregon author: treatment pending

Thymus serpyllum L.

Common names: creeping thyme

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018

FPN 409; FPN2 488; IL 3:659; PEK 680; VP 4:279.

Trichostema

Checklist contributor: Henrietta Chambers, 2/13/1996

Flora of Oregon author: Alexander Abair

Trichostema lanatum Benth.

Common names: woolly bluecurls

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 1939

Trichostema lanceolatum Benth.

Common names: vinegar weed, bluecurls, camphor weed, terpentine weed

Origin: native Voucher: OSC, most recently collected in 2016

FPN 409; FPN2 489; IL 3:619; JPM 732; JPM2 860; PEK 671; VP 4:280.

Trichostema oblongum Benth.

Common names: mountain bluecurls, downy bluecurls, oblong bluecurls

Origin: native Voucher: OSC, most recently collected in 2022

FPN 409; FPN2 489; IL 3:618; JPM 734; JPM2 860; PEK 671; VP 4:280.

Trichostema simulatum Jeps.

Common names: Siskiyou bluecurls

Origin: native

Voucher: OSC, most recently collected in 1967

IL 3:619; JPM 734; JPM2 860.

Synonyms:

***Trichostemma simulans* Jeps.**

PEK 671.

Excluded names:

Salvia pratensis L.

FPN 407; FPN2 487; VP 4:270.

Satureja acinos (L.) Scheele

FPN 407.

Scutellaria angustifolia Pursh var. canescens A. Gray

Epling, 1942 ; Olmstead, 1990 ; PEK 672.

Teucrium canadense L. var. occidentale (A. Gray) E.M. McClint. & Epling

FPN 409; FPN2 488; IN 4:304.

Synonyms:

***Teucrium canadense* L. ssp. *occidentale* (A. Gray) W.A. Weber**

VP 4:279.

***Teucrium occidentale* A. Gray**

FPN 409 synonym for *Teucrium canadense* var. *occidentale*; IL 3:615; PEK 670.

Trichostema laxum A. Gray

IL 3:619; JPM 732; JPM2 860; PEK 671.

Literature cited for Lamiaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L., and H.L. Chambers. 1997A. Hedgenettles for the Oregon Flora Checklist. Oregon Flora Newsletter 3(1):4.

Cronquist, A. 1943. The legitimacy of *Thalictrum polycarpum* Wats. Madroño 7(3):81.

Elvin, M.A., R.B. Kelley, and B.T. Drew. 2019. Trichome morphology relates to taxonomic diversity in *Monardella* (Lamiaceae) in the lower Snake River Watershed of Idaho and Oregon, USA: Taxonomic studies in *Monardella* (Lamiaceae) VI. Journal of the Torrey Botanical Society 146(3):299–313.

Elvin, M.A., R.B. Kelley, and B.T. Drew. 2022. Vegetative and Trichome Morphology Distinguish the *Monardella ovata* Species Complex from the *Monardella odoratissima* Species Complex: Taxonomic Studies in *Monardella* (Lamiaceae) VII. Systematic Botany 47(3):697-715.

Epling, C. 1925. Monograph of the genus *Monardella*. Annals of the Missouri Botanical Garden 12:1-106.

Epling, C. 1938. Notes on *Stachys rigida* Nutt. Madroño 4:270-272.

Epling, C. 1942. The American species of *Scutellaria*. University of California Publications in Botany 20:1-146.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Gleason, H.A., and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. 2nd Ed. The New York Botanical Garden, NY.

Halse, R.R. 1992A. Noteworthy collections - Oregon. Madroño 39(2):159.

Jokerst, J.D. 1992. *Pogogyne floribunda* (Lamiaceae), a new species from the Great Basin in northeastern California. Aliso 13(2):347-353.

Lewis, H. 1945. A revision of the genus *Trichostema*. Brittonia 5:276-303.

Lint, H., and C. Epling. 1945. A revision of *Agastache*. American Midland Naturalist 33:207-230.

McClintock, E., and C. Epling. 1942. A review of the genus *Monarda* (Labiatae). University of California Publications in Botany 20:147-194.

McClintock, E., and C. Epling. 1946. A revision of *Teucrium* in the New World, with observations on its variation, geographical distribution and history. Brittonia 5:491-510.

Nelson, J.C. 1918A. Additions to the flora of western Oregon. Torreya 18:21-35.

Olmstead, R.G. 1990. Systematics of the *Scutellaria angustifolia* complex (Labiatae). Contributions from the University of Michigan Herbarium 17:223-265.

Scora, R.W. 1967. Interspecific relationships in the genus *Monarda* (Labiatae). University of California Publications in Botany 41:1-71.

Strachan, J.L. 1982. A revision of the *Salvia dorrii* complex (Lamiaceae). Brittonia 34:151-169.

Strachan, J.L. 1983. A revision of the *Salvia dorrii* complex (Lamiaceae). Brittonia 35:170.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest