Checklist of Oregon Liliaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project



Calochortus

Checklist contributor: Kenton Chambers, 8/12/1998
Flora of Oregon author: Frank Callahan

Calochortus amabilis Purdy

Common names: Diogenes' lantern
Origin: uncertain Voucher: OSC, most recently collected in 2010
JPM2 1380.

Calochortus bruneaunis A. Nelson & J.F. Macbr.

Common names: Bruneau mariposa lily
Origin: native Voucher: OSC, most recently collected in 2017
FN 26:136; FOO 1:292; FPN 687; FPN2 682; IN 6:500; JPM 1185; JPM2 1380; VP 1:768.

Synonyms:
***Calochortus nuttallii* Torr. var. *bruneaunis* (A. Nelson & J.F. Macbr.) Ownbey**
FN 26:136 synonym for *Calochortus bruneaunis*; FPN 687 synonym for *Calochortus bruneaunis*; PEK 226.

Misapplied names:
***Calochortus nuttallii* Torr.**
FN 26:136; FPN 687; FPN2 682; IL 1:441; IN 6:501; VP 1:775.

Calochortus coeruleus (Kellogg) S. Watson

Common names: beavertail-grass, blue cat's ear
Origin: native Voucher: OSC, most recently collected in 2000
FOO 1:292.

Calochortus coxii M.R. Godfrey & Callahan

Common names: Cox's mariposa lily, Cox's cat's ear
Origin: native Voucher: OSC, most recently collected in 2024
FN 26:126; FOO 1:293.

Calochortus elegans Pursh

FOO 1:293; FPN 688; IL 1:434; JPM 1185; JPM2 1381.

Calochortus elegans Pursh var. ***elegans***

Common names: elegant cat's ear
Origin: native Voucher: OSC, most recently collected in 2024
FN 26:125; FOO 1:293; FPN2 683; PEK 224; VP 1:769.

Calochortus elegans Pursh var. ***nanus*** A.W. Wood

Common names: dwarf cat's ear
Origin: native Voucher: OSC, most recently collected in 2020
FN 26:126; FOO 1:293; PEK 224.

Synonyms:
***Calochortus nanus* (A.W. Wood) Piper**
IL 1:434.

Calochortus eurycarpus S. Watson

Common names: bigpod mariposa

Origin: native Voucher: OSC, most recently collected in 2024

FN 26:129; FOO 1:293; FPN 687; FPN2 682; GWM 92; IL 1:439; IN 6:497; VP 1:769.

Misapplied names:

Calochortus nitidus **Douglas**

PEK 225.

Calochortus greenei S. Watson

Common names: Greene's mariposa lily

Origin: native Voucher: OSC, most recently collected in 2015

FN 26:129; FOO 1:294; Galash, 2024 ; IL 1:438; JPM 1186; JPM2 1381; PEK 226.

Calochortus howellii S. Watson

Common names: Howell's mariposa lily

Origin: native Voucher: OSC, most recently collected in 2018

FN 26:129; FOO 1:294; IL 1:439; PEK 226.

Calochortus indecorus Ownbey & M. Peck

Common names: Sexton Mountain mariposa lily

Origin: native Voucher: OSC, most recently collected in 2009

FN 26:127; FOO 1:294; PEK 225.

Calochortus leichtlinii Hook. f.

Common names: Leichtlin's mariposa lily

Origin: native Voucher: OSC, most recently collected in 1992

FN 26:135; FOO 1:295; IL 1:443; IN 6:498; JPM 1186; JPM2 1382.

Calochortus longebarbatus S. Watson

FOO 1:295; FPN 687; FPN2 682; IL 1:438; VP 1:771.

Calochortus longebarbatus S. Watson var. ***longebarbatus***

Common names: long-haired star tulip, longbeard mariposa

Origin: native Voucher: OSC, most recently collected in 2009

FN 26:128; FOO 1:295; JPM 1186; JPM2 1382; PEK 225.

Calochortus longebarbatus S. Watson var. ***peckii*** Ownbey

Common names: Peck's mariposa lily

Origin: native Voucher: OSC, most recently collected in 1997

FN 26:129; FOO 1:295; FPN 687 synonym for *Calochortus longebarbatus*; Galash, 2024 ; PEK 225.

Calochortus luteus Douglas ex Lindl.

Common names: yellow mariposa lily

Origin: uncertain Voucher: SOC, most recently collected in 1980

JPM2 .

Calochortus macrocarpus Douglas

FOO 1:295; FPN 686; GWM 92; IL 1:441; IN 6:498; JPM 1186; JPM2 1382; PEK 226; VP 1:773.

Calochortus macrocarpus Douglas var. ***macrocarpus***

Common names: sagebrush mariposa lily

Origin: native Voucher: OSC, most recently collected in 2019

FN 26:136; FOO 1:295; FPN2 681.

Calochortus macrocarpus Douglas var. ***maculosus*** (A. Nelson & J.F. Macbr.) A. Nelson & J.F. Macbr.

Common names: Lewiston mariposa lily

Origin: native Voucher: WS, most recently collected in 1999

FN 26:136; FOO 1:295; FPN2 681; Galash, 2024 .

Calochortus monophyllus (Lindl.) Lem.

Common names: yellow cat's ear

Origin: native Voucher: OSC, most recently collected in 2009

FN 26:124; FOO 1:295; IL 1:433; JPM 1186; JPM2 1382.

Calochortus nitidus Douglas

Common names: broadfruit mariposa lily

Origin: native

FN 26:129; FOO 1:296; FPN 687; FPN2 682; IL 1:438; VP 1:773.

Calochortus nudus S. Watson

Common names: naked star tulip, Shasta star tulip

Origin: native Voucher: OSC, most recently collected in 1996

FN 26:128; FOO 1:296; IL 1:436; JPM 1186; JPM2 1382.

Calochortus persistens Ownbey

Common names: Siskiyou mariposa lily

Origin: uncertain Voucher: OSC, most recently collected in 1998

FN 26:131; Galash, 2024 ; JPM 1188; JPM2 1383.

Calochortus subalpinus Piper

Common names: Cascade mariposa lily, mountain cat's ear, subalpine mariposa lily

Origin: native Voucher: OSC, most recently collected in 2021

FN 26:126; FOO 1:296; FPN 688; FPN2 683; VP 1:775.

Misapplied names:

Calochortus lobbii **(Baker) Purdy**

FN 26:126 synonym for *Calochortus subalpinus*; FPN 688 synonym for *Calochortus subalpinus*; IL 1:436; PEK 224.

Calochortus tolmiei Hook. & Arn.

Common names: Tolmie's cat's ear

Origin: native Voucher: OSC, most recently collected in 2025

FN 26:124; FOO 1:296; FPN 688; FPN2 683; IL 1:435; JPM 1188; JPM2 1384; PEK 224; VP 1:777.

Synonyms:

Calochortus maweanus **Leichtlin**

FN 26:124 synonym for *Calochortus coeruleus*; IL 1:434.

Calochortus purdyi **Eastw.**

FPN 688 synonym for *Calochortus tolmiei*; IL 1:435.

Calochortus umpquaensis Fredricks

FN 26:130; FOO 1:296; Love, 2006 .

Calochortus umpquaensis Fredricks ssp. ***confertus*** Callahan

Common names: Callahan Meadows mariposa lily

Origin: native Voucher: OSC, most recently collected in 2020

FOO 1:297; Galash, 2024 .

Calochortus umpquaensis Fredricks ssp. ***flavicomus*** Callahan

Common names: Umpqua mariposa lily

Origin: native Voucher: OSC, most recently collected in 2024

FOO 1:297; Galash, 2024 .

Calochortus umpquaensis Fredricks ssp. ***umpquaensis***

Common names: Umpqua mariposa lily

Origin: native Voucher: OSC, most recently collected in 2024

FOO 1:297; Galash, 2024 .

Calochortus uniflorus Hook. & Arn.

Common names: large-flowered star-tulip, Monterey mariposa lily

Origin: native Voucher: OSC, most recently collected in 2016

FN 26:127; FOO 1:297; FPN 687; FPN2 682; IL 1:437; JPM 1188; JPM2 1384; PEK 225; VP 1:777.

Clintonia

Checklist contributor: Kenton Chambers, 10/28/1998

Flora of Oregon author: Lareina Shipler

Clintonia andrewsiana Torr.

Common names: red clintonia, Andrew's clintonia, redwood clintonia

Origin: native Voucher: OSC, most recently collected in 2009

FN 26:152; FOO 1:297; IL 1:453; JPM 1190; JPM2 1384; PEK 228.

Clintonia uniflora (Schult.) Kunth

Common names: queen's cup, beadlily, bride's bonnet, bluebead

Origin: native Voucher: OSC, most recently collected in 2024

FN 26:152; FOO 1:297; FPN 689; FPN2 683; GWM 93; IL 1:452; JPM 1190; JPM2 1384; PEK 228; VP 1:782.

Erythronium

Checklist contributor: Kenton Chambers, 9/15/2000

Flora of Oregon author: Stephen Meyers

Erythronium citrinum S. Watson

FN 26:160; IL 1:429; JPM 1193; PEK 223.

Erythronium citrinum S. Watson var. ***citrinum***

Common names: pale fawn-lily

Origin: native Voucher: OSC, most recently collected in 2015

FOO 1:298; JPM2 1386; Willis, 2025 .

Synonyms:

Erythronium howellii **S. Watson**

FN 26:160 synonym for *Erythronium citrinum*; IL 1:430; KZ 1:363; PEK 223.

Erythronium elegans P.C. Hammond & K.L. Chambers

Common names: elegant fawn-lily

Origin: native Voucher: OSC, most recently collected in 2012

FN 26:157; FOO 1:298; FPN2 684; Sundberg, 1996A .

Erythronium grandiflorum Pursh

FPN 690; GWM 94; IL 1:427; IN 6:492; JPM 1193.

Erythronium grandiflorum Pursh var. ***grandiflorum***

Common names: glacier-lily, yellow fawn-lily

Origin: native Voucher: OSC, most recently collected in 2012

FOO 1:298; FPN 690; FPN2 684; PEK 222; VP 1:788.

Synonyms:

Erythronium grandiflorum **Pursh ssp.** ***grandiflorum***

FN 26:156; JPM2 1386; KZ 1:363.

Erythronium grandiflorum **Pursh var.** ***pallidum*** **H. St. John**

FN 26:156 synonym for *Erythronium grandiflorum* ssp. *grandiflorum*; FPN 690 synonym for *Erythronium grandiflorum* var. *grandiflorum*; FPN2 684; PEK 222.

Erythronium parviflorum **(S. Watson) Goodd.**

FN 26:156 synonym for *Erythronium grandiflorum* ssp. *grandiflorum*; IL 1:427.

Erythronium hendersonii S. Watson

Common names: Henderson's fawn-lily

Origin: native Voucher: OSC, most recently collected in 2018

FN 26:160; FOO 1:299; IL 1:429; JPM 1193; JPM2 1386; Love, 2006 ; PEK 223.

Erythronium hendersonii S. Watson × ***Erythronium oregonum*** Applegate

Origin: native Voucher: OSC, most recently collected in 1926

Erythronium klamathense Applegate

Common names: Klamath fawn-lily

Origin: native Voucher: OSC, most recently collected in 2006

FN 26:158; FOO 1:299; FPN2 683; JPM 1193; JPM2 1386; PEK 222.

Erythronium montanum S. Watson

Common names: avalanche-lily

Origin: native Voucher: OSC, most recently collected in 1997

FN 26:157; FOO 1:299; FPN 690; FPN2 684; IL 1:428; PEK 222; VP 1:788.

Erythronium multiscapideum (Kellogg) A. Nelson & P.B. Kenn.

Common names: Sierra fawn-lily

Origin: uncertain Voucher: OSC, most recently collected in 2010

JPM2 .

Erythronium oregonum Applegate

Common names: Oregon fawn-lily

Origin: native Voucher: OSC, most recently collected in 2020

FN 26:158; FOO 1:300; FPN 690; JPM 1193; JPM2 1387; Love, 2002C ; Sundberg, 1996A ; VP 1:788.

Synonyms:

Erythronium giganteum **Lindl.**

FN 26:156 synonym for *Erythronium grandiflorum* ssp. *grandiflorum*; IL 1:428.

Erythronium oregonum **Applegate ssp.** ***leucandrum*** **(Applegate) Applegate**

FN 26:158 synonym for *Erythronium oregonum*; FPN2 684.

Erythronium oregonum **Applegate var.** ***leucandrum*** **(Applegate) M. Peck**

PEK 223.

Erythronium oregonum **Applegate ssp.** ***oregonum***

FPN2 684; KZ 1:363.

Erythronium oregonum **Applegate var.** ***oregonum***

PEK 223.

Erythronium revolutum Sm.

Common names: pink fawn-lily

Origin: native Voucher: OSC, most recently collected in 2003

FN 26:158; FOO 1:300; FPN 690; FPN2 684; IL 1:429; JPM 1194; JPM2 1387; PEK 223; Sundberg, 1996A ; VP 1:790.

Fritillaria

Checklist contributor: Kenton Chambers, 8/12/1998

Flora of Oregon author: Stephen Meyers

Fritillaria affinis (Schult.) Sealy

Common names: checker-lily, mission bells, chocolate lily

Origin: native Voucher: OSC, most recently collected in 2023

FN 26:166; FOO 1:301; FPN2 685; JPM 1195; JPM2 1388.

Synonyms:

Fritillaria affinis* (Schult.) Sealy var. *affinis

JPM 1195.

***Fritillaria lanceolata* Pursh**

FN 26:166; FPN 691; IL 1:423; KZ 1:363; PEK 221; VP 1:791.

Fritillaria atropurpurea Nutt.

Common names: spotted fritillary

Origin: native Voucher: OSC, most recently collected in 2023

FN 26:167; FOO 1:301; FPN 691; FPN2 685; GWM 94; IN 6:493; JPM 1195; JPM2 1388; PEK 221; Santana, 1984 ; VP 1:791.

Synonyms:

***Fritillaria adamantina* M. Peck**

FN 26:167 synonym for *Fritillaria atropurpurea*; PEK 221.

Fritillaria camschatcensis (L.) Ker Gawl.

Common names: Indian rice, black lily

Origin: native Voucher: OSC, most recently collected in 2018

FN 26:168; FPN 691; FPN2 685; IL 1:423; VP 1:791.

Fritillaria eastwoodiae R.M. Macfarlane

Common names: Butte County fritillary

Origin: uncertain Voucher: OSC, most recently collected in 2007

FN 26:169; JPM 1195; JPM2 1388.

Fritillaria gentneri Gilkey

Common names: Gentner's fritillary

Origin: native Voucher: OSC, most recently collected in 2022

FN 26:169; FOO 1:301; JPM2 1390; PEK 221.

Fritillaria glauca Greene

Common names: Siskiyou fritillary

Origin: native Voucher: OSC, most recently collected in 2011

FN 26:169; FOO 1:302; IL 1:424; JPM 1195; JPM2 1390; PEK 221.

Fritillaria pudica (Pursh) Spreng.

Common names: yellow bells, yellow fritillary

Origin: native Voucher: OSC, most recently collected in 2024

FN 26:170; FOO 1:302; FPN 691; FPN2 685; GWM 94; IL 1:426; IN 6:492; JPM 1196; JPM2 1390; Love, 2006 ; PEK 222; VP 1:793.

Fritillaria purdyi Eastw.

Common names: Purdy's fritillary
Origin: uncertain Voucher: OSC, most recently collected in 2021
FN 26:171; IL 1:422; JPM 1196; JPM2 1390.

Fritillaria recurva Benth.

Common names: scarlet fritillary
Origin: native Voucher: OSC, most recently collected in 2022
FN 26:171; FOO 1:302; IL 1:422; JPM 1196; JPM2 1390; PEK 221.

Gagea

Checklist contributor:
Flora of Oregon author: Stephen Meyers

Gagea serotina (L.) Ker Gawl.

Common names: alp lily, common alp lily
Origin: native Voucher: OSC, most recently collected in 1998
FOO 1:303.

Synonyms:

***Lloydia serotina* (L.) Salisb. ex Rchb.**
Calder & Taylor, 1968 ; FPN 692; IL 1:430; IN 6:495; PEK 223; VP 1:796.

Lloydia serotina* (L.) Salisb. ex Rchb. ssp. *serotina
Calder & Taylor, 1968 ; FN 26:198 synonym for *Lloydia serotina* var. *serotina*.

Lloydia serotina* (L.) Salisb. ex Rchb. var. *serotina
FN 26:198; FPN2 686.

Lilium

Checklist contributor: Kenton Chambers, 2/20/1999
Flora of Oregon author: Mark Skinner

Lilium bolanderi S. Watson

Common names: Bolander's lily
Origin: native Voucher: OSC, most recently collected in 2010
FN 26:185; FOO 1:304; IL 1:418; JPM 1199; JPM2 1391; PEK 219.

Lilium columbianum Hanson

Common names: Columbia lily, tiger lily, Oregon lily
Origin: native Voucher: OSC, most recently collected in 2023
FN 26:185; FOO 1:304; FPN 692; FPN2 685; IL 1:420; JPM 1199; JPM2 1391; PEK 220; VP 1:795.

Lilium columbianum Hanson × ***Lilium pardalinum*** Kellogg

Origin: native Voucher: OSC, most recently collected in 1929
FOO 1:304.

Lilium kelloggii Purdy

Common names: Kellogg's lily
Origin: native Voucher: OSC, most recently collected in 2021
FN 26:184; FOO 1:304; JPM 1199; JPM2 1392.

Lilium occidentale Purdy

Common names: western lily
Origin: native Voucher: OSC, most recently collected in 1982
FN 26:186; FOO 1:305; IL 1:419; JPM 1200; JPM2 1392; PEK 219.

Lilium pardalinum Kellogg

FOO 1:305; IL 1:419; JPM 1200; PEK 220.

Lilium pardalinum Kellogg ssp. ***pardalinum***

Common names: leopard lily

Origin: native Voucher: OSC, most recently collected in 2020

FN 26:189; FOO 1:306; FPN2 685; JPM 1200; JPM2 1392.

Lilium pardalinum Kellogg ssp. ***shastense*** (Eastw.) M.W. Skinner

Common names: Shasta lily

Origin: native Voucher: OSC, most recently collected in 2008

FN 26:190; FOO 1:306; JPM 1200; JPM2 1392; KZ 2:436; Kartesz & Meacham, 2007 .

Lilium pardalinum Kellogg ssp. ***vollmeri*** (Eastw.) M.W. Skinner

Common names: Vollmer's lily

Origin: native Voucher: OSC, most recently collected in 2013

FN 26:191; FOO 1:306; JPM 1200; JPM2 1392; Munz & Keck, 1959 .

Lilium pardalinum Kellogg ssp. ***wigginsii*** (Beane & Vollmer) M.W. Skinner

Common names: Wiggins' lily

Origin: native Voucher: OSC, most recently collected in 2012

FN 26:191; FOO 1:307; JPM 1200; JPM2 1392.

Synonyms:

***Lilium wigginsii* Beane & Vollmer**

FN 26:191 synonym for *Lilium pardalinum* ssp. *wigginsii*; KZ 1:365; PEK 220.

Lilium rubescens S. Watson

Common names: lilac lily, redwood lily

Origin: native Voucher: OSC, most recently collected in 1973

FN 26:183; FOO 1:303 excluded; IL 1:417; JPM 1200; JPM2 1392; PEK 219.

Lilium washingtonianum Kellogg

FPN 692; IL 1:417; JPM 1200; PEK 219; VP 1:796.

Lilium washingtonianum Kellogg ssp. ***purpurascens*** (Stearn) M.W. Skinner

Common names: Cascade lily, Washington lily

Origin: native Voucher: OSC, most recently collected in 2001

FN 26:182; FOO 1:307; FPN2 685; JPM 1200; JPM2 1392.

Prosartes

Checklist contributor: Kenton Chambers, 10/28/1998

Flora of Oregon author: Tamra Prior

Prosartes hookeri Torr.

Common names: Hooker's fairybells, drops-of-gold, Oregon fairybells

Origin: native Voucher: OSC, most recently collected in 2023

FN 26:143; FOO 1:308; FPN2 686; JPM2 1394.

Synonyms:

***Disporum hookeri* (Torr.) G. Nicholson**

FN 26:143 synonym for *Prosartes hookeri*; FPN 690; IL 1:456; JPM 1192; VP 1:784.

Disporum hookeri* (Torr.) G. Nicholson var. *hookeri

KZ 1:362; VP 1:784.

***Disporum hookeri* (Torr.) G. Nicholson var. *oreganum* (S. Watson) Q. Jones**

FN 26:143 synonym for *Prosartes hookeri*; FPN 690; KZ 1:362; PEK 230; VP 1:784.

***Disporum hookeri* (Torr.) G. Nicholson var. *trachyandrum* (Torr.) Q. Jones**

FN 26:143 synonym for *Prosartes hookeri*; KZ 1:362; PEK 230.

***Disporum oreganum* (S. Watson) Benth. & Hook. f.**

FN 26:143 synonym for *Prosartes hookeri*; IL 1:456.

***Disporum parvifolium* (S. Watson) Britton**

FN 26:143 synonym for *Prosartes hookeri*; IL 1:457; KZ 1:362; PEK 230.

***Disporum trachyandrum* (Torr.) Britton**

FN 26:143 synonym for *Prosartes hookeri*; IL 1:457.

Prosartes parvifolia S. Watson

Common names: small-leaved fairybells

Origin: native Voucher: OSC, most recently collected in 2018

FN 26:144 synonym for *Prosartes hookeri*; Galash, 2024 ; JPM2 1394.

Prosartes smithii (Hook.) Utech, Shinwari & Kawano

Common names: fairy lanterns, largeflower fairybells

Origin: native Voucher: OSC, most recently collected in 2024

FN 26:144; FOO 1:308; FPN2 686; JPM2 1394.

Synonyms:

***Disporum smithii* (Hook.) Piper**

FN 26:144 synonym for *Prosartes smithii*; FPN 689; IL 1:455; JPM 1192; KZ 1:362; PEK 229; VP 1:785.

Prosartes trachycarpa S. Watson

Common names: roughfruit fairybells, wartberry, rough-fruited mandarin

Origin: native Voucher: OSC, most recently collected in 2022

FN 26:144; FOO 1:309; FPN 690 synonym for *Disporum trachycarpum*; FPN2 686.

Synonyms:

***Disporum trachycarpum* (S. Watson) Benth. & Hook. f.**

FN 26:144 synonym for *Prosartes trachycarpa*; FPN 690; GWM 93; IL 1:456; IN 6:484; KZ 1:362; PEK 229; VP 1:785.

Scoliopus

Checklist contributor: Kenton Chambers, 10/28/1998

Flora of Oregon author: Katie Mitchell

Scoliopus bigelovii Torr.

Common names: California fetid adder's tongue

Origin: native Voucher: OSC, most recently collected in 2008

FN 26:118; FOO 1:310; IL 1:449; JPM 1203; JPM2 1394.

Scoliopus hallii S. Watson

Common names: Oregon fetid adder's tongue, slinkpod

Origin: native Voucher: OSC, most recently collected in 1994

FN 26:118; FOO 1:310; FPN 693; FPN2 686; IL 1:450; Love, 2006 ; Oregon Flora Project, 2005B ; PEK 226; VP 1:798.

Streptopus

Checklist contributor: Kenton Chambers, 10/28/1998
Flora of Oregon author: Stephen Meyers

Streptopus amplexifolius (L.) DC.

Common names: claspleaf twisted-stalk, clasping twisted-stalk
Origin: native Voucher: OSC, most recently collected in 2024
FN 26:146; FOO 1:310; FPN 694; FPN2 687; GWM 96; IL 1:457; PEK 230.

Synonyms:

***Streptopus amplexifolius* (L.) DC. var. *americanus* Schult.**
FN 26:146 synonym for *Streptopus amplexifolius*; FPN 694; IN 6:486; JPM 1204; JPM2 1394; VP 1:803.

***Streptopus amplexifolius* (L.) DC. var. *chalazatus* Fassett**
FN 26:146 synonym for *Streptopus amplexifolius*; FPN 694; IN 6:486; KZ 1:367; VP 1:803.

Streptopus lanceolatus (Aiton) Reveal

Common names: rosy twisted-stalk, simplestem twisted-stalk
Origin: native Voucher: OSC, most recently collected in 2008
FN 26:146; FOO 1:310; FPN2 687.

Synonyms:

***Streptopus curvipes* Vail**
FN 26:146 synonym for *Streptopus lanceolatus*; FPN 694 synonym for *Streptopus roseus*; IL 1:458; PEK 230.

***Streptopus lanceolatus* (Aiton) Reveal var. *curvipes* (Vail) Fassett**
FN 26:146 synonym for *Streptopus lanceolatus*.

***Streptopus roseus* Michx. var. *curvipes* (Vail) Fassett**
FN 26:146 synonym for *Streptopus lanceolatus*; FPN 694; KZ 1:367; VP 1:804.

Streptopus streptopoides (Ledeb.) Frye & Rigg

FN 26:146; FPN 694; FPN2 687; VP 1:804.

Streptopus streptopoides (Ledeb.) Frye & Rigg var. ***brevipes*** (Baker) Fassett

Common names: small twisted-stalk
Origin: native Voucher: OSC, most recently collected in 1982
FN 26:127 synonym for *Streptopus streptopoides*; FOO 1:311; FPN 694.

Synonyms:

***Kruhsea streptopoides* (Ledeb.) Kearney**
FN 26:146 synonym for *Streptopus streptopoides*; IL 1:458.

Tulipa

Checklist contributor:
Flora of Oregon author: Stephen Meyers

Tulipa sylvestris L.

Common names: wild tulip
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

Excluded names:

Fritillaria pluriflora Benth.

JPM 1196; JPM2 1390.

Lilium parvum Kellogg

FN 26:188; IL 1:419; IN 6:494; JPM 1200; JPM2 1392; PEK 220.

Literature cited for Liliaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Applegate, R.I. 1935. The genus *Erythronium*: A taxonomic and distributional study of the western North American species. Madroño 3:58-113.

Beetle, D.E. 1944. A monograph of the North American species of *Fritillaria*. Madroño 7:133-159.

Calder, J.A., and R.L. Taylor. 1968. Monograph No. 4: Flora of the Queen Charlotte Islands, Part 1: Systematics of the Vascular Plants. The Queen's Printer, Ottawa, Ontario, Canada.

Fritz-Sheridan, J.K. 1988. Reproductive biology of *Erythronium grandiflorum* varieties *grandiflorum* and *candidum* (Liliaceae). American Journal of Botany 75:1-14.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Hammond, P.C., and K.L. Chambers. 1985. A new species of *Erythronium* (Liliaceae) from the Coast Range of Oregon. Madroño 32:49-56.

Jones, Q. 1951. A cytotaxonomic study of the genus *Disporum* in North America. Contributions from the Gray Herbarium of Harvard University 173:1-39.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Mathew, B. 1992. A taxonomic and horticultural review of *Erythronium* L. (Liliaceae). Botanical Journal of the Linnean Society 109:453-471.

McFarlane, R.M. 1978. On the taxonomic status of *Fritillaria phaeanthera* Eastw. (Liliaceae). Madroño 25:93-100.

Meyers, S.C., A. Liston, and R.J. Meinke. 2006. The hybrid origin of *Fritillaria gentneri* Gilkey (Liliaceae). Presentation to Botany 2006, Chico, CA. .

Munz, P.A., and D.D. Keck. 1959. A California Flora. University of California Press.

Ownbey, M. 1940. A monograph of the genus *Calochortus*. Annals of the Missouri Botanical Garden 27:371-561.

Reveal, J.L. 1993. *Streptopus lanceolatus* (Aiton) Reveal, a new name for *Streptopus roseus* Michx. (Convallariaceae). Phytologia 74:185-189.

Santana, D.O. 1984. Morphological and Anatomical Observations on the Bulbs and Tepals of *Fritillaria* (Liliaceae) section *Liliorhiza* (Kellogg) Watson, Their Taxonomic Implications with a Synopsis and the Reproductive Biology of the Section. Ph.D. dissertation. University of California, Davis, CA.

Shevock, J.R., J.A. Bartel, and G.A. Allen. 1990. Distribution, ecology and taxonomy of *Erythronium* (Liliaceae) in the Sierra Nevada of California. Madroño 37:261-273.

Shinwari, Z.K., R. Terouchi, F.H. Utech, and S. Kawano. 1994. Recognition of the New World *Disporum* section *Prosartes* as *Prosartes* (Liliaceae). Taxon 43:353-366.

Takahashi, M. 1987. Pollen morphology in the genus *Erythronium* (Liliaceae) and its systematic implications. American Journal of Botany 74:1254-1262.

Turrill, W.B., and J.R. Sealy. 1980. Studies in the genus *Fritillaria* (Liliaceae). Hooker's Icones Plantarum 39:1-275.

Utech, F.H. 1975. Biosystematic studies in *Clintonia* (Liliaceae-Polygonatae) III. Cytogeography, chromosome numbers and chromosome morphology of the North American species of *Clintonia*. Cytologia 40:765-786.

Utech, F.H. 1992. Biology of *Scoliopus* (Lilaceae) I. Annals of the Missouri Botanical Garden 79:126-142.

Willis, G. 2025. Personal communication, rare plant abstracts, draft content. .

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest