Checklist of Oregon Montiaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Calandrinia

Checklist contributor: Kenton Chambers, 9/16/2002
Flora of Oregon author: C. Guilliams

Calandrinia menziesii (Hook.) Torr. & A. Gray

Common names: fringed redmaids, desert rock purslane
Origin: native Voucher: OSC, most recently collected in 2024

Synonyms:

***Calandrinia ciliata* (Ruíz & Pav.) DC.**
FN 4:460; FPN 105; FPN2 372; IN 2a:618; JPM 896; JPM2 901; VP 2:228.

***Calandrinia ciliata* (Ruíz & Pav.) DC. var. *menziesii* (Hook.) J.F. Macbr.**
FN 4:460 synonym for *Calandrinia ciliata*; FPN 105 synonym for *Calandrinia ciliata*; IL 2:121.

***Calandrinia ciliosa* (Ruíz & Pav.) DC. var. *menziesii* (Hook.) J.F. Macbr.**
PEK 298.

Calyptridium

Checklist contributor: Kenton Chambers, 9/13/2002
Flora of Oregon author: C. Guilliams, Lisa Morton

Calyptridium monospermum Greene

Common names: one-seeded pussypaws
Origin: native Voucher: OSC, most recently collected in 2014
Chambers, 2002B ; Chambers, 2002C ; FN 4:463 synonym for *Cistanthe monosperma*; JPM 896; JPM2 902.

Synonyms:

***Cistanthe monosperma* (Greene) Hershk.**
FN 4:463.

Calyptridium roseum S. Watson

Common names: rosy pussypaws, rosy calyptridium
Origin: native Voucher: OSC, most recently collected in 2010
FN 4:464 synonym for *Cistanthe rosea*; FPN 105; FPN2 373; IL 2:131; IN 2a:614; JPM 898; JPM2 902; PEK 302; VP 2:228.

Synonyms:

***Cistanthe rosea* (S. Watson) Hershk.**
FN 4:464.

Calyptridium umbellatum (Torr.) Greene

Common names: Mt. Hood pussypaws
Origin: native Voucher: OSC, most recently collected in 2021
Chambers, 2002B ; Chambers, 2002C ; FN 4:464 synonym for *Cistanthe umbellata*; FPN2 373; IN 2a:614; JPM 898; JPM2 902.

Synonyms:

***Cistanthe umbellata* (Torr.) Hershk.**
FN 4:464.

***Spraguea umbellata* Torr. var. *caudicifera* A. Gray**
FN 4:464 synonym for *Cistanthe umbellata*; FPN 109; GWM 138; IL 2:130; PEK 303; VP 2:247.

Spraguea umbellata* Torr. var. *umbellata
FN 4:464 synonym for *Cistanthe umbellata*; FPN 109; GWM 138; IL 2:130; PEK 302; VP 2:247.

Claytonia

Checklist contributor: Kenton Chambers, 5/22/2001
Flora of Oregon author: Richard Halse

Claytonia arenicola L.F. Hend.

Common names: sand springbeauty, Henderson's claytonia, sand montia

Origin: native Voucher: OSC, most recently collected in 1999

FN 4:467; FPN 108 synonym for *Montia arenicola*; FPN2 374; IL 2:129 synonym for *Montia arenicola*.

Synonyms:

***Montia arenicola* (L.F. Hend.) Howell**

FN 4:467 synonym for *Claytonia arenicola*; FPN 108; IL 2:129; PEK 301; VP 2:238.

Claytonia cordifolia S. Watson

Common names: heartleaf springbeauty, broad-leaved claytonia

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:468; FPN 108 synonym for *Montia cordifolia*; FPN2 374; GWM 134; IL 2:126 synonym for *Montia cordifolia*; IN 2a:626; JPM 899; JPM2 905.

Synonyms:

***Montia cordifolia* (S. Watson) Pax & K. Hoffm.**

FN 4:468 synonym for *Claytonia cordifolia*; FPN 108; IL 2:126; PEK 299; VP 2:239.

Claytonia exigua Torr. & A. Gray

FN 4:468; FPN 108 synonym for *Montia spathulata*; IN 2a:626; JPM 899.

Claytonia exigua Torr. & A. Gray ssp. ***exigua***

Common names: serpentine springbeauty, little springbeauty

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:468; FPN2 374; JPM 899; JPM2 905; Miller & Chambers, 1993 .

Synonyms:

***Montia spathulata* (Douglas ex Hook.) Howell**

FPN 108; IL 2:127; IN 2a:488; PEK 300; VP 2:245.

***Montia spathulata* (Douglas ex Hook.) Howell var. *exigua* (Torr. & A. Gray) B.L. Rob.**

IL 2:127; PEK 300.

Montia spathulata* (Douglas ex Hook.) Howell var. *spathulata

IL 2:127; PEK 300.

Claytonia exigua Torr. & A. Gray ssp. ***glauca*** (Torr. & A. Gray) John M. Mill. & K.L. Chambers

Common names: blue-leaved springbeauty, serpentine springbeauty

Origin: native Voucher: OSC, most recently collected in 1993

FN 4:468; FPN2 374; JPM 899; JPM2 905.

Synonyms:

***Montia pallida* M. Peck**

IL 2:127 synonym for *Montia perfoliata* ssp. *glauca*; VP 2:243 synonym for *Montia perfoliata*.

***Montia perfoliata* (Donn ex Willd.) Howell**

in part

***Montia perfoliata* (Donn ex Willd.) Howell ssp. *glauca* (Torr. & A. Gray) Ferris**

FN 4:468 synonym for *Claytonia exigua* ssp. *glauca*; IL 2:127.

***Montia perfoliata* (Donn ex Willd.) Howell var. *glauca* (Torr. & A. Gray) Ferris ex M. Peck**

FN 4:468 synonym for *Claytonia exigua* ssp. *glauca*; PEK 301.

Claytonia lanceolata Pursh

Common names: western springbeauty, lanceleaf springbeauty

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:469; FPN 105; FPN2 373; GWM 134; IL 2:122; IN 2a:622; JPM 899; JPM2 905.

Synonyms:

Claytonia lanceolata* Pursh var. *lanceolata

FN 4:469 synonym for *Claytonia lanceolata*; FPN 105; IL 2:122; PEK 298; VP 2:229.

***Claytonia lanceolata* Pursh var. *sessilifolia* (Torr.) A. Nelson**

IL 2:122; PEK 298.

Claytonia megarhiza (A. Gray) Parry ex S. Watson

Common names: alpine springbeauty, fell-fields claytonia

Origin: native Voucher: OSC, most recently collected in 2018

FN 4:469; FPN 105; FPN2 373; IN 2a:624; JPM 899; JPM2 905.

Synonyms:

***Claytonia bellidifolia* Rydb.**

IL 2:123; PEK 298.

***Claytonia megarhiza* (A. Gray) Parry ex S. Watson var. *bellidifolia* (Rydb.) C.L. Hitchc.**

FN 4:469 synonym for *Claytonia megarhiza*; FPN 105; GWM 134; KZ 1:492; VP 2:231.

Claytonia nevadensis S. Watson

Common names: Sierra springbeauty, Sierra Nevada claytonia

Origin: native Voucher: OSC, most recently collected in 2007

FN 4:470; IL 2:123; IN 2a:625; JPM 899; JPM2 905.

Claytonia parviflora Douglas ex Hook.

FN 4:471; FPN 108 synonym for *Montia perfoliata*; FPN2 374; IL 2:127 synonym for *Montia perfoliata*; JPM 900.

Claytonia parviflora Douglas ex Hook. ssp. ***parviflora***

Common names: narrow-leaved springbeauty

Origin: native Voucher: OSC, most recently collected in 2014

FN 4:471; JPM 900; JPM2 905.

Synonyms:

***Montia perfoliata* (Donn ex Willd.) Howell**

in part

***Montia perfoliata* (Donn ex Willd.) Howell var. *parviflora* (Douglas ex Hook.) Jeps.**

FN 4:471 synonym for *Claytonia parvifolia*; PEK 301.

Claytonia perfoliata Donn ex Willd.

Common names: miner's lettuce, winter purslane

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:472; FPN 108 synonym for *Montia perfoliata*; FPN2 374; IL 2:127 synonym for *Montia perfoliata*; IN 2a:263; JPM 900.

Synonyms:

***Claytonia perfoliata* Donn ex Willd. ssp. *intermontana* John M. Mill. & K.L. Chambers**

FN 4:472; JPM2 905.

Claytonia perfoliata* Donn ex Willd. ssp. *perfoliata

FN 4:472; JPM 900; JPM2 905.

***Montia perfoliata* (Donn ex Willd.) Howell**

in part

Montia perfoliata* (Donn ex Willd.) Howell var. *perfoliata

FN 4:472 synonym for *Claytonia perfoliata*; IL 2:127; PEK 300.

Claytonia rubra (Howell) Tidestr.

FN 4:473; FPN2 374; JPM 900.

Claytonia rubra (Howell) Tidestr. ssp. ***depressa*** (A. Gray) John M. Mill. & K.L. Chambers

Common names: cushion miner's lettuce

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:473; JPM 900; JPM2 906.

Synonyms:

***Claytonia perfoliata* Donn ex Willd. var. *depressa* (A. Gray) Poelln.**

FN 4:473 synonym for *Claytonia rubra* ssp. *depressa*; GWM 134.

***Montia perfoliata* (Donn ex Willd.) Howell**

in part

***Montia perfoliata* (Donn ex Willd.) Howell var. *depressa* (A. Gray) Jeps.**

FN 4:473 synonym for *Claytonia rubra* ssp. *depressa*; IL 2:127; PEK 301.

Claytonia rubra (Howell) Tidestr. ssp. ***rubra***

Common names: redstem springbeauty, red-stemmed miner's lettuce

Origin: native Voucher: OSC, most recently collected in 2022

FN 4:474; JPM 900; JPM2 906.

Synonyms:

***Montia perfoliata* (Donn ex Willd.) Howell**

in part

Claytonia saxosa Brandegee

Common names: Brandegee's springbeauty, Brandegee's claytonia

Origin: native Voucher: OSC, most recently collected in 2011

FN 4:474; JPM2 906.

Claytonia serpenticola T.R. Stoughton

Common names: serpentine springbeauty

Origin: native

Claytonia sibirica L.

Common names: candyflower, pink purslane, Siberian miner's lettuce, Siberian springbeauty

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:474; FPN 108 synonym for *Montia sibirica*; FPN2 374; GWM 135; IL 2:129 synonym for *Montia sibirica*; JPM 900; JPM2 906; Oregon Flora Project, 1995B ; Oregon Flora Project, 2008A .

Synonyms:

***Montia heterophylla* (Torr. & A. Gray) Jeps.**

FN 4:474 synonym for *Claytonia sibirica*; IL 2:129; PEK 299.

***Montia sibirica* (L.) Howell**

FN 4:474 synonym for *Claytonia sibirica*; FPN 108; IL 2:129; PEK 300.

***Montia sibirica* (L.) Howell var. *bulbifera* (A. Gray) B.L. Rob.**

FN 4:474 synonym for *Claytonia sibirica*; FPN 108; VP 2:245.

***Montia sibirica* (L.) Howell var. *heterophylla* (Torr. & A. Gray) B.L. Rob.**

FN 4:474 synonym for *Claytonia sibirica*; FPN 108; IL 2:129 synonym for *Montia heterophylla*; VP 2:245.

Montia sibirica* (L.) Howell var. *sibirica

FN 4:474 synonym for *Claytonia sibirica*; FPN 108; VP 2:245.

Claytonia umbellata S. Watson

Common names: Great Basin springbeauty, Great Basin claytonia

Origin: native Voucher: OSC, most recently collected in 2005

FN 4:475; FPN2 373; IL 2:122; IN 2a:624; JPM 900; JPM2 906; PEK 298.

Claytonia × ***washingtoniana*** (Suksd.) Suksd.

Common names: Washington springbeauty, Suksdorf's springbeauty, Lake Washington miner's lettuce

Origin: native

FN 4:475; FPN2 374; JPM 900; JPM2 906.

Lewisia

Checklist contributor: Kenton Chambers, 9/26/2002
Flora of Oregon author: treatment pending

Lewisia columbiana (Howell) B.L. Rob.

FN 4:478; FPN 106; GWM 135; IL 2:133; JPM 902; PEK 304.

Lewisia columbiana (Howell) B.L. Rob. var. ***columbiana***

Common names: Columbia lewisia, Columbia bitterroot
Origin: native Voucher: OSC, most recently collected in 2015
FN 4:479; FPN 106; FPN2 375; Simpson, 1996 ; VP 2:232.

Synonyms:

Lewisia columbiana* (Howell) B.L. Rob. ssp. *columbiana

FN 4:479 excluded for *Lewisia columbiana* var. *columbiana*; IL 2:133.

Lewisia columbiana (Howell) B.L. Rob. var. ***rupicola*** (English) C.L. Hitchc.

Common names: rosy lewisia
Origin: native Voucher: OSC, most recently collected in 2012
Chambers, 1996A ; FN 4:479; FPN 106; FPN2 375; VP 2:234.

Synonyms:

***Lewisia columbiana* (Howell) B.L. Rob. ssp. *rupicola* (English) Ferris**

FN 4:479 synonym for *Lewisia columbiana* var. *rupicola*; IL 2:134.

***Lewisia rupicola* English**

FN 4:479 synonym for *Lewisia columbiana* var. *rupicola*; IL 2:134 synonym for *Lewisia columbiana* ssp. *rupicola*; PEK 304.

Lewisia columbiana (Howell) B.L. Rob. var. ***wallowensis*** C.L. Hitchc.

Common names: Wallowa lewisia
Origin: native Voucher: OSC, most recently collected in 2021
FN 4:479; FPN 106; FPN2 375; VP 2:232.

Lewisia cotyledon (S. Watson) B.L. Rob. var. ***cotyledon***

Common names: Siskiyou lewisia, cliffmaids, Siskiyou bitterroot
Origin: native Voucher: OSC, most recently collected in 2002
FN 4:480; FPN2 374; IL 2:133; JPM 903; JPM2 907; PEK 304.

Lewisia cotyledon (S. Watson) B.L. Rob. var. ***howellii*** (S. Watson) Jeps.

Common names: Howell's lewisia
Origin: native Voucher: OSC, most recently collected in 1984
FN 4:480; IL 2:133; JPM 903; JPM2 907; PEK 304.

Lewisia leeana (Porter) B.L. Rob.

Common names: Lee’s bitterroot, quill-leaved lewisia
Origin: native Voucher: OSC, most recently collected in 2005
FN 4:481; IL 2:133; JPM2 907.

Synonyms:

***Lewisia leana* (Porter) B.L. Rob.**

FN 4:481 synonym for *Lewisia leeana*; IL 2:133; JPM 903; PEK 304.

Lewisia oppositifolia (S. Watson) B.L. Rob.

Common names: opposite-leaved lewisia
Origin: native Voucher: OSC, most recently collected in 2013
FN 4:483; IL 2:133; JPM 903; JPM2 908; PEK 303.

Lewisia pygmaea (A. Gray) B.L. Rob.

FN 4:483; FPN 106; FPN2 375; GWM 136; IL 2:134; IN 2a:609; JPM 903; JPM2 908; PEK 303.

Lewisia pygmaea (A. Gray) B.L. Rob. var. *nevadensis* (A. Gray) Fosberg

Common names: Nevada bitterroot, Nevada lewisia

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:482 synonym for *Lewisia nevadensis*; FPN 107; VP 2:235.

Synonyms:

***Lewisia minima* A. Nelson**

FN 4:483 synonym for *Lewisia pygmaea*; FPN 107 synonym for *Lewisia pygmaea* var. *pygmaea*; IL 2:134.

***Lewisia nevadensis* (A. Gray) B.L. Rob.**

FN 4:482; FPN2 375; GWM 135; IL 2:134; JPM 903; JPM2 908; PEK 303.

Lewisia pygmaea (A. Gray) B.L. Rob. var. *pygmaea*

Common names: alpine lewisia, dwarf lewisia, pygmy bitterroot

Origin: native Voucher: WTU, most recently collected in 1990

FN 4:483 synonym for *Lewisia pygmaea*; FPN 107; IL 2:134; VP 2:235.

Lewisia rediviva Pursh

Chambers, 2002C ; FN 4:484; FPN 106; IL 2:135; IN 2a:610; JPM 903; Oregon Flora Project, 2001C ; PEK 304; VP 2:235.

Lewisia rediviva Pursh var. *rediviva*

Common names: bitterroot

Origin: native Voucher: SOC, most recently collected in 2023

FN 4:484; FPN2 375; JPM2 908; KZ 1:493.

Lewisia triphylla (S. Watson) B.L. Rob.

Common names: three-leaved lewisia, three-leaf bitterroot

Origin: native Voucher: OSC, most recently collected in 2023

FN 4:484; FPN 106; FPN2 375; GWM 136; IL 2:131; IN 2a:612; JPM 903; JPM2 908; PEK 303; VP 2:235.

Lewisia × *whiteae* Purdy

Common names: White's lewisia

Origin: native Voucher: OSC, most recently collected in 1926

FN 4:481; JPM2 908.

Montia

Checklist contributor: Kenton Chambers, 6/6/2001

Flora of Oregon author: C. Guilliams

Montia chamissoi (Ledeb. ex Spreng.) Greene

Common names: water montia, water miner's lettuce, toad lily

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:487; FPN 107; FPN2 376; IL 2:126; IN 2a:630; JPM 904; JPM2 910; PEK 300; Simpson, 2003 ; VP 2:238.

Synonyms:

***Claytonia chamissoi* Ledeb. ex Spreng.**

FN 4:487 synonym for *Montia chamissoi*; FPN 107 synonym for *Montia chamissoi*; GWM 134; IL 2:126 synonym for *Montia chamissoi*.

Montia dichotoma (Nutt.) Howell

Common names: dwarf montia, dwarf miner's lettuce

Origin: native Voucher: OSC, most recently collected in 2022

FN 4:487; FPN 107; FPN2 376; IL 2:124; JPM 904; JPM2 910; PEK 301; VP 2:239.

Montia diffusa (Nutt.) Greene

Common names: spreading miner's lettuce, spreading candyflower, branching montia

Origin: native Voucher: OSC, most recently collected in 2002

FN 4:487; FPN 107; FPN2 376; IL 2:124; JPM 904; JPM2 910; PEK 301; VP 2:239.

Montia fontana L.

Common names: water blinks, water chickweed, annual water miner's lettuce, water montia

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:487; FPN 107; FPN2 376; IL 2:126; IN 2a:631; JPM 904; JPM2 910; PEK 302; Walters, 1953 .

Synonyms:

Montia dipetala **Suksd.**

IL 2:126.

Montia fontana **L. var.** ***tenerrima*** **(A. Gray) Fernald & Wiegand**

FPN 107; VP 2:240.

Montia hallii **(A. Gray) Greene**

FN 4:487 synonym for *Montia fontana*; IL 2:126 synonym for *Montia fontana*; PEK 302.

Montia howellii S. Watson

Common names: Howell's montia, Howell's miner's lettuce, Howell's candyflower

Origin: native Voucher: OSC, most recently collected in 2022

FN 4:488; FPN 107; FPN2 376; IL 2:126; JPM 904; JPM2 910; PEK 301; VP 2:240.

Montia linearis (Douglas ex Hook.) Greene

Common names: narrowleaf miner's lettuce, linear-leaved candyflower, narrow-leaved montia

Origin: native Voucher: OSC, most recently collected in 2024

FN 4:488; FPN 107; FPN2 376; GWM 136; IL 2:124; IN 2a:630; JPM 904; JPM2 910; PEK 301; VP 2:240.

Montia parvifolia (Moç. ex DC.) Greene

Common names: littleleaf miner's lettuce, small-leaved blinks, showy rock montia

Origin: native Voucher: OSC, most recently collected in 2023

FN 4:488; FPN 107; FPN2 376; IL 2:124; JPM 904; JPM2 910; Oregon Flora Project, 2005B ; PEK 300.

Synonyms:

Claytonia parvifolia **Moç. ex DC.**

FN 4:488 synonym for *Montia parvifolia*; GWM 134; IL 2:124 synonym for *Montia parvifolia*; IN 2a:262.

Montia flagellaris **(Bong.) B.L. Rob.**

FN 4:488 synonym for *Montia parvifolia*; IL 2:124 synonym for *Montia parvifolia* ssp. *flagellaris*; PEK 300.

Montia parvifolia **(Moç. ex DC.) Greene ssp.** ***flagellaris*** **(Bong.) Ferris**

FN 4:488 synonym for *Montia parvifolia*; IL 2:124; KZ 1:493.

Montia parvifolia **(Moç. ex DC.) Greene var.** ***flagellaris*** **(Bong.) C.L. Hitchc.**

FN 4:488 synonym for *Montia parvifolia*; FPN 107; VP 2:242.

Montia parvifolia **(Moç. ex DC.) Greene ssp.** ***parvifolia***

FN 4:488 synonym for *Montia parvifolia*; IL 2:124; KZ 1:493.

Montia parvifolia **(Moç. ex DC.) Greene var.** ***parvifolia***

FN 4:488 synonym for *Montia parvifolia*; FPN 107; VP 2:242.

Phemeranthus

Checklist contributor: Kenton Chambers, 9/11/2002

Flora of Oregon author: treatment pending

Phemeranthus spinescens (Torr.) Hershk.

Common names: spinescent fameflower, spiny fameflower

Origin: native Voucher: OSC, most recently collected in 2010

Chambers, 2002B ; FN 4:495; FPN2 376.

Synonyms:

***Talinum spinescens* Torr.**

Chambers, 2002B excluded; FN 4:495 synonym for *Phemeranthus spinescens*; FPN 109; IL 2:121; KZ 1:494; VP 2:249.

Literature cited for Montiaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. 2002C. Thomas Howell discovers *Calyptridium monospermum*. Oregon Flora Newsletter 8(3):17-18.

Heenan, P.B. 1999. A taxonomic revision of *Neopaxia* O.Nilss. (Portulacaceae) in New Zealand. New Zealand Journal of Botany 37:213-234.

Hershkovitz, M.A. 2006. Ribosomal and chloroplast DNA evidence for diversification of western American Portulacaceae in the Andean region. Gayana Botánica 63:13-74.

Hinton, W.F. 1975. Systematics of the *Calyptridium umbellatum* complex (Portulacaceae). Brittonia 27(3):197-208.

Hooker, W.J. 1832. Flora Boreali-Americana. Volume 1(5). Henry G. Bohn, London, England.

MacBride, J.F. 1931. Spermatophytes, mostly Peruvian. Publications of the Field Museum of Natural History. Botanical series 11:1-35.

McNeill, J. 1975. A generic revision of Portulacaceae tribe Montieae using techniques of numerical taxonomy. Canadian Journal of Botany 53:789-809.

Miller, J.M. 1976. Variation in populations of *Claytonia perfoliata* (Portulacaceae). Systematic Botany 1:20-34.

Miller, J.M. 1978. Phenotypic variation, distribution and relationships of diploid and tetraploid populations of the *Claytonia perfoliata* complex (Portulacaceae). Systematic Botany 3:322-341.

Miller, J.M., and K.L. Chambers. 1993. Nomenclatural changes and new taxa in *Claytonia* (Portulacaceae) in Western North America. Novon 3:268-273.

Miller, J.M., and K.L. Chambers. 2006. Systematics of *Claytonia* (Portulacaceae). Systematic Botany Monographs 78:1-236.

Miller, J.M., K.L. Chambers, and C.E. Fellows. 1984. Cytogeographic patterns and relationships in the *Claytonia sibirica* complex (Portulacaceae). Systematic Botany 9:266-271.

Moore, D.M. 1963. The subspecies of *Montia fontana* L. Botaniska Notiser 116:16-30.

Nilsson, Ö. 1966A. Studies in *Montia* L. and *Claytonia* L. and allied genera I. Two new genera, *Mona* and *Paxia*. Botaniska Notiser 119:265-285.

Nilsson, Ö. 1966B. Studies in *Montia* L. and *Claytonia* L. and allied genera II. Two new genera, *Mona* and *Paxia*. Botaniska Notiser 119:265-285.

Nilsson, Ö. 1966C. Studies in *Montia* L. and *Claytonia* L. and allied genera, I. Corrections and Additions. Botaniska Notiser 119:469.

Nilsson, Ö. 1967. Studies in *Montia* L. and *Claytonia* L. and allied genera III. Pollen morphology. Grana Palynologica 7:279-363.

O'Quinn, R., and L. Hufford. 2005. Molecular systematics of Montieae (Portulacaceae): implications for taxonomy, biogeography, and ecology. Systematic Botany 30:314-331.

Swanson, J.R. 1966. A synopsis of relationships in Montioideae (Portulacaceae). Brittonia 18:229-241.

Torrey, J., and A. Gray. 1838. A Flora of North America: Containing abridged descriptions of all the known indigenous and naturalized plants growing north of Mexico, arranged according to the natural system. Wiley & Putnam, New York, NY.

Walters, S.M. 1953. *Montia fontana* L. Watsonia 3:1-6.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest