Checklist of Oregon Onagraceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Camissonia

Checklist contributor: Henrietta Chambers, 6/30/2004
Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

Camissonia contorta (Douglas) Kearney

Common names: Plains evening-primrose, contorted-pod evening-primrose, contorted suncup, twisted suncup
Origin: native Voucher: OSC, most recently collected in 2017
FPN2 255; IN 3a:196; JPM 782; JPM2 927.

Synonyms:
***Oenothera contorta* Douglas**
in part
FPN 312.
Oenothera contorta* Douglas var. *contorta
IL 3:202; PEK 547; VP 3:495.

Camissonia parvula (Nutt. ex Torr. & A. Gray) P.H. Raven

Common names: Lewis River suncup, tiny suncup
Origin: native Voucher: OSC, most recently collected in 2023
FPN2 255; IN 3a:194; JPM 784; JPM2 927.

Camissonia pusilla P.H. Raven

Common names: little wiry suncup
Origin: native Voucher: OSC, most recently collected in 2010
FPN 312 synonym for *Oenothera pubens*; FPN2 255; IN 3a:194; JPM 784; JPM2 927.

Synonyms:
***Oenothera contorta* Douglas**
in part
***Oenothera contorta* Douglas var. *flexuosa* (A. Nelson) Munz**
IL 3:202; PEK 547.

Camissoniopsis

Checklist contributor:
Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

Camissoniopsis cheiranthifolia (Hornem. ex Spreng.) W.L. Wagner & Hoch ssp. ***cheiranthifolia***

Common names: beach evening-primrose, beach suncup
Origin: native Voucher: OSC, most recently collected in 2020
JPM2 928; Wagner et al., 2007 .

Synonyms:
Camissonia cheiranthifolia* (Hornem. ex Spreng.) Raim. ssp. *cheiranthifolia
IL 3:204; JPM 782.
***Oenothera cheiranthifolia* Hornem.**
PEK 547.
Oenothera cheiranthifolia* Hornem. var. *cheiranthifolia
FPN 312 synonym for *Oenothera contorta*; IL 3:204.

Chamaenerion

Checklist contributor:
Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

Chamaenerion angustifolium (L.) Scop.

FPN2 255.

Synonyms:

Chamerion angustifolium **(L.) Scop.**

Chamaenerion angustifolium (L.) Scop. ssp. ***circumvagum*** (Mosquin) Moldenke

Common names: fireweed, great willowherb

Origin: native Voucher: OSC, most recently collected in 2007

Synonyms:

Chamaenerion angustifolium **(L.) Scop. var.** ***canescens*** **(Alph. Wood) Britton**

Chamerion angustifolium **(L.) Scop. var.** ***canescens*** **(A.W. Wood) N.H. Holmgren & P.K.**

IN 3a:230.

Chamerion angustifolium **(L.) Scop. ssp.** ***circumvagum*** **(Mosquin) Kartesz**

JPM2 930.

Epilobium angustifolium **L.**

FPN 306; GWM 240; IL 3:171; KZ 1:399; PEK 534; VP 3:475.

Epilobium angustifolium **L. ssp.** ***circumvagum*** **Mosquin**

IN 3a:228 synonym for *Chamerion angustifolium*; JPM 796; KZ 1:399.

Chamaenerion latifolium (L.) Sweet

Common names: river beauty, alpine fireweed, dwarf fireweed, broad-leaved fireweed

Origin: native Voucher: OSC, most recently collected in 2002

FPN2 255.

Synonyms:

Chamerion latifolium **(L.) Holub**

FPN 306 synonym for *Epilobium latifolium*; IN 3a:228; JPM2 931.

Epilobium latifolium **L.**

FPN 306; GWM 242; IL 3:171; JPM 797; PEK 534; VP 3:478.

Chylismia

Checklist contributor:

Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

---

Chylismia claviformis (Torr. & Frém.) A. Heller ssp. ***cruciformis*** (Kellogg) W.L. Wagner & Hoch

Common names: cruciform evening-primrose

Origin: native Voucher: OSC, most recently collected in 2021

FPN2 256; JPM2 932; Wagner et al., 2007 .

Synonyms:

Camissonia claviformis **(Torr. & Frém.) P.H. Raven ssp.** ***cruciformis*** **(Kellogg) P.H. Raven**

JPM 782.

Camissonia claviformis **(Torr. & Frém.) P.H. Raven var.** ***cruciformis*** **(Kellogg) Cronquist**

IN 3a:184.

Oenothera claviformis **Torr. & Frém. var.** ***cruciformis*** **(Kellogg) Munz**

FPN 311; IN 3a:182 synonym for *Camissonia claviformis*.

Chylismia claviformis (Torr. & Frém.) A. Heller ssp. ***integrior*** (P.H. Raven) W.L. Wagner & Hoch

Common names: browneyes, clavate-fruited evening-primrose

Origin: native Voucher: OSC, most recently collected in 2007

JPM2 932; Wagner et al., 2007 .

Synonyms:

Camissonia claviformis **(Torr. & Frém.) P.H. Raven ssp.** ***integrior*** **(P.H. Raven) P.H. Raven**

JPM 782.

Camissonia claviformis **(Torr. & Frém.) P.H. Raven var.** ***purpurascens*** **(S. Watson)**

IL 3:206; IN 3a:184.

Oenothera claviformis **Torr. & Frém. var.** ***purpurascens*** **(S. Watson) Munz**

PEK 546.

Chylismia scapoidea (Torr. & Gray) Nutt. ex Raim. ssp. ***brachycarpa*** (P.H. Raven) W.L. Wagner & Hoch

Common names: short-fruited beeblossom, naked-stemmed evening-primrose

Origin: native Voucher: OSC, most recently collected in 2009

FPN2 256; Wagner et al., 2007 .

Synonyms:

Camissonia scapoidea **(Nutt. ex Torr. & A. Gray) P.H. Raven ssp.** ***brachycarpa*** **(P.H. Raven)**

IN 3a:184 synonym for *Camissonia scapoidea* var. *utahensis*.

Oenothera scapoidea **Nutt. ex Torr. & A. Gray**

FPN 311; PEK 545; VP 3:499.

Oenothera scapoidea **Nutt. ex Torr. & A. Gray ssp.** ***brachycarpa*** **P.H. Raven**

FPN 311.

Oenothera scapoidea **Nutt. ex Torr. & A. Gray var.** ***seorsa*** **(A. Nelson) Munz**

FPN 311 synonym for *Oenothera scapoidea* ssp. *brachycarpa*; IL 3:206; VP 3:499.

Chylismia scapoidea (Torr. & Gray) Nutt. ex Raim. ssp. ***scapoidea***

Common names: Paiute suncup, naked-stemmed evening-primrose

Origin: native Voucher: OSC, most recently collected in 2020

FPN2 256; Wagner et al., 2007 .

Synonyms:

Camissonia scapoidea **(Nutt. ex Torr. & A. Gray) P.H. Raven ssp.** ***scapoidea***

IN 3a:184.

Chylismiella

Checklist contributor:

Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

---

Chylismiella pterosperma (S. Watson) W.L. Wagner & Hoch

Common names: wingfruit suncup, wing-seeded evening-primrose

Origin: native Voucher: OSC, most recently collected in 1945

FPN2 256; JPM2 933; Wagner et al., 2007 .

Synonyms:

Camissonia pterosperma **(S. Watson) P.H. Raven**

IN 3a:186; JPM 784.

Oenothera pterosperma **S. Watson**

IL 3:204; PEK 545.

Circaea

Checklist contributor: Henrietta Chambers, 6/6/2005

Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

---

Circaea pacifica Asch. & Magnus

Common names: Pacific enchanter's nightshade, small enchanter's nightshade

Origin: native Voucher: OSC, most recently collected in 2021

FPN 305 synonym for *Circaea alpina*; IL 3:212; PEK 550.

Synonyms:

***Circaea alpina* L.**

FPN 305; GWM 238; IL 3:212; IN 3a:173; PEK 550; VP 3:468.

***Circaea alpina* L. ssp. *pacifica* (Asch. & Magnus) P.H. Raven**

FPN2 256; JPM 786; JPM2 933.

***Circaea alpina* L. var. *pacifica* (Asch. & Magnus) M.E. Jones**

FPN 305 synonym for *Circaea alpina*; IN 3a:174; VP 3:468.

Clarkia

Checklist contributor: Henrietta Chambers, 9/27/2005

Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr.

FPN 305; FPN2 257; JPM 788; VP 3:470.

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. ***amoena***

Common names: farewell-to-spring, godetia, herald-of-summer

Origin: native Voucher: OSC, most recently collected in 1986

IL 3:187; JPM 788; JPM2 936; PEK 541.

Synonyms:

Godetia amoena* (Lehm.) G. Don var. *amoena

IL 3:187; PEK 541.

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. ***caurina*** (Abrams ex Piper) F.H. Lewis & M.E. Lewis

Common names: farewell-to-spring, northwestern farewell-to-spring

Origin: native Voucher: OSC, most recently collected in 2010

Synonyms:

***Clarkia amoena* (Lehm.) A. Nelson & J.F. Macbr. var. *caurina* (Abrams) C.L. Hitchc.**

FPN 305; VP 3:470.

***Clarkia amoena* (Lehm.) A. Nelson & J.F. Macbr. var. *pacifica* (M. Peck) C.L. Hitchc.**

FPN 305; VP 3:470.

***Godetia pacifica* M. Peck**

FPN 305 synonym for *Clarkia amoena* var. *pacifica*; IL 3:190; PEK 542.

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. ***huntiana*** (Jeps.) F.H. Lewis & M.E. Lewis

Common names: farewell-to-spring, Hunt's clarkia

Origin: native Voucher: OSC, most recently collected in 2022

JPM 789; JPM2 936.

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. ***lindleyi*** (Douglas) F.H. Lewis & M.E. Lewis

Common names: Lindley's clarkia, farewell-to-spring

Origin: native Voucher: OSC, most recently collected in 2024

Synonyms:

***Clarkia amoena* (Lehm.) A. Nelson & J.F. Macbr. var. *lindleyi* (Douglas) C.L. Hitchc.**

FPN 305; VP 3:470.

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. ***whitneyi*** (A. Gray) F.H. Lewis & M.E.Lewis

Common names: Whitney's clarkia, farewell-to-spring

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

JPM2 .

Clarkia gracilis (Piper) A. Nelson & J.F. Macbr.

FPN 305; JPM 790; VP 3:470.

Clarkia gracilis (Piper) A. Nelson & J.F. Macbr. ssp. ***gracilis***

Common names: slender clarkia, graceful clarkia, slender godetia

Origin: native Voucher: OSC, most recently collected in 2017

FPN2 257; JPM 790; JPM2 938.

Synonyms:

***Godetia amoena* (Lehm.) G. Don var. *gracilis* (Piper) C.L. Hitchc.**

FPN 305 synonym for *Clarkia gracilis*; IL 3:187; PEK 541.

Clarkia gracilis (Piper) A. Nelson & J.F. Macbr. ssp. ***sonomensis*** (C.L. Hitchc.) F.H. Lewis & M.E. Lewis

Common names: Sonoma clarkia, Sonoma fairyfan

Origin: native Voucher: OSC, most recently collected in 1998

JPM 790; JPM2 938.

Clarkia heterandra (Torr.) F.H. Lewis & P.H. Raven

Common names: California gaura, mountain clarkia, California fairyfan

Origin: native Voucher: OSC, most recently collected in 1998

Chambers, 1995A ; JPM 790; JPM2 938.

Synonyms:

***Gaura heterantha* Torr.**

Chambers, 1995A ; PEK 549.

***Heterogaura heterandra* (Torr.) Coville**

Chambers, 1995A ; IL 3:211.

Clarkia lassenensis (Eastw.) F.H. Lewis & M.E. Lewis

Common names: Lassen clarkia, Lassen godetia, Mount Lassen fairyfan

Origin: native Voucher: OSC, most recently collected in 2016

FPN2 257; IN 3a:221; JPM 790; JPM2 938; VP 3:470.

Synonyms:

***Godetia lassenensis* Eastw.**

PEK 541.

Clarkia pulchella Pursh

Common names: deerhorn clarkia, ragged robin, pink fairies

Origin: native Voucher: OSC, most recently collected in 2023

FPN 305; FPN2 257; GWM 239; IL 3:184; IN 3a:222; Oregon Flora Project, 2001C ; PEK 540; VP 3:470.

Clarkia purpurea (Curtis) A. Nelson & J.F. Macbr.

FPN 305; FPN2 257; JPM 792; VP 3:470.

Clarkia purpurea (Curtis) A. Nelson & J.F. Macbr. ssp. ***purpurea***

Common names: winecup clarkia, purple godetia

Origin: native Voucher: OSC, most recently collected in 2013

JPM 792; JPM2 938.

Synonyms:

Godetia purpurea* (Curtis) G. Don var. *purpurea

IL 3:185.

Clarkia purpurea (Curtis) A. Nelson & J.F. Macbr. ssp. ***quadrivulnera*** (Douglas ex Lindl.) F.H. Lewis & M.E. Lewis

Common names: four-spot, small-flowered godetia, winecup clarkia

Origin: native Voucher: OSC, most recently collected in 2021

JPM 792; JPM2 938.

Synonyms:

Clarkia quadrivulnera **(Douglas ex Lindl.) A. Nelson & J.F. Macbr.**

FPN 306; FPN2 257; VP 3:472.

Godetia purpurea **(Curtis) G. Don var.** ***parviflora*** **(S. Watson) C.L. Hitchc.**

FPN 305 synonym for *Clarkia purpurea*; IL 3:187; PEK 541.

Godetia quadrivulnera **(Douglas) Spach**

FPN 306 synonym for *Clarkia quadrivulnera*; IL 3:185; PEK 541.

Clarkia purpurea (Curtis) A. Nelson & J.F. Macbr. ssp. ***viminea*** (Douglas) F.H. Lewis & M.E. Lewis

Common names: purple clarkia, winecup clarkia, large godetia

Origin: native Voucher: OSC, most recently collected in 2019

JPM 792; JPM2 938.

Synonyms:

Clarkia viminea **(Douglas ex Hook.) A. Nelson & J.F. Macbr.**

FPN 306; FPN2 257; IL 3:188; VP 3:473.

Godetia viminea **(Douglas) Spach**

FPN 306 synonym for *Clarkia viminea*; IL 3:188; PEK 541.

Clarkia rhomboidea Douglas

Common names: diamond clarkia, diamond fairyfan, common clarkia

Origin: native Voucher: OSC, most recently collected in 2023

FPN 305; FPN2 257; GWM 239; IL 3:183; IN 3a:222; JPM 792; JPM2 940; Lewis & Lewis, 1955 20:241-392; PEK 540; VP 3:473.

Clarkia unguiculata Lindl.

Common names: elegant clarkia, mountain garland, elegant fairyfan

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

JPM2 .

Epilobium

Checklist contributor: Richard Halse, Henrietta Chambers, 8/31/2005

Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

---

Epilobium anagallidifolium Lam.

Common names: alpine willowherb, pimpernel willowherb

Origin: native Voucher: OSC, most recently collected in 2021

FPN 308 synonym for *Epilobium alpinum* var. *alpinum*; FPN2 259; GWM 240; JPM 796; JPM2 942.

Synonyms:

Epilobium alpinum **L. var.** ***alpinum***

FPN 308; GWM 240; IN 3a:236; VP 3:474.

Misapplied names:

Epilobium alpinum **L.**

PEK 537.

Epilobium brachycarpum C. Presl

Common names: tall annual willowherb, autumn willowherb, panicled willowherb

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 258; IN 3a:238; JPM 796; JPM2 942.

Synonyms:

Epilobium paniculatum **Nutt.**

FPN 307; GWM 242; VP 3:481.

Epilobium paniculatum **Nutt. var.** ***hammondii*** **(Howell) M. Peck**

PEK 538.

Epilobium paniculatum **Nutt. var.** ***jucundum*** **(A. Gray) Trel.**

FPN 307; IL 3:174; PEK 538; VP 3:481 synonym for *Epilobium paniculatum*.

Epilobium paniculatum **Nutt. var.** ***paniculatum***

FPN 307; IL 3:173; PEK 538.

Epilobium campestre (Jeps.) Hoch & W.L. Wagner

Common names: smooth willowherb, smooth boisduvalia, smooth spike-primrose

Origin: native Voucher: OSC, most recently collected in 2022

FPN2 258; JPM2 942.

Synonyms:

Boisduvalia glabella **(Nutt.) Walp.**

FPN 304; IL 3:180; PEK 540; VP 3:466.

Epilobium pygmaeum **(Speg.) Hoch & P.H. Raven**

IN 3a:242; JPM 797.

Epilobium canum (Greene) P.H. Raven

IN 3a:240; JPM 796.

Epilobium canum (Greene) P.H. Raven ssp. ***latifolium*** (Hook.) P.H. Raven

Common names: California fuchsia, zauschneria, hummingbird trumpet

Origin: native Voucher: OSC, most recently collected in 2015

JPM 796; JPM2 942.

Synonyms:

Zauschneria latifolia **(Hook.) Greene**

IL 3:169; PEK 539.

Zauschneria latifolia **(Hook.) Greene var.** ***latifolia***

IL 3:169.

Epilobium ciliatum Raf.

FPN2 260; JPM 796.

Synonyms:

Epilobium adenocaulon **Hausskn.**

FPN 307 synonym for *Epilobium watsonii* var. *occidentale*; GWM 240.

Epilobium watsonii **Barbey**

FPN 307; IL 3:179; VP 3:482.

Epilobium ciliatum Raf. ssp. ***ciliatum***

Common names: fringed willowherb, northern willowherb

Origin: native Voucher: OSC, most recently collected in 2016

JPM 796; JPM2 943.

Synonyms:

Epilobium adenocaulon **Hausskn. var.** ***adenocaulon***

IL 3:179; PEK 535.

Epilobium adenocaulon **Hausskn. var.** ***perplexans*** **Trel.**

IL 3:179.

Epilobium brevistylum **Barbey**

in part

Epilobium brevistylum **Barbey var.** ***brevistylum***

IL 3:176; PEK 537.

Epilobium brevistylum **Barbey var.** ***ursinum*** **(Parish) Jeps.**

IL 3:176; PEK 537.

Epilobium californicum **Hausskn.**

FPN 307 synonym for *Epilobium watsonii* var. *parishii*; IL 3:179; PEK 536.

Epilobium ciliatum **Raf. var.** ***ciliatum***

IN 3a:237.

Epilobium glandulosum **Lehm.**

in part

Epilobium glandulosum **Lehm. var.** ***macounii*** **(Trel.) C.L. Hitchc.**

FPN 307; VP 3:478.

Epilobium watsonii **Barbey var.** ***occidentale*** **(Trel.) C.L. Hitchc.**

FPN 307; VP 3:485.

Epilobium watsonii **Barbey var.** ***parishii*** **(Trel.) C.L. Hitchc.**

FPN 307; VP 3:485.

Epilobium ciliatum Raf. ssp. ***glandulosum*** (Lehm.) Hoch & P.H. Raven

Common names: fringed willowherb, purple-leaved willowherb

Origin: native Voucher: OSC, most recently collected in 2021

JPM 796; JPM2 943.

Synonyms:

Epilobium adenocaulon **Hausskn. var.** ***cinerascens*** **(Piper) M. Peck**

PEK 536.

Epilobium adenocaulon **Hausskn. var.** ***occidentale*** **Trel.**

IL 3:179; PEK 536.

Epilobium ciliatum **Raf. var.** ***glandulosum*** **(Lehm.) Dorn**

IN 3a:236.

Epilobium glandulosum **Lehm.**

in part

Epilobium glandulosum **Lehm. var.** ***glandulosum***

FPN 307; VP 3:478.

Epilobium ciliatum Raf. ssp. ***watsonii*** (Barbey) Hoch & P.H. Raven

Common names: Watson's willowherb, fringed willowherb

Origin: native Voucher: OSC, most recently collected in 2021

JPM 796; JPM2 943.

Synonyms:

Epilobium franciscanum **Barbey**

FPN 307 synonym for *Epilobium watsonii* var. *watsonii*; IL 3:179; PEK 536.

Epilobium watsonii **Barbey var.** ***watsonii***

FPN 307; VP 3:483.

Epilobium clavatum Trel.

Common names: club-fruited willowherb, talus willowherb

Origin: native Voucher: OSC, most recently collected in 2018

FPN 308 synonym for *Epilobium alpinum* var. *clavatum*; FPN2 259; GWM 241; IL 3:177; JPM 796; JPM2 943; PEK 538.

Synonyms:

***Epilobium alpinum* L. var. *clavatum* (Trel.) C.L. Hitchc.**

FPN 308; IN 3a:236; VP 3:475.

Misapplied names:

***Epilobium alpinum* L.**

Epilobium densiflorum (Lindl.) Hoch & P.H. Raven

Common names: dense-flower spike-primrose, dense boisduvalia, dense-flower willowherb

Origin: native Voucher: OSC, most recently collected in 2021

FPN2 258; IN 3a:242; JPM 796; JPM2 943.

Synonyms:

***Boisduvalia densiflora* (Lindl.) S. Watson**

FPN 304; GWM 238; IL 3:180; PEK 539; VP 3:465.

Boisduvalia densiflora* (Lindl.) S. Watson var. *densiflora

FPN 304; IL 3:180.

***Boisduvalia densiflora* (Lindl.) S. Watson var. *pallescens* Suksd.**

FPN 304 synonym for *Boisduvalia densiflora* var. *densiflora*; IL 3:180.

***Boisduvalia densiflora* (Lindl.) S. Watson var. *salina* (Rydb.) Munz**

FPN 304.

Epilobium glaberrimum Barbey

FPN 307; FPN2 258; JPM 796.

Epilobium glaberrimum Barbey ssp. ***fastigiatum*** (Nutt.) Hoch & P.H. Raven

Common names: glaucous willowherb, cluster-stemmed willowherb

Origin: native Voucher: OSC, most recently collected in 2013

JPM 796; JPM2 943.

Synonyms:

***Epilobium glaberrimum* Barbey var. *fastigiatum* (Nutt.) Jeps.**

FPN 307; GWM 241; IL 3:177; IN 3a:238; PEK 536; VP 3:477.

Epilobium glaberrimum Barbey ssp. ***glaberrimum***

Common names: glaucous willowherb, smooth willowherb

Origin: native Voucher: OSC, most recently collected in 2010

JPM 796; JPM2 943.

Synonyms:

Epilobium glaberrimum* Barbey var. *glaberrimum

FPN 307; IL 3:177; IN 3a:238; PEK 536; VP 3:477.

Epilobium hallianum Hausskn.

Common names: glandular willowherb, Hall's willowherb

Origin: native Voucher: OSC, most recently collected in 2018

FPN2 260; JPM2 943.

Synonyms:

***Epilobium brevistylum* Barbey**

in part

***Epilobium brevistylum* Barbey var. *subfalcatum* (Trel.) Munz**

IL 3:176; PEK 537.

***Epilobium brevistylum* Barbey var. *tenue* (Trel.) Jeps.**

GWM 241; IL 3:176.

***Epilobium delicatum* Trel.**

FPN 307 synonym for *Epilobium glandulosum* var. *tenue*; IL 3:176; PEK 537.

***Epilobium glandulosum* Lehm.**

in part

***Epilobium glandulosum* Lehm. var. *tenue* (Trel.) C.L. Hitchc.**

FPN 307; GWM 243; VP 3:478.

***Epilobium halleanum* Hausskn.**

FPN 307 synonym for *Epilobium glandulosum* var. *macounii*; GWM 241; IL 3:176; IN 3a:232; JPM 797; PEK 536.

Epilobium hirsutum L.

Common names: hairy willowherb, great willowherb, great hairy willowherb

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FPN 306; FPN2 258.

Epilobium hornemannii Rchb.

FPN 308 synonym for *Epilobium alpinum* var. *nutans*; GWM 242; IL 3:177; PEK 538.

Epilobium hornemannii Rchb. ssp. ***hornemannii***

Common names: Hornemann's willowherb

Origin: native Voucher: OSC, most recently collected in 2018

FPN2 259; JPM 797; JPM2 943.

Synonyms:

***Epilobium alpinum* L. var. *nutans* (Hornem.) Hook.**

FPN 308; VP 3:475.

Epilobium hornemannii* Rchb. var. *hornemannii

IN 3a:234.

Misapplied names:

***Epilobium alpinum* L.**

Epilobium lactiflorum Hausskn.

Common names: white-flowered willowherb, milk-flowered willowherb

Origin: native Voucher: OSC, most recently collected in 2023

FPN 308 synonym for *Epilobium alpinum* var. *lactiflorum*; FPN2 259; GWM 242; IL 3:177; JPM 797; JPM2 943; PEK 538.

Synonyms:

***Epilobium alpinum* L. var. *lactiflorum* (Hausskn.) C.L. Hitchc.**

FPN 308; VP 3:475.

***Epilobium hornemannii* Rchb. var. *lactiflorum* (Hausskn.) D. Löve**

IN 3a:234.

Misapplied names:

***Epilobium alpinum* L.**

Epilobium leptocarpum Hausskn.

Common names: slender-fruited willowherb

Origin: native Voucher: OSC, most recently collected in 1944

FPN 307 synonym for *Epilobium glandulosum* var. *macounii*; FPN2 259; IL 3:176; PEK 537.

Epilobium leptophyllum Raf.

Common names: bog willowherb, linear-leaved willowherb, slender-leaved willowherb

Origin: native Voucher: OSC, most recently collected in 1976

FPN 307 synonym for *Epilobium palustre*; FPN2 260; IL 3:174; IN 3a:232; JPM 797; JPM2 943.

Epilobium luteum Pursh

Common names: yellow willowherb

Origin: native Voucher: OSC, most recently collected in 2010

FPN 306; FPN2 258; IL 3:173; JPM 797; JPM2 944; PEK 535; VP 3:479.

Epilobium minutum Lindl.

Common names: little willowherb, chaparral willowherb, small-flowered willowherb

Origin: native Voucher: OSC, most recently collected in 2023

FPN 306; FPN2 259; IN 3a:238; JPM 797; JPM2 944; PEK 538; VP 3:479.

Synonyms:

Epilobium minutum* Lindl. var. *minutum

IL 3:174.

Epilobium obcordatum A. Gray

Common names: rockfringe, rockfringe willowherb, heart willowweed

Origin: native Voucher: OSC, most recently collected in 2011

FPN 306; FPN2 258; IL 3:171; IN 3a:231; JPM 797; JPM2 944; PEK 535; VP 3:481.

Epilobium oreganum Greene

Common names: Grant's Pass willowherb, Oregon fireweed

Origin: native Voucher: OSC, most recently collected in 2018

FPN2 258; IL 3:177; JPM 797; JPM2 944.

Synonyms:

***Epilobium exaltatum* Drew**

FPN 307 synonym for *Epilobium glandulosum* var. *glandulosum*; IL 3:174; PEK 535.

Epilobium oregonense Hausskn.

Common names: Oregon willowherb, slimstem willowweed

Origin: native Voucher: OSC, most recently collected in 2021

FPN2 259; GWM 242; IL 3:176; IN 3a:232; JPM 797; JPM2 944; PEK 537.

Synonyms:

***Epilobium alpinum* L. var. *gracillimum* (Trel.) C.L. Hitchc.**

FPN 308; VP 3:475.

Misapplied names:

***Epilobium alpinum* L.**

Epilobium pallidum (Eastw.) Hoch & P.H. Raven

Common names: largeflower spike-primrose, large-flowered willowherb, pale boisduvalia

Origin: native Voucher: OSC, most recently collected in 2003

IN 3a:244; JPM 797; JPM2 944.

Synonyms:

***Boisduvalia pallida* Eastw.**

IL 3:181; PEK 539.

Epilobium palustre L.

Common names: marsh willowherb, swamp willowherb

Origin: native Voucher: OSC, most recently collected in 2023

FPN 307; FPN2 260; IL 3:174; IN 3a:232; JPM 797; JPM2 944; PEK 536; VP 3:481.

Epilobium ravenii Hoch & Gandhi

Common names: California willowherb, leafy willowherb

Origin: native Voucher: OSC, most recently collected in 2016

Hoch & Gandhi, 2022 .

Synonyms:

Epilobium foliosum **(Torr. & A. Gray) Suksd.**

JPM 796; JPM2 943.

Epilobium minutum **Lindl. var.** ***foliosum*** **Torr. & A. Gray**

IL 3:174.

Epilobium rigidum Hausskn.

Common names: stiff willowherb, Siskiyou Mountains willowherb

Origin: native Voucher: OSC, most recently collected in 2022

IL 3:173; JPM 798; JPM2 944; PEK 535.

Epilobium saximontanum Hausskn.

Common names: Rocky Mountain willowherb, glandular willowherb, Rocky Mountain willowweed

Origin: native Voucher: WTU, most recently collected in 2012

FPN 307 synonym for *Epilobium glandulosum* var. *glandulosum*; FPN2 260; IN 3a:238; JPM 798; JPM2 944.

Epilobium siskiyouense (Munz) Hoch & P.H. Raven

Common names: Siskiyou fireweed, Siskiyou willowherb

Origin: native Voucher: OSC, most recently collected in 2007

JPM 798; JPM2 944.

Epilobium torreyi (S. Watson) Hoch & P.H. Raven

Common names: brook willowherb, Torrey's willowherb, brook spike-primrose, narrow-leaved boisduvalia

Origin: native Voucher: OSC, most recently collected in 2024

FPN2 258; IN 3a:244; JPM 798; JPM2 944.

Synonyms:

Boisduvalia stricta **(A. Gray) Greene**

FPN 304; IL 3:181; PEK 539; VP 3:466.

Eremothera

Checklist contributor:

Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

Eremothera boothii (Douglas) W.L. Wagner & Hoch ssp. ***alyssoides*** (Hook. & Arn.) P.H. Raven

Common names: alyssum evening-primrose, Pine Creek evening-primrose

Origin: native Voucher: OSC, most recently collected in 2010

JPM2 946; Wagner et al., 2007 .

Synonyms:

Camissonia boothii **(Douglas ex Lehm.) P.H. Raven ssp.** ***alyssoides*** **(Hook. & Arn.) P.H.**
JPM 781.

Camissonia boothii **(Douglas ex Lehm.) P.H. Raven var.** ***alyssoides*** **(Hook. & Arn.) N.H.**
IN 3a:190.

Camissonia boothii **(Douglas ex Lehm.) P.H. Raven var.** ***villosa*** **(S. Watson) Cronquist**
IN 3a:190.

Oenothera alyssoides **Hook. & Arn.**
IL 3:200; PEK 546; VP 3:491.

Oenothera boothii **Douglas ex Lehm. ssp.** ***alyssoides*** **(Hook. & Arn.) Munz**
FPN 312.

Eremothera boothii (Douglas) W.L. Wagner & Hoch ssp. ***boothii***

Common names: Booth's evening-primrose, Booth's mooncup

Origin: native Voucher: OSC, most recently collected in 2020

FPN2 261; JPM2 946; Wagner et al., 2007 .

Synonyms:

Camissonia boothii **(Douglas ex Lehm.) P.H. Raven ssp.** ***boothii***
FPN 312; IN 3a:190; JPM 781.

Oenothera boothii **Douglas ex Lehm. ssp.** ***boothii***
FPN 312.

Oenothera boothii **Douglas ex Lehm. var.** ***boothii***
IL 3:201; IN 3a:187 excluded for *Camissonia boothii*; PEK 546; VP 3:491.

Eremothera minor (A. Nelson) W.L. Wagner & Hoch

Common names: small-flowered evening-primrose, Nelson's evening-primrose

Origin: native Voucher: OSC, most recently collected in 2010

FPN2 261; JPM2 946; Wagner et al., 2007 .

Synonyms:

Camissonia minor **(A. Nelson) P.H. Raven**
IN 3a:190; JPM 784.

Oenothera minor **(A. Nelson) Munz**
FPN 312; PEK 546.

Oenothera minor **(A. Nelson) Munz var.** ***cusickii*** **Munz**
FPN 312 synonym for *Oenothera minor*; IL 3:200; PEK 546; VP 3:498.

Eremothera pygmaea (Douglas ex Lehm.) W.L. Wagner & Hoch

Common names: dwarf suncup

Origin: native Voucher: OSC, most recently collected in 2003

FPN2 261; Wagner et al., 2007 .

Synonyms:

Camissonia pygmaea **(Douglas ex Lehm.) P.H. Raven**
IN 3a:192.

Oenothera boothii **Douglas ex Lehm.**
in part

Oenothera boothii **Douglas ex Lehm. var.** ***pygmaea*** **(Douglas ex Lehm.) Torr. & A. Gray**
FPN 312 synonym for *Oenothera pygmaea*; IL 3:201; PEK 546.

Oenothera pygmaea **Douglas ex Hook.**
FPN 312.

Fuchsia

Checklist contributor: Henrietta Chambers, 6/10/2005
Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

Fuchsia magellanica Lam.

Common names: hardy fuchsia
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2019
FPN2 261; Sundberg, 2003A .

Gayophytum

Checklist contributor: Kenton Chambers, 2/27/2001
Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

Gayophytum decipiens F.H. Lewis & Szweyk.

Common names: deceptive groundsmoke
Origin: native
Voucher: OSC, most recently collected in 2010
Chambers, 2001B ; Chambers, 2001C ; FPN 309; FPN2 261; IN 3a:224; JPM 799; JPM2 947.

Gayophytum diffusum Torr. & A. Gray

Chambers, 2001C ; FPN 309; FPN2 262; JPM 799.

Gayophytum diffusum Torr. & A. Gray ssp. ***diffusum***

Common names: spreading groundsmoke, diffuse gayophytum
Origin: native
Voucher: OSC, most recently collected in 2010
Chambers, 2001B ; JPM 799; JPM2 947.

Synonyms:

Gayophytum diffusum* Torr. & A. Gray var. *diffusum
IL 3:208; IN 3a:226; PEK 548.

***Gayophytum diffusum* Torr. & A. Gray var. *villosum* Munz**
IL 3:208; PEK 548.

***Gayophytum nuttallii* Torr. & A. Gray**
in part

Misapplied names:

***Gayophytum eriospermum* Coville**
Chambers, 2001C ; FPN 309 synonym for *Gayophytum diffusum*; FPN2 261; IL 3:209; JPM 799; JPM2 948; PEK 549.

Gayophytum diffusum Torr. & A. Gray ssp. ***parviflorum*** F.H. Lewis & Szweyk.

Common names: small-flowered groundsmoke, diffuse gayophytum, spreading groundsmoke

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 2001B ; GWM 243; JPM 799; JPM2 947.

Synonyms:

***Gayophytum diffusum* Torr. & A. Gray var. *strictipes* (Hook.) Dorn**

IN 3a:226.

***Gayophytum lasiospermum* Greene var. *hoffmannii* Munz**

IL 3:209; PEK 549.

Gayophytum lasiospermum* Greene var. *lasiospermum

IL 3:209; PEK 549.

***Gayophytum nuttallii* Torr. & A. Gray**

in part

***Gayophytum nuttallii* Torr. & A. Gray var. *abramsii* Munz**

IL 3:208; PEK 548.

***Gayophytum nuttallii* Torr. & A. Gray var. *intermedium* (Rydb.) Munz**

IL 3:208; PEK 548.

Gayophytum nuttallii* Torr. & A. Gray var. *nuttallii

IL 3:208; PEK 548.

Gayophytum heterozygum F.H. Lewis & Szweyk.

Common names: zigzag groundsmoke, zigzag gayophytum

Origin: native Voucher: OSC, most recently collected in 2017

Chambers, 2001B ; Chambers, 2001C ; FPN2 262; GWM 243; IN 3a:225; JPM 799; JPM2 948.

Gayophytum humile Juss.

Common names: dwarf groundsmoke, low groundsmoke

Origin: native Voucher: OSC, most recently collected in 2011

Chambers, 2001B ; Chambers, 2001C ; FPN 309; FPN2 261; IN 3a:224; JPM 799; JPM2 948; VP 3:486.

Synonyms:

***Gayophytum humile* Juss. var. *hirtellum* Munz**

IL 3:209; PEK 548.

Gayophytum humile* Juss. var. *humile

IL 3:209; PEK 548.

Gayophytum racemosum Torr. & A. Gray

Common names: blackfoot groundsmoke, racemed groundsmoke

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 2001B ; Chambers, 2001C ; FPN 309; FPN2 261; IN 3a:224; JPM 799; JPM2 948; VP 3:487.

Synonyms:

***Gayophytum helleri* Rydb.**

FPN 309 synonym for *Gayophytum racemosum*; IL 3:209; PEK 549.

***Gayophytum racemosum* Torr. & A. Gray var. *caesium* (Torr. & A. Gray) Munz**

IL 3:209; PEK 548.

Gayophytum racemosum* Torr. & A. Gray var. *racemosum

IL 3:209; PEK 548.

Gayophytum ramosissimum Torr. & A. Gray

Common names: pinyon groundsmoke, pinyon gayophytum, hairstem groundsmoke

Origin: native Voucher: OSC, most recently collected in 2008

Chambers, 2001B ; FPN 309; FPN2 261; IL 3:208; IN 3a:226; JPM 800; JPM2 948; PEK 548; VP 3:487.

Ludwigia

Checklist contributor: Henrietta Chambers, 4/26/2005
Flora of Oregon author: Brenda Grewell

Ludwigia hexapetala (Hook. & Arn.) Zardini, H.Y. Gu & P.H. Raven

Common names: Uruguayan primrose-willow, water-primrose
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2019
FPN2 262; JPM 800; JPM2 948.

Synonyms:
***Jussiaea uruguayensis* Cambess.**
FPN 309; VP 3:489.

Ludwigia palustris (L.) Elliott

Common names: marsh primrose-willow, marsh seedbox, marsh purslane, water purslane
Origin: native
Voucher: OSC, most recently collected in 2023
FPN 309; FPN2 262; JPM 800; JPM2 949; VP 3:489.

Synonyms:
***Ludwigia palustris* (L.) Elliott var. *americana* (DC.) Fernald & Griscom**
FPN 309; IL 3:168; PEK 533; VP 3:489.
***Ludwigia palustris* (L.) Elliott var. *pacifica* Fernald & Griscom**
FPN 309; IL 3:168; VP 3:489.

Ludwigia peploides (Kunth) P.H. Raven ssp. ***montevidensis*** (Spreng.) P.H. Raven

Common names: floating primrose-willow
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2019
FPN2 262; JPM2 1:949.

Ludwigia peploides (Kunth) P.H. Raven ssp. ***peploides***

Common names: floating water-primrose, marsh purslane, floating primrose-willow
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2015
FPN2 262; JPM 800; JPM2 949.

Synonyms:
***Jussiaea repens* L. var. *peploides* (Kunth) Griseb.**
IL 3:168.

Neoholmgrenia

Checklist contributor:
Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

Neoholmgrenia andina (Nutt.) W.L. Wagner & Hoch

Common names: plateau evening-primrose, obscure suncup, Blackfoot River evening-primrose
Origin: native
Voucher: OSC, most recently collected in 2023
FPN2 262; JPM2 949.

Synonyms:
***Camissonia andina* (Nutt.) P.H. Raven**
IN 3a:196; JPM 780.
***Oenothera andina* Nutt.**
FPN 312; GWM 244; IL 3:201; PEK 547; VP 3:491.

Neoholmgrenia hilgardii (Greene) W. L. Wagner & Hoch

Common names: Hilgard's suncup, Hilgard's evening-primrose
Origin: native Voucher: GH
FPN2 262; Wagner & Hoch, 2009 .

Synonyms:

***Camissonia hilgardii* (Greene) P.H. Raven**

***Oenothera contorta* Douglas**

in part

***Oenothera contorta* Douglas var. *hilgardii* (Greene) Munz**

PEK 547.

***Oenothera hilgardii* Greene**

FPN 312.

Oenothera

Checklist contributor: Henrietta Chambers, 6/30/2004
Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

---

Oenothera biennis L.

Common names: common evening-primrose, small-flowered evening-primrose
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FPN2 264; GWM 244; IL 3:193; JPM 802; JPM2 950; PEK 543; VP 3:492.

Oenothera cespitosa Nutt. ssp. ***cespitosa***

Common names: tufted evening-primrose, Butte primrose, rock-rose, fragrant evening-primrose
Origin: native Voucher: OSC, most recently collected in 2012
FPN2 263.

Synonyms:

Oenothera caespitosa* Nutt. ssp. *caespitosa

Oenothera caespitosa* Nutt. var. *caespitosa

FPN 310; IL 3:195; IN 3a:208; PEK 544; VP 3:495.

***Oenothera caespitosa* Nutt. var. *montana* (Nutt.) Durand**

FPN 310; IL 3:195; PEK 544; VP 3:495.

***Oenothera caespitosa* Nutt. var. *purpurea* (S. Watson) Munz**

FPN 310; IL 3:195; PEK 544; VP 3:495.

Oenothera cespitosa* Nutt. var. *cespitosa

IN 3a:208; PEK 544; VP 3:495.

***Oenothera cespitosa* Nutt. var. *montana* (Nutt.) Durand**

PEK 544.

***Oenothera cespitosa* Nutt. var. *purpurea* (S. Watson) Munz**

PEK 544.

Oenothera cespitosa Nutt. ssp. ***marginata*** (Nutt. ex Hook. & Arn.) Munz

Common names: tufted evening-primrose, fragrant evening-primrose
Origin: native Voucher: OSC, most recently collected in 2011
FPN2 263; IN 3a:206 synonym for *Oenothera cespitosa* var. *marginata*; JPM2 952.

Synonyms:

***Oenothera caespitosa* Nutt. ssp. *marginata* (Nutt. ex Hook. & Arn.) Munz**

IN 3a:208; JPM 803.

***Oenothera caespitosa* Nutt. var. *marginata* (Nutt.) Munz**

FPN 310; IL 3:195; PEK 544; VP 3:495.

***Oenothera cespitosa* Nutt. var. *marginata* (Nutt.) Munz**

FPN 310; IN 3a:208; PEK 544; VP 3:495.

Oenothera curtiflora W.L. Wagner & Hoch

Common names: small-flowered gaura, velvetweed, lizard-tail

Origin: native Voucher: OSC, most recently collected in 2024

FPN2 263; JPM2 952; Wagner et al., 2007 .

Synonyms:

***Gaura parviflora* Douglas ex Lehm.**

FPN 308; IL 3:211; IN 3a:220; JPM 798; PEK 549; VP 3:485.

Oenothera deltoides Torr. & Frém. ssp. ***piperi*** (Munz) W. Klein

Common names: Piper's evening-primrose, Piper's desert-lantern

Origin: native Voucher: OSC, most recently collected in 2018

FPN2 264; JPM 803; JPM2 952.

Synonyms:

***Oenothera deltoides* Torr. & Frém. var. *piperi* Munz**

FPN 310; IL 3:194; IN 3a:214; PEK 543; VP 3:496.

Oenothera elata Kunth

FPN2 264; IN 3a:202; JPM 803.

Oenothera elata Kunth ssp. ***hirsutissima*** (A. Gray ex S. Watson) W. Dietr.

Common names: Hooker's evening-primrose, hairy evening-primrose

Origin: native Voucher: OSC, most recently collected in 2021

JPM 803; JPM2 952.

Synonyms:

***Oenothera elata* Kunth var. *hirsutissima* (A. Gray ex S. Watson) Cronquist**

IN 3a:202.

***Oenothera hookeri* Torr. & A. Gray**

in part

FPN 311.

***Oenothera hookeri* Torr. & A. Gray ssp. *angustifolia* (Gates) Munz**

FPN 311 synonym for *Oenothera hookeri* var. *angustifolia*; IL 3:193; PEK 543.

***Oenothera hookeri* Torr. & A. Gray var. *angustifolia* R.R. Gates**

FPN 311; IL 3:193 synonym for *Oenothera hookeri* ssp. *angustifolia*; VP 3:498.

***Oenothera hookeri* Torr. & A. Gray var. *ornata* (A. Nelson) Munz**

FPN 311.

Oenothera flava (A. Nelson) Garrett

Common names: yellow evening-primrose, long-tubed evening-primrose

Origin: native Voucher: OSC, most recently collected in 2018

FPN 310; FPN2 263; IL 3:196; IN 3a:205; JPM2 953; PEK 544; VP 3:496.

Synonyms:

Oenothera flava* (A. Nelson) Garrett ssp. *flava

IN 3a:205; JPM 803.

Oenothera glazioviana Micheli

Common names: red-sepal evening-primrose, large-flowered evening-primrose

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FPN2 264; JPM 803; JPM2 953.

Synonyms:

***Oenothera* × *erythrosepala* Borbás**

FPN 311; IL 3:194; PEK 543.

Oenothera pallida Lindl.

FPN 310; IL 3:194; PEK 544.

Oenothera pallida Lindl. ssp. ***pallida***

Common names: pale evening-primrose

Origin: native

Voucher: OSC, most recently collected in 2008

FPN2 264.

Synonyms:

Oenothera pallida **Lindl. var.** ***pallida***

FPN 310; IN 3a:215; VP 3:499.

Oenothera villosa Thunb.

IN 3a:203.

Oenothera villosa Thunb. ssp. ***strigosa*** (Rydb.) W. Dietr. & P.H. Raven

Common names: hairy evening-primrose

Origin: native

Voucher: OSC, most recently collected in 2013

JPM 804; JPM2 953.

Synonyms:

Oenothera rydbergii **House**

FPN 311 synonym for *Oenothera strigosa*; IL 3:193; PEK 543.

Oenothera strigosa **Mack. & Bush**

FPN 311.

Oenothera wolfii (Munz) P.H. Raven, W. Dietr. & Stubbe

Common names: Wolf's evening-primrose

Origin: native

Voucher: OSC, most recently collected in 2002

JPM 804; JPM2 953.

Synonyms:

Oenothera hookeri **Torr. & A. Gray**

in part

Oenothera hookeri **Torr. & A. Gray ssp.** ***wolfii*** **Munz**

IL 3:193; PEK 543.

Taraxia

Checklist contributor:

Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

---

Taraxia ovata (Nutt.) Small

Common names: goldeneggs, suncup

Origin: native

Voucher: OSC, most recently collected in 2023

FPN2 264; JPM2 954; Wagner et al., 2007 .

Synonyms:

Camissonia ovata **(Nutt. ex Torr. & A. Gray) P.H. Raven**

JPM 784.

Oenothera ovata **Nutt.**

IL 3:197; PEK 545.

Taraxia subacaulis (Pursh) Rydberg

Common names: diffuseflower evening-primrose, longleaf evening-primrose

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 264; JPM2 954; Wagner et al., 2007 .

Synonyms:

***Camissonia subacaulis* (Pursh) P.H. Raven**

IN 3a:197; JPM 786.

***Oenothera heterantha* Nutt.**

FPN 311 synonym for *Oenothera subacaulis*; GWM 246; IL 3:197; PEK 545.

***Oenothera subacaulis* (Pursh) Garrett**

FPN 311.

Taraxia tanacetifolia (Torr. & A. Gray) Piper

Common names: tansyleaf evening-primrose

Origin: native Voucher: OSC, most recently collected in 2022

FPN2 265; JPM2 954; Wagner et al., 2007 .

Synonyms:

***Camissonia tanacetifolia* (Torr. & A. Gray) P.H. Raven**

IN 3a:198; JPM 786.

Camissonia tanacetifolia* (Torr. & A. Gray) P.H. Raven ssp. *tanacetifolia

JPM 786.

***Oenothera tanacetifolia* Torr. & A. Gray**

FPN 311; IL 3:197; IN 3a:198 synonym for *Camissonia tanacetifolia*; PEK 545; VP 3:501.

Taraxia tanacetifolia* (Torr. & A. Gray) Piper ssp. *tanacetifolia

Misapplied names:

***Camissonia breviflora* (Torr. & A. Gray) P.H. Raven**

IN 3a:198.

***Oenothera breviflora* Torr. & A. Gray**

FPN 311; VP 3:493.

***Taraxia breviflora* (Torr. & A. Gray) Nutt. ex Small**

FPN2 265; Wagner et al., 2007 .

Tetrapteron

Checklist contributor:

Flora of Oregon author: Warren Wagner, Peter Hoch, Nancy Khan

---

Tetrapteron graciliflorum (Hook. & Arn.) W.L. Wagner & Hoch

Common names: hill suncup

Origin: native Voucher: OSC, most recently collected in 1993

JPM2 954.

Synonyms:

***Camissonia graciliflora* (Hook. & Arn.) P.H. Raven**

JPM 782.

***Oenothera graciliflora* Hook. & Arn.**

IL 3:197; PEK 545.

***Tetrapteron graciliflora* (Hook. & Arn.) W.L. Wagner & Hoch**

Tetrapteron palmeri (S. Watson) W.L. Wagner & Hoch

Common names: Palmer's evening-primrose, Palmer's suncup

Origin: native Voucher: OSC, most recently collected in 1940

FPN2 265; JPM2 954; Wagner et al., 2007 .

Synonyms:

***Camissonia palmeri* (S. Watson) P.H. Raven**

IN 3a:199; JPM 784.

***Oenothera palmeri* S. Watson**

FPN 310; IL 3:196; PEK 544; VP 3:499.

Excluded names:

Oenothera cespitosa Nutt. ssp. crinita (Rydb.) Munz

JPM2 952.

Literature cited for Onagraceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. 2001B. Key to Oregon species of *Gayophytum*. Oregon Flora Newsletter 7(2):11.

Chambers, K.L. 2001C. Don't give up groundsmoking. Oregon Flora Newsletter 7(2):7,10-11.

Dietrich, W., W.L. Wagner, and P.H. Raven. 1997. Systematics of *Oenothera* section *Oenothera* subsection *Oenothera* (Onagraceae). Systematic Botany Monographs 50:1-234.

Dixon, D.G. 1959. Chromosome counts in the genus *Gayophytum*. Madroño 15:90-93.

Greuter, W., J. McNeill, F.R. Barrie, H.M. Burdet, V. Demoulin, T.S. Filgueiras, D.H. Nicolson, P.C. Silva, J.E. Skog, P. Trehane, N.J. Turland, and D.L. Hawksworth, Eds. 2000. International Code of Botanical Nomenclature: Saint Louis Code. Koeltz Scientific Books, Königstein, Germany.

Hoch, P.C., and K.N. Gandhi. 2022. A corrected name in North American *Epilobium* (Onagraceae). Harvard Papers in Botany 27(1):39-40.

Johansen, D.A. 1933. Studies on the morphology of the Onagraceae. VII. *Gayophytum ramosissimum*. Bulletin of the Torrey Botanical Club 60:1-8.

Lewis, H., and J. Szweykowski. 1964. The genus *Gayophytum* (Onagraceae). Brittonia 16:343-391.

Lewis, H., and M.E. Lewis. 1955. The genus *Clarkia*. University of California Publications in Botany 20(4):241-392.

Sundberg, S. 2003A. New Oregon records. Oregon Flora Newsletter 9(1):5.

Wagner, W.L., and P.C. Hoch. 2009. Nomenclatural corrections in Onagraceae. Novon 19(1):130-132.

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Wagner, W.L., R.E. Stockhouse, and W.M. Klein. 1985. The systematics and evolution of the *Oenothera caespitosa* species complex (Onagraceae). Monographs in Systematic Botany from the Missouri Botanical Garden 12:1-103.

Zardini, E.M., H. Gu, and P.H. Raven. 1991. On the separation of two species within the *Ludwigia uruguayensis* complex (Onagraceae). Systematic Botany 16(2):242-244.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest