Checklist of Oregon Orobanchaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.

Version 2.4 © 2026 Oregon Flora Project

Aphyllon

Checklist contributor:

Flora of Oregon author: L. Collins, George Yatskievych

Aphyllon californicum (Cham. & Schltdl.) A. Gray ssp. ***californicum***

Common names: California broomrape

Origin: native Voucher: OSC, most recently collected in 2001

FPN2 498.

Synonyms:

Orobanche californica* Cham. & Schltdl. ssp. *californica

JPM 806; JPM2 971.

Orobanche californica* Cham. & Schltdl. var. *californica

FPN 445; IL 4:6.

***Orobanche grayana* Beck var. *nelsonii* Munz**

IL 4:6 synonym for *Orobanche grayana* var. *grayana*; PEK 736.

Aphyllon californicum (Cham. & Schltdl.) A. Gray ssp. ***grayanum*** (Beck) A.C. Schneid.

Common names: Gray's broomrape

Origin: native Voucher: OSC, most recently collected in 1990

FPN2 498.

Synonyms:

***Orobanche californica* Cham. & Schltdl. ssp. *grayana* (Beck) Heckard**

JPM 806; JPM2 971.

***Orobanche californica* Cham. & Schltdl. var. *grayana* (Beck) Cronquist**

FPN 445.

***Orobanche grayana* Beck**

FPN 445 synonym for *Orobanche californica* var. *grayana*; PEK 736; VP 4:431.

Orobanche grayana* Beck var. *grayana

IL 4:6; PEK 736.

Aphyllon corymbosum (Rydb.) A.C. Schneid. ssp. ***corymbosum***

Common names: flat topped broomrape

Origin: native Voucher: OSC, most recently collected in 2018

FPN2 498.

Synonyms:

***Orobanche californica* Cham. & Schltdl. var. *corymbosa* (Rydb.) Munz**

PEK 737.

Orobanche corymbosa* (Rydb.) Ferris ssp. *corymbosa

Aphyllon epigalium Colwell & A.C. Schneid. ssp. ***epigalium***

Common names: bedstraw broomrape

Origin: native Voucher: OSC, most recently collected in 2008

Colwell et al., 2017 ; FPN2 497.

Aphyllon fasciculatum (Nutt.) Torr. & A. Gray

sensu stricto,

Common names: clustered broomrape

Origin: native Voucher: OSC, most recently collected in 2006

Synonyms:

***Orobanche fasciculata* Nutt.**

Orobanche fasciculata* Nutt. var. *fasciculata

IL 4:5; PEK 737.

***Orobanche fasciculata* Nutt. var. *lutea* (Parry) Achey**

IL 4:5; PEK 737.

Aphyllon franciscanum (Achey) A.C.Schneid.

Common names: yellow clustered broomrape

Origin: native Voucher: OSC, most recently collected in 2019

Synonyms:

***Aphyllon fasciculatum* (Nutt.) Torr. & A. Gray**

in part

***Orobanche fasciculata* Nutt.**

in part

***Orobanche fasciculata* Nutt. var. *franciscana* Achey**

IL 4:5; PEK 737.

Aphyllon ludovicianum (Nutt.) A. Gray

Common names: Suksdorf's broomrape

Origin: native Voucher: OSC, most recently collected in 2001

FPN2 497.

Synonyms:

***Orobanche ludoviciana* Nutt.**

FPN 445; VP 4:431.

***Orobanche ludoviciana* Nutt. var. *arenosa* (Suksd.) Cronquist**

FPN 445; IN 4:510; VP 4:431.

Orobanche ludoviciana* Nutt. ssp. *ludoviciana

***Orobanche multiflora* Nutt. var. *arenosa* (Suksd.) Munz**

IL 4:8; PEK 737.

Aphyllon pinorum (Geyer ex Hook.) A. Gray

Common names: pine broomrape, ocean spray broomrape

Origin: native Voucher: OSC, most recently collected in 2001

FPN2 497.

Synonyms:

***Orobanche pinorum* Geyer**

FPN 445; GWM 324; IL 4:6; JPM 808; JPM2 972; PEK 736; VP 4:432.

Aphyllon purpureum (A. Heller) Holub

Common names: purple broomrape

Origin: native

Voucher: OSC, most recently collected in 2024

FPN2 497.

Synonyms:

***Orobanche uniflora* L. var. *purpurea* (A. Heller) Achey**

FPN 445; IL 4:5; IN 4:508 synonym for *Orobanche uniflora* ssp. *occidentalis*; JPM 808 synonym for *Orobanche uniflora*; PEK 737; VP 4:432.

Misapplied names:

***Orobanche uniflora* L.**

FPN 445; GWM 324; IN 4:508; JPM 808; JPM2 972.

***Orobanche uniflora* L. var. *minuta* (Suksd.) Beck**

FPN 445; FPN2 497 synonym; PEK 737; VP 4:432.

***Orobanche uniflora* L. ssp. *occidentalis* (Greene) Abrams ex Ferris**

FPN2 497 synonym; IL 4:4; JPM 808 synonym for *Orobanche uniflora*.

***Orobanche uniflora* L. var. *occidentalis* (Greene) Roy L. Taylor & MacBryde**

IN 4:508.

Bellardia

Checklist contributor:

Flora of Oregon author: Kenton Chambers

Bellardia viscosa (L.) Fisch. & C.A. Mey.

Common names: yellow parentucellia

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2022

FPN2 498.

Synonyms:

***Parentucellia viscosa* (L.) Caruel**

FPN 430; IL 3:800; JPM 1049; JPM2 974; PEK 734; VP 4:354.

Castilleja

Checklist contributor: , 8/12/2006

Flora of Oregon author:

Castilleja ambigua Hook. & Arn. var. ***ambigua***

Common names: estuarine paintbrush, Johnny nip

Origin: native

Voucher: OSC, most recently collected in 2015

FPN2 499.

Synonyms:

Castilleja ambigua* Hook. & Arn. ssp. *ambigua

JPM 1018; JPM2 959; KZ 2:151.

***Orthocarpus castillejoides* Benth.**

FPN 429; IL 3:813; PEK 727; VP 4:351.

Castilleja angustifolia (Nutt.) G. Don

FPN 421.

Castilleja angustifolia (Nutt.) G. Don var. ***angustifolia***

Common names: violet desert paintbrush

Origin: native

Voucher: OSC, most recently collected in 2020

FPN2 506; IN 4:488.

Castilleja applegatei Fernald

FPN 419; IL 3:837; IN 4:486; JPM 1018; PEK 723; VP 4:299.

Castilleja applegatei Fernald var. ***applegatei***

Common names: Applegate's paintbrush

Origin: native Voucher: OSC, most recently collected in 2022

FPN 420; FPN2 504; IN 4:486; VP 4:299.

Castilleja applegatei Fernald var. ***pinetorum*** (Fernald) N.H. Holmgren

Common names: wavy leaf paintbrush

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 504; IN 4:486.

Synonyms:

Castilleja applegatei **Fernald var.** ***fragilis*** **(Zeile) N.H. Holmgren**

FPN 420.

Castilleja applegatei **Fernald ssp.** ***pinetorum*** **(Fernald) T.I. Chuang & Heckard**

JPM 1020; JPM2 959.

Castilleja wherryana **Pennell**

IL 3:832; PEK 721.

Castilleja arachnoidea Greenm.

Common names: cobwebby paintbrush

Origin: native Voucher: OSC, most recently collected in 2016

FPN 417; FPN2 500; IN 4:482; JPM 1020; JPM2 960; PEK 719; VP 4:299.

Synonyms:

Castilleja arachnoidea **Greenm. ssp.** ***arachnoidea***

IL 3:824; KZ 2:152.

Castilleja filifolia **Eastw.**

IL 3:825; PEK 719.

Castilleja payneae **Eastw.**

FPN 417 synonym for *Castilleja arachnoidea*; IL 3:824; PEK 719.

Castilleja attenuata (A. Gray) T.I. Chuang & Heckard

Common names: narrowleaf paintbrush, valley tassels

Origin: native Voucher: OSC, most recently collected in 2020

FPN2 499; JPM 1020; JPM2 960.

Synonyms:

Orthocarpus attenuatus **A. Gray**

FPN 429; IL 3:815; PEK 727; VP 4:351.

Castilleja brevilobata Piper

Common names: short lobed paintbrush

Origin: native Voucher: OSC, most recently collected in 2015

IL 3:830; JPM2 960; PEK 721.

Synonyms:

Castilleja hispida **Benth. ssp.** ***brevilobata*** **(Piper) T.I. Chuang & Heckard**

JPM 1021.

Castilleja campestris (Benth.) T.I. Chuang & Heckard var. ***campestris***

Common names: meadow paintbrush

Origin: native Voucher: OSC, most recently collected in 2019

FPN2 499.

Synonyms:

Castilleja campestris **(Benth.) T.I. Chuang & Heckard ssp.** ***campestris***

JPM 1020; JPM2 960; KZ 2:152.

Orthocarpus campestris **Benth.**

IL 3:811; IN 4:498; PEK 726.

Castilleja chambersii J.M. Egger & Meinke

Common names: Chambers' paintbrush

Origin: native Voucher: OSC, most recently collected in 2011

FPN2 506; Oregon Flora Project, 2000I .

Castilleja chlorotica Piper

Common names: green tinged paintbrush

Origin: native Voucher: OSC, most recently collected in 2025

FPN 418; FPN2 504; Galash, 2024 ; IL 3:830; PEK 721; Walker, 2000 .

Castilleja chromosa A. Nelson

Common names: desert paintbrush

Origin: native Voucher: OSC, most recently collected in 2014

FPN 421; FPN2 506; IL 3:841; IN 4:488; JPM 1018 synonym for *Castilleja angustifolia*; JPM2 960; PEK 724; VP 4:301.

Synonyms:

Castilleja angustifolia **(Nutt.) G. Don**

in part

Castilleja chrysantha Greenm.

Common names: Wallowa paintbrush, yellow paintbrush

Origin: native Voucher: OSC, most recently collected in 2023

FPN 417; FPN2 501; GWM 303; IL 3:429; PEK 720; VP 4:302.

Synonyms:

Castilleja ownbeyana **Pennell**

FPN 417 synonym for *Castilleja chrysantha*; GWM 305; IL 3:829; PEK 720; VP 4:316.

Castilleja collegiorum J.M. Egger & S. Malaby

Common names: colleagues paintbrush

Origin: native Voucher: OSC, most recently collected in 2022

Castilleja cusickii Greenm.

Common names: Cusick's paintbrush

Origin: native Voucher: OSC, most recently collected in 2022

FPN 417; FPN2 501; GWM 303; IL 3:829; IN 4:482; PEK 720; VP 4:303.

Synonyms:

Castilleja lutea **A. Heller**

FPN 417 synonym for *Castilleja cusickii*; IL 3:829.

Castilleja elata Piper

Common names: Siskiyou paintbrush, slender paintbrush

Origin: native Voucher: OSC, most recently collected in 2018

IL 3:839; KZ 1:571; PEK 723; Piper, 1907 .

Synonyms:

Castilleja miniata **Douglas ex Hook. ssp.** ***elata*** **(Piper) Munz**

JPM 1022; JPM2 962.

Castilleja exserta (A. Heller) T.I. Chuang & Heckard ssp. ***exserta***

Common names: exserted paintbrush

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 1971

Castilleja flava S. Watson

FPN 418; VP 4:306.

Castilleja flava S. Watson var. ***rustica*** (Piper) N.H. Holmgren

Common names: rustic paintbrush

Origin: native Voucher: OSC, most recently collected in 2010

FPN2 507; IN 4:484.

Synonyms:

Castilleja rustica **Piper**

FPN 418; GWM 306; IL 3:833; PEK 722; VP 4:321.

Castilleja fraterna Greenm.

Common names: fraternal paintbrush

Origin: native Voucher: OSC, most recently collected in 2004

FPN 420; FPN2 500; GWM 304; Galash, 2024 ; IL 3:833; PEK 722; VP 4:306.

Castilleja glandulifera Pennell

Common names: glandular paintbrush

Origin: native Voucher: OSC, most recently collected in 2019

FPN 418; FPN2 504; GWM 304; PEK 721; VP 4:308.

Castilleja gracillima Rydb.

Common names: slender paintbrush

Origin: native Voucher: OSC, most recently collected in 2011

FPN 419; FPN2 502; VP 4:308.

Castilleja hispida Benth. var. ***acuta*** (Pennell) Ownbey

Common names: acute tipped paintbrush

Origin: native Voucher: OSC, most recently collected in 2018

FPN 421; FPN2 506; GWM 304; VP 4:310.

Synonyms:

Castilleja hispida **Benth. ssp.** ***acuta*** **Pennell**

IL 3:841; PEK 725.

Castilleja taedifera **Pennell**

IL 3:833; PEK 722.

Castilleja hispida Benth. var. ***hispida***

Common names: harsh paintbrush

Origin: native Voucher: OSC, most recently collected in 2023

FPN 421; FPN2 505; GWM 304; VP 4:310.

Synonyms:

***Castilleja hispida* Benth. ssp. *abbreviata* (Fernald) Pennell**

IL 3:841; PEK 725.

Castilleja hispida* Benth. ssp. *hispida

IL 3:841; KZ 2:153; PEK 724.

Castilleja lacera (Benth.) T.I. Chuang & Heckard

Common names: cutleaf paintbrush

Origin: native Voucher: OSC, most recently collected in 2022

JPM 1021; JPM2 962.

Synonyms:

***Orthocarpus lacerus* Benth.**

IL 3:813; PEK 727.

Castilleja levisecta Greenm.

Common names: golden paintbrush

Origin: native Voucher: OSC, most recently collected in 1938

FPN 418; FPN2 502; IL 3:830; PEK 720; VP 4:310.

Castilleja linariifolia Benth.

Common names: Wyoming paintbrush, narrow leaved paintbrush

Origin: native Voucher: OSC, most recently collected in 2015

FPN2 505; IN 4:496; JPM 1021; JPM2 962; VP 4:310.

Synonyms:

***Castilleja linariaefolia* Benth.**

FPN 420; IL 3:844; PEK 725.

Castilleja litoralis Pennell

Common names: Pacific paintbrush, Oregon Coast paintbrush

Origin: native Voucher: OSC, most recently collected in 2016

FPN 421; FPN2 503; IL 3:835; KZ 1:572; PEK 723; VP 4:312.

Synonyms:

***Castilleja affinis* Hook. & Arn.**

IL 3:836; JPM 1018.

***Castilleja affinis* Hook. & Arn. ssp. *litoralis* (Pennell) T.I. Chuang & Heckard**

JPM 1018; JPM2 959.

Castilleja lutescens (Greenm.) Rydb.

Common names: yellowish paintbrush

Origin: native Voucher: OSC, most recently collected in 2015

FPN 419; FPN2 502; IL 3:832; PEK 722; VP 4:313.

Castilleja mendocinensis (Eastw.) Pennell

Common names: Mendocino coast paintbrush

Origin: native Voucher: OSC, most recently collected in 2008

Egger, 1999 46:161-162; IL 3:835; JPM 1021; JPM2 962.

Castilleja miniata Douglas ex Hook.

FPN 420; GWM 305; IL 3:839; IN 4:494; JPM 1022; PEK 723; VP 4:313.

Castilleja miniata Douglas ex Hook. var. ***dixonii*** (Fernald) A. Nelson & J.F. Macbr.

Common names: giant red paintbrush

Origin: native Voucher: WTU, most recently collected in 2015

FPN 421; FPN2 503; IL 3:840 synonym for *Castilleja dixonii*.

Synonyms:

***Castilleja dixonii* Fernald**

IL 3:840; PEK 724.

Castilleja miniata Douglas ex Hook. var. ***miniata***

Common names: scarlet paintbrush

Origin: native Voucher: OSC, most recently collected in 2023

FPN 420; FPN2 503.

Synonyms:

Castilleja miniata* Douglas ex Hook. ssp. *miniata

IN 4:494; JPM 1022; JPM2 962; KZ 1:572; VP 4:313.

Castilleja minor (A. Gray) A. Gray var. ***exilis*** (A. Nelson) J.M. Egger

Common names: seep paintbrush

Origin: native Voucher: OSC, most recently collected in 2019

FPN2 499.

Synonyms:

***Castilleja exilis* A. Nelson**

FPN 416; IL 3:846; IN 4:496; KZ 1:571; PEK 726; VP 4:305.

Misapplied names:

Castilleja minor* (A. Gray) A. Gray ssp. *minor

JPM 1022; JPM2 963.

Castilleja oresbia Greenm.

Common names: pale paintbrush

Origin: native Voucher: OSC, most recently collected in 2023

FPN 417; FPN2 501; GWM 305; IL 3:828; PEK 720; VP 4:316.

Castilleja pallescens (A. Gray) Greenm.

FPN 417; GWM 306; IL 3:828; PEK 720; VP 4:317.

Castilleja pallescens (A. Gray) Greenm. var. ***inverta*** (A. Nelson & J.F. Macbr.) Edwin

Common names: dwarf pale paintbrush

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 502; IN 4:484.

Synonyms:

***Castilleja inverta* (A. Nelson & J.F. Macbr.) Pennell & Ownbey**

FPN 417; VP 4:310.

Castilleja parviflora Bong.

FPN 419; JPM 1022; VP 4:317.

Castilleja parviflora Bong. var. ***oreopola*** (Greenm.) Ownbey

Common names: magenta paintbrush

Origin: native Voucher: OSC, most recently collected in 2013

FPN 419; FPN2 505; VP 4:317.

Synonyms:

***Castilleja oreopola* Greenm.**

IL 3:841; PEK 725.

Castilleja peckiana Pennell

Common names: Peck's paintbrush

Origin: native Voucher: OSC, most recently collected in 2016

FPN2 504; IL 3:840; IN 4:490; PEK 724.

Castilleja pilosa (S. Watson) Rydb.

FPN 416; IL 3:825; IN 4:480; JPM 1022; JPM2 963.

Castilleja pilosa (S. Watson) Rydb. var. ***pilosa***

Common names: hairy paintbrush

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 500; IN 4:480.

Synonyms:

Castilleja psittacina **(Eastw.) Pennell**

FPN 416 synonym for *Castilleja pilosa*; IL 3:825; PEK 719.

Misapplied names:

Castilleja longispica **A. Nelson**

FPN 416; GWM 305; VP 4:313.

Castilleja pilosa (S. Watson) Rydb. var. ***steenensis*** (Pennell) N.H. Holmgren

Common names: Steens Mountain paintbrush

Origin: native Voucher: OSC, most recently collected in 2015

IN 4:480.

Castilleja pruinosa Fernald

Common names: frosted paintbrush

Origin: native Voucher: OSC, most recently collected in 2022

FPN 420; FPN2 499; IL 3:842; JPM 1022; JPM2 963; PEK 725; VP 4:319.

Castilleja rhexiifolia Rydb.

Common names: rhexia leaved paintbrush, Rocky Mountain paintbrush

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 503.

Synonyms:

Castilleja oregonensis **Gand.**

GWM 306 synonym for *Castilleja rhexiifolia*; IL 3:840; PEK 724.

Castilleja rhexifolia **Rydb.**

FPN 420; GWM 306; IN 4:492; KZ 2:154; VP 4:320.

Castilleja rubida Piper

Common names: Wallowa alpine paintbrush, purple paintbrush

Origin: native Voucher: OSC, most recently collected in 2015

FPN 416; FPN2 500; GWM 306; IL 3:828; PEK 719; VP 4:321.

Castilleja rupicola Piper

Common names: cliff paintbrush

Origin: native Voucher: OSC, most recently collected in 2015

FPN 422; FPN2 506; IL 3:842; PEK 725; VP 4:321.

Castilleja schizotricha Greenm.

Common names: split hair paintbrush

Origin: native Voucher: OSC, most recently collected in 2015

IL 3:824 synonym for *Castilleja arachnoidea* ssp. *schizotricha*; JPM 1024; JPM2 963.

Synonyms:

***Castilleja arachnoidea* Greenm. ssp. *schizotricha* (Greenm.) Pennell**

IL 3:824.

Castilleja septentrionalis Lindl.

Common names: pale painted cup, alpine paintbrush, Labrador paintbrush

Origin: native

FPN2 503.

Castilleja suksdorfii A. Gray

Common names: Suksdorf's paintbrush

Origin: native Voucher: OSC, most recently collected in 2021

FPN 421; FPN2 506; GWM 308; IL 3:835; PEK 723; VP 4:323.

Castilleja tenuis (A. Heller) T.I. Chuang & Heckard

Common names: annual white paintbrush, hairy owl clover

Origin: native Voucher: OSC, most recently collected in 2024

FPN2 499; JPM 1024; JPM2 964.

Synonyms:

***Orthocarpus hispidus* Benth.**

FPN 429; GWM 312; IL 3:813; IN 4:498; PEK 727; VP 4:352.

Castilleja thompsonii Pennell

Common names: Thompson's owl clover

Origin: native Voucher: OSC, most recently collected in 2004

Egger, 1999 46:161-162; FPN 417; FPN2 501; IL 3:829; VP 4:324.

Castilleja viscidula A. Gray

Common names: sticky paintbrush

Origin: native Voucher: OSC, most recently collected in 2011

FPN 418; FPN2 505; IN 4:485.

Misapplied names:

***Castilleja applegatei* Fernald**

GWM 303.

Castilleja* × *wallowensis Pennell

Origin: native

GWM 308; IL 3:833; KZ 1:573; PEK 722; VP 4:321.

Castilleja xanthotricha Pennell

Common names: yellow haired paintbrush

Origin: native Voucher: OSC, most recently collected in 2024

FPN 418; FPN2 500; IL 3:832; PEK 721; VP 4:324.

Chloropyron

Checklist contributor: Kenton Chambers, 7/28/2009

Flora of Oregon author: Kenton Chambers

Chloropyron maritimum (Nutt. ex Benth.) A. Heller ssp. ***canescens*** (A. Gray) Tank & J.M. Egger

Common names: alkali birdbeak

Origin: native Voucher: OSC, most recently collected in 2015

FPN2 507; JPM2 964.

Synonyms:

***Cordylanthus canescens* A. Gray**

IL 3:849; IN 4:502 synonym for *Cordylanthus maritimus*; PEK 730.

***Cordylanthus maritimus* Nutt. ex Benth. ssp. *canescens* (A. Gray) T.I. Chuang & Heckard**

JPM 1029.

***Cordylanthus maritimus* Nutt. ex Benth. var. *canescens* (A. Gray) Jeps.**

IN 4:502.

Chloropyron maritimum (Nutt. ex Benth.) A. Heller ssp. ***palustre*** (Behr) Tank & J.M. Egger

Common names: saltmarsh birdbeak, Point Reyes birdbeak

Origin: native Voucher: OSC, most recently collected in 1990

FPN2 507; JPM2 964.

Synonyms:

***Cordylanthus maritimus* Nutt. ex Benth. ssp. *palustris* (Behr) T.I. Chuang & Heckard**

JPM 1029; Simpson, 2000 .

Cordylanthus

Checklist contributor: Henrietta Chambers, 8/12/2006

Flora of Oregon author: Kenton Chambers

Cordylanthus capitatus Nutt. ex Benth.

Common names: Yakima birdbeak

Origin: native Voucher: OSC, most recently collected in 2011

FPN 423; FPN2 507; GWM 309; IL 3:859; IN 4:506; JPM 1029; JPM2 967; PEK 731; VP 4:329.

Cordylanthus ramosus Nutt. ex Benth.

Common names: bushy birdbeak

Origin: native Voucher: OSC, most recently collected in 2023

FPN 423; FPN2 507; IN 4:502; JPM 1030; JPM2 968; VP 4:329.

Synonyms:

***Cordylanthus ramosus* Nutt. ex Benth. var. *puberulus* J.F. Macbr.**

PEK 730.

Cordylanthus ramosus* Nutt. ex Benth. ssp. *ramosus

IL 3:852.

Cordylanthus ramosus* Nutt. ex Benth. var. *ramosus

PEK 730.

Cordylanthus tenuis A. Gray

IL 3:857; JPM 1030.

Cordylanthus tenuis A. Gray ssp. ***viscidus*** (Howell) T.I. Chuang & Heckard

Common names: sticky birdbeak

Origin: native Voucher: OSC, most recently collected in 2012

JPM 1030; JPM2 968.

Synonyms:

***Cordylanthus viscidus* (Howell) Pennell ex M. Peck**

IL 3:855; PEK 730.

Euphrasia

Checklist contributor: Henrietta Chambers, 3/21/2005
Flora of Oregon author: Kenton Chambers

Euphrasia nemorosa (Pers.) Wallr.

Common names: common eyebright
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2013
FPN2 508.

Misapplied names:

***Euphrasia officinalis* L.**

FPN 423.

***Euphrasia stricta* D. Wolff ex J.F. Lehm.**

Kopsiopsis

Checklist contributor:
Flora of Oregon author: Kenton Chambers

Kopsiopsis hookeri (Walp.) Govaerts

Common names: Vancouver groundcone, small groundcone
Origin: native
Voucher: OSC, most recently collected in 2016
FPN2 508; JPM2 970.

Synonyms:

***Boschniakia hookeri* Walp.**

FPN 444; IL 4:10; JPM 805; PEK 735; VP 4:428.

Kopsiopsis strobilacea (A. Gray) Beck

Common names: California groundcone
Origin: native
Voucher: OSC, most recently collected in 2012
FPN2 508; JPM2 970.

Synonyms:

***Boschniakia strobilacea* A. Gray**

IL 4:10; JPM 805; PEK 736.

Orobanche

Checklist contributor: Kenton Chambers, 7/17/2007
Flora of Oregon author: L. Collins, George Yatskievych

Orobanche minor Sm.

Common names: clover broomrape
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2022
FPN 445; FPN2 508; IL 4:9; PEK 736; VP 4:431.

Orthocarpus

Checklist contributor: , 8/12/2006
Flora of Oregon author: Christian Feuillet

Orthocarpus bracteosus Benth.

Common names: rosy owl clover
Origin: native
Voucher: OSC, most recently collected in 2022
FPN 429; FPN2 509; IL 3:815; JPM 1048; JPM2 974; PEK 728; VP 4:351.

Orthocarpus cuspidatus Greene

IL 3:817; JPM 1048; PEK 729.

Orthocarpus cuspidatus Greene ssp. ***copelandii*** (Eastw.) T.I. Chuang & Heckard

Common names: Copeland's owl clover

Origin: native Voucher: OSC, most recently collected in 2001

JPM 1048; JPM2 974.

Synonyms:

Orthocarpus copelandii* Eastw. var. *copelandii

IL 3:817; IN 4:500; PEK 728.

Orthocarpus cuspidatus Greene ssp. ***cryptanthus*** (Piper) T.I. Chuang & Heckard

Common names: hidden flowered owl clover

Origin: native Voucher: OSC, most recently collected in 2016

JPM 1048; JPM2 974.

Synonyms:

***Orthocarpus copelandii* Eastw. var. *cryptanthus* (Piper) D.D. Keck**

IL 3:817; IN 4:500; PEK 729.

Orthocarpus cuspidatus Greene ssp. ***cuspidatus***

Common names: toothed owl clover, Siskiyou Mountain owl clover

Origin: native Voucher: OSC, most recently collected in 2017

JPM 1048; JPM2 974.

Orthocarpus imbricatus Torr. ex S. Watson

Common names: mountain owl clover

Origin: native Voucher: OSC, most recently collected in 2021

FPN 429; FPN2 509; IL 3:817; JPM 1048; JPM2 974; PEK 729; VP 4:352.

Orthocarpus luteus Nutt.

Common names: yellow owl clover

Origin: native Voucher: OSC, most recently collected in 2013

FPN 429; FPN2 509; IL 3:815; IN 4:498; JPM 1049; JPM2 974; PEK 728; VP 4:352.

Orthocarpus tenuifolius (Pursh) Benth.

Common names: thin leaved owl clover

Origin: native Voucher: OSC, most recently collected in 2017

FPN 429; FPN2 509; GWM 312; IL 3:815; PEK 728; VP 4:354.

Pedicularis

Checklist contributor: Henrietta Chambers, 3/21/2005

Flora of Oregon author: Gerald Carr

Pedicularis attollens A. Gray

Common names: little elephant head

Origin: native Voucher: OSC, most recently collected in 2016

FPN 432; FPN2 510; IN 4:474; JPM 1050; JPM2 975; VP 4:356.

Synonyms:

***Pedicularis attolens* A. Gray**

PEK 732.

Pedicularis attollens* A. Gray ssp. *attollens

IL 3:808.

***Pedicularis attollens* A. Gray ssp. *protogyna* Pennell**

IL 3:809.

Pedicularis bracteosa Benth.

FPN 430; GWM 313; IL 3:805; IN 4:472; PEK 732.

Pedicularis bracteosa Benth. var. ***flavida*** (Pennell) Cronquist

Common names: towering lousewort

Origin: native Voucher: OSC, most recently collected in 2021

FPN 431; FPN2 510; JPM 1050; JPM2 975; VP 4:358.

Synonyms:

Pedicularis flavida **Pennell**

FPN 431 synonym for *Pedicularis bracteosa* var. *flavida*; IL 3:806; PEK 732.

Pedicularis bracteosa Benth. var. ***pachyrhiza*** (Pennell) Cronquist

Common names: thick root towering lousewort

Origin: native Voucher: OSC, most recently collected in 2009

FPN 431; FPN2 510; GWM 313; VP 4:358.

Synonyms:

Pedicularis pachyrhiza **Pennell**

FPN 431 synonym for *Pedicularis bracteosa* var. *pachyrhiza*; IL 3:805; PEK 732.

Pedicularis centranthera A. Gray

Common names: dwarf lousewort

Origin: native Voucher: OSC, most recently collected in 2011

IL 3:804; IN 4:472; JPM 1050; JPM2 975; PEK 733.

Pedicularis contorta Benth.

Common names: coiled pedicularis

Origin: native Voucher: OSC, most recently collected in 2018

FPN 431; GWM 313; IL 3:807; IN 4:474; JPM 1050; JPM2 975; PEK 732; VP 4:359.

Synonyms:

Pedicularis contorta **Benth. var.** ***contorta***

FPN 432; FPN2 510; VP 4:359.

Pedicularis densiflora Benth. ex Hook.

IL 3:804; JPM 1050; JPM2 975; PEK 733.

Pedicularis densiflora Benth. ex Hook. ssp. ***aurantiaca*** E.F. Sprague

Common names: hummingbird lousewort, orange-red flowered pedicularis

Origin: native Voucher: OSC, most recently collected in 2009

Synonyms:

Pedicularis aurantiaca **(E.F. Sprague) Monfils & Prather**

Pedicularis densiflora Benth. ex Hook. ssp. ***densiflora***

Common names: warrior's plume, red flowered pedicularis

Origin: native Voucher: SOC, most recently collected in 2009

Pedicularis groenlandica Retz.

Common names: elephant's head pedicularis

Origin: native Voucher: OSC, most recently collected in 2024

FPN 432; FPN2 510; GWM 313; IL 3:809; IN 4:474; JPM 1050; JPM2 976; VP 4:360.

Synonyms:

Pedicularis groenlandica **Retz. ssp.** ***surrecta*** **(Benth.) Piper**

IL 3:809; PEK 732.

Pedicularis howellii A. Gray

Common names: Howell's pedicularis

Origin: native Voucher: OSC, most recently collected in 2002

IL 3:809; JPM 1050; JPM2 976; PEK 733.

Pedicularis racemosa Douglas ex Benth.

Common names: white sickletop lousewort

Origin: native Voucher: OSC, most recently collected in 2024

FPN 430; GWM 313; IN 4:476; JPM 1050; JPM2 976; VP 4:363.

Synonyms:

***Pedicularis racemosa* Douglas ex Benth. ssp. *alba* Pennell**

IL 3:810; JPM 1050 uncertain status; VP 4:363.

***Pedicularis racemosa* Douglas ex Benth. var. *alba* (Pennell) Cronquist**

FPN 430; FPN2 509; IN 4:476.

***Pedicularis racemosa* Douglas ex Benth. ssp. *albida* Pennell**

PEK 732.

Pedicularis racemosa* Douglas ex Benth. ssp. *racemosa

IL 3:810; PEK 731; VP 4:363.

Pedicularis racemosa* Douglas ex Benth. var. *racemosa

FPN 430; FPN2 509.

Pedicularis semibarbata A. Gray

Common names: pinewoods pedicularis

Origin: native Voucher: OSC, most recently collected in 1994

IL 3:804; JPM 1050; JPM2 976; PEK 733.

Rhinanthus

Checklist contributor: Henrietta Chambers, 2/23/2009

Flora of Oregon author: Kenton Chambers

Rhinanthus minor L.

Common names: yellow rattle, rattlepod

Origin: native Voucher: OSC, most recently collected in 2010

Synonyms:

***Rhinanthus borealis* (Sterneck) Chabert**

PEK 734.

Rhinanthus borealis* (Sterneck) Chabert ssp. *borealis

IL 3:802.

***Rhinanthus borealis* (Sterneck) Chabert ssp. *kyrollae* (Chabert) Pennell**

IL 3:802.

***Rhinanthus crista-galli* L.**

FPN 440; VP 4:411; Welsh, 1974 461.

***Rhinanthus minor* L. ssp. *groenlandicus* (Ostenf.) L. Neumann**

FPN2 510.

Rhinanthus minor* L. ssp. *minor

FPN2 511.

Triphysaria

Checklist contributor: , 8/12/2006

Flora of Oregon author: Christian Feuillet

Triphysaria eriantha (Benth.) T.I. Chuang & Heckard ssp. ***eriantha***

Common names: johnny tuck

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 512; JPM 1064; JPM2 976.

Synonyms:

***Orthocarpus erianthus* Benth.**

FPN 429; VP 4:354.

Orthocarpus erianthus* Benth. var. *erianthus

IL 3:817.

***Orthocarpus erianthus* Benth. var. *gratiosus* Jeps. & J.P. Tracy**

IL 3:819; PEK 729.

Triphysaria pusilla (Benth.) T.I. Chuang & Heckard

Common names: dwarf triphysaria, dwarf owl clover

Origin: native Voucher: OSC, most recently collected in 2024

FPN2 512; JPM 1064; JPM2 976; Oregon Flora Project, 1999G .

Synonyms:

***Orthocarpus pusillus* Benth.**

FPN 429; IL 3:819; PEK 729; VP 4:354.

Triphysaria versicolor Fisch. & C.A. Mey. ssp. ***versicolor***

Common names: smooth triphysaria

Origin: native Voucher: OSC, most recently collected in 2010

FPN2 512; JPM 1064; JPM2 977.

Synonyms:

***Orthocarpus faucibarbatus* A. Gray ssp. *albidus* D.D. Keck**

IL 3:819; PEK 729.

Excluded names:

Castilleja glandulifera Pennell ssp. glandulifera
IL 3:832.

Castilleja glandulifera Pennell var. pallida (Eastw.) Pennell
IL 3:832.

Castilleja peirsonii Eastw.
JPM2 963.

Castilleja rubicundula (Jeps.) T.I. Chuang & Heckard ssp. lithospermoides (Benth.) T.I. Chuang & Heckard
JPM 1022; JPM2 963.

Synonyms:

***Castilleja rubicundula* (Jeps.) T.I. Chuang & Heckard**
JPM 1022.

***Orthocarpus lithospermoides* Benth.**
IL 3:813; PEK 727.

Euphrasia arctica Lange
FPN 423; VP 4:331.

Orthocarpus faucibarbatus A. Gray
PEK 729.

Orthocarpus faucibarbatus A. Gray ssp. faucibarbatus
IL 3:819; PEK 729.

Pedicularis parviflora Sm.
FPN 430; FPN2 509 excluded; VP 4:362.

Triphysaria versicolor Fisch. & C.A. Mey. ssp. faucibarbata (A. Gray) T.I. Chuang & Heckard
JPM2 977.

Literature cited for Orobanchaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chuang, T.I., and L.R. Heckard. 1991. Generic realignment and synopsis of subtribe Castillejinae (Scrophulariaceae--Tribe Pedicularaea). Systematic Botany 16(4):644-666.

Chuang, T.I., and L.R. Heckard. 1992A. Nomenclatural changes of some Californian *Castilleja* (Scrophulariaceae). Novon 2:185-189.

Chuang, T.I., and L.R. Heckard. 1992B. A taxonomic revision of *Orthocarpus* (Scrophulariaceae--Tribe Pedicularеae). Systematic Botany 17(4):560-582.

Colwell, A.E.L., K.C. Watson, and A. C. Schneider. 2017. A new species of *Aphyllon* (Orobanchaceae) parasitic on *Galium* in the western USA. Madroño 64(3):99-107.

Egger, J.M. 1999. Noteworthy collections - Oregon. Madroño 46(3):161-162.

Egger, J.M. 2008. Nomenclatural changes and selected lectotypifications in *Castilleja* (Orobanchaceae). Phytologia 90(1):63-82.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Holmgren, N.H. 1971. A taxonomic revision of the *Castillega viscidula* group. Memoirs of the New York Botanical Garden 21(4):1-83.

Keck, D.D. 1927. A revision of the genus *Orthocarpus*. Proceedings of California Academy of Sciences IV 16(17):517-571.

Monfils, A., and L. Prather. 2007. *Pedicularis aurantiaca* and *Pedicularis densiflora* (Orobanchaceae): Taxonomy, phenology and floral morphological variation. Madroño 54(4):306-321.

Park, J., J. Manen, A.E. Colwell, and G.M. Schneeweiss. 2008. A plastid gene phylogeny of the non-photosynthetic parasitic *Orobanche* (Orobanchaceae) and related genera. Journal of Plant Resources 121:365-376.

Piper, C.V. 1907. New plants of the Pacific slope with some revisions. Smithsonian Miscellaneous Collections 50:195-202.

Schneider, A.C. 2016. Resurrection of the genus *Aphyllon* for New World broomrapes (*Orobanche* s.l., Orobanchaceae). Phytokeys 75:107-118.

Tank, D.C., and R.G. Olmstead. 2008. From annuals to perennials: phylogeny of subtribe Castillejinae (Orobanchaceae). American Journal of Botany 95:608-625.

Tank, D.C., J.M. Egger, and R.G. Olmstead. 2009. Phylogenetic classification of subtribe Castillejinae (Orobanchaceae). Systematic Botany 34:182-197.

Welsh, S.L. 1974. Anderson's Flora of Alaska and Adjacent Parts of Canada. Brigham Young University Press, Provo, UT.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest