Checklist of Oregon Papaveraceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Argemone

Checklist contributor: Henrietta Chambers, 4/12/2005
Flora of Oregon author: Bridget Chipman

Argemone munita Durand & Hilg.

IL 2:231 synonym for *Argemone platyceras*; IN 2a:25; JPM 811; JPM2 980.

Argemone munita Durand & Hilg. ssp. ***rotundata*** (Rydb.) G.B. Ownbey

Common names: prickly poppy
Origin: native
Voucher: OSC, most recently collected in 2018
FN 3:319; FPN2 77.

Misapplied names:

Argemone platyceras **Link & Otto var. *hispida* (A. Gray) Prain**

FN 3:318 synonym for *Argemone hispida*; IL 2:231; PEK 350.

Canbya

Checklist contributor: Henrietta Chambers, 4/12/2005
Flora of Oregon author: Bridget Chipman

Canbya aurea S. Watson

Common names: golden canbya, yellow pygmy-poppy
Origin: native
Voucher: OSC, most recently collected in 2009
FN 3:232; FPN 143; FPN2 77; IL 2:232; IN 2a:28; PEK 350; VP 2:417.

Chelidonium

Checklist contributor:
Flora of Oregon author: treatment pending

Chelidonium majus L.

Common names: celandine
Origin: exotic, not naturalized
Voucher: WTU, most recently collected in 2017
FPN2 77.

Corydalis

Checklist contributor: Henrietta Chambers, 4/12/2005
Flora of Oregon author: Bridget Chipman

Corydalis aquae-gelidae M. Peck & W.C. Wilson

Common names: Clackamas corydalis, cold water corydalis
Origin: native
Voucher: OSC, most recently collected in 1995
FPN 145; FPN2 78; PEK 353; VP 2:423.

Synonyms:

Corydalis aqua-gelidae **M. Peck & W.C. Wilson**

FN 3:351.

Corydalis aurea Willd.

FPN 145; GWM 161; IL 2:237; IN 2a:46; JPM 811; JPM2 981; VP 2:423.

Corydalis aurea Willd. ssp. ***aurea***

Common names: golden corydalis, golden smoke

Origin: native Voucher: OSC, most recently collected in 2007

FN 3:355; FPN2 78.

Synonyms:

Corydalis aurea* Willd. var. *aurea

VP 2:423.

Misapplied names:

***Corydalis aurea* Willd. ssp. *occidentalis* (Engelm. ex A. Gray) G.B. Ownbey**

FN 3:355.

***Corydalis aurea* Willd. var. *occidentalis* Engelm.**

FN 3:355 synonym for *Corydalis aurea* ssp. *occidentalis*; PEK 353.

Corydalis caseana A. Gray

FPN 145; IL 2:235; IN 2a:45.

Corydalis caseana A. Gray ssp. ***cusickii*** (S. Watson) G.B. Ownbey

Common names: Case's corydalis

Origin: native Voucher: OSC, most recently collected in 2018

FN 3:351; FPN2 78; VP 2:425.

Synonyms:

***Corydalis caseana* A. Gray var. *cusickii* (S. Watson) C.L. Hitchc.**

FN 3:351 synonym for *Corydalis caseana* ssp. *cusickii*; FPN 145.

***Corydalis cusickii* S. Watson**

FN 3:351 synonym for *Corydalis caseana* ssp. *cusickii*; GWM 162; IL 2:235; PEK 353.

Corydalis lutea DC.

Common names: yellow corydalis

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2005

FN 3:348; FPN 144; FPN2 78; Nelson, 1918B ; VP 2:425.

Corydalis scouleri Hook.

Common names: Scouler's corydalis, western corydalis

Origin: native Voucher: OSC, most recently collected in 2019

FN 3:349; FPN 145; FPN2 78; IL 2:235; PEK 352; VP 2:425.

Dendromecon

Checklist contributor:

Flora of Oregon author: treatment pending

Dendromecon rigida Benth.

Common names: tree poppy

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

JPM2 .

Dicentra

Checklist contributor: Henrietta Chambers, 4/11/2005

Flora of Oregon author: Bridget Chipman

Dicentra cucullaria (L.) Bernh.

Common names: western dutchman's breeches

Origin: native Voucher: OSC, most recently collected in 2011

FN 3:346; FPN 145; FPN2 78; GWM 162; IL 2:235; VP 2:427.

Synonyms:

***Dicentra cucullaria* (L.) Bernh. var. *occidentalis* (Rydb.) M. Peck**

PEK 352; VP 2:427.

Dicentra formosa (Haw.) Walp.

FPN 145; IL 2:234; JPM 812; JPM2 981; Love, 2006 ; VP 2:429.

Dicentra formosa (Haw.) Walp. ssp. ***formosa***

Common names: Pacific bleeding heart

Origin: native Voucher: OSC, most recently collected in 2013

FN 3:344; FPN2 78.

Synonyms:

***Dicentra formosa* (Haw.) Walp. var. *breviflora* L.F. Hend.**

FN 3:344 synonym for *Dicentra formosa* ssp. *formosa*; IL 2:234; PEK 352.

***Dicentra formosa* (Haw.) Walp. var. *brevifolia* L.F. Hend.**

KZ 2:247; PEK 352.

Dicentra formosa* (Haw.) Walp. var. *formosa

IL 2:234; PEK 351.

Dicentra formosa (Haw.) Walp. ssp. ***oregana*** (Eastw.) Munz

Common names: Pacific bleeding heart, Oregon bleeding heart

Origin: native Voucher: OSC, most recently collected in 2007

FN 3:344; JPM 812 uncertain status.

Synonyms:

***Dicentra oregana* Eastw.**

FN 3:344 synonym for *Dicentra formosa* ssp. *oregana*; IL 2:234; PEK 352.

***Dicentra oregona* Eastw.**

IL 2:234; PEK 352.

Dicentra pauciflora S. Watson

Common names: few flowered dicentra

Origin: native Voucher: OSC, most recently collected in 2018

FN 3:345; IL 2:234; JPM 812; JPM2 982; PEK 352.

Dicentra uniflora Kellogg

Common names: steer's head, one flowered dicentra

Origin: native Voucher: OSC, most recently collected in 2019

FN 3:345; FPN 145; FPN2 78; GWM 162; IL 2:234; IN 2a:48; JPM 812; JPM2 982; PEK 352; VP 2:429.

Eschscholzia

Checklist contributor: Henrietta Chambers, 4/11/2006

Flora of Oregon author: Bridget Chipman

Eschscholzia caespitosa Benth.

Common names: gold poppy

Origin: native Voucher: OSC, most recently collected in 2011

FN 3:309; IL 2:227; JPM 814; JPM2 982.

Eschscholzia californica Cham.

Common names: California poppy, golden poppy

Origin: native Voucher: OSC, most recently collected in 2022

FPN 143; IL 2:227; IN 2a:39; JPM 814; JPM2 982; VP 2:419.

Synonyms:

***Eschscholtzia californica* Cham.**

IL 2:227; PEK 351.

Eschscholzia californica* Cham. ssp. *californica

FN 3:310; FPN2 79.

***Eschscholzia californica* Cham. var. *crocea* (Benth.) Jeps.**

FN 3:310 synonym for *Eschscholzia californica* ssp. *californica*; IL 2:227.

Fumaria

Checklist contributor: Richard Halse, Henrietta Chambers, 4/12/2005

Flora of Oregon author: Bridget Chipman

Fumaria capreolata L.

Common names: white ramping fumitory

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2016

FN 3:356; JPM2 984.

Fumaria officinalis L.

Common names: common fumitory

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2013

FN 3:356; FPN 145; FPN2 79; IL 2:237; IN 2a:44; JPM 814; JPM2 984; PEK 353; VP 2:430.

Fumaria parviflora Lam.

Common names: fineleaf fumitory

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2002

IL 2:237; JPM 814; JPM2 984.

Fumaria vaillantii Loisel.

Common names: small fumitory

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2005

FPN2 79.

Meconella

Checklist contributor: Henrietta Chambers, 4/12/2005

Flora of Oregon author: Bridget Chipman

Meconella oregana Nutt.

Common names: white meconella

Origin: native Voucher: OSC, most recently collected in 2014

FN 3:338; FPN 144; FPN2 79; Galash, 2024 ; IL 2:225; JPM2 985; PEK 350; VP 2:419.

Papaver

Checklist contributor: Henrietta Chambers, 4/12/2005

Flora of Oregon author: Bridget Chipman

Papaver argemone L.

Common names: prickly pod poppy

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FN 3:325; FPN 144; FPN2 80; IL 2:230; IN 2a:34; JPM 815; JPM2 985; VP 2:420.

Papaver dubium L.

Common names: blindeyes
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1922
FN 3:332; FPN2 80.

Papaver rhoeas L.

Common names: corn poppy
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FN 3:333; FPN 144; FPN2 80; IL 2:230; IN 2a:32; JPM 815; JPM2 985; Oregon Flora Project, 2007C ; VP 2:420.

Papaver somniferum L.

Common names: opium poppy
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1995
FN 3:332; FPN 144; FPN2 80; IL 2:230; IN 2a:32; JPM 815; JPM2 985; VP 2:420.

Platystemon

Checklist contributor: Henrietta Chambers, 4/12/2005
Flora of Oregon author: Bridget Chipman

Platystemon californicus Benth.

Common names: cream cups
Origin: native Voucher: OSC, most recently collected in 2013
FN 3:339; IL 2:223; IN 2a:42; JPM 815; JPM2 985; PEK 349.

Excluded names:

Glaucium corniculatum (L.) Rudolph

FN 3:303; FPN2 77; IN 2a:38.

Glaucium flavum Crantz

FN 3:303; FPN2 77; IL 2:228; JPM 815; JPM2 984.

Hesperomecon linearis (Benth.) Greene

JPM 815 synonym for <I>Meconella linearis</I>; JPM2 984.

Synonyms:

***Meconella linearis* (Benth.) A. Nels. & J.F. Macbr.**

IL 2:225; JPM 815.

Meconella californica Torr.

FN 3:337; IL 2:225; JPM 815; JPM2 985; PEK 350.

Literature cited for Papaveraceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Howard, M. 1987. Traditional Folk Remedies. Century.

Hsu, H.Y. 1986. Oriental Materia Medica: A Concise Guide. Oriental Healing Arts Institute, Long Beach, CA.

Moerman, D. 1991. The medicinal flora of native North America: an analysis. Journal of Ethnopharmacology 31:1-42.

Nelson, J.C. 1918B. Some Oregon exotics. American Botanist 24:126-129.

Wang, W., A.M. Lu, Y. Ren, M.E. Endress, and Z.D. Chen. 2009. Phylogeny and classification of Ranunculales: Evidence from four molecular loci and morphological data. Perspectives in Plant Ecology, Evolution and Systematics 11:81-110.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest