Checklist of Oregon Phrymaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Diplacus

Checklist contributor:
Flora of Oregon author: treatment pending

Diplacus aurantiacus (Curtis) Jeps.

Common names: bush monkeyflower
Origin: native
Voucher: OSC, most recently collected in 2009

Synonyms:
***Mimulus aurantiacus* Curtis**
IL 3:715; JPM 1040; PEK 710.
Mimulus aurantiacus* Curtis var. *aurantiacus
JPM2 991.

Diplacus bolanderi (A. Gray) G.L. Nesom

Common names: Bolander's monkeyflower
Origin: native
Voucher: OSC, most recently collected in 1998

Synonyms:
***Mimulus bolanderi* A. Gray**
IL 3:724; JPM 1040; JPM2 992.

Diplacus cascadensis G.L. Nesom

Common names: Cascade monkeyflower
Origin: native
Voucher: OSC, most recently collected in 2019
FPN2 491; Nesom, 2013 .

Misapplied names:
***Mimulus nanus* Hook. & Arn.**

Diplacus clivicola (Greenm.) G.L. Nesom

Common names: bank monkeyflower
Origin: native
Voucher: OSC, most recently collected in 2013
FPN2 491.

Synonyms:
***Mimulus clivicola* Greenm.**
FPN 428; GWM 310; IL 3:718; PEK 710; VP 4:340.

Diplacus congdonii (B.L. Rob.) G.L. Nesom

Common names: Congdon's monkeyflower
Origin: native
Voucher: OSC, most recently collected in 2015

Synonyms:
***Mimulus congdonii* B.L. Rob.**
IL 3:730; JPM 1042; JPM2 992.

Diplacus cusickii (Greene) G.L. Nesom

Common names: Cusick's monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2023

FPN2 490; Nesom, 2013 .

Synonyms:

Diplacus cusickioides **G.L. Nesom**

FPN2 490; Nesom, 2013 .

Mimulus cusickii **(Greene) Rattan**

in part

Diplacus deschutesensis G.L. Nesom

Common names: Deschutes monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2019

FPN2 490; Nesom, 2013 .

Misapplied names:

Mimulus cusickii **(Greene) Rattan**

Diplacus douglasii (Benth.) G.L. Nesom

Common names: Douglas' monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2003

FPN2 490.

Synonyms:

Mimulus cleistogamus **J.T. Howell**

IL 3:726.

Mimulus douglasii **(Benth.) A. Gray**

IL 3:730; JPM 1042; JPM2 994; Oregon Flora Project, 1996H ; PEK 711.

Diplacus jepsonii (A.L. Grant) G.L. Nesom

Common names: Jepson's monkeyflower

Origin: native

Voucher: OSC, most recently collected in 1996

FPN2 491.

Synonyms:

Mimulus jepsonii **A.L. Grant**

IL 3:719; JPM 1043; PEK 711.

Mimulus nanus **Hook. & Arn. var.** ***jepsonii*** **(A.L. Grant) D.M. Thompson**

JPM2 995.

Diplacus kelloggii (Curran ex Greene) G.L. Nesom

Common names: Kellogg's monkeyflower

Origin: native

Voucher: OSC, most recently collected in 1995

Synonyms:

Mimulus kelloggii **(Curran) A. Gray**

IL 3:727; JPM 1043; JPM2 994.

Diplacus nanus (Hook. & Arn.) G.L. Nesom

Common names: dwarf monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2023

FPN2 491.

Synonyms:

Mimulus nanus **Hook. & Arn.**

in part

Mimulus nanus **Hook. & Arn. var.** ***nanus***

JPM2 995.

Diplacus pygmaeus (A.L. Grant) G.L. Nesom

Common names: pygmy monkeyflower

Origin: native Voucher: OSC, most recently collected in 2019

Synonyms:

***Mimulus pygmaeus* A.L. Grant**

IL 3:726; JPM 1044; JPM2 996; PEK 710.

Diplacus tricolor (Hartw. ex Lindl.) G.L. Nesom

Common names: tricolored monkeyflower

Origin: native Voucher: OSC, most recently collected in 2019

FPN2 490.

Synonyms:

***Mimulus tricolor* Hartw.**

FPN 428; IL 3:727; JPM 1046; JPM2 998; Love, 2006 ; PEK 711; Simpson, 2000 ; VP 4:349.

Erythranthe

Checklist contributor:

Flora of Oregon author: treatment pending

Erythranthe alsinoides (Douglas ex Benth.) G.L. Nesom & N.S. Fraga

Common names: chickweed monkeyflower

Origin: native Voucher: OSC, most recently collected in 2024

FPN2 492.

Synonyms:

***Mimulus alsinoides* Douglas ex Benth.**

FPN 427; IL 3:701; JPM 1040; JPM2 991; PEK 707; VP 4:339.

Erythranthe arvensis (Greene) G.L. Nesom

Common names: field monkeyflower

Origin: native Voucher: OSC, most recently collected in 2021

FPN2 493; JPM2 .

Synonyms:

***Mimulus longulus* Greene**

IL 3:714; PEK 710.

Misapplied names:

***Mimulus guttatus* DC.**

Erythranthe breviflora (Piper) G.L. Nesom

Common names: short flowered monkeyflower

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 494.

Synonyms:

***Mimulus breviflorus* Piper**

FPN 428; GWM 310; IL 3:704; IN 4:358; JPM 1040; JPM2 992; PEK 707; VP 4:340.

Erythranthe breweri (Greene) G.L. Nesom & N.S. Fraga

Common names: Brewer's monkeyflower

Origin: native Voucher: OSC, most recently collected in 2021

FPN2 491.

Synonyms:

***Mimulus breweri* (Greene) Coville**

FPN 428; GWM 310; IL 3:714; IN 4:360; JPM 1042; JPM2 992; PEK 708; VP 4:340.

Erythranthe caespitosa (Greene) G.L. Nesom

Common names: subalpine monkeyflower

Origin: native Voucher: OSC, most recently collected in 1976

FPN2 492.

Synonyms:

***Mimulus tilingii* Regel**

***Mimulus tilingii* Regel var. *caespitosus* (Greene) A.L. Grant**

FPN 426; VP 4:347.

Erythranthe cardinalis (Douglas ex Benth.) Spach

Common names: scarlet monkeyflower, cardinal monkeyflower

Origin: native Voucher: OSC, most recently collected in 2015

FPN2 491.

Synonyms:

***Mimulus cardinalis* Douglas ex Benth.**

IL 3:694; IN 4:353; JPM 1042; JPM2 992; PEK 708.

Erythranthe decora (A.L. Grant) G.L. Nesom

Common names: showy monkeyflower

Origin: native Voucher: OSC, most recently collected in 2003

FPN2 493.

Synonyms:

***Mimulus decorus* (A.L. Grant) Suksd.**

IL 3:707.

***Mimulus guttatus* DC. var. *decorus* A.L. Grant**

PEK 709.

Misapplied names:

***Mimulus guttatus* DC.**

Erythranthe dentata (Nutt. ex Benth.) G.L. Nesom

Common names: tooth leaved monkeyflower, coast monkeyflower

Origin: native Voucher: OSC, most recently collected in 2010

FPN2 493.

Synonyms:

***Mimulus dentatus* Nutt. ex Benth.**

FPN 427; IL 3:695; JPM 1042; JPM2 994; PEK 706; VP 4:342.

Erythranthe floribunda (Douglas ex Lindl.) G.L. Nesom

Common names: purple stemmed monkeyflower

Origin: native Voucher: OSC, most recently collected in 2019

FPN2 491.

Synonyms:

***Mimulus floribundus* Douglas ex Lindl.**

FPN 472; GWM 310; IL 3:700; IN 4:358; JPM 1042; JPM2 994; PEK 706; VP 4:342.

Erythranthe grandis (Greene) G.L. Nesom

Common names: large monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2024

FPN2 492.

Synonyms:

***Mimulus guttatus* DC. var. *grandis* Greene**

FPN 427.

***Mimulus guttatus* DC. ssp. *litoralis* Pennell**

IL 3:712; PEK 709.

Misapplied names:

***Mimulus guttatus* DC.**

Erythranthe guttata (Fisch. ex DC.) G.L. Nesom

Common names: common monkeyflower, seep monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2023

FPN2 493; Nesom, 2012A .

Synonyms:

***Mimulus guttatus* DC.**

in part

Mimulus guttatus* DC. var. *guttatus

FPN 427; PEK 709.

***Mimulus guttatus* DC. var. *lyratus* (Benth.) Pennell**

PEK 709.

***Mimulus guttatus* DC. var. *puberulus* (Greene ex Rydb.) A.L. Grant**

IL 3:712; PEK 709.

***Mimulus lyratus* Benth.**

IL 3:711.

Erythranthe hymenophylla (Meinke) G.L. Nesom

Common names: thinsepal monkeyflower

Origin: native

Voucher: OSC, most recently collected in 1996

FPN2 494.

Synonyms:

***Mimulus hymenophyllus* Meinke**

Erythranthe inflatula (Suksd.) G.L. Nesom

Common names: disappearing monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2007

FPN2 494.

Synonyms:

***Mimulus evanescens* Meinke**

JPM2 994.

Erythranthe jungermannioides (Suksd.) G.L. Nesom

Common names: Jungermann's monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2024

FPN2 492.

Synonyms:

***Mimulus jungermannioides* Suksd.**

FPN 427; IL 3:698; PEK 706; VP 4:345.

Erythranthe latidens (Greene) G.L. Nesom

Common names: broad toothed monkeyflower

Origin: native Voucher: OSC, most recently collected in 1984

Synonyms:

***Mimulus latidens* (A. Gray) Greene**

IL 3:704; JPM 1043; JPM2 995.

Erythranthe lewisii (Pursh) G.L. Nesom & N.S. Fraga

Common names: great purple monkeyflower, Lewis' monkeyflower

Origin: native Voucher: OSC, most recently collected in 2021

FPN2 491.

Synonyms:

***Mimulus lewisii* Pursh**

FPN 426; GWM 311; IL 3:694; IN 4:353; JPM 1043; JPM2 995; PEK 708; VP 4:345.

Erythranthe microphylla (Benth.) G.L. Nesom

Common names: small leaf monkeyflower

Origin: native Voucher: OSC, most recently collected in 2024

FPN2 493.

Synonyms:

***Mimulus guttatus* DC. var. *depauperatus* (A. Gray) A.L. Grant**

FPN 427.

***Mimulus guttatus* DC. var. *laxus* (Pennell) M. Peck**

PEK 709.

***Mimulus guttatus* DC. var. *microphyllus* (Benth.) Pennell**

PEK 709.

***Mimulus laxus* Pennell**

IL 3:712.

***Mimulus microphyllus* Benth.**

IL 3:710; JPM 1043 synonym for *Mimulus guttatus*.

Misapplied names:

***Mimulus guttatus* DC.**

Erythranthe moschata (Douglas ex Lindl.) G.L. Nesom

Common names: musk monkeyflower

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 492; Nesom, 2012B ; Nesom, 2017 .

Synonyms:

***Erythranthe inodora* (Greene) G.L. Nesom**

***Erythranthe moniliformis* (Greene) G.L. Nesom**

***Mimulus inodorus* Greene**

IL 3:695.

***Mimulus moschatus* Douglas ex Lindl.**

FPN 427; IL 3:695; IN 4:357; JPM 1044; JPM2 995; PEK 706; VP 4:346.

***Mimulus moschatus* Douglas ex Lindl. var. *longiflorus* A. Gray**

FPN 427 synonym for *Mimulus moschatus* var. *moschatus*; VP 4:346.

Mimulus moschatus* Douglas ex Lindl. var. *moschatus

FPN 427; PEK 706; VP 4:346.

***Mimulus moschatus* Douglas ex Lindl. var. *sessilifolius* A. Gray**

FPN 427; PEK 706; VP 4:346.

Erythranthe nasuta (Greene) G.L. Nesom

Common names: large nose monkeyflower

Origin: native Voucher: OSC, most recently collected in 2019

FPN2 493.

Synonyms:

***Mimulus nasutus* Greene**

FPN 427 synonym for *Mimulus guttatus*; IL 3:707; PEK 709.

***Mimulus sookensis* B.G. Benedict, Modliszewski, Sweigart, N.H. Martin, Ganders & John H.**

Benedict et al., 2012 .

Misapplied names:

***Mimulus guttatus* DC.**

Erythranthe patula (Pennell) G.L. Nesom

Common names: stalk leaved monkeyflower

Origin: native Voucher: OSC, most recently collected in 2011

FPN2 494.

Synonyms:

***Mimulus patulus* Pennell**

IL 3:701; PEK 707.

Erythranthe primuloides (Benth.) G.L. Nesom & N.S. Fraga

Common names: primrose monkeyflower

Origin: native Voucher: OSC, most recently collected in 2021

FPN2 492.

Synonyms:

***Mimulus primuloides* Benth.**

FPN 427; GWM 311; IL 3:698; IN 4:356; JPM 1044; VP 4:347.

***Mimulus primuloides* Benth. var. *minimus* M. Peck**

PEK 708.

***Mimulus primuloides* Benth. var. *pilosellus* (Greene) Smiley**

IL 3:698; PEK 708.

Mimulus primuloides* Benth. ssp. *primuloides

JPM 1044.

Mimulus primuloides* Benth. var. *primuloides

IL 3:698; JPM2 996; PEK 708.

Erythranthe pulsiferae (A. Gray) G.L. Nesom

Common names: Pulsifer's monkeyflower

Origin: native Voucher: OSC, most recently collected in 1999

FPN2 494.

Synonyms:

***Mimulus pulsiferae* A. Gray**

FPN 428; IL 3:701; JPM 1044; JPM2 996; PEK 707; VP 4:347.

Erythranthe scouleri (Hook.) G.L. Nesom

Common names: Scouler's monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2019

FPN2 493.

Synonyms:

***Mimulus guttatus* DC. ssp. *scouleri* (Hook.) Pennell**

IL 3:712; PEK 709.

Misapplied names:

***Mimulus guttatus* DC.**

Erythranthe suksdorfii (A. Gray) N.S. Fraga

Common names: Suksdorf's monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2023

FPN2 494.

Synonyms:

***Mimulus suksdorfii* A. Gray**

FPN 428; IL 3:705; IN 4:359; JPM 1046; JPM2 996; PEK 707; VP 4:347.

Erythranthe tilingii (Regel) G.L. Nesom

Common names: Tiling's monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2021

FPN2 492.

Synonyms:

***Mimulus tilingii* Regel**

Mimulus tilingii* Regel var. *tilingii

FPN 426; IL 3:710; VP 4:347.

Erythranthe washingtonensis (Gand.) G.L. Nesom

Common names: Washington monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2011

FPN2 494.

Synonyms:

***Mimulus washingtonensis* Gand.**

FPN 427; IL 3:701; PEK 707; VP 4:349.

Mimetanthe

Checklist contributor: Henrietta Chambers, 3/21/2005

Flora of Oregon author: treatment pending

Mimetanthe pilosa (Benth.) Greene

Common names: downy monkeyflower

Origin: native

Voucher: OSC, most recently collected in 2012

FPN 426; FPN2 495; IN 4:364; PEK 711; VP 4:337.

Synonyms:

***Mimulus pilosus* (Benth.) S. Watson**

FPN 426 synonym for *Mimetanthe pilosa*; IL 3:706; IN 4:364; JPM 1044; JPM2 996.

Mimulus

Checklist contributor: John Schenk, Henrietta Chambers, 2/14/2005

Flora of Oregon author: treatment pending

Mimulus ringens L.

sensu stricto,

Common names: ringen monkeyflower

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2019

IN 4:356; JPM 1046; JPM2 996.

Synonyms:

Mimulus ringens* L. var. *ringens

FPN2 495.

Excluded names:

Mimulus glabratus Kunth

FPN 426; IN 4:354; VP 4:342.

Mimulus minor A. Nelson

IL 3:710.

Mimulus rubellus Gray

IL 3:704; IN 4:358; JPM 1046; JPM2 996.

Literature cited for Phrymaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Benedict, B.G., J.L. Modliszewski , A.L. Sweigart, N.H. Martin, F.R. Ganders, and J.H. Willis. 2012. *Mimulus sookensis* (Phrymaceae), a new allotetraploid species derived from *Mimulus guttatus* and *Mimulus nasutus*. Madroño 59:29-43.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Meinke, R.J. 1995B. *Mimulus evanescens* (Scrophulariaceae): A new annual species from the Northern Great Basin. Great Basin Naturalist 55:249-257.

Nesom, G. 2017. Taxonomic review of the *Erythranthe moschata* complex (Phrymaceae). Phytoneuron 2017-17:1-29.

Nesom, G.L. 2012A. Taxonomy of *Erythranthe* sect. *Simiola* (Phrymaceae) in the USA and Mexico. Phytoneuron 40:1-123.

Nesom, G.L. 2012B. Taxonomy of *Erythranthe* sect. *Mimulosma* (Phrymaceae). Phytoneuron 41:1-36.

Nesom, G.L. 2013. Three new species of *Diplacus* (Phrymaceae) related to *D. cusickii* and *D. nanus*. Phytoneuron 65:1-18.

Whittall, J.B., M. Carlson, P.M. Beardsley, R.J. Meinke, and A. Liston. 2006. The *Mimulus moschatus* alliance (Phrymaceae): Molecular and morphological phylogenetics and their conservation implications. Systematic Botany 31:380-397.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest