Checklist of Oregon Plantaginaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Antirrhinum

Checklist contributor: Henrietta Chambers, 3/21/2005
Flora of Oregon author: treatment pending

Antirrhinum majus L.

Common names: snapdragon, common snapdragon
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2022
FPN 415; FPN2 454; IL 3:789; JPM 1015; JPM2 1004; VP 4:293.

Callitriche

Checklist contributor: Richard Halse, 1/1/1995
Flora of Oregon author: Richard Lansdown

Callitriche brutia Petagna var. ***hamulata*** (Kütz. ex W.D.J. Koch) Lansdown

Common names: narrowleaf water-starwort, pedunculate water-starwort, intermediate water-starwort
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FPN2 455.

Callitriche fassettii Schotsman

Common names: autumnal water-starwort, Fassett's water-starwort
Origin: native Voucher: OSC, most recently collected in 2021
FPN 286; FPN2 455; JPM2 1006; Lansdown, 2009 ; VP 3:402.

Synonyms:

***Callitriche autumnalis* L.**
FPN 286 synonym for *Callitriche hermaphroditica*; IL 3:43.

Misapplied names:

***Callitriche hermaphroditica* L.**
FPN 286; FPN2 455; IN 4:333; JPM 458; PEK 505; VP 3:403.

Callitriche heterophylla Pursh

FPN 286; GWM 227; IL 3:43 uncertain status; IN 4:332; JPM 458; VP 3:403.

Callitriche heterophylla Pursh var. ***bolanderi*** (Hegelm.) Fassett

Common names: Bolander's water-starwort, large water-starwort, Bolander's different-leaved water-starwort
Origin: native Voucher: OSC, most recently collected in 2015
FPN 286; FPN2 454; JPM 458; JPM2 1006.

Synonyms:

***Callitriche bolanderi* Hegelm.**
FPN 286 synonym for *Callitriche heterophylla* var. *bolanderi*; IL 3:43; PEK 505.

Callitriche heterophylla Pursh var. ***heterophylla***

Common names: two-headed water-starwort, different-leaved water-starwort
Origin: native Voucher: OSC, most recently collected in 2018
FPN 286; FPN2 454; JPM 458; JPM2 1006.

Synonyms:

***Callitriche anceps* Fernald**
FPN 286; VP 3:402.

Callitriche marginata Torr.

Common names: winged water-starwort, California water-starwort

Origin: native Voucher: OSC, most recently collected in 2017

FPN 286; FPN2 454; IL 3:43; JPM 458; JPM2 1007; PEK 505; VP 3:403.

Callitriche palustris L.

Common names: spring water-starwort, vernal water-starwort

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 454; IL 3:43; IN 4:333; JPM2 1007; KZ 1:185; PEK 505.

Synonyms:

***Callitriche verna* L.**

FPN 286; GWM 227; JPM 458; VP 3:403.

Callitriche stagnalis Scop.

Common names: pond water-starwort

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FPN 286; FPN2 455; JPM 458; JPM2 1007; VP 3:403.

Callitriche stenoptera Lansdown

Common names: narrow-winged water-starwort

Origin: native Voucher: OSC, most recently collected in 1927

Callitriche trochlearis Fassett

Common names: effluent water-starwort, wheel-fruited water-starwort

Origin: native Voucher: OSC, most recently collected in 2017

FPN 286; FPN2 455; JPM 458; JPM2 1007.

Chaenorhinum

Checklist contributor: Henrietta Chambers, 8/27/2003

Flora of Oregon author: Kenton Chambers

Chaenorhinum minus (L.) Lange

Common names: dwarf snapdragon, small European toadflax

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2013

Old, 1993 .

Synonyms:

Chaenorhinum minus* (L.) Lange ssp. *minus

FPN2 455.

Collinsia

Checklist contributor: Henrietta Chambers, 5/27/2003

Flora of Oregon author: Kenton Chambers

Collinsia grandiflora Douglas ex Lindl.

Common names: large-flowered blue-eyed Mary, giant blue-eyed Mary

Origin: native Voucher: OSC, most recently collected in 2021

FPN 422; FPN2 456; IL 3:778; JPM 1026; JPM2 1009; Oregon Flora Project, 1996H ; PEK 689; VP 4:327.

Collinsia greenei A. Gray

Common names: Greene's blue-eyed Mary, Greene's collinsia

Origin: native Voucher: OSC, most recently collected in 2015

IL 3:780; JPM 1026; JPM2 1009.

Collinsia latifolia (Newsom) B.G. Baldwin, Kalisz & Armbr.

Common names: Torrey's blue-eyed Mary, Broad-leaved collinsia

Origin: native Voucher: OSC, most recently collected in 2017

Baldwin et al., 2011 .

Synonyms:

***Collinsia torreyi* A. Gray**

JPM 1027.

***Collinsia torreyi* A. Gray var. *latifolia* Newsom**

IL 3:780; JPM 1027; JPM2 1009; PEK 690.

Collinsia linearis A. Gray

Common names: narrowleaf blue-eyed Mary, narrowleaf collinsia

Origin: native Voucher: OSC, most recently collected in 2016

IL 3:780 synonym for *Collinsia rattanii* var. *linearis*; JPM 1026; JPM2 1009.

Synonyms:

***Collinsia rattanii* A. Gray var. *linearis* (A. Gray) Newsom**

IL 3:780; PEK 690.

Collinsia parviflora Douglas ex Lindl.

Common names: small-flowered blue-eyed Mary, maiden blue-eyed Mary

Origin: native Voucher: OSC, most recently collected in 2024

FPN 422; FPN2 456; GWM 308; IN 4:461; JPM 1027; JPM2 1009; Oregon Flora Project, 2005B ; PEK 690; VP 4:327.

Collinsia rattanii A. Gray

Common names: sticky blue-eyed Mary, Rattan's collinsia, Rattan's blue-eyed Mary

Origin: native Voucher: OSC, most recently collected in 2018

FPN 422; FPN2 456; JPM 1027; JPM2 1009; VP 4:328.

Synonyms:

***Collinsia rattanii* A. Gray ssp. *glandulosa* (Howell) Pennell**

FPN 422; Gray, 1879 ; IL 3:780; PEK 690; VP 4:422.

Collinsia rattanii* A. Gray ssp. *rattanii

IL 3:780; PEK 690; VP 4:422.

Collinsia sparsiflora Fisch. & C.A. Mey.

FPN 422; JPM 1027; VP 4:328.

Collinsia sparsiflora Fisch. & C.A. Mey. var. ***sparsiflora***

Common names: few-flowered blue-eyed Mary, spinster's blue-eyed Mary

Origin: native Voucher: OSC, most recently collected in 2004

FPN2 456; IL 3:779; JPM 1027; JPM2 1009; KZ 2:195; Kartesz & Meacham, 2007 .

Collinsia tinctoria Hartw. ex Benth.

Common names: sticky pagodas, sticky Chinese houses

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2016

JPM2 .

Cymbalaria

Checklist contributor: Henrietta Chambers, 1/1/2003

Flora of Oregon author: Kenton Chambers

Cymbalaria muralis G. Gaertn., B. Mey. & Scherb.

Common names: ivy-leaved toadflax, Kenilworth-ivy

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FPN 423; FPN2 456; IL 3:786; JPM 1032; JPM2 1010.

Synonyms:

***Linaria cymbalaria* (L.) Mill.**

PEK 688.

Digitalis

Checklist contributor: Henrietta Chambers, 8/27/2003

Flora of Oregon author: Kenton Chambers

Digitalis purpurea L.

Common names: common foxglove

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2014

FPN 423; FPN2 456; IL 3:792; JPM 1032; JPM2 1010; PEK 713; VP 4:329.

Gratiola

Checklist contributor: Henrietta Chambers, 8/22/2003

Flora of Oregon author: Kenton Chambers

Gratiola ebracteata A. DC.

Common names: bractless hedge-hyssop, common hedge-hyssop

Origin: native Voucher: OSC, most recently collected in 2022

FPN 424; FPN2 457; IL 3:731; IN 4:348; JPM 1033; JPM2 1012; PEK 713; VP 4:332.

Gratiola heterosepala H. Mason & Bacig.

Common names: Boggs Lake hedge-hyssop

Origin: native Voucher: OSC, most recently collected in 1983

IN 4:348; JPM 1033; JPM2 1012.

Gratiola neglecta Torr.

Common names: clammy hedge-hyssop, American hedge-hyssop

Origin: native Voucher: OSC, most recently collected in 2019

FPN 424; FPN2 457; IL 3:731; IN 4:348; JPM 1033; JPM2 1012; PEK 713; VP 4:332.

Hebe

Checklist contributor:

Flora of Oregon author: treatment pending

Hebe elliptica (G. Forst.) Pennell

Common names: shore hebe

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

Hippuris

Checklist contributor: Richard Halse, 1/1/1995

Flora of Oregon author: Kenton Chambers

Hippuris vulgaris L.

Common names: common mare's tail

Origin: native Voucher: OSC, most recently collected in 2014

FPN 313; FPN2 457; IL 3:213; IN 4:331; JPM 682; JPM2 1012; PEK 550; VP 3:505.

Keckiella

Checklist contributor: Richard Halse, 4/15/2009
Flora of Oregon author: Noel Holmgren

Keckiella lemmonii (A. Gray) Straw

Common names: Lemmon's keckiella, shrubby penstemon, bush beardtongue
Origin: native
Voucher: OSC, most recently collected in 1992
JPM 1034; JPM2 1013.

Synonyms:
***Penstemon lemmonii* A. Gray**
IL 3:769; PEK 704.

Kickxia

Checklist contributor: Scott Sundberg, 11/26/2002
Flora of Oregon author: Kenton Chambers

Kickxia elatine (L.) Dumort.

Common names: sharp-leaved fluellin, sharp-leaved cancerwort
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2024
FPN 424; FPN2 457; IL 3:786; JPM 1034; JPM2 1014.

Kickxia spuria (L.) Dumort.

Common names: round-leaved fluellin, round-leaved cancerwort
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2015
FPN2 457; IL 3:786; JPM 1034; JPM2 1014.

Linaria

Checklist contributor: Henrietta Chambers, 8/20/2003
Flora of Oregon author: Kenton Chambers

Linaria dalmatica (L.) Mill.

FPN 425; IN 4:460; VP 4:333.

Linaria dalmatica (L.) Mill. ssp. ***dalmatica***

Common names: Dalmatian toadflax
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2002
FPN2 458; JPM2 1014.

Synonyms:
***Linaria genistifolia* (L.) Mill. ssp. *dalmatica* (L.) Maire & Petitm.**
JPM 1036.
***Linaria macedonica* Griseb.**
PEK 687.

Linaria grandiflora Desf.

Common names: large-flowered toadflax
Origin: exotic, not naturalized
Voucher: WTU, most recently collected in 1950
FPN2 458.

Linaria maroccana Hook. f.

Common names: Moroccan toadflax, annual toadflax
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2022
FPN2 457; JPM 1036; JPM2 1014.

Linaria purpurea (L.) Mill

Common names: purple toadflax

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2023

FPN2 457; JPM 1036; JPM2 1014.

Linaria triornithophora (L.) Willd.

Common names: three birds flying, three bird toadflax

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2009

FPN2 457.

Linaria vulgaris Mill.

Common names: butter-and-eggs, yellow toadflax

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2019

FPN 425; FPN2 457; GWM 309; IL 3:784; IN 4:460; JPM 1037; JPM2 1014; PEK 687; VP 4:335.

Misopates

Checklist contributor:

Flora of Oregon author: Stephen Meyers

Misopates orontium (L.) Raf.

Common names: weasel's snout, lesser snapdragon

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2022

FPN2 458.

Synonyms:

***Antirrhinum orontium* L.**

FPN 415; JPM 1015; JPM2 1004; PEK 689; VP 4:293.

Nothochelone

Checklist contributor: Henrietta Chambers, 3/21/2005

Flora of Oregon author: Noel Holmgren

Nothochelone nemorosa (Douglas ex Lindl.) Straw

Common names: woodland beardtongue, false turtlehead, woodland penstemon

Origin: native

Voucher: OSC, most recently collected in 2021

FPN 428; FPN2 458; JPM 1048; JPM2 1016.

Synonyms:

***Penstemon nemorosus* (Douglas ex Lindl.) Trautv.**

FPN 428 synonym for *Nothochelone nemorosa*; IL 3:769; PEK 695; VP 4:394.

Nuttallanthus

Checklist contributor: Henrietta Chambers, 8/20/2003

Flora of Oregon author: Kenton Chambers

Nuttallanthus canadensis (L.) D.A. Sutton

Common names: Canada toadflax, blue toadflax, old-field toadflax

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2010

FPN2 458.

Misapplied names:

***Linaria canadensis* (L.) Dum. Cours.**

FPN 425; IL 3:786; IN 4:460; JPM 1036; PEK 688; VP 4:333.

Nuttallanthus texanus (Scheele) D.A. Sutton

Common names: blue toadflax, Texas toadflax

Origin: native Voucher: OSC, most recently collected in 2008

FPN2 458; JPM2 1017.

Synonyms:

***Linaria canadensis* (L.) Dum. Cours. var. *texana* (Scheele) Pennell**

FPN 425; IL 3:784 synonym for *Linaria texana*; VP 4:333.

***Linaria texana* Scheele**

FPN 425 synonym for *Linaria canadensis* var. *texana*; IL 3:784; PEK 688.

Misapplied names:

Linaria canadensis* (L.) Dum. Cours. var. *canadensis

FPN 425; VP 4:333.

Penstemon

Checklist contributor: Henrietta Chambers, 1/4/2005

Flora of Oregon author: Noel Holmgren

Penstemon acuminatus Douglas ex Lindl.

FPN 435; IL 3:753; IN 4:414; PEK 702; VP 4:371.

Penstemon acuminatus Douglas ex Lindl. var. ***acuminatus***

Common names: sharp-leaved penstemon, sand dune penstemon, sand dune beardtongue

Origin: native Voucher: OSC, most recently collected in 1991

FPN2 461; IN 4:416.

Penstemon acuminatus Douglas ex Lindl. var. ***latebracteatus*** N.H. Holmgren

Common names: sand dune beardtongue, sharp-leaved penstemon, sand dune penstemon

Origin: native Voucher: OSC, most recently collected in 2010

IN 4:416.

Penstemon anguineus Eastw.

Common names: Siskiyou beardtongue, tongue-leaved penstemon

Origin: native Voucher: OSC, most recently collected in 2018

IL 3:747; JPM 1054; JPM2 1020; PEK 701.

Penstemon attenuatus Douglas var. ***attenuatus***

Common names: taper-leaved penstemon, sulphur penstemon

Origin: native Voucher: OSC, most recently collected in 2023

FPN 439; FPN2 464; GWM 314; IN 4:391; VP 4:375.

Synonyms:

Penstemon attenuatus* Douglas ssp. *attenuatus

IL 3:742; PEK 698.

Penstemon attenuatus Douglas var. ***militaris*** (Greene) Cronquist

Common names: south Idaho penstemon

Origin: native

FPN 439; FPN2 464; IN 4:392.

Penstemon attenuatus Douglas var. ***palustris*** (Pennell) Cronquist

Common names: sulphur beardtongue, sulphur penstemon

Origin: native Voucher: OSC, most recently collected in 2018

FPN 438; FPN2 464; VP 4:375.

Synonyms:

Penstemon attenuatus **Douglas ssp.** ***palustris*** **(Pennell) D.D. Keck**

IL 3:743; PEK 699.

Penstemon azureus Benth. var. ***azureus***

Common names: azure penstemon

Origin: native Voucher: OSC, most recently collected in 2018

JPM 1054; JPM2 1020; PEK 704.

Synonyms:

Penstemon azureus **Benth. ssp.** ***azureus***

IL 3:761.

Penstemon barrettiae A. Gray

Common names: Barrett's beardtongue, Barrett's penstemon

Origin: native Voucher: OSC, most recently collected in 2015

FPN 433; FPN2 459; IL 3:765; PEK 694; VP 4:375.

Penstemon cardwellii Howell

Common names: Cardwell's beardtongue, Cardwell's penstemon

Origin: native Voucher: OSC, most recently collected in 2021

FPN 433; FPN2 460; IL 3:768; PEK 694; VP 4:376.

Penstemon cinicola D.D. Keck

Common names: ash beardtongue, ash penstemon

Origin: native Voucher: OSC, most recently collected in 2022

FPN 436; FPN2 461; IL 3:739; IN 4:394; JPM 1055; JPM2 1020; PEK 697; VP 4:376.

Penstemon confertus Douglas

Common names: yellow penstemon, yellow beardtongue, lesser yellow beardtongue

Origin: native Voucher: OSC, most recently collected in 2023

FPN 437; FPN2 461; IL 3:743; PEK 696; VP 4:377.

Penstemon curtiflorus (D.D. Keck) N.H. Holmgren

Common names: curved-cutleaf beardtongue

Origin: native Voucher: OSC, most recently collected in 1975

FPN2 466.

Synonyms:

Penstemon richardsonii **Douglas ex Lindl. var.** ***curtiflorus*** **(D.D. Keck) Cronquist**

FPN 434; VP 4:402.

Penstemon cusickii A. Gray

Common names: Cusick's beardtongue, Cusick's penstemon

Origin: native Voucher: OSC, most recently collected in 2023

FPN 434; FPN2 465; IL 3:760; IN 4:448; PEK 704; VP 4:377.

Penstemon davidsonii Greene var. ***davidsonii***

Common names: Davidson's beardtongue, Davidson's penstemon

Origin: native Voucher: OSC, most recently collected in 2013

FPN 433; FPN2 460; IN 4:385; JPM 1055; JPM2 1022; VP 4:380.

Synonyms:

Penstemon menziesii **Hook. ssp.** ***davidsonii*** **(Greene) Piper**

IL 3:768; PEK 695.

Penstemon davidsonii Greene var. ***davidsonii*** × ***Penstemon rupicola*** (Piper) Howell

Origin: native Voucher: OSC, most recently collected in 1973

Penstemon davidsonii Greene var. ***menziesii*** (D.D. Keck) Cronquist

Common names: Menzies' penstemon, creeping beardtongue, Menzies' beardtongue

Origin: native Voucher: WTU, most recently collected in 2021

FPN 433; FPN2 460; VP 4:380.

Synonyms:

Penstemon menziesii **Hook. ssp.** ***menziesii***

IL 3:768; PEK 695.

Penstemon davidsonii Greene × ***Penstemon rupicola*** (Piper) Howell

Origin: native Voucher: OSC, most recently collected in 1990

Penstemon davidsonii Greene var. ***praeteritus*** Cronquist

Common names: timberline beardtongue, timberline penstemon

Origin: native Voucher: OSC, most recently collected in 2010

IN 4:386.

Penstemon deustus Douglas ex Lindl. var. ***deustus***

Common names: hotrock penstemon, scabland penstemon

Origin: native Voucher: OSC, most recently collected in 2024

FPN 434; FPN2 462; GWM 316; IN 4:388; JPM2 1022; PEK 696; VP 4:381.

Synonyms:

Penstemon deustus **Douglas ex Lindl. ssp.** ***deustus***

IL 3:748.

Penstemon deustus Douglas ex Lindl. var. ***pedicellatus*** M.E. Jones

Common names: hotrock penstemon, scabland penstemon

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 462; IN 4:388; JPM 1055; JPM2 1022.

Synonyms:

Penstemon deustus **Douglas ex Lindl. ssp.** ***heterander*** **(Torr. & A. Gray) Pennell & D.D. Keck**

IL 3:748.

Penstemon deustus **Douglas ex Lindl. var.** ***heterander*** **(Torr. & A. Gray) Cronquist**

FPN 434; GWM 316; PEK 696; VP 4:380.

Penstemon deustus Douglas ex Lindl. var. ***suffrutescens*** L.F. Hend.

Common names: hotrock penstemon, scabland penstemon

Origin: native Voucher: OSC, most recently collected in 2018

IL 3:748 synonym for *Penstemon deustus*; JPM 1055; JPM2 1022.

Penstemon deustus Douglas ex Lindl. var. ***variabilis*** (Suksd.) Cronquist

Common names: hotrock penstemon, scabland penstemon

Origin: native Voucher: OSC, most recently collected in 2019

FPN 435; FPN2 462; VP 4:381.

Synonyms:

Penstemon variabilis **Suksd.**

IL 3:748; PEK 696.

Penstemon eatonii A. Gray

Common names: firecracker penstemon, Eaton's penstemon, Eaton's beardtongue

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2009

JPM 1055.

Synonyms:

Penstemon eatonii **A. Gray var.** ***eatonii***

FPN2 465.

Penstemon elegantulus Pennell

Common names: rockvine penstemon, rockvine beardtongue

Origin: native Voucher: OSC, most recently collected in 1983

FPN 440; FPN2 463; IL 3:746; PEK 700; VP 4:381.

Penstemon eriantherus Pursh

FPN 437; IL 3:751; IN 4:412.

Penstemon eriantherus Pursh var. ***argillosus*** M.E. Jones

Common names: John Day fuzzytongue penstemon

Origin: native Voucher: OSC, most recently collected in 2013

FPN 438; FPN2 463; VP 4:384.

Synonyms:

Penstemon whitedii **Piper ssp.** ***dayanus*** **(Howell) D.D. Keck**

IL 3:751; PEK 701.

Penstemon eriantherus Pursh var. ***redactus*** Pennell & D.D. Keck

Common names: longsac penstemon, Imnaha fuzzytongue

Origin: native Voucher: OSC, most recently collected in 2013

FPN 437; FPN2 463; IN 4:412; VP 4:384.

Synonyms:

Penstemon whitedii **Piper ssp.** ***tristis*** **Pennell & D.D. Keck**

IL 3:751; PEK 701.

Penstemon euglaucus English

Common names: glaucous beardtongue

Origin: native Voucher: OSC, most recently collected in 2014

FPN 436; FPN2 461; IL 3:741; PEK 698; VP 4:385.

Penstemon fruticosus (Pursh) Greene

FPN 433; GWM 316; IN 4:384.

Penstemon fruticosus (Pursh) Greene var. ***fruticosus***

Common names: bush penstemon, shrubby penstemon

Origin: native Voucher: OSC, most recently collected in 2024

FPN 433; FPN2 460; IN 4:384; VP 4:387.

Synonyms:

Penstemon fruticosus **(Pursh) Greene ssp.** ***fruticosus***

IL 3:765; PEK 694.

Penstemon fruticosus (Pursh) Greene var. ***serratus*** (D.D. Keck) Cronquist

Common names: sawleaf bush penstemon

Origin: native Voucher: OSC, most recently collected in 2017

FPN 433; FPN2 460; VP 4:387.

Synonyms:

Penstemon fruticosus **(Pursh) Greene ssp.** ***serratus*** **D.D. Keck**

IL 3:765; PEK 694.

Penstemon gairdneri Hook. var. ***gairdneri***

Common names: Gairdner's beardtongue, Gairdner's penstemon

Origin: native Voucher: OSC, most recently collected in 2022

FPN 439; FPN2 462; IN 4:386; PEK 695; VP 4:388.

Synonyms:

Penstemon gairdneri **Hook. ssp.** ***gairdneri***

IL 3:747.

Penstemon gairdneri Hook. var. ***oreganus*** A. Gray

Common names: opposite-leaved Gairdner's beardtongue

Origin: native Voucher: OSC, most recently collected in 2013

FPN 439; FPN2 462; IN 4:386; PEK 695; VP 4:388.

Synonyms:

Penstemon gairdneri **Hook. ssp.** ***oreganus*** **(A. Gray) D.D. Keck**

IL 3:747.

Penstemon glandulosus Douglas ex Lindl.

FPN 434; IL 3:764; IN 4:454; PEK 702; VP 4:388.

Penstemon glandulosus Douglas ex Lindl. var. ***chelanensis*** (D.D. Keck) Cronquist

Common names: stickystem penstemon, Chelan penstemon

Origin: native Voucher: OSC, most recently collected in 1932

FPN 434; FPN2 466.

Penstemon glandulosus Douglas ex Lindl. var. ***glandulosus***

Common names: stickystem penstemon

Origin: native Voucher: OSC, most recently collected in 2013

FPN 434; FPN2 466; VP 4:388.

Synonyms:

Penstemon glandulosus **Douglas ex Lindl. ssp.** ***glandulosus***

IL 3:764.

Penstemon glaucinus Pennell

Common names: blue-leaved beardtongue, blue-leaved penstemon

Origin: native Voucher: OSC, most recently collected in 2017

IL 3:742; PEK 699; Willis, 2025 .

Penstemon globosus (Piper) Pennell & D.D. Keck

Common names: globe beardtongue, globe penstemon
Origin: native Voucher: OSC, most recently collected in 2014
FPN 437; FPN2 461; GWM 316; IL 3:741; PEK 698; VP 4:388.

Penstemon gracilentus A. Gray

Common names: slender beardtongue, slender penstemon
Origin: native Voucher: OSC, most recently collected in 1993
IL 3:758; IN 4:452; JPM 1056; JPM2 1022; PEK 703.

Penstemon hesperius M. Peck

Common names: tall western penstemon, tall beardtongue
Origin: native Voucher: OSC, most recently collected in 2023
FPN 437 synonym for *Penstemon rydbergii*; FPN2 461; Galash, 2024 ; IL 3:741; PEK 698.

Penstemon humilis Nutt. ex A. Gray

Common names: low penstemon, low beardtongue, lowly penstemon
Origin: native Voucher: OSC, most recently collected in 2023
FPN 439; FPN2 464; GWM 316; IL 3:743; PEK 699; VP 4:390.

Synonyms:

Penstemon cinereus* Piper ssp. *cinereus
FPN2 464; IL 3:743; PEK 699.

***Penstemon cinereus* Piper ssp. *foliatus* D.D. Keck**
FPN2 464; IL 3:743; PEK 700.

Penstemon humilis* Nutt. ex A. Gray var. *humilis
IN 4:394; JPM 1056; JPM2 1024; PEK 699.

Penstemon janishiae N.H. Holmgren

Common names: Janish's penstemon, Antelope Valley beardtongue, Janish's beardtongue
Origin: native Voucher: OSC, most recently collected in 2014
FPN2 463; IN 4:408; JPM 1056; JPM2 1024.

Penstemon kingii S. Watson

Common names: King's beardtongue, King's penstemon
Origin: native Voucher: UTC, most recently collected in 2018
IN 4:448.

Penstemon laetus A. Gray var. ***sagittatus*** (D.D. Keck) McMinn

Common names: mountain blue penstemon, gay penstemon
Origin: native Voucher: OSC, most recently collected in 2018
FPN2 465; IN 4:448; JPM 1058; JPM2 1024.

Synonyms:

***Penstemon laetus* A. Gray ssp. *sagittatus* D.D. Keck**
IL 3:761; PEK 704.

Penstemon miser A. Gray

Common names: Malheur penstemon, golden tongue beardtongue
Origin: native Voucher: OSC, most recently collected in 2022
FPN 440; FPN2 463; IL 3:751; IN 4:408; PEK 701.

Penstemon newberryi A. Gray

IN 4:385; JPM 1058.

Penstemon newberryi A. Gray var. ***berryi*** (Eastw.) N.H. Holmgren

Common names: Berry's mountain pride

Origin: native Voucher: OSC, most recently collected in 2003

JPM 1058; JPM2 1024.

Synonyms:

***Penstemon newberryi* A. Gray ssp. *berryi* (Eastw.) D.D. Keck**

IL 3:768; PEK 694.

Penstemon ovatus Douglas

Common names: egg-leaf beardtongue, broad-leaved penstemon

Origin: native Voucher: OSC, most recently collected in 2019

FPN 440; FPN2 463; IL 3:746; PEK 700; VP 4:397.

Penstemon palmeri A. Gray

Common names: Palmer’s penstemon, scented penstemon

Origin: exotic, naturalized Voucher: SOC, most recently collected in 2018

IL 3:753.

Synonyms:

Penstemon palmeri* A. Gray var. *palmeri

FPN2 462; IN 4:426; JPM 1058; JPM2 1025.

Penstemon parvulus (A. Gray) Krautter

Common names: small azure beardtongue, small penstemon, short-stalk penstemon

Origin: native Voucher: OSC, most recently collected in 2018

IL 3:763; JPM 1058; JPM2 1025.

Synonyms:

***Penstemon azureus* Benth. var. *parvulus* A. Gray**

IL 3:763 synonym for *Penstemon parvulus*; PEK 704.

Penstemon payettensis A. Nelson & J.F. Macbr.

Common names: Payette beardtongue, Payette penstemon

Origin: native Voucher: OSC, most recently collected in 2017

FPN 435; FPN2 465; GWM 316; IL 3:751; IN 4:432; PEK 702; VP 4:397.

Penstemon peckii Pennell

Common names: Peck's beardtongue, Peck's penstemon

Origin: native Voucher: OSC, most recently collected in 2003

FPN 438; FPN2 464; Galash, 2024 ; IL 3:739; PEK 697; VP 4:397.

Penstemon pennellianus D.D. Keck

Common names: Blue Mountain penstemon, Pennell's beardtongue, Blue Mountain beardtongue

Origin: native Voucher: OSC, most recently collected in 2019

FPN 435; FPN2 465; Galash, 2024 ; IL 3:753; PEK 702; VP 4:398.

Penstemon perpulcher A. Nelson

Common names: beautiful penstemon, Minidoka beardtongue

Origin: native Voucher: OSC, most recently collected in 1979

FPN 435; FPN2 465; Galash, 2024 ; IN 4:432.

Penstemon pratensis Greene

Common names: western whiteflower penstemon, western whiteflower beardtongue

Origin: native Voucher: OSC, most recently collected in 2011

IL 3:741; IN 4:390; PEK 696.

Penstemon procerus Douglas ex Graham

FPN 436; GWM 317; IL 3:738; IN 4:392; JPM 1058; PEK 696.

Penstemon procerus Douglas ex Graham var. ***brachyanthus*** (Pennell) Cronquist

Common names: pincushion beardtongue, small-flowered penstemon

Origin: native Voucher: OSC, most recently collected in 2018

FPN 436; FPN2 461; JPM 1058; JPM2 1025; VP 4:400.

Synonyms:

***Penstemon tolmiei* Hook. ssp. *brachyanthus* (Pennell) D.D. Keck**

IL 3:739; PEK 697.

Penstemon procerus Douglas ex Graham var. ***formosus*** (A. Nelson) Cronquist

Common names: western small-flowered penstemon, pincushion beardtongue

Origin: native Voucher: OSC, most recently collected in 2011

FPN 436; FPN2 461; GWM 317; IN 4:394; JPM 1060; JPM2 1025; VP 4:400.

Synonyms:

***Penstemon tolmiei* Hook. ssp. *formosus* (A. Nelson) D.D. Keck**

IL 3:738; PEK 697.

Penstemon procerus Douglas ex Graham var. ***procerus***

Common names: pincushion beardtongue, small flowered penstemon

Origin: native Voucher: OSC, most recently collected in 2024

FPN 436; FPN2 461; GWM 317; IN 4:394; VP 4:400.

Penstemon rattanii A. Gray

JPM 1060; PEK 701; VP 4:409.

Penstemon rattanii A. Gray var. ***rattanii***

Common names: Rattan's penstemon, Rattan's beardtongue

Origin: native Voucher: OSC, most recently collected in 2022

FPN2 463; JPM 1060; JPM2 1025.

Synonyms:

Penstemon rattanii* A. Gray ssp. *rattanii

IL 3:747.

Penstemon richardsonii Douglas ex Lindl.

FPN 434; IL 3:764; PEK 703.

Penstemon richardsonii Douglas ex Lindl. var. ***dentatus*** (D.D. Keck) Cronquist

Common names: cutleaf beardtongue, toothed-cutleaf beardtongue

Origin: native Voucher: OSC, most recently collected in 2020

FPN 434; FPN2 466; VP 4:402.

Penstemon richardsonii Douglas ex Lindl. var. ***richardsonii***

Common names: Richardson's penstemon, Richardson's beardtongue

Origin: native Voucher: OSC, most recently collected in 2019

FPN 434; FPN2 466; VP 4:402.

Penstemon roezlii Regel

Common names: Roezli's penstemon, Regel's mountain penstemon, juniper-scrub beardtongue

Origin: native Voucher: OSC, most recently collected in 2022

FPN2 465; IL 3:761 synonym for *Penstemon laetus* ssp. *roezlii*; JPM 1060; JPM2 1025.

Synonyms:

***Penstemon laetus* A. Gray ssp. *roezlii* (Regel) D.D. Keck**

IL 3:761.

***Penstemon laetus* A. Gray var. *roezlii* (Regel) Jeps.**

FPN 434; IN 4:448; PEK 704; VP 4:391.

Penstemon rupicola (Piper) Howell

Common names: cliff penstemon, rock penstemon

Origin: native Voucher: OSC, most recently collected in 2021

FPN 433; FPN2 460; IL 3:768; JPM 1060; JPM2 1025; PEK 695; VP 4:402.

Penstemon rydbergii A. Nelson

Common names: Rydberg's beardtongue, Rydberg's penstemon, tall beardtongue

Origin: native Voucher: OSC, most recently collected in 2024

FPN 437; FPN2 461; VP 4:402.

Synonyms:

***Penstemon oreocharis* Greene**

FPN 437 synonym for *Penstemon rydbergii*; IL 3:739; PEK 697.

***Penstemon rydbergii* A. Nelson var. *oreocharis* (Greene) N.H. Holmgren**

IN 4:390; JPM 1060; JPM2 1026.

Penstemon rydbergii* A. Nelson var. *rydbergii

IN 4:390.

***Penstemon rydbergii* A. Nelson var. *varians* (A. Nelson) Cronquist**

FPN 436; GWM 317; VP 4:404.

Penstemon seorsus (A. Nelson) D.D. Keck

Common names: short-lobe beardtongue, short-lobe penstemon

Origin: native Voucher: OSC, most recently collected in 2023

FPN 439; FPN2 462; IL 3:747; IN 4:386; PEK 696; VP 4:404.

Penstemon serrulatus Menzies ex Sm.

Common names: Cascade penstemon, coast beardtongue

Origin: native Voucher: OSC, most recently collected in 2019

FPN 434; FPN2 465; IL 3:763; PEK 703; VP 4:405.

Penstemon spatulatus Pennell

Common names: Wallowa beardtongue, Wallowa penstemon

Origin: native Voucher: OSC, most recently collected in 2014

FPN 438; FPN2 464; GWM 317; PEK 699; VP 4:405.

Synonyms:

***Penstemon spathulatus* Pennell**

FPN 438; IL 3:743.

Penstemon speciosus Douglas

Common names: royal penstemon, showy penstemon

Origin: native Voucher: OSC, most recently collected in 2024

FPN 436; FPN2 464; GWM 318; IL 3:751; IN 4:438; JPM 1060; JPM2 1026; PEK 702; VP 4:406.

Penstemon subserratus Pennell

Common names: fine-toothed beardtongue, fine-toothed penstemon, subserrate beardtongue
Origin: native Voucher: OSC, most recently collected in 2013
FPN 440; FPN2 462; IL 3:746; PEK 700; VP 4:406.

Penstemon sudans M.E. Jones

Common names: Susanville beardtongue
Origin: native

Penstemon triphyllus Douglas

FPN 434; IL 3:764; PEK 703; VP 4:406.

Penstemon triphyllus Douglas var. ***infernalis*** N.H. Holmgren

Common names: Hells Canyon penstemon
Origin: native Voucher: NY, most recently collected in 2023
FPN2 466.

Penstemon triphyllus Douglas var. ***triphyllus***

Common names: whorled penstemon, Riggins penstemon
Origin: native Voucher: OSC, most recently collected in 2009
FPN2 466.

Penstemon venustus Douglas

Common names: Venus penstemon
Origin: native Voucher: OSC, most recently collected in 2018
FPN 434; FPN2 466; GWM 318; IL 3:764; JPM 1062; JPM2 1026; PEK 703; VP 4:408.

Penstemon wilcoxii Rydb.

Common names: Wilcox's penstemon, Wilcox's beardtongue
Origin: native Voucher: OSC, most recently collected in 2018
FPN 440; FPN2 463; GWM 318; IL 3:746; PEK 700; VP 4:409.

Plantago

Checklist contributor: Henrietta Chambers, 1/1/2001
Flora of Oregon author: Stephen Meyers

Plantago aristata Michx.

Common names: large-bracted plantain, bristly plantain
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1964
Chambers, 2001E ; FPN 448; FPN2 467; IL 4:20; JPM 820; JPM2 1028; PEK 740; VP 4:437.

Plantago coronopus L.

Common names: buckhorn plantain
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
Chambers, 2001E ; FPN2 466; IL 4:15; JPM 820; JPM2 1028; PEK 740; Simpson, 2001A .

Plantago elongata Pursh

Common names: slender plantain, prairie plantain, coast plantain
Origin: native Voucher: OSC, most recently collected in 2013
FPN 448; IL 4:22; IN 4:335; JPM 820; JPM2 1028; VP 4:438.

Synonyms:

Plantago bigelovii **A. Gray**
IL 4:22; PEK 740.

Plantago elongata **Pursh var.** ***elongata***
Chambers, 2001E ; FPN2 467.

Plantago erecta E. Morris

Common names: California plantain, foothill plantain, dotseed plantain

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 2001E ; IL 4:21; JPM 820; JPM2 1030.

Synonyms:

Plantago hookeriana **Fisch. & C.A. Mey. var.** ***californica*** **(Greene) Poe**

IL 4:21 synonym for *Plantago erecta*; PEK 740.

Plantago eriopoda Torr.

Common names: redwool plantain, hairy-fruited plantain, saline plantain

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 2001E ; FPN 447; FPN2 467; IL 4:18; IN 4:335; JPM 821; JPM2 1030; PEK 738; VP 4:438.

Synonyms:

Plantago shastensis **Greene**

IL 4:18 synonym for *Plantago eriopoda*; PEK 739.

Plantago indica L.

Common names: sand plantain, branched plantain, Indian plantain

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FPN 447 synonym for *Plantago psyllium*; IL 4:22; JPM 821.

Synonyms:

Plantago arenaria **Waldst. & Kit.**

FPN2 466.

Plantago psyllium **L.**

Chambers, 2001E ; FPN 447; VP 4:443.

Plantago lanceolata L.

Common names: English plantain, narrowleaf plantain, ribwort plantain

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

Chambers, 2001E ; FPN 447; FPN2 467; GWM 326; IL 4:18; IN 4:334; JPM 821; JPM2 1030; PEK 739; VP 4:438.

Plantago macrocarpa Cham. & Schltdl.

Common names: seashore plantain, large-fruited plantain, Alaska plantain

Origin: native Voucher: OSC, most recently collected in 1995

Chambers, 2001E ; FPN 447; FPN2 467; IL 4:17; PEK 739; VP 4:440.

Plantago major L.

Common names: common plantain, broadleaf plantain, greater plantain

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

Chambers, 2001E ; FPN 447; FPN2 467; GWM 327; IL 4:17; IN 4:334; JPM 821; JPM2 1030; VP 4:440.

Synonyms:

Plantago major **L. var.** ***major***

Chambers, 2001E ; FPN 447; PEK 738.

Plantago major **L. var.** ***pachyphylla*** **Pilg.**

Chambers, 2001E ; FPN 447.

Plantago major **L. var.** ***pilgeri*** **Domin**

PEK 738.

Plantago major **L. var.** ***scopulorum*** **Fr. & Broberg**

PEK 738.

Plantago maritima L.

Chambers, 2001E ; FPN 447; FPN2 466; JPM 821; JPM2 1030; VP 4:440.

Plantago maritima L. var. ***californica*** (Fernald) Pilg.

Common names: California seaside plantain, California goose tongue, alkali plantain

Origin: native Voucher: OSC, most recently collected in 2012

Chambers, 2001E ; IL 4:18 synonym for *Plantago juncoides* var. *californica*; JPM 821 synonym for *Plantago maritima*; Kozloff, 2005 274; PEK 739 synonym for *Plantago juncoides*.

Synonyms:

***Plantago juncoides* Lam. var. *californica* Fernald**

IL 4:18.

Plantago maritima L. var. ***juncoides*** (Lam.) A. Gray

Common names: seaside plantain, goose tongue

Origin: native Voucher: OSC, most recently collected in 2009

Chambers, 2001E ; IL 4:17 synonym for *Plantago juncoides*; JPM 821 synonym for *Plantago maritima*; Kozloff, 2005 274.

Synonyms:

***Plantago juncoides* Lam.**

IL 4:17; PEK 739.

Plantago juncoides* Lam. var. *juncoides

IL 4:17.

***Plantago maritima* L. ssp. *juncoides* (Lam.) Hultén**

FPN 447.

Plantago patagonica Jacq.

Common names: woolly plantain

Origin: native Voucher: OSC, most recently collected in 2018

Chambers, 2001E ; FPN 448; FPN2 467; IN 4:336; JPM 821; JPM2 1030; VP 4:441.

Synonyms:

***Plantago purshii* Roem. & Schult.**

FPN 448 synonym for *Plantago patagonica*; IL 4:20; PEK 740.

Plantago pusilla Nutt.

Common names: dwarf plantain, little plantain

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2012

Chambers, 2001E ; FPN 448; FPN2 467; IL 4:22; JPM 821; JPM2 1030; PEK 740; VP 4:438.

Plantago subnuda Pilg.

Common names: tall coastal plantain, naked plantain, Mexican plantain

Origin: native Voucher: OSC, most recently collected in 2023

Chambers, 2001E ; FPN 447 synonym for *Plantago hirtella*; FPN2 467; IL 4:17 synonym for *Plantago hirtella Kunth var. galeottiana (Decne.) Pilger*; JPM 821; JPM2 1030; PEK 739.

Synonyms:

***Plantago hirtella* Kunth**

FPN 447; VP 4:438.

Plantago virginica L.

Common names: Virginia plantain, hoary plantain

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1980

Chambers, 2001E ; IL 4:18; JPM 821; JPM2 1030; PEK 740.

Sairocarpus

Checklist contributor:

Flora of Oregon author: Richard Halse

Sairocarpus kingii (S. Watson) D.A. Sutton

Common names: least snapdragon, King's snapdragon

Origin: native Voucher: OSC, most recently collected in 1979

Synonyms:

***Antirrhinum kingii* S. Watson**

IL 3:791; IN 4:456; JPM 1014; JPM2 1004; PEK 688.

Sairocarpus vexillocalyculatus (Kellogg) D.A. Sutton ssp. ***breweri*** (A. Gray) Barringer

Common names: wiry snapdragon, Brewer's snapdragon

Origin: native Voucher: OSC, most recently collected in 2016

Synonyms:

***Antirrhinum breweri* A. Gray**

IL 3:790; PEK 689.

***Antirrhinum vexillo-calyculatum* Kellogg**

IL 3:790; JPM 1015.

***Antirrhinum vexillo-calyculatum* Kellogg ssp. *breweri* (A. Gray) D.M. Thomps.**

JPM 1015.

***Antirrhinum vexillocalyculatum* Kellogg ssp. *breweri* (A. Gray) D.M. Thomps.**

JPM2 1004.

***Sairocarpus breweri* (A. Gray) D.A. Sutton**

Synthyris

Checklist contributor: John Schenk, Henrietta Chambers, 3/21/2005

Flora of Oregon author: treatment pending

Synthyris cordata (A. Gray) A. Heller

Common names: serpentine snow queen

Origin: native Voucher: OSC, most recently collected in 2008

JPM2 1031.

Synonyms:

***Synthyris reniformis* (Douglas ex Benth.) Benth. var. *cordata* A. Gray**

IL 3:798; PEK 716.

***Veronica californica* M.M. Mart.Ort. & Albach**

Synthyris missurica (Raf.) Pennell

FPN 441; GWM 320; JPM 1063; VP 4:413.

Synonyms:

***Veronica missurica* Raf.**

Synthyris missurica (Raf.) Pennell ssp. ***missurica***

Common names: tailed kittentails, mountain kittentails

Origin: native Voucher: OSC, most recently collected in 2010

FPN2 468; JPM2 1031; PEK 716.

Synonyms:

Veronica missurica* Raf. ssp. *missurica

Synthyris missurica (Raf.) Pennell ssp. ***stellata*** (Pennell) Kartesz & Gandhi

Common names: Columbia kittentails, western mountain kittentails

Origin: native Voucher: OSC, most recently collected in 2003

FPN2 468.

Synonyms:

Synthyris stellata **Pennell**

FPN 441 synonym for *Synthyris missurica*; IL 3:798; PEK 716.

Veronica missurica **Raf. ssp. *stellata* (Pennell) M.M. Mart.Ort. & Albach**

Synthyris reniformis (Douglas ex Benth.) Benth.

Common names: snow queen, round-leaved kittentails

Origin: native Voucher: OSC, most recently collected in 2022

FPN 441; FPN2 468; JPM 1063; JPM2 1031; Love, 2006 ; VP 4:416.

Synonyms:

Synthyris reniformis **(Douglas ex Benth.) Benth. var. *reniformis***

IL 3:798; PEK 716.

Veronica regina-nivalis **M.M. Mart.Ort. & Albach**

Synthyris rubra (Douglas ex Hook.) Benth.

Common names: red kittentails, red besseya, red coraldrops

Origin: native Voucher: OSC, most recently collected in 2024

FPN 415 synonym for *Besseya rubra*; FPN2 468.

Synonyms:

Besseya rubra **(Douglas ex Hook.) Rydb.**

FPN 415; GWM 301; IL 3:800; PEK 717; VP 4:294.

Veronica rubra **(Douglas ex Hook.) M.M. Mart.Ort. & Albach**

Synthyris schizantha Piper

Common names: fringed kittentails, fringepetal kittentails

Origin: native Voucher: OSC, most recently collected in 2016

Chambers, 1996A ; FPN 441; FPN2 469; IL 3:798; PEK 716; VP 4:416.

Synonyms:

Veronica schizantha **(Piper) M.M. Mart.Ort. & Albach**

Tonella

Checklist contributor: Henrietta Chambers, 6/25/2003

Flora of Oregon author: Kenton Chambers

Tonella floribunda A. Gray

Common names: large-flowered tonella, greater baby-innocence

Origin: native Voucher: OSC, most recently collected in 2017

FPN 442; FPN2 469; IL 3:782; PEK 690; VP 4:417.

Tonella tenella (Benth.) A. Heller

Common names: small-flowered tonella, lesser baby-innocence

Origin: native Voucher: OSC, most recently collected in 2023

FPN 442; FPN2 469; IL 3:782; JPM 1063; JPM2 1031; PEK 691; VP 4:417.

Veronica

Checklist contributor: Henrietta Chambers, 1/1/2005

Flora of Oregon author: Katie Mitchell

Veronica agrestis L.

Common names: green field speedwell

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902

FPN2 469.

Veronica americana Schwein. ex Benth.

Common names: American brooklime, American speedwell

Origin: native Voucher: OSC, most recently collected in 2024

FPN 443; FPN2 471; GWM 321; IL 3:796; IN 4:464; JPM 1066; JPM2 1032; PEK 714; VP 4:420.

Veronica anagallis-aquatica L.

Common names: water speedwell, blue water speedwell

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FPN 444; FPN2 471; IL 3:796; IN 4:464; JPM 1066; JPM2 1032; VP 4:421.

Synonyms:

***Veronica anagallis* L.**

PEK 714.

***Veronica connata* Pennell**

***Veronica connata* Pennell ssp. *glaberrima* (Pennell) Fassett**

IL 3:797.

***Veronica connata* Pennell var. *glaberrima* Pennell**

PEK 714.

Veronica argute-serrata Regel & Schmalh.

Common names: sawtooth speedwell, two-lobed speedwell

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 2013

Misapplied names:

***Veronica biloba* L.**

FPN 443; IN 4:466; VP 4:421.

Veronica arvensis L.

Common names: corn speedwell, wall speedwell, field speedwell

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FPN 443; FPN2 470; GWM 321; IL 3:796; IN 4:466; JPM 1066; JPM2 1032; PEK 715; VP 4:421.

Veronica catenata Pennell

Common names: chain speedwell, pink water speedwell

Origin: native Voucher: OSC, most recently collected in 2021

FPN 444; FPN2 471; IL 3:797 synonym for *Veronica connata Pennell ssp. glaberrima Pennell*; IN 4:464; JPM 1066; JPM2 1032; VP 4:421.

Synonyms:

***Veronica connata* Pennell**

Veronica chamaedrys L.

Common names: germander speedwell, cat’s eyes

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FPN 443; FPN2 470; IL 3:796; JPM 1066; PEK 715; VP 4:423.

Veronica cusickii A. Gray

Common names: Cusick's speedwell

Origin: native Voucher: OSC, most recently collected in 2019

FPN 442; FPN2 470; GWM 322; IL 3:793; JPM 1067; JPM2 1032; PEK 714; VP 4:423.

Veronica filiformis Sm.

Common names: threadstalk speedwell, creeping speedwell, slender speedwell

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FPN 443; FPN2 469; JPM 1067.

Veronica hederifolia L.

Common names: ivy-leaved speedwell

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FPN2 469.

Synonyms:

***Veronica hederaefolia* L.**

FPN 443; IN 4:468; VP 4:423.

Veronica longifolia L.

Common names: long-leaved speedwell, garden speedwell

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008

FPN 442; FPN2 470.

Veronica officinalis L.

Common names: common speedwell, gypsyweed, heath speedwell

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FPN 443; FPN2 471; VP 4:424.

Synonyms:

Veronica officinalis* L. var. *officinalis

IL 3:796.

***Veronica officinalis* L. var. *tournefortii* (Vill.) Reichenb.**

IL 3:796.

Veronica peregrina L.

FPN 443; IN 4:466; VP 4:424.

Veronica peregrina L. ssp. *peregrina*

Common names: purslane speedwell, neckweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

IL 3:796.

Synonyms:

Veronica peregrina* L. var. *peregrina

FPN 443; FPN2 470; PEK 715.

Veronica peregrina L. ssp. *xalapensis* (Kunth) Pennell

Common names: hairy purslane speedwell, neckweed

Origin: native Voucher: OSC, most recently collected in 2023

IL 3:796; JPM 1067; JPM2 1032.

Synonyms:

***Veronica peregrina* L. var. *xalapensis* (Kunth) H. St. John & F.A. Warren**

FPN 443; FPN2 470; GWM 322; PEK 715.

***Veronica sherwoodii* M. Peck**

PEK 715.

Veronica persica Poir.

Common names: bird's-eye speedwell, Persian speedwell

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FPN 443; FPN2 469; IL 3:796; IN 4:466; JPM 1067; JPM2 1032; PEK 715; VP 4:424.

Veronica scutellata L.

Common names: marsh speedwell, grassleaf speedwell, skullcap speedwell

Origin: native Voucher: OSC, most recently collected in 2022

FPN 444; FPN2 471; IL 3:797; JPM 1067; JPM2 1034; PEK 714; VP 4:426.

Veronica serpyllifolia L.

FPN 443; GWM 322; IN 4:465; PEK 715.

Veronica serpyllifolia L. var. *humifusa* (Dicks.) Vahl

Common names: thyme-leaved speedwell, bright blue speedwell

Origin: native Voucher: OSC, most recently collected in 2024

FPN 443; FPN2 470; IL 3:793; VP 4:426.

Synonyms:

***Veronica humifusa* Dicks.**

FPN 443 synonym for *Veronica serpyllifolia* var. *humifusa*; PEK 715.

***Veronica serpyllifolia* L. ssp. *humifusa* (Dicks.) Syme**

GWM 322; JPM 1067; JPM2 1034.

Veronica serpyllifolia L. var. *serpyllifolia*

Common names: thyme-leaved speedwell

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FPN 443; FPN2 470; IL 3:793; VP 4:426.

Veronica triphyllos L.

Common names: finger speedwell

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1962

FPN2 470; GWM 322; JPM 1067.

Veronica undulata Wall. ex Roxb.

Common names: undulate speedwell, wavyleaf water speedwell

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1902

FPN2 469.

Veronica verna L.

Common names: spring speedwell

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FPN2 470.

Veronica wormskjoldii Roem. & Schult.

FPN 442; FPN2 470; GWM 323; IN 4:464; JPM 1067; JPM2 1034; VP 4:426.

Veronica wormskjoldii Roem. & Schult. ssp. *nutans* (Bong.) Pennell

Common names: American alpine speedwell

Origin: native Voucher: OSC, most recently collected in 2021

Synonyms:

***Veronica alpina* L.**

PEK 714.

***Veronica wormskjoldii* Roem. & Schult. ssp. *alterniflora* (Fernald) Pennell**

IL 3:793.

Misapplied names:

Veronica wormskjoldii* Roem. & Schult. var. *wormskjoldii

IL 3:793.

Excluded names:

Collinsia parviflora Douglas ex Lindl. var. parviflora
IL 3:778.

Linaria genistifolia (L.) Mill.
FPN 425; VP 4:333.

Linaria supina (L.) Chaz.
JPM 1036; KZ 2:439; Kartesz & Meacham, 2007 ; PEK 687.

Neogaerrhinum filipes (A. Gray) Rothm.
IN 4:458.

Synonyms:
***Antirrhinum filipes* A. Gray**
JPM 1014; JPM2 1003; PEK 688.

Penstemon lyallii A. Gray
FPN2 459; VP 4:392.

Penstemon procerus Douglas ex Graham var. tolmiei (Hook.) Cronquist
FPN 436; FPN2 461; GWM 317; VP 4:400.

Synthyris missurica (Raf.) Pennell ssp. hirsuta Pennell
IL 3:798; PEK 716.

Literature cited for Plantaginaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Albach, D.C., M. Montserrat Martinez-Ortega, M.A. Fischer, and M.W. Chase. 2004. A new classification of the tribe Veroniceae-problems and a possible solution. Taxon 53(2):429-452.

Baldwin, B.G., S. Kalisz, and W.S. Armbruster. 2011. Phylogenetic perspectives on diversification, biogeography and floral evolution of Collinsia and Tonella (Plantaginaceae). American Journal of Botany 98(4):731-753.

Chambers, H. 2001E. Oregon plantains: the natives are diverse and we tolerate the weeds! Oregon Flora Newsletter 7(3):18-20.

Chambers, H.L. 2001D. Key to Oregon *Plantago*. Oregon Flora Newsletter 7(3):20.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Gray, A. 1879. Botanical contributions. Proceedings of the American Academy of Arts and Sciences 15:25-52.

Hufford, L., and M. McMahon. 2004. Morphological evolution and systematics of *Synthyris* and *Besseya* (Veronicaceae): a phylogenetic analysis. Systematic Botany 29(3):716-736.

Jones, M.E. 1908. New species and notes. Contributions to Western Botany 12:1-100.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Lansdown, R. 2009. Nomenclatural notes on *Callitriche* (Callitrichaceae) in North America. Novon 19:364-369.

Old, R.R. 1993. Noteworthy collections: Idaho, Oregon and Washington. Madroño 40:136.

Pennell, F.W. 1935. *Linaria* in the Scrophulariaceae of eastern temperate North America. Acadamy of Natural Sciences Philosophical Monographs 1:299-312.

Philbrick, C.T., and R.K. Jansen. 1991. Phylogenetic studies of North American *Callitriche* (Callitrichaceae) using chloroplast DNA restriction fragment analysis. Systematic Botany 16:478-491.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium. http://www.ipni.org

Sutton, D.A. 1988. A revision of the Tribe Antirrhineae. Oxford University Press, London, U.K.

Willis, G. 2025. Personal communication, rare plant abstracts, draft content. .

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest