Checklist of Oregon Poaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Aegilops

Checklist contributor: Richard Halse, 11/1/2006
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Aegilops cylindrica Host

Common names: jointed goatgrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FN 24:263; FOO 1:347; FPN 613; FPN2 772; IN 6:332; JPM 1227; JPM2 1413.

Aegilops triuncialis L.

FN 24:265; FPN 613; JPM 1227; JPM2 1413; Rice, 2004-present .

Aegilops triuncialis L. var. ***triuncialis***

Common names: barbed goatgrass
Origin: exotic, naturalized Voucher: UTC, most recently collected in 1980
FOO 1:348.

×Aegilotriticum

Checklist contributor: Richard Halse, 1/30/2007
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

× ***Aegilotriticum sancti-andreae*** (Degen) Soó

Common names: hybrid goatgrass
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1993
FN 24:263/266.

Synonyms:

Aegilops cylindrica **Host × *Triticum aestivum* L.**
FN 24:263 synonym for × *Aegilotriticum sancti-andreae*; VP 1:447.

×Agropogon

Checklist contributor: Richard Halse, 12/1/2006
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

× ***Agropogon lutosus*** (Poir.) P. Fourn.

Common names: perennial beardgrass
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2003
FN 24:668.

Synonyms:

× ***Agropogon littoralis*** **(Sm.) C.E. Hubb.**
FN 24:668.

Polypogon lutosus **(Poir.) Hitchc.**
FPN 664 synonym for *Polypogon interruptus*; IL 1:147.

Agropyron

Checklist contributor: Richard Halse, 1/30/2008
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Agropyron cristatum (L.) Gaertn.

Common names: crested wheatgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 24:279; FOO 1:348; FPN 614; FPN2 773; IN 6:321; VP 1:453.

Synonyms:

***Agropyron cristatum* (L.) Gaertn. ssp. *pectinatum* (M. Bieb.) Tzvelev**

FN 24:832 synonym for *Agropyron cristatum*; JPM2 1413.

***Agropyron desertorum* (Fisch. ex Link) Schult.**

FN 24:832 synonym for *Agropyron cristatum*; FPN 614; JPM 1227; PEK 108.

Agropyron fragile (Roth) P. Candargy

Common names: Siberian wheatgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2014

FPN2 773; Wilson, 2011 6.

Agrostis

Checklist contributor: Peter Zika, 3/19/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Agrostis blasdalei Hitchc.

Common names: Blasdale's bent

Origin: native Voucher: OSC, most recently collected in 2019

Galash, 2024 .

Agrostis canina L.

Common names: velvet bentgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2000

FN 24:643; FOO 1:350; FPN2 774.

Agrostis capillaris L.

Common names: colonial bentgrass, browntop

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 24:639; FOO 1:350; FPN2 775; JPM 1229; JPM2 1415.

Synonyms:

***Agrostis tenuis* Sibth.**

FN 24:834 synonym for *Agrostis capillaris*; FPN 617; IN 6:274; PEK 123; VP 1:477.

***Agrostis tenuis* Sibth. var. *aristata* (Parnell) Druce**

VP 1:477.

Agrostis castellana Boiss. & Reut.

Common names: dryland bentgrass, dryland browntop, highland bentgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 24:639; FOO 1:351; FPN2 774.

Agrostis densiflora Vasey

Common names: California bentgrass

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:651; FOO 1:351; FPN2 774; JPM 1229; JPM2 1415; Simpson, 2000 ; VP 1:468.

Agrostis exarata Trin. × ***Agrostis pallens*** Trin.

Origin: native Voucher: OSC, most recently collected in 1954

Agrostis exarata Trin. × ***Agrostis stolonifera*** L.

Origin: exotic, not naturalized

Agrostis gigantea Roth

Common names: redtop

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 24:641; FOO 1:351; FPN2 775; JPM 1229; JPM2 1415.

Misapplied names:

***Agrostis alba* L.**

Agrostis alba* L. var. *alba

Agrostis hallii Vasey

Common names: Hall's bentgrass

Origin: native Voucher: OSC, most recently collected in 2017

FN 24:653; FOO 1:352; FPN 617; FPN2 774; IL 1:152; JPM 1229; JPM2 1415; PEK 123; VP 1:469.

Synonyms:

Agrostis hallii* Vasey var. *hallii

FN 24:833 synonym for *Agrostis hallii*; IL 1:152.

***Agrostis hallii* Vasey var. *pringlei* (Scribn.) Hitchc.**

IL 1:152.

Agrostis hallii Vasey × *Agrostis pallens* Trin.

Origin: native Voucher: OSC, most recently collected in 1947

Agrostis hendersonii Hitchc.

Common names: Henderson's bentgrass

Origin: native Voucher: OSC, most recently collected in 1930

FN 24:658; FOO 1:352; JPM 1229; JPM2 1415; PEK 123.

Agrostis howellii Scribn.

Common names: Howell's bentgrass

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:654; FOO 1:352; FPN 616; FPN2 774; IL 1:154; PEK 124; Simpson, 1996 ; VP 1:469.

Agrostis idahoensis Nash

Common names: Idaho redtop

Origin: native Voucher: OSC, most recently collected in 2024

FN 24:649; FOO 1:352; FPN 619; FPN2 774; IL 1:155; IN 6:280; JPM 1230; JPM2 1415; PEK 124; VP 1:471.

Agrostis microphylla Steud.

Common names: small-leaf bentgrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:661; FOO 1:353; FPN 618; FPN2 773; IN 6:278; JPM 1230; JPM2 1415; PEK 124; VP 1:471.

Agrostis × *murbeckii* Fouill. ex P. Fourn.

Common names: Murbeck's bentgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2007

Agrostis oregonensis Vasey

Common names: Oregon redtop

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:649; FOO 1:353; FPN 619; FPN2 775; IL 1:155; IN 6:280; JPM 1230; JPM2 1416; PEK 124; VP 1:473.

Agrostis pallens Trin.

Common names: thin bentgrass, seashore bentgrass

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:651; FOO 1:354; FPN 617; FPN2 774; IL 1:152; JPM 1230; JPM2 1416; PEK 123; VP 1:473.

Synonyms:

***Agrostis diegoensis* Vasey**

FN 24:833 synonym for *Agrostis pallens*; FPN 617; IL 1:152; IN 6:278; PEK 123; VP 1:467.

***Agrostis foliosa* Vasey**

FPN 617 synonym for *Agrostis diegoensis*; IL 1:152; PEK 123 synonym for *Agrostis diegoensis*; Plant Names Project, 2004-present ; VP 1:467 synonym for *Agrostis diegoensis*.

***Agrostis lepida* Hitchc.**

FN 24:834 synonym for *Agrostis pallens*; IL 1:155.

Agrostis scabra Willd.

Common names: ticklegrass

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:646; FOO 1:354; FPN 619; FPN2 774; GWM 65; IN 6:280; JPM 1230; JPM2 1416; VP 1:475.

Synonyms:

***Agrostis hiemalis* (Walter) Britton, Sterns & Poggenb. var. *geminata* (Trin.) Swallen**

FPN 619 synonym for *Agrostis scabra*; IL 1:154; PEK 124 synonym for *Agrostis scabra* var. *geminata*; VP 1:475 synonym for *Agrostis scabra*.

***Agrostis scabra* Willd. var. *geminata* (Trin.) Hitchc.**

FN 24:834 synonym for *Agrostis scabra*; PEK 124.

Agrostis scabra* Willd. var. *scabra

FN 24:834 synonym for *Agrostis scabra*; PEK 124.

Misapplied names:

Agrostis hiemalis* (Walter) Britton, Sterns & Poggenb. var. *hiemalis

IL 1:154; PEK 124 synonym for *Agrostis scabra* var. *scabra*.

***Agrostis hyemalis* (Walter) Britton, Sterns & Poggenb.**

FN 24:647; FPN 619 synonym for *Agrostis scabra*; KZ 1:423.

Agrostis stolonifera L.

Common names: creeping bentgrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021
FN 24:641; FOO 1:354; FPN 617 synonym for *Agrostis alba* var. *stolonifera*; FPN2 774; JPM 1230; JPM2 1416; PEK 122.

Synonyms:

***Agrostis alba* L. var. *maritima* (Lam.) G. Mey.**
GWM 65; IL 1:151 synonym for *Agrostis maritima*; VP 1:465 synonym for *Agrostis alba* var. *palustris*.

***Agrostis alba* L. var. *palustris* (Huds.) Pers.**
FN 24:833 synonym for *Agrostis stolonifera*; FPN 617; GWM 65; VP 1:465.

***Agrostis alba* L. var. *stolonifera* (L.) Sm.**
FN 24:833 synonym for *Agrostis stolonifera*; FPN 617; VP 1:465.

***Agrostis maritima* Lam.**
FN 24:834 synonym for *Agrostis stolonifera*; IL 1:151.

***Agrostis palustris* Huds.**
FN 24:834 synonym for *Agrostis stolonifera*; FPN 617 synonym for *Agrostis alba* var. *palustris*; IL 1:151; PEK 122.

***Agrostis stolonifera* L. var. *palustris* (Huds.) Farw.**
FN 24:834 synonym for *Agrostis stolonifera*; FPN 617 synonym for *Agrostis alba* var. *palustris*; IN 6:274.

Agrostis stolonifera* L. var. *stolonifera
FN 24:834 synonym for *Agrostis stolonifera*; IN 6:274.

Misapplied names:

***Agrostis alba* L.**

Agrostis alba* L. var. *alba

Agrostis swalalahos Otting

Common names: Swalalahos bentgrass
Origin: native Voucher: OSC, most recently collected in 2022
Otting & Wilson, 2023 .

Agrostis variabilis Rydb.

Common names: mountain bentgrass
Origin: native Voucher: OSC, most recently collected in 2020
FN 24:654; FOO 1:354; FPN 619; FPN2 773; GWM 66; IN 6:278; JPM 1230; JPM2 1416; PEK 123; VP 1:478.

Misapplied names:

***Agrostis rossae* Vasey**
FN 24:834 synonym for *Agrostis rossiae*; FPN 619 synonym for *Agrostis variabilis*; IL 1:153.

Aira

Checklist contributor: Scott Sundberg, 7/17/2007
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Aira caryophyllea L.

FN 24:615; FPN 620; JPM 1230; JPM2 1416; PEK 116; VP 1:479.

Synonyms:

***Aspris caryophyllea* (L.) Nash**
IL 1:166.

Aira caryophyllea L. var. *caryophyllea*

Common names: silver hairgrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022
FN 24:616; FOO 1:355; FPN2 775.

Aira elegantissima Schur

Common names: delicate hairgrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015
FN 24:834 synonym for *Aira caryophyllea* var. *capillaris*; FOO 1:355; JPM 1232.

Synonyms:
***Aira caryophyllea* L. var. *capillaris* (Mert. & W.D.J. Koch) Bluff & Fingerh.**
FN 24:616.
***Aira elegans* Willd. ex Roem. & Schult.**
FN 24:834 synonym for *Aira caryophyllea* var. *capillaris*; FPN 620; FPN2 775; JPM2 1416; PEK 116; VP 1:479.

Aira praecox L.

Common names: spike hairgrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2014
FN 24:616; FOO 1:355; FPN 619; FPN2 775; JPM 1232; JPM2 1416; PEK 116.

Synonyms:
***Aspris praecox* (L.) Nash**
IL 1:166.

Alopecurus

Checklist contributor: Richard Halse, 11/1/2006
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Alopecurus aequalis Sobol.

FN 24:784; FPN 620; GWM 66; IL 1:143; JPM 1232; PEK 126; VP 1:481.

Alopecurus aequalis Sobol. var. *aequalis*

Common names: short-awn foxtail
Origin: native Voucher: OSC, most recently collected in 2017
FN 24:784; FOO 1:356; FPN2 776; JPM2 1418.

Alopecurus arundinaceus Poir.

Common names: creeping meadow foxtail
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018
FN 24:782; FPN2 776.

Alopecurus carolinianus Walter

Common names: tufted foxtail
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2009
FN 24:786; FOO 1:356; FPN 620; FPN2 776; IN 6:288; JPM 1232; JPM2 1418; PEK 126; VP 1:483.

Alopecurus geniculatus L.

Common names: water foxtail
Origin: uncertain Voucher: OSC, most recently collected in 2022
FN 24:784; FOO 1:357; FPN 620; FPN2 776; IL 1:143; IN 6:288; JPM 1232; JPM2 1418; PEK 126; VP 1:483.

Synonyms:
***Alopecurus pallescens* Piper**
FN 24:834 synonym for *Alopecurus geniculatus*; FPN 620 synonym for *Alopecurus geniculatus*; PEK 126.

Alopecurus myosuroides Huds.

Common names: blackgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2002

FN 24:786; FOO 1:357; FPN 620; FPN2 776; JPM 1232; JPM2 1418; PEK 126; VP 1:483.

Synonyms:

***Alopecurus agrestis* L.**

IL 1:143.

Alopecurus pratensis L.

Common names: meadow foxtail

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:782; FOO 1:357; FPN 620; FPN2 776; IL 1:143; IN 6:286; JPM 1232; JPM2 1418; PEK 125.

Alopecurus saccatus Vasey

Common names: Pacific meadow foxtail

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:786; FOO 1:357; FPN 620; FPN2 776; IL 1:143; JPM 1232; JPM2 1418; PEK 126.

Synonyms:

***Alopecurus howellii* Vasey**

FN 24:834 synonym for *Alopecurus saccatus*; FPN 620 synonym for *Alopecurus saccatus*; PEK 126.

Amelichloa

Checklist contributor: Katie Mitchell, 5/4/2007

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Amelichloa caudata (Trin.) Arriaga & Barkworth

Common names: South American needlegrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1915

FN 24:182; FPN2 757.

Synonyms:

***Stipa litoralis* Phil.**

FN 24:872 synonym for *Amelichloa caudata*; IL 1:134.

***Stipa littoralis* Phil.**

IL 1:134; Nelson, 1918B .

Anthoxanthum

Checklist contributor: Kenton Chambers, 12/8/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Anthoxanthum aristatum Boiss.

FN 24:759; FPN 621; JPM 1233; PEK 135; VP 1:489.

Anthoxanthum aristatum Boiss. ssp. ***aristatum***

Common names: annual vernalgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2013

FN 24:759; FOO 1:359; FPN2 777; JPM2 1419.

Anthoxanthum nitens (Weber) Y. Schouten & Veldkamp

Common names: vanilla grass, hairy sweetgrass

Origin: native Voucher: OSC, most recently collected in 2024

Synonyms:

***Anthoxanthum hirtum* (Schrank) Y. Schouten & Veldkamp**

FN 24:764.

Anthoxanthum nitens* (Weber) Y. Schouten & Veldkamp ssp. *nitens

JPM2 1419.

***Hierochloë odorata* (L.) P. Beauv.**

FN 24:854 synonym for *Anthoxanthum nitens (Weber) Y. Schouten & Veldkamp*; FOO 1:421; FPN 645; FPN2 800; IL 1:124; IN 6:284; JPM 1264; PEK 134; VP 1:599.

Anthoxanthum occidentale (Buckley) Veldkamp

Common names: California sweetgrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:762; JPM2 1419.

Synonyms:

***Hierochloë macrophylla* Thurb.**

FPN 645 synonym for *Hierochloë occidentalis*; Hitchcock & Chase, 1950 548 synonym for *Hierochloë occidentalis*; IL 1:124.

***Hierochloë occidentalis* Buckley**

FN 24:854 synonym for *Anthoxanthum occidentale*; FOO 1:421; FPN 645; FPN2 800; JPM 1264; PEK 135; VP 1:599.

Anthoxanthum odoratum L.

Common names: sweet vernalgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:759; FOO 1:359; FPN 621; FPN2 777; IL 1:123; JPM 1233; JPM2 1419; PEK 135; VP 1:489.

Apera

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Apera interrupta (L.) P. Beauv.

Common names: interrupted windgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:789; FOO 1:359; FPN 616 synonym for *Agrostis interrupta*; FPN2 777; IN 6:272; JPM 1234; JPM2 1420.

Synonyms:

***Agrostis interrupta* L.**

FN 24:834 synonym for *Apera interrupta*; FPN 616; VP 1:471.

Apera spica-venti (L.) P. Beauv.

Common names: silky windgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1956

FN 24:789; FOO 1:360; FPN 616 synonym for *Agrostis spica-venti*; FPN2 777; JPM 1234; JPM2 1420.

Synonyms:

***Agrostis spica-venti* L.**

FN 24:834 synonym for *Apera spica-venti*; FPN 616; IL 1:155; VP 1:477.

Aristida

Checklist contributor: Kenton Chambers, 11/17/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Aristida adscensionis L.

Common names: sixweeks three-awn

Origin: exotic, not naturalized Voucher: UTC, most recently collected in 1956

FN 25:330; FOO 1:361; IL 1:126; IN 6:454; JPM 1234; JPM2 1420.

Aristida oligantha Michx.

Common names: oldfield three-awn

Origin: native Voucher: OSC, most recently collected in 2015

FN 25:326; FOO 1:361; FPN 622; FPN2 777; IL 1:126; JPM 1234; JPM2 1421; PEK 132; VP 1:491.

Aristida purpurea Nutt.

FN 25:332; IL 1:127; JPM 1234.

Aristida purpurea Nutt. var. *longiseta* (Steud.) Vasey

Common names: red three-awn

Origin: native Voucher: OSC, most recently collected in 2017

FN 25:332; FOO 1:361; FPN 622 synonym for *Aristida longiseta*; FPN2 777; IN 6:456; JPM 1234; JPM2 1421.

Synonyms:

***Aristida longiseta* Steud. var. *robusta* Merr.**

FN 25:332 synonym for *Aristida purpurea* var. *longiseta*; FPN 622; PEK 133; VP 1:491.

***Aristida purpurea* Nutt. var. *fendleriana* (Steud.) Vasey**

FN 25:332; FPN2 777; IN 6:455 synonym for *Aristida purpurea* var. *longiseta*; JPM 1234; JPM2 1421.

***Aristida purpurea* Nutt. var. *robusta* (Merr.) A.H. Holmgren & N.H. Holmgren**

FN 25:733 synonym for *Aristida purpurea* var. *longiseta*; FPN 622 synonym for *Aristida longiseta*; IN 6:456.

Misapplied names:

***Aristida fendleriana* Steud.**

FN 25:332 synonym for *Aristida purpurea* var. *fendleriana*; IL 1:128; PEK 133; VP 1:491.

Arrhenatherum

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Arrhenatherum elatius (L.) P. Beauv. ex J. Presl & C. Presl

FN 24:742; FOO 1:362; FPN 622; IL 1:172; IN 6:266; JPM 1235; JPM2 1421; PEK 117; VP 1:492.

Arrhenatherum elatius (L.) P. Beauv. ex J. Presl & C. Presl ssp. *bulbosum* (Willd.) Schübl. & G. Martens

Common names: tall oatgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 24:742; FOO 1:362; FPN2 778 synonym for *Arrhenatherum elatius*.

Synonyms:

***Arrhenatherum elatius* (L.) P. Beauv. ex J. Presl & C. Presl var. *bulbosum* (Willd.) Spenn.**

FPN 622.

Arrhenatherum elatius (L.) P. Beauv. ex J. Presl & C. Presl ssp. *elatius*

Common names: tall oatgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:742; FOO 1:362; FPN2 778.

Synonyms:

Arrhenatherum elatius* (L.) P. Beauv. ex J. Presl & C. Presl var. *elatius

FPN 622.

Arthraxon

Checklist contributor:

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Arthraxon hispidus (Thunb.) Makino

Common names: jointhead, small carpetgrass

Origin: exotic, not naturalized Voucher: US

FN 25:677; FPN 606; FPN2 757; Kiger, 1971 ; VP 1:440.

Arundo

Checklist contributor:

Flora of Oregon author: not applicable

Arundo donax L.

Common names: giant reed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2017

FOO 1:331.

Avena

Checklist contributor: Richard Halse, 1/1/2005

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Avena barbata Pott ex Link

Common names: slender wild oats

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:735; FOO 1:363; FPN 622; FPN2 778; IL 1:171; JPM 1236; JPM2 1422; PEK 117; VP 1:493.

Avena fatua L.

Common names: wild oats

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:735; FOO 1:363; FPN 622; FPN2 778; IL 1:171; IN 6:262; JPM 1236; JPM2 1422; PEK 116; VP 1:493.

Avena fatua L. × ***Avena sativa*** L.

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1962

FOO 1:363.

Avena sativa L.

Common names: cultivated oats

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

FN 24:737; FOO 1:363; FPN 622; FPN2 778; GWM 66; IN 6:264; JPM 1236; JPM2 1422; VP 1:493.

Bashania

Checklist contributor:

Flora of Oregon author: not applicable

Bashania fargesii (E.G. Camus) Keng f. & T.P. Yi

Common names: windbreak bamboo

Origin: exotic

Beckmannia

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Beckmannia syzigachne (Steud.) Fernald

Common names: American sloughgrass

Origin: native Voucher: OSC, most recently collected in 2021

FN 24:486; FOO 1:363; FPN 623; FPN2 779; IN 6:292; JPM 1236; JPM2 1422; PEK 134; VP 1:495.

Synonyms:

***Beckmannia eruciformis* (L.) Host**

IL 1:179.

Bouteloua

Checklist contributor: Richard Halse, 11/1/2006

Flora of Oregon author: not applicable

Bouteloua dactyloides (Nutt.) Columbus

Common names: buffalograss

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2016

Bouteloua gracilis (Kunth) Lag. ex Griffiths

Common names: blue grama

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

FN 25:261; FPN 623; FPN2 779; IL 1:179; IN 6:443; JPM 1239; JPM2 1425; VP 1:497.

Brachypodium

Checklist contributor: Kenton Chambers, 7/31/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Brachypodium distachyon (L.) P. Beauv.

Common names: purple falsebrome

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1902

FN 24:188; FPN 623; FPN2 779; Hitchcock & Chase, 1950 ; JPM 1239; JPM2 1425; VP 1:497.

Brachypodium pinnatum (L.) P. Beauv.

Common names: heath falsebrome

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1949

FN 24:190; JPM 1239; JPM2 1425.

Brachypodium sylvaticum (Huds.) P. Beauv.

Common names: falsebrome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:190; FOO 1:364; FPN 623; FPN2 779; JPM2 1426; VP 1:497.

Briza

Checklist contributor: Scott Sundberg, 7/7/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Briza maxima L.

Common names: big quaking grass, rattlesnake grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:614; FOO 1:365; FPN2 780; IL 1:195; JPM 1239; JPM2 1426.

Briza media L.

Common names: perennial quaking grass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FOO 1:365.

Briza minor L.

Common names: little quaking grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:614; FOO 1:365; FPN 624; FPN2 780; IL 1:195; JPM 1239; JPM2 1426; PEK 102; VP 1:499.

Bromus

Checklist contributor: Richard Halse, 10/15/2007

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Bromus arenarius Labill.

Common names: Australian brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 24:235; FOO 1:368; FPN 625; IL 1:236; JPM 1242; JPM2 1429; PEK 86.

Bromus briziformis Fisch. & C.A. Mey.

Common names: rattlesnake brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:228; FOO 1:368; FPN2 782; IN 6:195; JPM 1242; JPM2 1429; VP 1:503.

Synonyms:

Bromus brizaeformis **Fisch. & C.A. Mey.**

FN 24:839 synonym for *Bromus briziformis*; FPN 625; GWM 67; IL 1:233; PEK 85.

Bromus catharticus Vahl

FN 24:199; JPM 1242.

Synonyms:

Bromus unioloides **Kunth**

FN 24:840 synonym for *Bromus catharticus*; IL 1:226; JPM 1242 synonym for *Bromus catharticus*.

Bromus catharticus Vahl var. ***catharticus***

Common names: rescue grass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2010

FN 24:199; FOO 1:369; FPN2 780; IL 1:228 synonym for *Bromus catharticus*; JPM2 1429.

Bromus ciliatus L.

Common names: fringed brome

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:222; FOO 1:370; FPN 627; FPN2 781; GWM 68; IN 6:191; JPM 1242; JPM2 1429; PEK 85; VP 1:505.

Synonyms:

Bromus richardsoni **Link var.** ***pallidus*** **(Hook.) Shear**

IL 1:230.

Bromus commutatus Schrad.

Common names: meadow brome, hairy chess

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:230; FOO 1:370; FPN 625; FPN2 783; GWM 68; IL 1:235; IN 6:192; JPM2 1429; PEK 86; VP 1:505.

Synonyms:

Bromus commutatus **Schrad. var.** ***apricorum*** **Simonk.**

IL 1:235.

Bromus commutatus **Schrad. var.** ***commutatus***

IL 1:235.

Bromus diandrus Roth

Common names: ripgut brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:224; FOO 1:370; FPN2 782; JPM 1242; JPM2 1429.

Synonyms:

***Bromus rigidus* Roth**

FN 24:840 synonym for *Bromus diandrus*; FPN 624; IL 1:235; VP 1:513.

***Bromus rigidus* Roth var. *gussonei* (Parl.) Coss. & Durieu**

FN 24:840 synonym for *Bromus diandrus*; FPN 624 synonym for *Bromus rigidus*; IL 1:235; PEK 86.

Bromus rigidus* Roth var. *rigidus

PEK 86.

Bromus hordeaceus L.

Common names: soft chess

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:232; FOO 1:370; FPN 625 synonym for *Bromus mollis*; FPN2 783; IL 1:232; JPM 1242; JPM2 1430; Wilson, 2011 6.

Synonyms:

Bromus hordeaceus* L. ssp. *hordeaceus

FN 24:232.

***Bromus hordeaceus* L. ssp. *molliformis* (J. Lloyd ex Billot) Maire & Weiller**

FN 24:232.

***Bromus hordeaceus* L. ssp. *pseudothominei* (P.M. Sm.) H. Scholz**

Barkworth, 2006 ; FN 24:232.

***Bromus hordeaceus* L. ssp. *thominei* (Hardouin) Braun-Blanq.**

FN 24:232.

***Bromus mollis* L.**

FN 24:840 synonym for *Bromus hordeaceus*; FPN 625; GWM 68; IN 6:192; PEK 86; VP 1:509.

Bromus inermis Leyss.

Common names: smooth brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:206; FOO 1:371; FPN 626; FPN2 781; IL 1:229; IN 6:189; JPM2 1430; PEK 84; VP 1:507.

Synonyms:

Bromus inermis* Leyss. ssp. *inermis

FPN 626; JPM 1243.

Bromus japonicus Thunb.

Common names: Japanese brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 24:235; FOO 1:371; FPN 625; FPN2 783; GWM 68; IL 1:236; IN 6:192; JPM 1243; JPM2 1430; PEK 86; VP 1:509.

Bromus laevipes Shear

Common names: Chinook brome

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:209; FOO 1:371; FPN 627 synonym for *Bromus vulgaris* var. *eximius*; FPN2 782; IL 1:230; JPM 1243; JPM2 1430; PEK 85.

Bromus madritensis L.

Common names: compact brome

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 2012

FN 24:226; FPN 624; FPN2 782; IL 1:233; JPM 1243; PEK 87.

Synonyms:

Bromus madritensis* L. ssp. *madritensis

JPM 1243; JPM2 1430.

Bromus orcuttianus Vasey

Common names: Orcutt's brome

Origin: native Voucher: OSC, most recently collected in 2017

FN 24:211; FOO 1:372; FPN 627; FPN2 781; GWM 68; IL 1:231; JPM 1243; JPM2 1430; PEK 85; VP 1:511.

Synonyms:

Bromus orcuttianus* Vasey var. *orcuttianus

IL 1:231.

Bromus pacificus Shear

Common names: Pacific brome

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:218; FOO 1:372; FPN 625; FPN2 780; IL 1:231; PEK 85; VP 1:513.

Bromus rubens L.

Common names: red brome, foxtail chess

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 24:226; FOO 1:372; FPN 625; FPN2 782; IL 1:233; IN 6:196; PEK 87; VP 1:514.

Synonyms:

***Bromus madritensis* L. ssp. *rubens* (L.) Husn.**

FN 24:840 synonym for *Bromus rubens*; JPM 1243; JPM2 1430.

Bromus secalinus L.

Common names: rye brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:230; FOO 1:373; FPN 625; FPN2 783; IL 1:234; IN 6:195; JPM 1243; JPM2 1431; VP 1:515; Wilson, 1996 .

Synonyms:

Bromus secalinus* L. var. *secalinus

PEK 86.

***Bromus secalinus* L. var. *velutinus* (Schrad.) Schübeler & G. Martens**

FN 24:840 synonym for *Bromus secalinus*; PEK 86.

Bromus sitchensis Trin.

FN 24:201; FOO 1:373; FPN 626; IL 1:227; JPM2 1431; PEK 84.

Bromus sitchensis Trin. var. ***carinatus*** (Hook. & Arn.) R.E. Brainerd & Otting

Common names: California brome

Origin: native Voucher: OSC, most recently collected in 2020

FPN2 781.

Synonyms:

***Bromus carinatus* Hook. & Arn.**

FN 24:203; FOO 1:368; FPN 626; GWM 67; IL 1:228; IN 6:187; JPM 1242; PEK 84; VP 1:503; Wilson, 2011 6.

Bromus carinatus* Hook. & Arn. var. *carinatus

FN 24:205; FOO 1:368; FPN 626; JPM 1242; JPM2 1429.

***Bromus carinatus* Hook. & Arn. var. *hookerianus* (Thurb.) Shear**

FN 24:839 synonym for *Bromus carinatus* var. *carinatus*; IL 1:228.

***Bromus carinatus* Hook. & Arn. var. *linearis* Shear**

FN 24:839 synonym for *Bromus carinatus* var. *carinatus*; FPN 626; IL 1:229; VP 1:504.

Bromus sitchensis Trin. var. ***marginatus*** (Nees ex Steud.) B. Boivin

Common names: mountain brome

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 781.

Synonyms:

Bromus breviaristatus **Buckley**

FN 24:839 synonym for *Bromus carinatus* var. *marginatus*; FPN 626 synonym for *Bromus carinatus* var. *linearis*; PEK 84.

Bromus carinatus **Hook. & Arn. var. *marginatus* (Nees ex Steud.) Barkworth & Anderton**

FN 24:205; FOO 1:369; JPM2 1429.

Bromus marginatus **Nees ex Steud. var. *latior* Shear**

IL 1:228.

Bromus marginatus **Nees ex Steud. var. *marginatus***

FN 24:840 synonym for *Bromus carinatus* var. *marginatus*; IL 1:228.

Bromus marginatus **Nees ex Steud. var. *seminudus* Shear**

FN 24:840 synonym for *Bromus carinatus* var. *marginatus*; FPN 626 synonym for *Bromus carinatus* var. *carinatus*; IL 1:228.

Bromus subvelutinus **Shear**

FPN 626 synonym for *Bromus carinatus* var. *linearis*; IL 1:227.

Bromus sitchensis Trin. var. ***maritimus*** (Piper) Otting & R.E. Brainerd

Common names: maritime brome

Origin: native Voucher: OSC, most recently collected in 2010

FPN2 780.

Synonyms:

Bromus carinatus **Hook. & Arn. var. *maritimus* (Piper) C.L. Hitchc.**

FN 24:839 synonym for *Bromus maritimus*; FPN 626; JPM 1242.

Bromus maritimus **(Piper) Hitchc.**

FN 24:203; FOO 1:372; FPN 626 synonym for *Bromus carinatus* var. *maritimus*; IL 1:227; JPM2 1430; PEK 84.

Bromus sitchensis Trin. var. ***sitchensis***

Common names: Alaska brome

Origin: native Voucher: OSC, most recently collected in 2019

FPN 626; FPN2 780; VP 1:515.

Bromus squarrosus L.

Common names: squarrose brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

Barkworth, 2006 ; FN 24:237; FOO 1:373; FPN2 783; JPM2 1431.

Bromus sterilis L.

Common names: sterile brome, poverty brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:224; FOO 1:373; FPN 624; FPN2 782; IL 1:235; IN 6:196; JPM 1243; JPM2 1431; PEK 86; VP 1:517.

Bromus suksdorfii Vasey

Common names: Suksdorf's brome

Origin: native Voucher: OSC, most recently collected in 2021

FN 24:218; FOO 1:374; FPN 627; FPN2 781; GWM 68; IL 1:229; JPM 1243; JPM2 1431; PEK 85; VP 1:517.

Bromus tectorum L.

Common names: cheatgrass, downy chess, downy brome

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:226; FOO 1:374; FPN 624; FPN2 782; GWM 69; IL 1:234; IN 6:200; JPM 1243; JPM2 1431; PEK 87; VP 1:517; Wilson, 1996 .

Synonyms:

***Bromus tectorum* L. var. *glabratus* Spenn.**

FN 24:840 synonym for *Bromus tectorum*; PEK 87.

***Bromus tectorum* L. var. *nudus* Klett & Richt.**

FN 24:840 synonym for *Bromus tectorum*; IL 1:234.

Bromus tectorum* L. var. *tectorum

FN 24:840 synonym for *Bromus tectorum*; IL 1:234; PEK 87.

Bromus vulgaris (Hook.) Shear

Common names: Columbia brome

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:216; FOO 1:374; FPN 627; FPN2 781; GWM 69; IL 1:230; IN 6:190; JPM 1243; JPM2 1431; PEK 85.

Synonyms:

***Bromus vulgaris* (Hook.) Shear var. *eximius* Shear**

FPN 627; IL 1:230; VP 1:521.

***Bromus vulgaris* (Hook.) Shear var. *robustus* Shear**

IL 1:230.

Bromus vulgaris* (Hook.) Shear var. *vulgaris

FPN 627; GWM 69; VP 1:521.

Calamagrostis

Checklist contributor: Peter Zika, 3/15/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Calamagrostis arenaria (L.) Roth ssp. ***arenaria***

Common names: European beachgrass, marram grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

Synonyms:

Ammophila arenaria* (L.) Link ssp. *arenaria

FN 24:778; FOO 1:358; FPN2 777.

Calamagrostis breviligulata (Fernald) Saarela ssp. ***breviligulata***

Common names: American beachgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1997

Synonyms:

Ammophila breviligulata* Fernald ssp. *breviligulata

FN 24:777; FOO 1:358; FPN2 777.

Calamagrostis breweri Thurb.

Common names: Brewer's reedgrass, shorthair reedgrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:717; FOO 1:375; FPN 628; FPN2 784; IL 1:157; JPM 1244; JPM2 1432; PEK 119; VP 1:523.

Calamagrostis canadensis (Michx.) P. Beauv.

FN 24:726; FOO 1:375; FPN 630; GWM 70; IL 1:161; JPM 1244.

Calamagrostis canadensis (Michx.) P. Beauv. var. ***canadensis***

Common names: bluejoint reedgrass

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:728; FOO 1:376; FPN 631; FPN2 785; IN 6:268; JPM2 1432; VP 1:527.

Synonyms:

***Calamagrostis canadensis* (Michx.) P. Beauv. var. *acuminata* Vasey ex Scribn.**

FN 24:840 synonym for *Calamagrostis stricta* ssp. *inexpansa*; FPN 630; VP 1:525.

***Calamagrostis canadensis* (Michx.) P. Beauv. var. *pallida* (Vasey & Scribn. ex Vasey)**

FN 24:840 synonym for *Calamagrostis canadensis* var. *canadensis*; FPN 631; PEK 120; VP 1:525.

***Calamagrostis canadensis* (Michx.) P. Beauv. var. *robusta* Vasey**

FN 24:840 synonym for *Calamagrostis canadensis* var. *canadensis*; FPN 630; PEK 120; VP 1:525.

***Calamagrostis scribneri* Beal**

FN 24:841 synonym for *Calamagrostis canadensis* var. *canadensis*; FPN 630 synonym for *Calamagrostis canadensis* var. *robusta*; PEK 120.

Calamagrostis canadensis (Michx.) P. Beauv. var. ***langsdorffii*** (Link) Inman

Common names: bluejoint reedgrass

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:728; FOO 1:376; FPN2 785; PEK 120.

Synonyms:

***Calamagrostis canadensis* (Michx.) P. Beauv. var. *lactea* (Suksd. ex Beal) C.L. Hitchc.**

FN 24:840 synonym for *Calamagrostis canadensis* var. *langsdorffii*; FPN 630; VP 1:525.

***Calamagrostis canadensis* (Michx.) P. Beauv. var. *langsdorfii* (Link) Inman**

JPM2 1432.

***Calamagrostis canadensis* (Michx.) P. Beauv. var. *macouniana* (Vasey) Stebbins**

FN 24:728; FPN 631; FPN2 783; VP 1:527.

***Calamagrostis canadensis* (Michx.) P. Beauv. var. *scabra* (J. Presl) Hitchc.**

FN 24:840 synonym for *Calamagrostis canadensis* var. *langsdorffii*; FPN 630; VP 1:525.

***Calamagrostis macouniana* (Vasey) Vasey**

FPN 631 synonym for *Calamagrostis canadensis* var. *macouniana*; IL 1:161.

Calamagrostis howellii Vasey

Common names: Howell's reedgrass

Origin: native Voucher: OSC, most recently collected in 1982

FN 24:712; FOO 1:376; FPN 628; FPN2 784; IL 1:157; PEK 119; VP 1:527.

Calamagrostis koelerioides Vasey

Common names: dense-pine reedgrass

Origin: native Voucher: OSC, most recently collected in 2012

FN 24:721; FOO 1:376; FPN 629; FPN2 784; GWM 70; IL 1:160; JPM 1244; JPM2 1433; PEK 120; VP 1:529.

Synonyms:

***Calamagrostis densa* Vasey**

IL 1:159.

Calamagrostis nutkaensis (J. Presl) Steud.

Common names: Pacific reedgrass

Origin: native Voucher: OSC, most recently collected in 2012

FN 24:724; FOO 1:376; FPN 629; FPN2 784; IL 1:159; JPM 1244; JPM2 1433; PEK 119; VP 1:530.

Calamagrostis nutkaensis (J. Presl) Steud. × ***Calamagrostis stricta*** (Timm) Koeler

Origin: native Voucher: OSC, most recently collected in 1989

Calamagrostis purpurascens R. Br.

Common names: purple reedgrass
Origin: native
FN 24:710; FOO 1:377.

Calamagrostis rubescens Buckley

Common names: pinegrass
Origin: native Voucher: OSC, most recently collected in 2023
FN 24:723; FOO 1:377; FPN 628; FPN2 784; GWM 70; IL 1:160; IN 6:270; JPM 1244; JPM2 1433; PEK 119; VP 1:531.

Calamagrostis stricta (Timm) Koeler ssp. ***inexpansa*** (A. Gray) C.W. Greene

Common names: northern reedgrass
Origin: native Voucher: OSC, most recently collected in 2023
FN 24:730; FOO 1:378; FPN2 785; JPM 1246; JPM2 1433.

Synonyms:

Calamagrostis californica **Kearney**
IL 1:160.

Calamagrostis crassiglumis **Thurb.**
FN 24:840 synonym for *Calamagrostis stricta* ssp. *inexpansa*; FPN 629; IL 1:161; PEK 120; VP 1:527.

Calamagrostis inexpansa **A. Gray var.** ***barbulata*** **Kearney**
VP 1:529.

Calamagrostis inexpansa **A. Gray var.** ***brevior*** **(Vasey) Stebbins**
FN 24:841 synonym for *Calamagrostis stricta* ssp. *inexpansa*; PEK 121.

Calamagrostis inexpansa **A. Gray var.** ***inexpansa***
FN 24:841 synonym for *Calamagrostis stricta* ssp. *inexpansa*; FPN 630; GWM 70; IL 1:162; VP 1:529.

Calamagrostis inexpansa **A. Gray var.** ***robusta*** **(Vasey) Stebbins**
FN 24:841 synonym for *Calamagrostis stricta* ssp. *inexpansa*; PEK 120.

Calamagrostis stricta (Timm) Koeler ssp. ***stricta***

Common names: slimstem reedgrass
Origin: native Voucher: OSC, most recently collected in 2016
FN 24:730; FOO 1:378; FPN2 785; JPM 1246; JPM2 1433.

Synonyms:

Calamagrostis neglecta **(Ehrh.) Gaertn. var.** ***micrantha*** **(Kearney) Stebbins**
FN 24:841 synonym for *Calamagrostis stricta* ssp. *stricta*; PEK 121.

Calamagrostis neglecta **(Ehrh.) Gaertn. var.** ***neglecta***
FN 24:841 synonym for *Calamagrostis stricta*; FPN 630; IN 6:268; PEK 121; VP 1:530.

Calamagrostis tacomensis K. Marr & Hebda

Common names: Rainier reedgrass
Origin: native

Synonyms:

Calamagrostis sesquiflora **(Trin.) Tzvelev**
FN 24:714; FPN 629; FPN2 784; VP 1:533.

Calamagrostis vaseyi **Beal**
FN 24:841 ambiguous synonym; FPN 629 synonym for *Calamagrostis purpurascens*; IL 1:159.

Misapplied names:

Calamagrostis purpurascens **R. Br.**

Calamagrostis utsutsuensis Otting & B.L. Wilson

Common names: Steens Mountain reedgrass

Origin: native Voucher: OSC, most recently collected in 2012

Misapplied names:

***Calamagrostis purpurascens* R. Br.**

***Calamagrostis tacomensis* K. Marr & Hebda**

Campeiostachys

Checklist contributor:

Flora of Oregon author: not applicable

Campeiostachys tsukushiensis (Honda) B.R. Baum, J.L. Yang & C. Yen

Common names: Tsukushi wildrye

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1934

Synonyms:

***Elymus tsukushiensis* Honda**

FN 24:336; FPN2 792.

Misapplied names:

***Agropyron caninum* (L.) P. Beauv.**

Agropyron caninum* (L.) P. Beauv. ssp. *caninum

***Elymus caninus* (L.) L.**

Catabrosa

Checklist contributor: Kenton Chambers, 7/29/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Catabrosa aquatica (L.) P. Beauv.

Common names: brookgrass, water whorlgrass

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:610; FOO 1:379; FPN 631; FPN2 785; IN 6:344; PEK 103; VP 1:536.

Catapodium

Checklist contributor:

Flora of Oregon author: not applicable

Catapodium rigidum (L.) Dony

Common names: ferngrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1921

FN 24:841 synonym for *Desmazeria rigida*.

Synonyms:

***Desmazeria rigida* (L.) Tutin**

FN 24:682; FOO 1:389; JPM 1250; JPM2 1440.

***Scleropoa rigida* (L.) Griseb.**

FN 24:869 synonym for *Desmazeria rigida*; FPN 666; FPN2 757; IL 1:225; Nelson, 1918B ; VP 1:693.

Cenchrus

Checklist contributor: Richard Halse, 8/18/2005

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Cenchrus longisetus M.C. Johnst.

Common names: feathertop

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2005

Synonyms:

Pennisetum villosum **R. Br. ex Fresen.**

Cenchrus longispinus (Hack.) Fernald

Common names: longspine sandbur

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2019

FN 25:534; FOO 1:380; FPN 632; FPN2 786; IN 6:382; JPM 1246; JPM2 1434; VP 1:537.

Cenchrus orientalis (Rich.) Morrone

Common names: Chinese fountain grass

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2019

Synonyms:

Pennisetum orientale **Rich.**

Chloris

Checklist contributor: Kenton Chambers, 7/30/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Chloris radiata (L.) Sw.

Common names: fingergrass

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 1915

FN 25:218; FPN2 757; IL 1:176.

Chloris verticillata Nutt.

Common names: tumble windmill grass

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2013

FOO 1:380; JPM 1247; JPM2 1434.

Cinna

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Cinna latifolia (Trevir. ex Göpp.) Griseb.

Common names: slender woodreed

Origin: native

Voucher: OSC, most recently collected in 2023

FN 24:774; FOO 1:380; FPN 632; FPN2 786; GWM 72; IL 1:148; IN 6:282; JPM 1247; JPM2 1436; PEK 125; VP 1:537.

Cladoraphis

Checklist contributor: Richard Halse, 10/31/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Cladoraphis cyperoides (Thunb.) S.M. Phillips

Common names: bristly lovegrass

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 1915

FN 25:105; FPN2 794.

Synonyms:

Eragrostis cyperoides **(Thunb.) Beauv.**

FN 25:105 synonym for *Cladoraphis cyperoides*; FPN 639; IL 1:188.

Coleanthus

Checklist contributor: Kenton Chambers, 7/30/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Coleanthus subtilis (Tratt.) Seidel

Common names: mud grass
Origin: native Voucher: OSC, most recently collected in 1989
FN 24:618; FOO 1:381; FPN 632; FPN2 786; IL 1:144; PEK 125; VP 1:539.

Coleataenia

Checklist contributor:
Flora of Oregon author: not applicable

Coleataenia rigidula (Bosc ex Nees) LeBlond

Common names: redtop panic grass, redtop panicum
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

Synonyms:
Coleataenia rigidula* (Bosc ex Nees) LeBlond ssp. *rigidula
Panicum rigidulum* Bosc ex Nees ssp. *rigidulum
FN 25:478; FOO 1:441; JPM2 1470.

Cortaderia

Checklist contributor: Barbara Wilson, 2/16/1998
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Cortaderia jubata (Lemoine) Stapf

Common names: purple pampas grass, jubatagrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015
FN 25:299; FOO 1:382; FPN2 787; JPM 1247; JPM2 1436.

Cortaderia selloana (Schult. & Schult. f.) Asch. & Graebn.

Common names: pampas grass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020
FN 25:299; FOO 1:382; FPN2 787; JPM 1247; JPM2 1436.

Cynodon

Checklist contributor: Kenton Chambers, 7/29/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Cynodon dactylon (L.) Pers.

Common names: bermudagrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 25:238; FOO 1:384; FPN 633; FPN2 787; IL 1:174; IN 6:436; JPM 1248; JPM2 1436; PEK 133; VP 1:539.

Synonyms:
***Cynodon dactylon* (L.) Pers. var. *aridus* J.R. Harlan & de Wet**
FN 25:238.
Cynodon dactylon* (L.) Pers. var. *dactylon
FN 25:238.

Cynodon* × *magennisii Hurcombe

Common names: Magennis' dogstooth grass
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008
FN 25:238.

Cynosurus

Checklist contributor: Kenton Chambers, 8/6/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Cynosurus cristatus L.

Common names: crested dogtail
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 24:685; FOO 1:384; FPN 633; FPN2 788; IL 1:196; JPM 1248; JPM2 1436; PEK 104; VP 1:541.

Cynosurus echinatus L.

Common names: bristly dogtail
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 24:687; FOO 1:385; FPN 633; FPN2 788; IL 1:196; JPM 1248; JPM2 1436; PEK 104; VP 1:541; Wilson, 2011 6.

Dactylis

Checklist contributor: Kenton Chambers, 7/29/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Dactylis glomerata L.

Common names: orchard grass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FN 24:482; FOO 1:386; FPN 634; FPN2 788; GWM 72; IL 1:195; IN 6:252; JPM 1248; JPM2 1437; PEK 104; VP 1:542.

Danthonia

Checklist contributor: Kenton Chambers, 2/10/1997
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Danthonia californica Bol.

Common names: California oatgrass
Origin: native Voucher: OSC, most recently collected in 2023
FN 25:305; FOO 1:386; FPN 634; FPN2 788; IL 1:174; IN 6:461; JPM 1249; JPM2 1438; VP 1:543.

Synonyms:

***Danthonia americana* Scribn.**
FPN 634 synonym for *Danthonia californica*; IL 1:173; IN 6:461 synonym for *Danthonia californica*.

***Danthonia californica* Bol. var. *americana* (Scribn.) Hitchc.**
FN 25:305 synonym for *Danthonia californica*; FPN 634 synonym for *Danthonia californica*; JPM 1249; PEK 118.

Danthonia californica* Bol. var. *californica
FN 25:305 synonym for *Danthonia californica*; JPM 1249; PEK 118.

Danthonia decumbens (L.) DC.

Common names: mountain heathgrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 25:302; FOO 1:387; FPN2 788; JPM2 1438.

Synonyms:

***Sieglingia decumbens* (L.) Bernh.**
FN 25:302 synonym for *Danthonia decumbens*; FPN 668; VP 1:699.

Danthonia intermedia Vasey

Common names: timber oatgrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:303; FOO 1:387; FPN 634; FPN2 789; GWM 72; IL 1:172; IN 6:460; JPM 1249; VP 1:543.

Synonyms:

***Danthonia intermedia* Vasey var. *cusickii* T.A. Williams**

FN 25:303 synonym for *Danthonia intermedia*; FPN 634 synonym for *Danthonia intermedia*; IL 1:172; PEK 118.

Danthonia intermedia* Vasey ssp. *intermedia

JPM2 1438.

Danthonia intermedia* Vasey var. *intermedia

FN 25:303 synonym for *Danthonia intermedia*; PEK 118.

Danthonia spicata (L.) P. Beauv. ex Roem. & Schult.

Common names: poverty oatgrass

Origin: native Voucher: OSC, most recently collected in 2016

FN 25:303; FOO 1:387; FPN 634; FPN2 789; PEK 118; VP 1:545.

Synonyms:

***Danthonia thermale* Scribn.**

FPN 634 synonym for *Danthonia spicata*; IL 1:173.

Danthonia unispicata (Munro ex Thurb.) Munro ex Macoun

Common names: one-spike oatgrass

Origin: native Voucher: OSC, most recently collected in 2024

FN 25:305; FOO 1:387; FPN 634; FPN2 789; IL 1:173; IN 6:462; JPM 1249; JPM2 1438; PEK 118; VP 1:545.

Deschampsia

Checklist contributor: Katie Mitchell, 5/29/2007

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Deschampsia bolanderi (Thurb.) Saarela

Common names: Scribner's grass

Origin: native Voucher: OSC, most recently collected in 2019

Saarela et al., 2017 .

Synonyms:

***Scribneria bolanderi* (Thurb.) Hack.**

FN 24:689; FOO 1:476; FPN 667; FPN2 821; IL 1:239; JPM 1294; JPM2 1485; PEK 113; VP 1:695; Wilson, 2011 6.

Deschampsia cespitosa (L.) P. Beauv.

Common names: tufted hairgrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:626; FOO 1:388; FPN 635; FPN2 789; IN 6:260; JPM 1250; Wilson, 2011 6.

Synonyms:

***Aira caespitosa* L.**

IL 1:165.

***Aira holciformis* (J. Presl) Steud.**

IL 1:165.

***Deschampsia caespitosa* (L.) P. Beauv.**

FN 24:626 synonym for *Deschampsia cespitosa*; FPN 635; GWM 73; IN 6:260; PEK 115; VP 1:549.

***Deschampsia caespitosa* (L.) P. Beauv. ssp. *beringensis* (Hultén) W.E. Lawr.**

FN 24:626; PEK 115.

Deschampsia caespitosa* (L.) P. Beauv. ssp. *caespitosa

FN 24:628 synonym for *Deschampsia cespitosa* ssp. *cespitosa*; IN 6:260 synonym for *Deschampsia cespitosa*; PEK 115.

Deschampsia caespitosa* (L.) P. Beauv. var. *caespitosa

FN 24:843 synonym for *Deschampsia cespitosa* ssp. *cespitosa*; VP 1:550.

***Deschampsia caespitosa* (L.) P. Beauv. ssp. *holciformis* (J. Presl) W.E. Lawr.**

FN 24:628; PEK 116.

***Deschampsia cespitosa* (L.) P. Beauv. ssp. *beringensis* (Hultén) W.E. Lawr.**

FN 24:626; JPM2 1438.

Deschampsia cespitosa* (L.) P. Beauv. ssp. *cespitosa

FN 24:628; JPM 1250; JPM2 1438.

Deschampsia cespitosa* (L.) P. Beauv. var. *cespitosa

FN 24:843 synonym for *Deschampsia cespitosa* ssp. *cespitosa*; FPN 635; VP 1:550.

***Deschampsia cespitosa* (L.) P. Beauv. ssp. *holciformis* (J. Presl) W.E. Lawr.**

FN 24:628; JPM 1250; JPM2 1438.

***Deschampsia cespitosa* (L.) P. Beauv. var. *longiflora* Beal**

FN 24:844 synonym for *Deschampsia cespitosa*; FPN 635; VP 1:550.

Deschampsia danthonioides (Trin.) Munro

Common names: annual hairgrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:631; FOO 1:388; FPN 635; FPN2 789; GWM 73; IN 6:262; JPM 1250; JPM2 1440; PEK 116; VP 1:550.

Synonyms:

***Aira danthonioides* Trin.**

IL 1:164.

Deschampsia elongata (Hook.) Munro

Common names: slender hairgrass

Origin: native Voucher: OSC, most recently collected in 2024

FN 24:631; FOO 1:389; FPN 635; FPN2 789; GWM 73; IN 6:260; JPM 1250; JPM2 1440; PEK 115; VP 1:550.

Synonyms:

***Aira elongata* Hook.**

IL 1:164.

Dichanthelium

Checklist contributor: Richard Halse, 10/10/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Dichanthelium commutatum (Schult.) Gould var. ***commutatum***

Common names: variable panicgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2011

Dichanthelium lanuginosum (Elliott) Gould

Common names: hairy panic grass

Origin: native Voucher: OSC, most recently collected in 2019

Synonyms:

***Dichanthelium acuminatum* (Sw.) Gould & C.A. Clark**

FN 25:422; Freckmann & Lelong, 2002 167.

***Dichanthelium acuminatum* (Sw.) Gould & C.A. Clark ssp. *fasciculatum* (Torr.) Freckmann**

FN 25:425; FOO 1:390; FPN2 790.

***Dichanthelium acuminatum* (Sw.) Gould & C.A. Clark var. *fasciculatum* (Torr.) Freckmann**

***Dichanthelium lanuginosum* (Elliott) Gould var. *fasciculatum* (Torr.) Spellenberg**

IN 6:376.

***Panicum lassenianum* Schmoll**

PEK 138.

***Panicum occidentale* Scribn.**

FN 25:425 synonym for *Dichanthelium acuminatum* ssp. *fasciculatum*; FPN 653; IL 1:115; PEK 138; VP 1:637.

***Panicum pacificum* Hitchc. & Chase**

FN 25:425 synonym for *Dichanthelium acuminatum* ssp. *fasciculatum*; FPN 653 synonym for *Panicum occidentale*; IL 1:115; PEK 138.

Dichanthelium scribnerianum (Nash) J.R. Thomas

Common names: Scribner's panic grass, few-flowered panic grass

Origin: native Voucher: OSC, most recently collected in 2019

Synonyms:

***Dichanthelium oligosanthes* (Schult.) Gould**

FN 25:419; IN 6:376.

***Dichanthelium oligosanthes* (Schult.) Gould ssp. *scribnerianum* (Nash) Freckmann & Lelong**

FN 25:421; FOO 1:390; FPN2 790.

***Dichanthelium oligosanthes* (Schult.) Gould var. *scribnerianum* (Nash) Gould**

FN 25:421 synonym for *Dichanthelium oligosanthes* ssp. *scribnerianum*; IN 6:376.

***Panicum oligosanthes* Schult. var. *scribnerianum* (Nash) Fernald**

FN 25:746 synonym for *Dichanthelium oligosanthes* ssp. *scribnerianum*; JPM 1278; JPM2 1470.

***Panicum scribnerianum* Nash**

FN 25:747 synonym for *Dichanthelium oligosanthes* ssp. *scribnerianum*; FPN 653; IL 1:116; PEK 138; VP 1:638.

Digitaria

Checklist contributor: Richard Halse, 8/18/2005

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Digitaria ischaemum (Schreb.) Muhl.

Common names: smooth crabgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2013

FN 25:372; FOO 1:391; FPN 635; FPN2 790; IN 6:365; JPM 1252; JPM2 1440; PEK 137; VP 1:551.

Digitaria sanguinalis (L.) Scop.

Common names: hairy crabgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 25:380; FOO 1:391; FPN 635; FPN2 790; IN 6:366; JPM 1252; JPM2 1441; PEK 137; VP 1:551.

Diplachne

Checklist contributor:

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Diplachne fusca (L.) P. Beauv. ex Roem. & Schult. ssp. ***fascicularis*** (Lam.) P.M. Peterson & N. Snow

Common names: bearded sprangletop

Origin: native Voucher: OSC, most recently collected in 2021

FOO 1:393; FPN2 790.

Synonyms:

***Leptochloa fascicularis* (Lam.) A. Gray**

FN 25:56 synonym for *Leptochloa fusca* ssp. *fascicularis*; FPN 647; IL 1:181; IN 6:434; JPM 1268; PEK 133; VP 1:610.

***Leptochloa fusca* (L.) Kunth ssp. *fascicularis* (Lam.) N. Snow**

FN 25:56; JPM2 1462.

Diplachne fusca (L.) P. Beauv. ex Roem. & Schult. ssp. ***uninervia*** (J. Presl) P.M. Peterson & N. Snow

Common names: Mexican sprangletop

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1987

FOO 1:393; FPN2 790.

Synonyms:

***Leptochloa fusca* (L.) Kunth ssp. *uninervia* (J. Presl) N. Snow**

FN 25:56; JPM2 1462.

***Leptochloa uninervia* (J. Presl) Hitchc. & Chase**

IL 1:181; IN 6:434; JPM 1268; KZ 1:449.

Distichlis

Checklist contributor: Kenton Chambers, 7/29/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Distichlis spicata (L.) Greene

Common names: saltgrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:25; FOO 1:393; FPN 636; FPN2 791; IL 1:194; IN 6:450; JPM 1252; JPM2 1441; PEK 103; VP 1:553.

Synonyms:

***Distichlis spicata* (L.) Greene var. *borealis* (J. Presl) Beetle**

FPN 636; VP 1:553.

***Distichlis spicata* (L.) Greene var. *stricta* (Torr.) Scribn.**

FPN 638 synonym for *Distichlis stricta* var. *stricta*; IN 6:451.

***Distichlis stricta* (Torr.) Rydb.**

FN 25:25 synonym for *Distichlis spicata*; FPN 636; PEK 104.

***Distichlis stricta* (Torr.) Rydb. var. *dentata* (Rydb.) C.L. Hitchc.**

FPN 636; VP 1:554.

Distichlis stricta* (Torr.) Rydb. var. *stricta

FPN 636; VP 1:554.

Echinochloa

Checklist contributor: Richard Halse, 5/1/2005

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Echinochloa colona (L.) Link

Common names: small barnyard grass, awnless barnyard grass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1910

FN 25:398; FPN2 791; JPM 1252; JPM2 1442.

Synonyms:

***Echinochloa colonum* (L.) Link**

FPN 636; IL 1:117.

Echinochloa crus-galli (L.) P. Beauv.

Common names: barnyard grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 25:400; FOO 1:394; FPN2 791; IN 6:378; JPM 1252; JPM2 1442; PEK 138.

Synonyms:

Echinochloa crus-galli* (L.) P. Beauv. var. *crus-galli

FN 25:400 synonym for *Echinochloa crus-galli*; PEK 139.

***Echinochloa crus-galli* (L.) P. Beauv. var. *mitis* (Pursh) Peterm.**

FN 25:400 synonym for *Echinochloa crus-galli*; PEK 139.

***Echinochloa crusgallii* (L.) P. Beauv.**

FPN 636; IL 1:117; VP 1:554.

Echinochloa crus-pavonis (Kunth) Schult.

FN 25:398; FPN2 791; JPM 1252.

Echinochloa crus-pavonis (Kunth) Schult. var. ***crus-pavonis***

Common names: gulf cockspur grass

Origin: exotic, not naturalized

FN 25:398; JPM2 1442.

Echinochloa muricata (P. Beauv.) Fernald

FN 25:396; JPM 1253.

Echinochloa muricata (P. Beauv.) Fernald var. ***microstachya*** Wiegand

Common names: American barnyard grass

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:396; FOO 1:394; FPN2 791; JPM2 1442.

Eleusine

Checklist contributor: Kenton Chambers, 7/30/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Eleusine indica (L.) Gaertn.

Common names: goosegrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1915

FN 25:109; FOO 1:395; FPN 637; FPN2 763; IL 1:180; IN 6:433; JPM 1253; JPM2 1444; PEK 133; VP 1:555.

Eleusine tristachya (Lam.) Lam.

Common names: threespike goosegrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1915

FN 25:110; FPN 637; FPN2 763; IL 1:180; JPM 1253; JPM2 1444.

×Elyhordeum

Checklist contributor: Richard Halse, 2/27/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

× ***Elyhordeum macounii*** (Vasey) Barkworth & D.R. Dewey

Common names: Macoun's wheatgrass

Origin: native Voucher: OSC, most recently collected in 1954

FN 24:284; FOO 1:395.

Synonyms:

× *Agrohordeum macounii* (Vasey) Lepage

FN 24:832 synonym for × *Elyhordeum macounii*; IN 6:295.

***Elymus* × *macounii* Vasey**

FN 24:849 synonym for × *Elyhordeum macounii*; GWM 74.

× ***Elyhordeum stebbinsianum*** (Bowden) Bowden

Common names: Stebbins' wheatgrass

Origin: native

Voucher: OSC, most recently collected in 2007

FN 24:286; FOO 1:396.

Synonyms:

Elymus glaucus **Buckley × *Hordeum brachyantherum* Nevski**

VP 1:557.

×Elyleymus

Checklist contributor: Richard Halse, 2/27/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

× ***Elyleymus aristatus*** (Merr.) Barkworth & D.R. Dewey

Common names: hybrid wheatgrass

Origin: native

Voucher: OSC, most recently collected in 1957

FN 24:344; FOO 1:396.

Synonyms:

Elymus aristatus **Merr.**

FN 24:848 synonym for × *Elyleymus aristatus*; IL 1:252 synonym for *Elymus glaucus aristatus (Merr.) Hitch.*; IN 6:297 synonym for × *Elysitanion aristatum*; VP 1:557.

Elymus glaucus **Buckley var. *aristatus* (Merr.) Hitchc.**

IL 1:252.

× ***Elysitanion aristatum*** **(Merr.) Bowden**

IN 6:297.

Elymus

Checklist contributor: Richard Halse, 1/30/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Elymus canadensis L.

FN 24:303; FPN 638; GWM 74; IL 1:252; IN 6:303; JPM 1254; PEK 110; VP 1:559.

Elymus canadensis L. var. ***canadensis***

Common names: Canada wildrye

Origin: native

Voucher: OSC, most recently collected in 1984

FN 24:303; FOO 1:397; FPN2 793.

Elymus ciliaris (Trin.) Tzvelev

Common names: wildrye

Origin: exotic, not naturalized

Voucher: US, most recently collected in 1902

FN 24:336.

Misapplied names:

Agropyron caninum **(L.) P. Beauv.**

Agropyron caninum **(L.) P. Beauv. ssp. *caninum***

Elymus caninus **(L.) L.**

Elymus elymoides (Raf.) Swezey ssp. ***brevifolius*** (J.G. Sm.) Barkworth

Common names: longleaf squirreltail

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:319; FOO 1:398; FPN2 793; JPM 1254.

Synonyms:

***Elymus elymoides* (Raf.) Swezey var. *brevifolius* (J.G. Sm.) Dorn**

JPM2 1446.

***Sitanion hystrix* (Nutt.) J.G. Sm. var. *brevifolium* (J.G. Sm.) C.L. Hitchc.**

FN 24:870 synonym for *Elymus elymoides* ssp. *brevifolius*; FPN 668; IN 6:310; VP 1:701.

Elymus elymoides (Raf.) Swezey ssp. ***elymoides***

Common names: common squirreltail

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:319; FOO 1:398; FPN2 793; JPM 1254.

Synonyms:

***Elymus elymoides* (Raf.) Swezey ssp. *californicus* (J.G. Sm.) Barkworth**

FN 24:319; JPM 1254.

***Elymus elymoides* (Raf.) Swezey var. *californicus* (J.G. Sm.) J.P. Sm.**

JPM2 1446.

Elymus elymoides* (Raf.) Swezey var. *elymoides

JPM2 1446.

***Sitanion hystrix* (Nutt.) J.G. Sm. var. *californicum* (J.G. Sm.) F.D. Wilson**

FN 24:870 synonym for *Elymus elymoides* ssp. *californicus*; IN 6:310.

Sitanion hystrix* (Nutt.) J.G. Sm. var. *hystrix

FN 24:870 synonym for *Elymus elymoides* ssp. *elymoides*; FPN 669; IN 6:308.

Elymus elymoides (Raf.) Swezey ssp. ***hordeoides*** (Suksd.) Barkworth

Common names: barley squirreltail

Origin: native Voucher: OSC, most recently collected in 2011

FN 24:319; FOO 1:398; FPN2 793; JPM 1254.

Synonyms:

***Sitanion hystrix* (Nutt.) J.G. Sm. var. *hordeoides* (Suksd.) C.L. Hitchc.**

FN 24:870 synonym for *Elymus elymoides* ssp. *hordeoides*; FPN 668; IN 6:310; VP 1:701.

Elymus glaucus Buckley

FN 24:306; FOO 1:399; FPN 638; GWM 74; IL 1:252; JPM 1254; PEK 110.

Elymus glaucus Buckley ssp. ***glaucus***

Common names: blue wildrye

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:308; FOO 1:399; FPN2 793; IN 6:306; JPM 1254; JPM2 1446.

Synonyms:

***Elymus glaucus* Buckley var. *breviaristatus* Burtt Davy**

FN 24:848 synonym for *Elymus glaucus* ssp. *glaucus*; FPN 638; VP 1:565.

Elymus glaucus* Buckley var. *glaucus

FN 24:306/848 synonym for *Elymus glaucus* ssp. *glaucus*; FPN 638; PEK 110; VP 1:565.

***Elymus glaucus* Buckley ssp. *jepsonii* (Burtt Davy) Gould**

FN 24:848 synonym for *Elymus glaucus* ssp. *glaucus*; IN 6:306; JPM 1254.

***Elymus glaucus* Buckley var. *jepsonii* Burtt Davy**

FN 24:848 synonym for *Elymus glaucus* ssp. *glaucus*; FPN 638; IL 1:252; PEK 110; VP 1:565.

Elymus glaucus Buckley ssp. ***virescens*** (Piper) Gould

Common names: coastal blue wildrye

Origin: native Voucher: OSC, most recently collected in 1945

FN 24:308; FOO 1:399; FPN2 793; JPM 1254; JPM2 1446.

Synonyms:

Elymus virescens **Piper**

FN 24:849 synonym for *Elymus glaucus* ssp. *virescens*; FPN 638 synonym for *Elymus glaucus* var. *breviaristatus*; IL 1:251; PEK 110.

Elymus × ***hansenii*** Scribn.

Common names: Hansen's wheatgrass

Origin: native Voucher: OSC, most recently collected in 1995

FN 24:340; FOO 1:399; IN 6:297.

Synonyms:

Sitanion anomalum **J.G. Sm.**

IL 1:253.

Sitanion hanseni **(Scribn.) J.G. Sm.**

FN 24:870 synonym for *Elymus × hansenii; IL 1:253.*

Sitanion hansenii **(Scribn.) J.G. Sm.**

PEK 111.

Elymus hirsutus J. Presl

Common names: northwestern wildrye

Origin: native Voucher: OSC, most recently collected in 2014

FN 24:310; FOO 1:400; FPN 638; FPN2 793; IL 1:251; PEK 110; VP 1:565.

Elymus lanceolatus (Scribn. & J.G. Sm.) Gould ssp. ***lanceolatus***

Common names: thickspike wheatgrass

Origin: native Voucher: OSC, most recently collected in 2007

FN 24:327; FOO 1:400; FPN2 792; JPM 1256; JPM2 1446.

Synonyms:

Agropyron dasystachyum **(Hook.) Scribn. var.** ***dasystachyum***

FN 24:832 synonym for *Elymus lanceolatus*; IN 6:326.

Agropyron dasytachyum **(Hook.) Scribn.**

FPN 616.

Elymus lanceolatus (Scribn. & J.G. Sm.) Gould ssp. ***psammophilus*** (J.M. Gillett & H. Senn) A. Löve

Common names: sand-dune wheatgrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:327; FOO 1:400; FPN2 792.

Elymus lanceolatus (Scribn. & J.G. Sm.) Gould ssp. ***riparius*** (Scribn. & J.G. Sm.) Barkworth

Common names: streambank wheatgrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:329; FOO 1:400; FPN2 792.

Synonyms:

Agropyron dasystachyum **(Hook.) Scribn. var.** ***riparium*** **(Scribn. & J.G. Sm.) Bowden**

FN 24:832 synonym for *Elymus lanceolatus*; IN 6:327.

Agropyron riparium **Scribn. & J.G. Sm.**

FN 24:833 synonym for *Elymus lanceolatus* ssp. *lanceolatus*; FPN 616 synonym for *Agropyron dasystachyum*; IL 1:240; PEK 107.

Elymus multisetus (J.G. Sm.) Burtt Davy

Common names: big squirreltail

Origin: native Voucher: OSC, most recently collected in 2012

FN 24:318; FOO 1:401; FPN 669 synonym for *Sitanion jubatum*; FPN2 793; JPM 1256; JPM2 1446.

Synonyms:

***Sitanion jubatum* J.G. Sm.**

FN 24:870 synonym for *Elymus multisetus*; FPN 669; GWM 85; IL 1:254; IN 6:310; PEK 111; VP 1:703.

Elymus repens (L.) Gould

Common names: quackgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:334; FOO 1:401; FPN 615 synonym for *Agropyron repens*; FPN2 792; JPM2 1447.

Synonyms:

***Agropyron repens* (L.) P. Beauv.**

FN 24:832 synonym for *Elymus repens*; FPN 615; IL 1:241; IN 6:322; PEK 107; VP 1:455.

***Elytrigia repens* (L.) Desv. ex B.D. Jacks.**

FN 24:850 synonym for *Elymus repens*; JPM 1256.

Elymus × ***saundersii*** Vasey

Common names: Saunder's wildrye

Origin: native Voucher: OSC, most recently collected in 1979

FN 24:340; FOO 1:402.

Synonyms:

× ***Agrositanion saundersii* (Vasey) Bowden**

IN 6:295.

Elymus trachycaulus (Link) Gould ex Shinners ssp. ***trachycaulus***

Common names: slender wheatgrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:322; FOO 1:402; FPN2 793; JPM 1256; JPM2 1447.

Synonyms:

***Agropyron caninum* (L.) P. Beauv. var. *andinum* (Scribn. & J.G. Sm.) C.L. Hitchc.**

FPN 615.

***Agropyron caninum* (L.) P. Beauv. ssp. *majus* (Vasey) C.L. Hitchc.**

in part

FN 24:832 synonym for *Elymus trachycaulus* ssp. *trachycaulus*.

***Agropyron caninum* (L.) P. Beauv. var. *majus* Scribn.**

FN 24:832 synonym for *Elymus trachycaulus* ssp. *trachycaulus*; FPN 615; VP 1:453.

***Agropyron tenerum* Vasey**

FN 24:833 synonym for *Elymus trachycaulus* ssp. *trachycaulus*; FPN 615 synonym for *Agropyron caninum* var. *majus*; IL 1:242.

Agropyron trachycaulum* (Link) Malte ex H.F. Lewis var. *trachycaulum

IN 6:331.

***Agropyron violaceum* (Hornem.) Lange var. *andinum* Scribn. & J.G. Sm.**

FPN 615 synonym for *Agropyron caninum* var. *andinum*; IL 1:243.

Misapplied names:

***Agropyron caninum* (L.) P. Beauv. var. *latiglume* (Scribn. & J.G. Sm.) Pease & A.H. Moore**

FN 24:832 synonym for *Elymus violaceus*; FPN 615; GWM 64.

Elymus violaceus (Hornem.) Feilberg

Common names: high wheatgrass

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:324; FOO 1:402; FPN2 792.

Synonyms:

***Agropyron caninum* (L.) P. Beauv.**

in part

***Agropyron caninum* (L.) P. Beauv. ssp. *majus* (Vasey) C.L. Hitchc.**

in part

***Agropyron trachycaulum* (Link) Malte ex H.F. Lewis**

in part

***Agropyron trachycaulum* (Link) Malte ex H.F. Lewis var. *latiglume* (Scribn. & J.G. Sm.)**

FPN 615 synonym for *Agropyron caninum* var. *latiglume*; IN 6:331; VP 1:450 synonym for *Agropyron caninum*.

Agropyron violaceum* (Hornem.) Lange var. *violaceum

IL 1:243.

***Elymus alaskanus* (Scribn. & Merr.) Á. Löve**

FN 24:326.

Elymus wawawaiensis J.R. Carlson & Barkworth

Common names: Snake River wheatgrass

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:332; FOO 1:403; FPN2 792.

Eragrostis

Checklist contributor: Richard Halse, 10/16/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Eragrostis cilianensis (All.) Vignolo ex Janch.

Common names: stinkgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 25:83; FOO 1:404; FPN 639; FPN2 794; IL 1:186; IN 6:400; JPM 1257; JPM2 1448; PEK 102; VP 1:569.

Eragrostis curvula (Schrad.) Nees

Common names: weeping lovegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 25:76; FOO 1:404; FPN2 794; IN 6:396; JPM2 1448.

Synonyms:

Eragrostis curvula* (Schrad.) Nees var. *curvula

JPM 1258.

Eragrostis hypnoides (Lam.) Britton, Sterns & Poggenb.

Common names: teal lovegrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:72; FOO 1:404; FPN 639; FPN2 794; IL 1:186; IN 6:396; JPM 1258; JPM2 1450; PEK 102; VP 1:571.

Eragrostis lutescens Scribn.

Common names: sixweeks lovegrass

Origin: native Voucher: OSC, most recently collected in 1974

FN 25:79; FOO 1:404; FPN 639; FPN2 794; IL 1:188; IN 6:398; JPM 1258; JPM2 1450; PEK 102; VP 1:571.

Eragrostis minor Host

Common names: little lovegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2013

FN 25:85; FOO 1:405; FPN2 794; JPM 1258; JPM2 1450.

Eragrostis pectinacea (Michx.) Nees

Common names: tufted lovegrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:81; FPN 640; IN 6:398; JPM 1258; PEK 103; VP 1:571.

Synonyms:

Eragrostis pectinacea* (Michx.) Nees var. *pectinacea

FN 25:83; FOO 1:406; FPN2 794; JPM 1258; JPM2 1450.

Eragrostis pilosa (L.) P. Beauv.

Common names: India lovegrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1913

FN 25:81; FPN 639; PEK 103; VP 1:572.

Synonyms:

***Eragrostis multicaulis* Steud.**

VP 1:571.

Eragrostis pilosa* (L.) P. Beauv. var. *pilosa

FN 25:81; FOO 1:406; FPN2 794; JPM 1258; JPM2 1450.

Eragrostis tephrosanthos Schult.

Common names: tufted lovegrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018

Synonyms:

***Eragrostis pectinacea* (Michx.) Nees var. *miserrima* (E. Fourn.) Reeder**

Eragrostis virescens J. Presl

Common names: Mexican lovegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

Synonyms:

***Eragrostis mexicana* (Hornem.) Link**

FN 25:78; IL 1:187; JPM 1258.

***Eragrostis mexicana* (Hornem.) Link ssp. *virescens* (J. Presl) S.D. Koch & Sánchez Vega**

FN 25:78; FOO 1:405; FPN2 794; JPM 1258; JPM2 1450.

***Eragrostis orcuttiana* Vasey**

FN 25:78 synonym for *Eragrostis mexicana* ssp. *virescens*; FPN 640; IL 1:187; IN 6:398; VP 1:571.

Eremopyrum

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Eremopyrum triticeum (Gaertn.) Nevski

Common names: annual wheatgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:254; FOO 1:406; FPN2 795; IN 6:332; Welsh et al., 2003 .

Synonyms:

***Agropyron triticeum* Gaertn.**

FN 24:833 synonym for *Eremopyrum triticeum*; FPN 614; VP 1:461.

Eriocoma

Checklist contributor:

Flora of Oregon author: not applicable

Eriocoma bloomeri (Bol.) Romasch.

Common names: Bloomer's ricegrass
Origin: native

Synonyms:

***Achnatherum* × *bloomeri* (Bol.) Barkworth**
FN 24:142.

***Oryzopsis bloomeri* (Bol.) Ricker**
FN 24:859 synonym for *Achnatherum × bloomeri; FPN 652 synonym for Oryzopsis hymenoides; IL 1:137; PEK 130.*

***Stiporyzopsis* × *bloomeri* (Bol.) B.L. Johnson**
FN 24:872 synonym for *Achnatherum × bloomeri; IN 6:346.*

Eriocoma hendersonii (Vasey) Romasch.

Common names: Henderson's ricegrass
Origin: native
Voucher: OSC, most recently collected in 2020
Galash, 2024 .

Synonyms:

***Achnatherum hendersonii* (Vasey) Barkworth**
FN 24:139; FOO 1:343; FPN2 771.

***Oryzopsis hendersonii* Vasey**
FN 24:859 synonym for *Achnatherum hendersonii*; FPN 652; IL 1:135; PEK 130; VP 1:631.

Eriocoma hymenoides (Roem. & Schult.) Rydb.

Common names: Indian ricegrass
Origin: native
Voucher: OSC, most recently collected in 2024

Synonyms:

***Achnatherum hymenoides* (Roem. & Schult.) Barkworth**
FN 24:139; FOO 1:343; FPN2 771; JPM 1226.

***Oryzopsis hymenoides* (Roem. & Schult.) Ricker**
FN 24:859 synonym for *Achnatherum hymenoides*; FPN 652; GWM 79; IL 1:136; IN 6:350; PEK 130; VP 1:631.

***Stipa hymenoides* Roem. & Schult.**
JPM2 1493.

Eriocoma lemmonii (Vasey) Romasch. ssp. ***lemmonii***

Common names: Lemmon's needlegrass
Origin: native
Voucher: OSC, most recently collected in 2017

Synonyms:

Achnatherum lemmonii* (Vasey) Barkworth ssp. *lemmonii
FN 24:125; FOO 1:343; FPN2 771.

***Stipa columbiana* Macoun**
in part

Stipa columbiana* Macoun var. *columbiana
IN 6:358; PEK 132.

***Stipa lemmonii* (Vasey) Scribn. var. *jonesii* Scribn.**
IL 1:133.

Stipa lemmonii* (Vasey) Scribn. var. *lemmonii
FN 24:872 synonym for *Achnatherum lemmonii* ssp. *lemmonii*; FPN 671; IL 1:133; JPM2 1493; VP 1:713.

Eriocoma nelsonii (Scribn.) Romasch. ssp. ***dorei*** (Barkworth & J. Maze) Romasch.

Common names: Dore's needlegrass

Origin: native Voucher: OSC, most recently collected in 2023

Synonyms:

***Achnatherum nelsonii* (Scribn.) Barkworth ssp. *dorei* (Barkworth & J.R. Maze) Barkworth**

FN 24:124; FOO 1:344; FPN2 772; JPM 1226.

***Stipa nelsonii* Scribn. var. *dorei* (Barkworth & J.R. Maze) Dorn**

FN 24:872 synonym for *Achnatherum nelsonii* ssp. *dorei*; JPM2 1494.

Eriocoma nelsonii (Scribn.) Romasch. ssp. ***nelsonii***

Common names: Nelson's needlegrass

Origin: native Voucher: OSC, most recently collected in 2023

Synonyms:

Achnatherum nelsonii* (Scribn.) Barkworth ssp. *nelsonii

FN 24:124; FOO 1:344; FPN2 772.

***Stipa columbiana* Macoun var. *nelsonii* (Scribn.) Hitchc.**

FN 24:872 synonym for *Achnatherum nelsonii* ssp. *nelsonii*; IN 6:358; PEK 132.

***Stipa occidentalis* Thurb. ex S. Watson**

***Stipa occidentalis* Thurb. ex S. Watson var. *nelsonii* (Scribn.) C.L. Hitchc.**

FN 24:872 synonym for *Achnatherum nelsonii* ssp. *nelsonii*; FPN 672; VP 1:715.

***Stipa williamsii* Scribn.**

FN 24:872 synonym for *Achnatherum nelsonii*; FPN 672 synonym for *Stipa occidentalis* var. *minor*; IL 1:132; PEK 132.

Eriocoma nevadensis (B.L. Johnson) Romasch.

Common names: Nevada needlegrass

Origin: native Voucher: OSC, most recently collected in 2022

Synonyms:

***Achnatherum nevadense* (B.L. Johnson) Barkworth**

FN 24:120; FOO 1:344; FPN2 772; JPM 1226.

***Stipa nevadensis* B.L. Johnson**

FN 24:872 synonym for *Achnatherum nevadense*; FPN 672; IN 6:356; JPM2 1494.

Eriocoma occidentalis (Thurb. ex S. Watson) Romasch. ssp. ***californica*** (Merr. & Burtt Davy) Romasch.

Common names: California needlegrass

Origin: native Voucher: OSC, most recently collected in 2023

Synonyms:

***Achnatherum occidentale* (Thurb.) Barkworth ssp. *californicum* (Merr. & Burtt Davy)**

FN 24:121; FOO 1:345; FPN2 772; JPM 1226.

***Stipa californica* Merr. & Burtt Davy**

FN 24:872 synonym for *Achnatherum occidentale* ssp. *californicum*; FPN 672 synonym for *Stipa occidentalis* var. *californica*; IL 1:130; PEK 131.

***Stipa occidentalis* Thurb. ex S. Watson var. *californica* (Merr. & Burtt Davy) C.L. Hitchc.**

FPN 672; JPM2 1494; VP 1:715.

Eriocoma occidentalis (Thurb. ex S. Watson) Romasch. ssp. ***pubescens*** (Vasey) Romasch.

Common names: common western needlegrass

Origin: native Voucher: OSC, most recently collected in 2017

Synonyms:

***Achnatherum occidentale* (Thurb.) Barkworth ssp. *pubescens* (Vasey) Barkworth**

FN 24:123; FOO 1:345; FPN2 772; JPM 1226.

***Stipa elmeri* Piper & Brodie ex Scribn.**

FN 24:872 synonym for *Achnatherum occidentale* ssp. *pubescens*; FPN 672 synonym for *Stipa occidentalis* var. *occidentalis*; IL 1:129; PEK 131.

***Stipa occidentalis* Thurb. ex S. Watson var. *pubescens* (Vasey) Roy L. Taylor & MacBryde**

FN 24:872 synonym for *Achnatherum occidentale* ssp. *pubescens*; JPM2 1494.

Eriocoma pinetorum (M.E. Jones) Romasch.

Common names: pinewoods needlegrass

Origin: native Voucher: OSC, most recently collected in 2022

Synonyms:

***Achnatherum pinetorum* (M.E. Jones) Barkworth**

FN 24:137; FOO 1:345; FPN2 771; JPM 1226.

***Stipa pinetorum* M.E. Jones**

FN 24:872 synonym for *Achnatherum pinetorum*; FPN 672; IN 6:354; JPM2 1494; VP 1:715.

Eriocoma richardsonii (Link) Romasch.

Common names: Richardson's needlegrass

Origin: native Voucher: OSC, most recently collected in 2022

Synonyms:

***Achnatherum richardsonii* (Link) Barkworth**

FN 24:133; FOO 1:346; FPN2 771.

Eriocoma thurberiana (Piper) Romasch.

Common names: Thurber's needlegrass

Origin: native Voucher: OSC, most recently collected in 2024

Synonyms:

***Achnatherum thurberianum* (Piper) Barkworth**

FN 24:125; FOO 1:346; FPN2 771; JPM 1227.

***Stipa thurberiana* Piper**

FN 24:872 synonym for *Achnatherum thurberianum*; FPN 671; IL 1:129; IN 6:354; JPM2 1496; PEK 131; VP 1:717.

Eriocoma wallowaensis (J. Maze & K. Robson) Romasch.

Common names: Wallowa ricegrass

Origin: native Voucher: OSC, most recently collected in 2013

Synonyms:

***Achnatherum wallowaense* J.R. Maze & K.A. Robson**

FN 24:138; FOO 1:347; FPN2 771.

Eriocoma webberi Thurb.

Common names: Webber's needlegrass

Origin: native Voucher: OSC, most recently collected in 2023

Synonyms:

***Achnatherum webberi* (Thurb.) Barkworth**

FN 24:137; FOO 1:347; FPN2 771; JPM 1227.

***Oryzopsis webberi* (Thurb.) Benth. ex Vasey**

FN 24:859 synonym for *Achnatherum webberi*; FPN 652; IL 1:136; PEK 130; VP 1:633.

***Stipa webberi* (Thurb.) B.L. Johnson**

FN 24:872 synonym for *Achnatherum webberi*; FPN 652 synonym for *Oryzopsis webberi*; IN 6:353; JPM2 1496.

Festuca

Checklist contributor: Barbara Wilson, 3/5/2008
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Festuca brachyphylla Schult. & Schult. f.

Common names: alpine fescue
Origin: native Voucher: OSC, most recently collected in 2013
Aiken et al., 1997A ; FN 24:428; FOO 1:409; FPN 642 synonym for *Festuca ovina* var. *brevifolia*; IL 1:225.

Synonyms:

***Festuca brachyphylla* Schult. & Schult. f. ssp. *breviculmis* Fred.**
Aiken et al., 1997B ; FN 24:428; JPM2 1452.

***Festuca brachyphylla* Schult. & Schult. f. ssp. *coloradensis* Fred.**
FPN2 797; JPM 1260.

***Festuca ovina* L.**
in part

***Festuca ovina* L. var. *brachyphylla* (Schult. & Schult. f.) Piper ex Hitchc.**
FN 24:852 synonym for *Festuca brachyphylla*; PEK 91.

***Festuca ovina* L. var. *brevifolia* (R. Br.) S. Watson**
FN 24:852 synonym for *Festuca brachyphylla*; FPN 642; GWM 75; IN 6:215; VP 1:584.

Festuca bromoides L.

Common names: brome fescue, rattail fescue
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FN 24:852 synonym for *Vulpia bromoides*; FPN 640; IL 1:217; IN 6:204 synonym for *Vulpia bromoides*; JPM2 1452; VP 1:575.

Synonyms:

***Festuca dertonensis* (All.) Asch. & Graebn.**
FN 24:852 synonym for *Vulpia bromoides*; FPN 640 synonym for *Festuca bromoides*; PEK 88.

***Vulpia bromoides* (L.) Gray**
FN 24:452; FOO 1:490; FPN 640 synonym for *Festuca bromoides*; FPN2 828; Hitchcock & Chase, 1950 ; IN 6:204; JPM 1302.

Festuca californica Vasey

FN 24:410; FPN 641; IL 1:222; JPM 1260; JPM2 1452; VP 1:577.

Festuca californica Vasey var. ***californica***

Common names: California fescue
Origin: native Voucher: OSC, most recently collected in 2024
FOO 1:409; FPN2 796; PEK 90.

Festuca filiformis Pourr.

Common names: hair fescue, fine-leaved sheep fescue
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2024
FN 24:424; FOO 1:410; FPN2 796; Wilson, 1996 .

Synonyms:

***Festuca capillata* Lam.**
FN 24:852 synonym for *Festuca filiformis*; PEK 91.

***Festuca ovina* L.**
in part

***Festuca ovina* L. var. *capillata* (Lam.) Alef.**
FPN 642; VP 1:584.

Festuca idahoensis Elmer

sensu stricto,

Common names: Idaho fescue

Origin: native

FOO 1:410.

Synonyms:

Festuca idahoensis* Elmer var. *idahoensis

FN 24:852 synonym for *Festuca idahoensis*; FPN 642; KZ 2:323.

Misapplied names:

***Festuca idahoensis* Elmer var. *oregona* (Hack. ex Beal) C.L. Hitchc.**

Festuca lemanii Bastard

Common names: Leman's fescue

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

Festuca microstachys Nutt.

Common names: small fescue, desert fescue

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:852 synonym for *Vulpia microstachys*; FPN 641; IL 1:220; JPM2 1452; PEK 89; VP 1:579.

Synonyms:

***Festuca arida* Elmer**

FPN 640 synonym for *Festuca microstachys*; IL 1:219; PEK 89.

***Festuca confusa* Piper**

FN 24:852 synonym for *Vulpia microstachys* var. *confusa*; FPN 640 synonym for *Festuca microstachys*; IL 1:219; PEK 89.

***Festuca eastwoodae* Piper**

FN 24:852 synonym for *Vulpia microstachys* var. *ciliata*; FPN 641 synonym for *Festuca microstachys*; IL 1:220; PEK 89.

***Festuca grayii* (Abrams) Piper**

FN 24:852 synonym for *Vulpia microstachys* var. *ciliata*; FPN 641 synonym for *Festuca microstachys*; IL 1:219; PEK 89.

***Festuca pacifica* Piper**

FN 24:852 synonym for *Vulpia microstachys* var. *pauciflora*; FPN 641 synonym for *Festuca microstachys*; IL 1:218; PEK 89.

***Festuca reflexa* Buckley**

FN 24:852 synonym for *Vulpia microstachys* var. *pauciflora*; FPN 641 synonym for *Festuca microstachys*; IL 1:218; PEK 89.

***Vulpia microstachys* (Nutt.) Munro ex Benth.**

FN 24:452; FOO 1:491; FPN 461 synonym for *Festuca microstachys*; FPN2 828; JPM 1302.

***Vulpia microstachys* (Nutt.) Munro ex Benth. var. *ciliata* Beal**

FN 24:452; Hitchcock & Chase, 1950 ; JPM 1302.

***Vulpia microstachys* (Nutt.) Munro ex Benth. var. *confusa* (Piper) Lonard & Gould**

FN 24:452; Hitchcock & Chase, 1950 ; JPM 1302.

Vulpia microstachys* (Nutt.) Munro ex Benth. var. *microstachys

FN 24:452; Hitchcock & Chase, 1950 ; IN 6:205; JPM 1302.

***Vulpia microstachys* (Nutt.) Munro ex Benth. var. *pauciflora* (Scribn. ex Beal) Lonard &**

FN 24:452; Hitchcock & Chase, 1950 ; IN 6:205; JPM 1302.

***Vulpia pacifica* (Piper) Rydb.**

FN 24:874 synonym for *Vulpia microstachys* var. *pauciflora*; IN 6:205.

Festuca myuros L.

Common names: rattail fescue, rat-tail six-weeks grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:852 synonym for *Vulpia myuros*; FPN 640; IL 1:218; JPM2 1454; PEK 89; VP 1:581.

Synonyms:

***Festuca megalura* Nutt.**

FN 24:852 synonym for *Vulpia myuros (L.) C.C. Gmelin forma megalura (Nutt.) Stace & R. Cotton*; FPN 640; IL 1:217; PEK 88; VP 1:579.

***Vulpia myuros* (L.) C.C. Gmel.**

FN 24:449; FOO 1:491; FPN 640 synonym for *Festuca myuros*; FPN2 828; Hitchcock & Chase, 1950 ; IN 6:202; JPM 1302.

***Vulpia myuros* (L.) C.C. Gmel. var. *hirsuta* (Hack.) Asch. & Graebn.**

FN 24:874 synonym for *Vulpia myuros (L.) C.C. Gmel. forma megalura (Nutt.) Stace & R. Cotton*; JPM 1302.

Vulpia myuros* (L.) C.C. Gmel. var. *myuros

FN 24:874 synonym for *Vulpia myuros (L.) C.C. Gmel. forma myuros*; JPM 1302.

***Vulpia octoflora* (Walter) Rydb.**

FN 24:450; FOO 1:491; FPN 640 synonym for *Festuca octoflora*; Hitchcock & Chase, 1950 ; IN 6:201; JPM 1302; Wilson, 2011 6.

Festuca nigrescens Lam.

Common names: Chewing's fescue

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 24:852 synonym for *Festuca rubra* ssp. *commutata*.

Synonyms:

***Festuca rubra* L. ssp. *commutata* Gaudin**

FN 24:415; FOO 1:413.

***Festuca rubra* L. var. *commutata* Gaudin**

IN 6:212.

Festuca occidentalis Hook.

Common names: western fescue

Origin: native Voucher: OSC, most recently collected in 2024

FN 24:437; FOO 1:411; FPN 641; FPN2 797; IL 1:224; JPM 1260; JPM2 1454; PEK 91; VP 1:583.

Festuca octoflora Walter

Common names: sixweeks fescue, six-weeks grass

Origin: native Voucher: OSC, most recently collected in 2018

FN 24:852 synonym for *Vulpia octoflora*; FPN 640; IL 1:217; JPM2 1454; PEK 88; VP 1:583.

Synonyms:

***Festuca octoflora* Walter var. *hirtella* (Piper) Hitchc.**

FN 24:852 synonym for *Vulpia octoflora* var. *hirtella*; FPN 640; IL 1:217; PEK 88; VP 1:583.

Festuca octoflora* Walter var. *octoflora

FN 24:852 synonym for *Vulpia octoflora* var. *octoflora*; FPN 640; PEK 88; VP 1:584.

***Vulpia octoflora* (Walter) Rydb. var. *hirtella* (Piper) Henrard**

FN 24:450; FPN2 828; IN 6:202; JPM 1303.

Vulpia octoflora* (Walter) Rydb. var. *octoflora

FN 24:450; FPN2 828; Hitchcock & Chase, 1950 ; IN 6:202; JPM 1303.

Festuca roemeri Yu.E. Alexeev

FN 24:440; FOO 1:411.

Festuca roemeri Yu.E. Alexeev var. ***klamathensis*** B.L. Wilson

Common names: inland Roemer's fescue

Origin: native Voucher: OSC, most recently collected in 2002

FN 24:852 synonym for *Festuca roemeri*; FOO 1:411; Wilson, 2007 .

Festuca roemeri Yu.E. Alexeev var. ***roemeri***

Common names: Roemer's fescue

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:852 synonym for *Festuca roemeri*; FOO 1:412; FPN2 796.

Synonyms:

***Festuca idahoensis* Elmer**

in part

***Festuca idahoensis* Elmer var. *oregona* (Hack. ex Beal) C.L. Hitchc.**

FPN 642.

Festuca rubra L.

Common names: red fescue, secund red fescue, coastal red fescue, flat-leaf red fescue, median red fescue

Origin: native and exotic Voucher: OSC, most recently collected in 2018

FN 24:412; FOO 1:412; FPN 642; FPN2 795; GWM 75; IL 1:223; IN 6:212; JPM 1260; JPM2 1454.

Synonyms:

***Festuca ammobia* Pavlick**

FN 24:418 synonym for *Festuca rubra* ssp. *pruinosa*; FPN2 796.

***Festuca rubra* L. ssp. *fallax* (Thuill.) Nyman**

FN 24:415; FOO 1:413.

***Festuca rubra* L. ssp. *juncea* (Hack.) K. Richt.**

FOO 1:413.

***Festuca rubra* L. ssp. *litoralis* (G. Mey.) Auquier**

***Festuca rubra* L. var. *littoralis* Vasey ex Beal**

FN 24:852 synonym for *Festuca rubra* ssp. *mediana*; FPN 642; VP 1:587.

***Festuca rubra* L. ssp. *mediana* (Pavlick) Pavlick**

FN 24:415; FOO 1:413.

***Festuca rubra* L. ssp. *pruinosa* (Hack.) Piper**

FN 24:415.

Festuca rubra* L. ssp. *rubra

FN 24:418; FOO 1:414.

Festuca rubra* L. var. *rubra

FN 24:853 synonym for *Festuca rubra* ssp. *rubra*; FPN 642; VP 1:587.

***Festuca rubra* L. ssp. *secunda* (J. Presl) Pavlick**

FN 24:418; FOO 1:414.

***Festuca rubra* L. var. *subvillosa* Mert. & Koch**

IL 1:223.

Festuca saximontana Rydb.

FN 24:430; FPN 642 synonym for *Festuca ovina* var. *rydbergii*; JPM2 1454.

Festuca saximontana Rydb. var. ***purpusiana*** (St.-Yves) Fred. & Pavlick

Common names: Rocky Mountain fescue

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:430; FPN2 797; JPM 1260.

Synonyms:

***Festuca ovina* L.**

in part

***Festuca ovina* L. var. *rydbergii* St.-Yves**

FN 24:852 synonym for *Festuca saximontana*; FPN 642; IN 6:215; VP 1:584.

***Festuca saximontana* Rydb. ssp. *purpusiana* (St.-Yves) Tzvelev**

FN 24:430 synonym for *Festuca saximontana* var. *purpusiana*; FOO 1:414.

Misapplied names:

***Festuca supina* Schur**

IL 1:225.

Festuca subuliflora Scribn.

Common names: crinkle-awn fescue

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:406; FOO 1:415; FPN 641; FPN2 795; IL 1:221; JPM 1262; JPM2 1454; PEK 90; VP 1:589.

Festuca trachyphylla (Hack.) Krajina

Common names: hard fescue, sheep fescue

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:424; FOO 1:415; FPN2 798; JPM 1262; JPM2 1454.

Festuca valesiaca Schleich. ex Gaudin

Common names: Valais fescue, covar sheep fescue

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 24:420; FOO 1:415; FPN2 798.

Festuca viridula Vasey

Common names: green fescue

Origin: native Voucher: OSC, most recently collected in 2008

FN 24:440; FOO 1:416; FPN 642; FPN2 796; GWM 75; IL 1:223; JPM 1262; JPM2 1454; PEK 91; VP 1:589.

Misapplied names:

***Festuca howellii* Hack. ex Beal**

Gastridium

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Gastridium phleoides (Nees & Meyen) C.E. Hubb.

Common names: nit grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 24:676; FOO 1:416; FPN2 798; JPM2 1454.

Misapplied names:

***Gastridium ventricosum* (Gouan) Schinz & Thell.**

FN 24:853 synonym for *Gastridium phleoides*; FPN 643; IL 1:156; JPM 1262; PEK 127; VP 1:591.

Glyceria

Checklist contributor: Richard Halse, 4/30/2007

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Glyceria borealis (Nash) Batch.

Common names: boreal mannagrass

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:81; FOO 1:417; FPN 643; FPN2 799; IL 1:211; IN 6:341; JPM 1262; JPM2 1455; PEK 93; VP 1:593.

Glyceria canadensis (Michx.) Trin.

Common names: Canadian mannagrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1999

FN 24:79; Zika, 2003B .

Synonyms:

Glyceria canadensis* (Michx.) Trin. var. *canadensis

FOO 1:417; FPN2 799.

Glyceria declinata Bréb.

Common names: low glyceria

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:87; FOO 1:417; FPN2 799; JPM2 1455.

Synonyms:

***Glyceria* × *occidentalis* (Piper) J.C. Nelson**

in part

Glyceria elata (Nash) M.E. Jones

Common names: tall mannagrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:79; FOO 1:418; FPN 644; FPN2 799; GWM 76; IL 1:213; IN 6:342; JPM 1262; JPM2 1455; PEK 94; VP 1:593.

Glyceria fluitans (L.) R. Br.

Common names: water mannagrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1997

FN 24:85; FOO 1:418; FPN2 799; IL 1:212; JPM2 1455.

Glyceria grandis S. Watson

Common names: American mannagrass

Origin: native Voucher: OSC, most recently collected in 2017

FN 24:71; FPN 643; IL 1:213; IN 6:342; JPM 1262; JPM2 1455; PEK 94; VP 1:593.

Synonyms:

Glyceria grandis* S. Watson var. *grandis

FN 24:71; FOO 1:419; FPN2 799.

Glyceria leptostachya Buckley

Common names: narrow mannagrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:85; FOO 1:419; FPN 643; FPN2 799; IL 1:212; JPM 1262; JPM2 1455; PEK 93; VP 1:595.

Glyceria* × *occidentalis (Piper) J.C. Nelson

sensu stricto,

Common names: western mannagrass

Origin: exotic, naturalized

FN 24:85; FOO 1:419; FPN2 799; JPM 1263; JPM2 1455.

Glyceria striata (Lam.) Hitchc.

Common names: fowl mannagrass

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:77; FOO 1:419; FPN 643; FPN2 799; GWM 76; IN 6:342; JPM 1263; JPM2 1455; PEK 94; VP 1:595.

Synonyms:

***Glyceria nervata* (Willd.) Trin.**

FN 24:853 synonym for *Glyceria striata*; FPN 643 synonym for *Glyceria striata*; IL 1:213.

***Glyceria striata* (Lam.) Hitchc. var. *stricta* (Scribn.) Fernald**

FN 24:77 synonym for *Glyceria striata*; FPN 643; IN 6:344.

Graphephorum

Checklist contributor:

Flora of Oregon author: not applicable

Graphephorum canescens (Buckley) Röser & Tkach

Common names: tall trisetum

Origin: native Voucher: OSC, most recently collected in 2020

Synonyms:

***Trisetum canescens* Buckley**

FN 24:746; FOO 1:487; FPN 673; FPN2 827; GWM 86; IL 1:168; IN 6:258; JPM 1300; JPM2 1497; PEK 114; VP 1:720.

***Trisetum cernuum* Trin. ssp. *canescens* (Buckley) Calder & R.L. Taylor**

FN 24:873 synonym for *Trisetum canescens*; IN 6:258 synonym for *Trisetum canescens*; VP 1:720 synonym for *Trisetum canescens*.

***Trisetum cernuum* Trin. var. *canescens* (Buckley) Beal**

FPN 673 synonym for *Trisetum canescens*; IN 6:258 synonym for *Trisetum canescens*; VP 1:720 synonym for *Trisetum canescens*.

Graphephorum cernuum (Trin.) Röser & Tkach

Common names: nodding trisetum, nodding oatgrass

Origin: native Voucher: OSC, most recently collected in 2022

Synonyms:

***Trisetum cernuum* Trin.**

FN 24:748; FOO 1:487; FPN 673; FPN2 827; IL 1:167; JPM 1300; JPM2 1497; PEK 114; VP 1:720.

Graphephorum wolfii (Vasey) Vasey ex Coult.

Common names: Wolf's trisetum, Wolf's false oat, beardless trisetum

Origin: native Voucher: OSC, most recently collected in 2022

FPN 673 synonym for *Trisetum wolfii*; FPN2 800; Finot et al., 2005 ; IN 6:256 synonym for *Trisetum wolfii*; Tkach et al., 2020 ; VP 1:723 synonym for *Trisetum wolfii*.

Synonyms:

***Trisetum muticum* Scribn.**

GWM 87 for *Trisetum wolfii*; IL 1:167 synonym for *Trisetum wolfii*; IN 6:256 synonym for *Trisetum wolfii*; VP 1:723 synonym for *Trisetum wolfii*.

***Trisetum wolfii* Vasey**

FN 24:745; FOO 1:488; FPN 673; GWM 87; IL 1:167; IN 6:256; JPM 1300; JPM2 1497; PEK 114; VP 1:723.

Greeneochloa

Checklist contributor:

Flora of Oregon author: not applicable

Greeneochloa tweedyi (Scribn.) P.M. Peterson, Soreng, Romasch. & Barberá

Common names: Cascade reedgrass, Tweedy's reedgrass

Origin: native Voucher: WTU, most recently collected in 1990

Peterson et al., 2019 .

Synonyms:

***Calamagrostis tweedyi* (Scribn.) Scribn.**

FN 24:714; FOO 1:379; FPN 628; FPN2 784; IL 1:158; VP 1:535.

Hainardia

Checklist contributor: Richard Halse, 8/14/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Hainardia cylindrica (Willd.) Greuter

Common names: thintail

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2005

FN 24:691; FOO 1:420; JPM 1263; JPM2 1456.

Hesperochloa

Checklist contributor:

Flora of Oregon author: not applicable

Hesperochloa campestris (Rydb.) P.M. Peterson, Romasch. & Soreng

Common names: mountain rough fescue

Origin: native Voucher: OSC, most recently collected in 2022

Synonyms:

***Festuca altaica* Trin.**

FN 24:407.

***Festuca campestris* Rydb.**

FN 24:408; FOO 1:409; FPN 641 synonym for *Festuca scabrella*; FPN2 796.

***Festuca scabrella* Torr. ex Hook.**

FN 24:853 ambiguous synonym; FPN 641; IL 1:223; IN 6:208; PEK 90; VP 1:587.

Hesperochloa elmeri (Scribn. & Merr.) P.M. Peterson, Romasch. & Soreng

Common names: Elmer's fescue

Origin: native Voucher: OSC, most recently collected in 2012

Synonyms:

***Festuca elmeri* Scribn. & Merr.**

FN 24:404; FOO 1:409; IL 1:222; JPM 1260; JPM2 1452.

***Festuca howellii* Hack. ex Beal**

Hesperochloa kingii (S. Watson) Rydb.

Common names: spike fescue

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:854 synonym for *Leucopoa kingii*; FPN 644; PEK 92; VP 1:597.

Synonyms:

***Festuca confinis* Vasey**

FN 24:852 synonym for *Leucopoa kingii*; IL 1:221.

***Festuca kingii* (S. Watson) Cassidy**

FN 24:852 synonym for *Leucopoa kingii*; FPN 644 synonym for *Hesperochloa kingii*; JPM 1260; JPM2 1452.

***Leucopoa kingii* (S. Watson) W.A. Weber**

Aiken et al., 1997B ; FN 24:445; FOO 1:426; FPN 644 synonym for *Hesperochloa kingii*; FPN2 802; Hitchcock & Chase, 1950 ; IN 6:218.

Hesperochloa subulata (Trin.) P.M. Peterson, Romasch. & Soreng

Common names: bearded fescue

Origin: native Voucher: OSC, most recently collected in 2020

Synonyms:

***Festuca subulata* Trin.**

FN 24:402; FOO 1:414; FPN 641; FPN2 795; GWM 75; IL 1:222; IN 6:208; JPM 1262; JPM2 1454; PEK 90; VP 1:587; Wilson, 2011 6.

Hesperostipa

Checklist contributor: Katie Mitchell, 5/4/2007

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Hesperostipa comata (Trin. & Rupr.) Barkworth ssp. ***comata***

Common names: needle-and-thread

Origin: native Voucher: OSC, most recently collected in 2021

FN 24:158; FOO 1:420; FPN2 800; JPM 1263.

Synonyms:

Stipa comata* Trin. & Rupr. var. *comata

FN 24:872 synonym for *Hesperostipa comata* ssp. *comata*; FPN 671; IL 1:131; IN 6:362; JPM2 1493; PEK 132; VP 1:713.

***Stipa comata* Trin. & Rupr. var. *intosa* Piper**

IL 1:131; PEK 132.

Holcus

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Holcus lanatus L.

Common names: velvetgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:740; FOO 1:422; FPN 645; FPN2 801; IL 1:163; IN 6:266; JPM 1264; JPM2 1458; PEK 117; VP 1:599.

Holcus mollis L.

Common names: creeping velvetgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 24:740; FOO 1:422; FPN 645; IL 1:163; JPM 1264; JPM2 1458; PEK 117; VP 1:601.

Synonyms:

Holcus mollis* L. ssp. *mollis

FPN2 801.

Hordeum

Checklist contributor: Richard Halse, 3/1/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Hordeum brachyantherum Nevski

Common names: meadow barley

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:243; FOO 1:423; FPN 646; GWM 77; IN 6:314; JPM 1266; PEK 112; VP 1:603.

Synonyms:

Hordeum boreale **Scribn. & J.G. Sm.**

IL 1:247.

Hordeum brachyantherum **Nevski ssp.** ***brachyantherum***

FN 24:243; FPN2 801; JPM 1266; JPM2 1458.

Hordeum brachyantherum **Nevski ssp.** ***californicum*** **(Covas & Stebbins) Bothmer, N.**

FN 24:245; JPM 1266; JPM2 1458.

Hordeum nodosum **L.**

FN 24:854 synonym for *Hordeum brachyantherum*; FPN 646 synonym for *Hordeum brachyantherum*; IL 1:247; IN 6:314.

Hordeum depressum (Scribn. & J.G. Sm.) Rydb.

Common names: low barley

Origin: native Voucher: OSC, most recently collected in 1992

FN 24:243; FOO 1:423; FPN 646; FPN2 802; IL 1:246; IN 6:316; JPM 1266; JPM2 1459; VP 1:603.

Hordeum jubatum L.

Common names: squirreltail barley

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:245; FPN 646; GWM 77; IL 1:246; IN 6:312; JPM 1266; VP 1:605.

Synonyms:

Hordeum jubatum **L. ssp.** ***jubatum***

FN 24:245; FOO 1:423; FPN2 801; JPM2 1459.

Hordeum jubatum **L. var.** ***jubatum***

PEK 112.

Hordeum marinum Huds. ssp. ***gussoneanum*** (Parl.) Thell.

Common names: Mediterranean barley, geniculate barley

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:248; FOO 1:424; FPN2 802; JPM 1266; JPM2 1459.

Synonyms:

Hordeum geniculatum **All.**

FN 24:854 synonym for *Hordeum marinum* ssp. *gussoneanum*; FPN 646; IN 6:314; VP 1:603.

Hordeum gussoneanum **Parl.**

FPN 646 synonym for *Hordeum geniculatum*; IL 1:246.

Hordeum hystrix **Roth**

FN 24:854 synonym for *Hordeum marinum* ssp. *gussoneanum*; FPN 646 synonym for *Hordeum geniculatum*; PEK 112.

Hordeum murinum L.

FN 24:250; FOO 1:424; FPN 646; IL 1:245; JPM 1266; VP 1:607.

Hordeum murinum L. ssp. ***glaucum*** (Steud.) Tzvelev

Common names: smooth barley

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 24:250; FOO 1:424; FPN2 801; JPM 1266; JPM2 1459.

Synonyms:

Hordeum glaucum **Steud.**

FN 24:854 synonym for *Hordeum murinum* ssp. *glaucum*; FPN 646; IN 6:316; VP 1:605.

Hordeum murinum L. ssp. ***leporinum*** (Link) Arcang.

Common names: hare barley

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 24:250; FOO 1:424; FPN2 801; JPM 1266; JPM2 1459.

Synonyms:

Hordeum leporinum **Link**

FN 24:854 synonym for *Hordeum murinum* ssp. *leporinum*; FPN 646; IN 6:316; PEK 111; VP 1:605.

Hordeum murinum L. ssp. ***murinum***

Common names: wall barley, way barley

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 24:250; FOO 1:424; FPN2 801; JPM 1266; JPM2 1459.

Hordeum vulgare L.

FN 24:252; FPN 646; IN 6:318; JPM2 1459; VP 1:607.

Hordeum vulgare L. ssp. ***vulgare***

Common names: barley

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2011

FN 24:252 synonym for *Hordeum vulgare*; FOO 1:425; FPN2 801.

Koeleria

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Koeleria macrantha (Ledeb.) Schult.

Common names: junegrass

Origin: native Voucher: OSC, most recently collected in 2024

FN 24:754; FOO 1:426; FPN2 802; JPM 1267; JPM2 1460.

Synonyms:

Koeleria cristata **(L.) Pers.**

FN 24:855 synonym for *Koeleria macrantha*; FPN 647; GWM 77; IL 1:170; PEK 113; VP 1:609.

Koeleria cristata **(L.) Pers. var.** ***cristata***

FN 24:855 synonym for *Koeleria macrantha*; PEK 113.

Koeleria cristata **(L.) Pers. var.** ***longifolia*** **Vasey ex Burtt Davy**

FN 24:855 synonym for *Koeleria macrantha*; IL 1:170; PEK 113.

Koeleria nitida **Nutt.**

FN 24:855 synonym for *Koeleria macrantha*; FPN 647 synonym for *Koeleria cristata*; IN 6:254.

Koeleria spicata (L.) Barberá, Quintanar, Soreng & P.M.Peterson

Common names: spike trisetum, narrow false oat, spike false oat

Origin: native Voucher: OSC, most recently collected in 2022

Synonyms:

Trisetum sesquiflorum **Trin.**

FN 24:716 synonym for *Trisetum spicatum*; FPN 629 synonym for *Calamagrostis sesquiflora*; IL 1:168.

Trisetum spicatum **(L.) K. Richt.**

FN 24:748; FOO 1:488; FPN 673; FPN2 826; GWM 87; IL 1:168; IN 6:258; JPM 1300; JPM2 1497; PEK 114; VP 1:721.

Trisetum spicatum **(L.) K. Richt. var.** ***congdoni*** **(Scribn. & Merr.) Hitchc.**

FN 24:874 synonym for *Trisetum spicatum*; PEK 115.

Trisetum spicatum **(L.) K. Richt. var.** ***spicatum***

FN 24:874 synonym for *Trisetum spicatum*; PEK 115.

Lagurus

Checklist contributor: Katie Mitchell, 5/14/2007
Flora of Oregon author: not applicable

Lagurus ovatus L.

Common names: harestail grass
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2018
FN 24:670; IL 1:163; JPM 1267; JPM2 1460.

Leersia

Checklist contributor: Kenton Chambers, 7/30/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Leersia oryzoides (L.) Sw.

Common names: rice cutgrass
Origin: native
Voucher: OSC, most recently collected in 2024
FN 24:44-45; FOO 1:426; FPN 647; FPN2 802; IN 6:457; JPM 1267; JPM2 1462; PEK 136; VP 1:610.

Synonyms:

Homalocenchrus oryzoides **(L.) Pollich**
FPN 647 synonym for *Leersia oryzoides*; IL 1:120.

×Leydeum

Checklist contributor: Katie Mitchell, 6/1/2008
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

× ***Leydeum piperi*** (Bowden) Barkworth

Common names: Piper's leydeum
Origin: native
Voucher: US, most recently collected in 1921
FN 24:370.

Synonyms:

× ***Elyhordeum piperi*** **(Bowden) Bowden**
Bowden, 1967 719; IN 6:314.

Leymus

Checklist contributor: Richard Halse, 2/27/2008
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Leymus cinereus (Scribn. & Merr.) Á. Löve

Common names: Great Basin wildrye
Origin: native
Voucher: OSC, most recently collected in 2023
FN 24:364; FOO 1:427; FPN2 803; JPM 1268.

Synonyms:

Elymus cinereus **Scribn. & Merr.**
FN 24:848 synonym for *Leymus cinereus*; FPN 637; IL 1:250; IN 6:303; JPM2 1446; PEK 110; VP 1:561.

Elymus cinereus **Scribn. & Merr. var.** ***cinereus***
FN 24:848 synonym for *Leymus cinereus*; FPN 637; IN 6:303; VP 1:561.

Elymus cinereus **Scribn. & Merr. var.** ***pubens*** **(Piper) C.L. Hitchc.**
FPN 637; IN 6:303; VP 1:561.

Leymus condensatus (J. Presl) Á. Löve

Common names: giant wildrye

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FN 24:362; FOO 1:428; FPN2 803; IL 1:251 excluded; JPM 1268.

Synonyms:

***Elymus condensatus* J. Presl**

FN 24:848 synonym for *Leymus condensatus*; IL 1:250; JPM2 1446.

Elymus condensatus* J. Presl var. *condensatus

FN 24:848 synonym for *Leymus condensatus*; IL 1:250.

Leymus flavescens (Scribn. & J.G. Sm.) Pilg.

Common names: yellow wildrye

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:366; FOO 1:428; FPN2 803.

Synonyms:

***Elymus arenicola* Scribn. & J.G. Sm.**

FN 24:848 synonym for *Leymus flavescens*; FPN 638 synonym for *Elymus flavescens*; IL 1:249; PEK 109.

***Elymus flavescens* Scribn. & J.G. Sm.**

FN 24:848 synonym for *Leymus flavescens*; FPN 638; IL 1:250; IN 6:299; PEK 109; VP 1:561.

Leymus flavescens (Scribn. & J.G. Sm.) Pilg. × ***Leymus triticoides*** (Buckley) Pilg.

Common names: hybrid yellow wildrye

Origin: native Voucher: OSC, most recently collected in 2011

FOO 1:428.

Leymus mollis (Trin.) Pilg.

Common names: American dunegrass

Origin: native Voucher: OSC, most recently collected in 2012

FN 24:356.

Synonyms:

***Elymus mollis* Trin.**

FN 24:849 synonym for *Leymus mollis*; FPN 637; IL 1:248; PEK 109; VP 1:566.

Elymus mollis* Trin. ssp. *mollis

JPM2 1446.

Leymus mollis* (Trin.) Pilg. ssp. *mollis

FN 24:358; FOO 1:428; FPN2 803; JPM 1270.

Leymus* × *multiflorus (Gould) Barkworth & R.J. Atkins

Common names: many-flowered wildrye

Origin: uncertain Voucher: OSC, most recently collected in 2017

Synonyms:

***Elymus* × *gouldii* J.P. Sm. & Colombus**

JPM2 1446.

Leymus racemosus (Lam.) Tzvelev

Common names: mammoth wildrye

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FN 24:356; FPN2 803.

Leymus triticoides (Buckley) Pilg.

Common names: beardless wildrye

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:360; FOO 1:428; FPN2 803; JPM 1270.

Synonyms:

Elymus triticoides **Buckley**

FN 24:849 synonym for *Leymus triticoides*; FPN 637; IL 1:249; IN 6:300; JPM2 1447.

Elymus triticoides **Buckley var.** ***pubescens*** **Hitchc.**

FN 24:849 synonym for *Leymus triticoides*; FPN 637; IL 1:249; IN 6:300; PEK 110; VP 1:567.

Elymus triticoides **Buckley var.** ***triticoides***

FPN 638; IL 1:249; PEK 110; VP 1:567.

Leymus × ***vancouverensis*** (Vasey) Pilg.

Common names: Vancouver wildrye

Origin: native Voucher: OSC, most recently collected in 1939

FN 24:358; FOO 1:429; FPN2 803; JPM 1270.

Synonyms:

Elymus vancouverensis **Vasey**

FN 24:849 synonym for *Leymus × vancouverensis; FPN 637 synonym for Elymus mollis; IL 1:249; JPM2 1447; PEK 109.*

Lolium

Checklist contributor: Richard Halse, Barbara Wilson, 11/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Lolium arundinaceum (Schreb.) Darbysh.

Common names: tall fescue

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:856 synonym for *Schedonorus arundinaceus*.

Synonyms:

Festuca arundinacea **Schreb.**

FN 24:851 synonym for *Schedonorus arundinaceus*; FPN 641; IN 6:206; JPM 1260; JPM2 1452; VP 1:575.

Festuca elatior **L.**

in part

Festuca elatior **L. var.** ***arundinacea*** **(Schreb.) Weinm.**

FN 24:852 synonym for *Schedonorus arundinaceus*; FPN 641 synonym for *Festuca arundinacea*; PEK 90.

Schedonorus arundinaceus **(Schreb.) Dumort.**

FN 24:448; FOO 1:475; FPN2 820.

Lolium × ***hybridum*** Hausskn.

Common names: hybrid ryegrass

Origin: exotic, not naturalized

Synonyms:

Lolium multiflorum **Lam.** × ***Lolium perenne*** **L.**

FN 24:455 synonym for *Lolium × hybridum; VP 1:613.*

Lolium perenne L.

FN 24:455; FOO 1:429; FPN 648; FPN2 804; IL 1:237; IN 6:261; JPM 1270; PEK 113; VP 1:613.

Synonyms:

Festuca perennis **(L.) Columbus & J.P. Sm.**

JPM2 1454.

Lolium perenne **L. var.** ***cristatum*** **(Pers.) Döll**

FN 24:455 synonym for *Lolium perenne*; FPN 648 synonym for *Lolium perenne*; IL 1:237.

Lolium perenne L. ssp. ***multiflorum*** (Lam.) Husn.

Common names: annual ryegrass
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2022
FN 24:856 synonym for *Lolium multiflorum*.

Synonyms:

Lolium multiflorum **Lam.**
FN 24:456; FOO 1:429; FPN 648; FPN2 804; IL 1:237; IN 6:216; JPM 1270; PEK 118; VP 1:611.

Lolium pratense (Huds.) Darbysh.

Common names: meadow fescue
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2021
FN 24:856 synonym for *Schedonorus pratensis*.

Synonyms:

Festuca elatior **L.**
in part
FN 24:852 synonym for *Schedonorus arundinaceus*.

Festuca elatior **L. var.** ***elatior***
IL 1:221; PEK 90.

Festuca pratense **Huds.**
FN 24:852 synonym for *Schedonorus pratensis*; IN 6:206.

Festuca pratensis **Huds.**
FPN 641; IN 6:206; JPM 1260; JPM2 1454; VP 1:585.

Schedonorus pratensis **(Huds.) P. Beauv.**
FN 24:446; FOO 1:475; FPN2 820.

Lolium rigidum Gaudin

Common names: Wimmera ryegrass
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2000
FN 24:456; FPN2 803.

Synonyms:

Lolium strictum **C. Presl**
FN 24:856 synonym for *Lolium rigidum*; IL 1:237.

Lolium subulatum **Vis.**
IL 1:238.

Lolium temulentum L.

FN 24:456; FPN 648; IL 1:237; JPM 1270; PEK 112; VP 1:613.

Lolium temulentum L. ssp. ***temulentum***

Common names: darnel
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 1956
FN 24:459; FOO 1:430; FPN2 804.

Synonyms:

Festuca temulenta **(L.) Columbus & J.P. Sm.**
JPM2 1454.

Lolium temulentum **L. var.** ***arvense*** **(With.) Bab.**
IL 1:237.

Melica

Checklist contributor: Katie Mitchell, 7/17/2007
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Melica aristata Thurb. ex Bol.

Common names: awned melic

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:95; FOO 1:431; FPN 648; FPN2 804; IL 1:189; JPM 1271; JPM2 1463; PEK 105; VP 1:615.

Melica bulbosa Geyer ex Porter & J.M. Coult.

Common names: oniongrass

Origin: native Voucher: OSC, most recently collected in 2018

FN 24:91; FOO 1:432; FPN 649; FPN2 805; GWM 78; IL 1:192; IN 6:338; JPM 1271; JPM2 1463; PEK 106; VP 1:616.

Synonyms:

Melica bella **Piper ssp. *intonsa* Piper**

IL 1:191.

Melica bulbosa **Geyer ex Porter & J.M. Coult. var. *bulbosa***

FN 24:91 synonym for *Melica bulbosa*; FPN 649.

Melica fugax Bol.

Common names: little melic

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:97; FOO 1:432; FPN 649; FPN2 804; GWM 78; IL 1:191; IN 6:337; JPM 1271; JPM2 1463; PEK 106; VP 1:369, 616-7.

Melica geyeri Munro ex Bol.

FN 24:93; FPN 649; IL 1:190; JPM 1271; JPM2 1463; PEK 105; VP 1:617.

Melica geyeri Munro ex Bol. var. ***geyeri***

Common names: Geyer's oniongrass

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:95; FOO 1:432; FPN2 805.

Melica harfordii Bol.

Common names: Harford melic

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:93; FOO 1:432; FPN 648; FPN2 804; IL 1:190; JPM 1271; JPM2 1463; PEK 106; VP 1:617.

Synonyms:

Melica harfordii **Bol. var. *minor* Vasey**

FN 24:857 synonym for *Melica harfordii*; IL 1:190.

Melica smithii (Porter ex A. Gray) Vasey

Common names: Smith's melic

Origin: native Voucher: OSC, most recently collected in 2017

FN 24:95; FOO 1:433; FPN 648; FPN2 804; IL 1:189; PEK 105; VP 1:619.

Melica spectabilis Scribn.

Common names: purple oniongrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:91; FOO 1:433; FPN 649; FPN2 805; GWM 78; IL 1:191; IN 6:338; JPM 1271; JPM2 1464; PEK 106; VP 1:619.

Melica stricta Bol.

FN 24:97; IL 1:192; IN 6:338; JPM 1272; JPM2 1464; PEK 106.

Melica stricta Bol. var. ***stricta***

Common names: rock melic

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:98; FOO 1:433; FPN2 804.

Melica subulata (Griseb.) Scribn.

Common names: Alaska oniongrass, tapered oniongrass

Origin: native Voucher: OSC, most recently collected in 2025

FN 24:95; FOO 1:433; FPN 649; FPN2 804; IL 1:190; JPM 1272; JPM2 1464; PEK 105.

Synonyms:

***Melica subulata* (Griseb.) Scribn. var. *pammelii* (Scribn.) C.L. Hitchc.**

FN 24:857 synonym for *Melica subulata*; FPN 649; VP 1:619.

Melica subulata* (Griseb.) Scribn. var. *subulata

FN 24:95 synonym for *Melica subulata*; FPN 649; VP 1:621.

Miscanthus

Checklist contributor:

Flora of Oregon author: not applicable

Miscanthus sinensis Andersson

Common names: Chinese silvergrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FPN2 762.

Molinia

Checklist contributor: Kenton Chambers, 7/29/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Molinia caerulea (L.) Moench

Common names: purple moorgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 25:8; FOO 1:434; FPN 649; FPN2 805; VP 1:621.

Muhlenbergia

Checklist contributor: Kenton Chambers, 7/24/2001

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Muhlenbergia andina (Nutt.) Hitchc.

Common names: foxtail muhly

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:156; FOO 1:435; FPN 650; FPN2 806; GWM 78; IL 1:138; IN 6:416; JPM 1273; JPM2 1465; PEK 129; VP 1:623.

Muhlenbergia asperifolia (Nees & Meyen ex Trin.) Parodi

Common names: alkali muhly, scratchgrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:179; FOO 1:435; FPN 650; FPN2 806; IN 6:414; JPM 1273; JPM2 1465; PEK 128; VP 1:624.

Synonyms:

***Sporobolus asperifolius* Nees & Meyen ex Trin.**

IL 1:145; PEK 128 synonym for *Muhlenbergia asperifolia*.

Muhlenbergia filiformis (Thurb. ex S. Watson) Rydb.

Common names: pull-up muhly

Origin: native Voucher: OSC, most recently collected in 2020

FN 25:179; FOO 1:435; FPN 650; FPN2 806; GWM 79; IL 1:140; IN 6:420; JPM 1273; JPM2 1466; PEK 128; VP 1:624.

Muhlenbergia mexicana (L.) Trin.

FN 25:154; FOO 1:435; FPN 651; FPN2 806; IN 6:418; JPM 1274; JPM2 1466; PEK 128; VP 1:625; Wilson, 2011 7.

Misapplied names:

***Muhlenbergia glomerata* (Willd.) Trin.**

FN 25:154; FPN 651; FPN2 806; IN 6:416.

***Muhlenbergia racemosa* (Michx.) Britton, Sterns & Poggenb.**

FN 25:153; FPN 651; FPN2 806; IL 1:139; IN 6:416; PEK 128; VP 1:627.

Muhlenbergia mexicana (L.) Trin. var. *filiformis* (Torr.) Scribn.

Common names: wirestem muhly

Origin: native Voucher: OSC, most recently collected in 2020

FN 25:154; FOO 1:436.

Synonyms:

***Muhlenbergia foliosa* (Roem. & Schult.) Trin. ssp. *ambigua* (Torr.) Scribn.**

FPN 651 synonym for *Muhlenbergia mexicana*; IL 1:140.

Muhlenbergia mexicana (L.) Trin. var. *mexicana*

Common names: wirestem muhly

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1994

FN 25:154; FOO 1:436.

Muhlenbergia minutissima (Steud.) Swallen

Common names: annual muhly

Origin: native Voucher: OSC, most recently collected in 2018

FN 25:198; FOO 1:436; FPN 650; FPN2 806; IN 6:422; JPM 1274; JPM2 1466; VP 1:625.

Synonyms:

***Sporobolus microspermus* (Lag.) Hitchc.**

FN 25:198 synonym for *Muhlenbergia minutissima*; FPN 650 synonym for *Muhlenbergia minutissima*; PEK 129.

Muhlenbergia richardsonis (Trin.) Rydb.

Common names: mat muhly

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:177; FOO 1:436; FPN 650; FPN2 806; IN 6:411; JPM 1274; JPM2 1466; PEK 128; VP 1:627.

Synonyms:

***Muhlenbergia squarrosa* Rydb.**

FN 25:177 synonym for *Muhlenbergia richardsonis*; FPN 650 synonym for *Muhlenbergia richardsonis*; IL 1:138.

Muhlenbergia rigens (Benth.) Hitchc.

Common names: deer grass

Origin: uncertain Voucher: OSC, most recently collected in 2024

Muhlenbergia uniflora (Muhl.) Fernald

Common names: bog muhly

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1997

FN 25:181; FOO 1:436; FPN2 806.

Munroa

Checklist contributor: Kenton Chambers, 7/29/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Munroa squarrosa (Nutt.) Torr.

Common names: false buffalograss

Origin: native Voucher: OSC, most recently collected in 1985

FN 25:51; FOO 1:437; FPN 651; FPN2 807; IN 6:404; JPM 1274; JPM2 1468.

Nardus

Checklist contributor: Kenton Chambers, 7/29/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Nardus stricta L.

Common names: matgrass
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2015
FN 24:63; FOO 1:438; FPN 651; FPN2 807.

Nassella

Checklist contributor: Katie Mitchell, 5/4/2007
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Nassella tenuissima (Trin.) Barkworth

Common names: Mexican feathergrass, Mexican needlegrass
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2023
FOO 1:438; FPN2 807.

Panicum

Checklist contributor: Richard Halse, 10/10/2006
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Panicum capillare L.

FN 25:457; FPN 653; IL 1:113; IN 6:372; JPM 1278; JPM2 1470; VP 1:635.

Panicum capillare L. ssp. ***capillare***

Common names: witchgrass
Origin: native
Voucher: OSC, most recently collected in 2019
FN 25:457; FOO 1:440; FPN2 808.

Synonyms:

Panicum barbipulvinatum **Nash**

FPN 653 synonym for *Panicum capillare*; IL 1:113.

Panicum capillare **L. var. *capillare***

FN 25:457 synonym for *Panicum capillare* ssp. *capillare*; PEK 138.

Panicum dichotomiflorum Michx.

FN 25:469; FPN 653; IL 1:112; JPM 1278; VP 1:637.

Panicum dichotomiflorum Michx. ssp. ***dichotomiflorum***

Common names: fall panicum
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2024
FN 25:469; FOO 1:440; FPN2 808; JPM2 1470.

Panicum miliaceum L.

FN 25:456; FOO 1:440; FPN 653; IL 1:114; IN 6:372; JPM 1278; Nelson, 1919B ; VP 1:637.

Panicum miliaceum L. ssp. ***miliaceum***

Common names: proso millet, broomcorn, common millet
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2019
FN 25:457; FOO 1:440; FPN2 808; JPM2 1470.

Panicum miliaceum L. ssp. ***ruderale*** (Kitag.) Tzvelev

Common names: wild millet, wild proso millet, black-seeded proso millet
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2020
FN 25:457; FOO 1:440; FPN2 808.

Panicum rigidulum Bosc ex Nees

Common names: redtop panic grass, redtop panicum

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FN 25:477.

Panicum virgatum L.

Common names: switchgrass

Origin: exotic, not naturalized Voucher: RENO, most recently collected in 2019

Pappostipa

Checklist contributor: Barbara Wilson, 10/13/2009

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Pappostipa speciosa (Trin. & Rupr.) Romasch.

Common names: desert needlegrass

Origin: native Voucher: OSC, most recently collected in 2023

FOO 1:441; Romaschenko et al., 2008 .

Synonyms:

Achnatherum speciosum **(Trin. & Rupr.) Barkworth**

FN 24:832 synonym for *Jarava speciosa*; JPM 1227.

Jarava speciosa **(Trin. & Rupr.) Peñail.**

FN 24:181.

Stipa speciosa **Trin. & Rupr.**

FN 24:872 synonym for *Jarava speciosa*; IL 1:129; IN 6:360; JPM2 1494.

Parapholis

Checklist contributor: Kenton Chambers, 7/29/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Parapholis incurva (L.) C.E. Hubb.

Common names: curved sicklegrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2012

FN 24:688; FOO 1:442; FPN 653; FPN2 808; JPM 1278; JPM2 1470.

Synonyms:

Pholiurus incurvus **(L.) Schinz & Thell.**

FN 24:865 synonym for *Parapholis incurva*; IL 1:239.

Pascopyrum

Checklist contributor: Richard Halse, 2/27/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Pascopyrum smithii (Rydb.) Barkworth & D.R. Dewey

Common names: western wheatgrass

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:351; FOO 1:442; FPN2 808; JPM 1280.

Synonyms:

***Agropyron elmeri* Scribn.**

FN 24:832 synonym for *Pascopyrum smithii*; FPN 616 synonym for *Agropyron dasystachyum*; IL 1:241; PEK 107.

***Agropyron smithii* Rydb.**

FN 24:833 synonym for *Pascopyrum smithii*; FPN 616; IL 1:241; IN 6:324; PEK 107; VP 1:457.

***Agropyron smithii* Rydb. var. *molle* (Scribn. & J.G. Sm.) M.E. Jones**

FN 24:833 synonym for *Pascopyrum smithii*; FPN 616 synonym for *Agropyron smithii*; IL 1:241.

Agropyron smithii* Rydb. var. *smithii

IN 6:324.

***Elymus smithii* (Rydb.) Gould**

JPM2 1447.

Paspalum

Checklist contributor: Kenton Chambers, 8/13/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Paspalum dilatatum Poir.

Common names: dallisgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

FN 25:579; FOO 1:443; FPN2 809; IL 1:111; JPM 1280; JPM2 1471.

Paspalum distichum L.

Common names: knotgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 25:575; FOO 1:443; FPN 654; FPN2 809; IL 1:111; IN 6:366; JPM 1280; JPM2 1471; PEK 137; VP 1:639.

Phalaris

Checklist contributor: Richard Halse, 11/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Phalaris angusta Nees ex Trin.

Common names: narrow canarygrass, timothy canarygrass

Origin: uncertain Voucher: OSC, most recently collected in 1951

FN 24:773; FOO 1:444; IL 1:123; JPM 1281; JPM2 1474; PEK 136.

Phalaris aquatica L.

Common names: bulbous canarygrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:767; FOO 1:444; FPN 654; FPN2 809; JPM 1281; JPM2 1474; VP 1:641.

Synonyms:

***Phalaris commutata* Roem. & Schult.**

***Phalaris stenoptera* Hack.**

***Phalaris tuberosa* L.**

***Phalaris tuberosa* L. var. *stenoptera* (Hack.) Hitchc.**

FN 24:864 synonym for *Phalaris aquatica*; JPM 1281 synonym for *Phalaris aquatica*; PEK 136; VP 1:641 synonym for *Phalaris aquatica*.

Phalaris arundinacea L.

Common names: reed canarygrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:770; FOO 1:445; FPN 654; FPN2 809; IL 1:121; IN 6:284; JPM 1281; JPM2 1474; PEK 136; VP 1:641.

Synonyms:

Phalaris arundinacea* L. var. *arundinacea

***Phalaris arundinacea* L. var. *picta* L.**

FN 24:864 synonym for *Phalaris arundinacea*; FPN 654 excluded.

Phalaris californica Hook. & Arn.

Common names: California canarygrass

Origin: native Voucher: OSC, most recently collected in 1977

FN 24:770; FOO 1:445; IL 1:121; JPM 1282; JPM2 1474; PEK 136.

Phalaris canariensis L.

Common names: annual canarygrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2012

FN 24:768; FOO 1:445; FPN 655; FPN2 809; IL 1:122; IN 6:286; JPM 1282; JPM2 1474; PEK 135; VP 1:641.

Phalaris caroliniana Walter

Common names: Carolina canarygrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1977

FN 24:772; FPN 654; FPN2 809; IL 1:123; JPM 1282; JPM2 1474; PEK 136.

Phalaris minor Retz.

Common names: Mediterranean canarygrass, lesser canarygrass, small canarygrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1949

FN 24:767; FPN 654; FPN2 809; IL 1:121; JPM 1282; JPM2 1474; PEK 136.

Phalaris paradoxa L.

Common names: hooded canarygrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2012

FN 24:766; FOO 1:445; FPN 654; FPN2 809; IL 1:120; JPM 1282; JPM2 1474; VP 1:643.

Synonyms:

***Phalaris paradoxa* L. var. *praemorsa* (Lamb.) Coss. & Durieu**

FN 24:864 synonym for *Phalaris paradoxa*; IL 1:120.

Phleum

Checklist contributor: Richard Halse, 11/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Phleum alpinum L.

Common names: alpine timothy

Origin: native Voucher: OSC, most recently collected in 2022

FN 24:672; FOO 1:446; FPN 655; FPN2 810; GWM 80; IL 1:142; IN 6:292; JPM 1282; JPM2 1475; PEK 127; VP 1:645.

Phleum arenarium L.

Common names: sand timothy

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1914

FN 24:675; FPN 655; FPN2 810.

Phleum paniculatum Huds.

Common names: British timothy

Origin: exotic, not naturalized Voucher: WS, most recently collected in 1902

FN 24:672; FPN 655; FPN2 810; VP 1:643.

Phleum pratense L.

Common names: timothy

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:672; FOO 1:446; FPN 655; FPN2 810; GWM 80; IL 1:142; IN 6:291; JPM 1282; JPM2 1475; PEK 127; VP 1:645; Wilson, 1996 .

Phleum subulatum (Savi) Aschers. & Graebn.

Common names: Italian timothy

Origin: exotic, not naturalized Voucher: WS, most recently collected in 1912

FN 24:675; FPN 655; FPN2 810; VP 1:643.

Synonyms:

Phleum bellardi **(Willd.) Willd.**

IL 1:142.

Phragmites

Checklist contributor: Kenton Chambers, 7/30/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Phragmites australis (Cav.) Trin. ex Steud.

FN 25:010; FOO 1:447; IN 6:459; JPM 1282; JPM2 1475.

Phragmites australis (Cav.) Trin. ex Steud. ssp. ***americanus*** Staltonstall, P.M. Peterson, & Soreng

Common names: American common reed

Origin: native Voucher: OSC, most recently collected in 2020

FOO 1:447; FPN2 810.

Phragmites australis (Cav.) Trin. ex Steud. ssp. ***australis***

Common names: Old World common reed

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FOO 1:447; FPN2 810.

Synonyms:

Phragmites communis **(L.) Trin.**

FN 25:10 synonym for *Phragmites australis*; FPN 655; PEK 104; VP 1:645.

Phragmites phragmites **(L.) H. Karst.**

FN 25:10 synonym for *Phragmites australis*; IL 1:183.

Phyllostachys

Checklist contributor:

Flora of Oregon author: not applicable

Phyllostachys aureosulcata McClure

Common names: yellow groove bamboo

Origin: exotic, not naturalized

Phyllostachys bambusoides Siebold & Zucc.

Common names: giant timber bamboo

Origin: exotic, not naturalized

Phyllostachys nigra (Lodd. ex Lindl.) Munro var. ***henonis*** (Mitford) Stapf ex Rendle

Common names: Henon bamboo

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

Phyllostachys vivax McClure

Common names: timber bamboo

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2024

Piptatheropsis

Checklist contributor:
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Piptatheropsis exigua (Thurb.) Romasch., P.M. Peterson & Soreng

Common names: little ricegrass
Origin: native Voucher: OSC, most recently collected in 2013
FOO 1:447; FPN2 811.

Synonyms:
***Oryzopsis exigua* Thurb.**
FN 24:859 synonym for *Piptatherum exiguum*; FPN 652; GWM 79; IL 1:135; IN 6:350; PEK 130; VP 1:631.
***Piptatherum exiguum* (Thurb.) Dorn**
FN 24:146.
***Stipa exigua* (Thurb.) Columbus & J.P. Sm.**
JPM2 1493.

Pleioblastus

Checklist contributor:
Flora of Oregon author: not applicable

Pleioblastus humilis (Mitford) Nakai

Common names: kamuro zasa
Origin: exotic, not naturalized

Pleuropogon

Checklist contributor: Kenton Chambers, 8/13/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Pleuropogon oregonus Chase

Common names: Oregon semaphoregrass
Origin: native Voucher: OSC, most recently collected in 2019
FN 24:107; FOO 1:448; FPN 656; FPN2 811; PEK 95; VP 1:647.

Pleuropogon refractus (A. Gray) Benth. ex Vasey

Common names: nodding semaphoregrass
Origin: native Voucher: OSC, most recently collected in 2021
FN 24:107; FOO 1:449; FPN 656; FPN2 811; Hitchcock & Chase, 1950 ; IL 1:194; JPM 1284; JPM2 1476; PEK 95; VP 1:647.

Poa

Checklist contributor: Rob Soreng, 6/20/2008
Flora of Oregon author: Rob Soreng, Barbara Wilson, Richard Brainerd, Nick Otting

Poa alpigena Lindm.

Common names: alpine Kentucky bluegrass
Origin: native Voucher: OSC, most recently collected in 2014

Synonyms:
***Poa pratensis* L. ssp. *alpigena* (Lindm.) Hiitonen**
FOO 1:463; FPN2 815.

Poa alpina L.

FN 24:518; FPN 662; GWM 81; IL 1:204; IN 6:240; Linnaei, 1753 67; PEK 99; VP 1:653.

Poa alpina L. ssp. ***alpina***

Common names: alpine bluegrass

Origin: native Voucher: OSC, most recently collected in 2005

FN 24:518; FOO 1:453; FPN2 813.

Poa annua L.

Common names: annual bluegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:519; FOO 1:453; FPN 656; FPN2 812; GWM 81; IL 1:198; IN 6:228; JPM 1287; JPM2 1478; Linnaei, 1753 68; PEK 97; VP 1:653.

Poa bolanderi Vasey

Common names: Bolander's bluegrass

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:533; FOO 1:453; FPN 656; FPN2 812; GWM 81; IL 1:199; IN 6:226; JPM 1287; JPM2 1478; PEK 97; VP 1:655; Vasey, 1882 32.

Poa bulbosa L.

Common names: bulbous bluegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:516; FOO 1:454; FPN 658; IN 6:234; JPM 1287; Linnaei, 1753 70; PEK 99; VP 1:655.

Synonyms:

Poa bulbosa* L. ssp. *bulbosa

FPN2 812; JPM2 1478.

***Poa bulbosa* L. ssp. *vivipara* (Koeler) Arcang.**

Archangeli, 1882 785; FN 24:516; FPN2 812; JPM2 1478.

Poa chambersii Soreng

Common names: Chambers' bluegrass

Origin: native Voucher: OSC, most recently collected in 2014

FN 24:548; FOO 1:454; FPN2 817; Oregon Flora Project, 2000I ; Oregon Flora Project, 2006F ; Soreng, 1998 195.

Poa compressa L.

Common names: Canada bluegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:579; FOO 1:455; FPN 657; FPN2 812; IL 1:200; IN 6:228; JPM 1287; JPM2 1479; Linnaei, 1753 69; PEK 97; VP 1:657.

Poa confinis Vasey

Common names: coastline bluegrass

Origin: native Voucher: OSC, most recently collected in 2012

FN 24:552; FOO 1:455; FPN 656; FPN2 815; IL 1:201; JPM 1287; JPM2 1479; PEK 97; VP 1:657; Vasey, 1893B (plate:) 75.

Poa cusickii Vasey

FN 24:559; FOO 1:455; FPN 659; GWM 82; IL 1:210; IN 6:242; JPM 1287; PEK 100; Vasey, 1893A 271.

Poa cusickii Vasey ssp. ***cusickii***

Common names: Cusick's bluegrass

Origin: native Voucher: OSC, most recently collected in 2024

FN 24:560; FOO 1:456; FPN2 817; JPM 1287; JPM2 1479.

Synonyms:

Poa cusickii* Vasey var. *cusickii

FPN 659; VP 1:660.

Poa cusickii Vasey ssp. ***epilis*** (Scribn.) W.A. Weber

Common names: skyline bluegrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:560; FOO 1:456; FPN2 817; JPM 1287; JPM2 1479; Weber, 1982 375.

Synonyms:

Poa cusickii **Vasey var. *epilis* (Scribn.) C.L. Hitchc.**

FN 24:866 synonym for *Poa cusickii* ssp. *epilis*; FPN 659; VP 1:660.

Poa epilis **Scribn.**

FN 24:866 synonym for *Poa cusickii* ssp. *epilis*; FPN 659 synonym for *Poa cusickii* ssp. *epilis*; GWM 82; IL 1:209; IN 6:242; PEK 100.

Poa cusickii Vasey ssp. ***pallida*** Soreng

Common names: pale Cusick's bluegrass

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:560; FOO 1:456; FPN2 817; JPM 1287; JPM2 1479.

Poa cusickii Vasey ssp. ***purpurascens*** (Vasey) Soreng

Common names: purple Cusick's bluegrass

Origin: native Voucher: OSC, most recently collected in 2008

FN 24:562; FOO 1:456; FPN2 817; JPM 1288; JPM2 1479; Soreng, 1991A 396.

Synonyms:

Poa cusickii **Vasey var. *purpurascens* (Vasey) C.L. Hitchc.**

FN 24:866 synonym for *Poa cusickii* ssp. *purpurascens*; FPN 659; VP 1:659.

Poa fendleriana (Steud.) Vasey

FN 24:556; FPN 657; IL 1:206; IN 6:238; PEK 99; VP 1:660; Vasey, 1893B (plate:) 74.

Poa fendleriana (Steud.) Vasey ssp. ***longiligula*** (Scribn. & T.A. Williams) Soreng

Common names: longtongue muttongrass

Origin: native Voucher: OSC, most recently collected in 1998

FN 24:558; FOO 1:457; FPN2 816; JPM 1288; JPM2 1479; Soreng, 1985 408.

Synonyms:

Poa longiligula **Scribn. & T.A. Williams**

FN 24:558 synonym for *Poa fendleriana* ssp. *longiligula*; FPN 657 synonym for *Poa fendleriana*; IL 1:205.

Poa glauca Vahl ssp. ***glauca***

Common names: glaucous bluegrass

Origin: native

FPN2 813.

Poa glauca Vahl ssp. ***rupicola*** (Nash) W.A. Weber

Common names: timberline bluegrass

Origin: native Voucher: OSC, most recently collected in 2016

FN 24:578; FOO 1:457; FPN2 813; JPM 1288; JPM2 1479; Weber, 1982 375.

Synonyms:

Poa rupicola **Nash**

FN 24:867 synonym for *Poa glauca* ssp. *rupicola*; FPN 662; GWM 84; IL 1:205; IN 6:242; PEK 100; VP 1:675.

Poa howellii Vasey & Scribn.

Common names: Howell's bluegrass

Origin: native Voucher: OSC, most recently collected in 2021

FN 24:534; FOO 1:457; FPN 656; FPN2 812; IL 1:199; JPM 1288; JPM2 1479; PEK 97; VP 1:665; Vasey, 1893B (plate:) 78.

Poa iconia Azn. var. ***iconia***

Common names: Turkish bulbous bluegrass
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2022
Soreng & Simmons, 2018 .

Poa infirma Kunth

Common names: weak bluegrass
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2021
FOO 1:458; FPN2 812; JPM 1288; JPM2 1479.

Poa laxiflora Buckley

Common names: looseflower bluegrass
Origin: native
Voucher: OSC, most recently collected in 2013
Buckley, 1862 96; FN 24:538; FOO 1:458; FPN 660; FPN2 815; PEK 98; VP 1:666.

Poa leibergii Scribn.

Common names: Leiberg's bluegrass
Origin: native
Voucher: OSC, most recently collected in 2022
FN 24:563; FOO 1:458; FPN 661; FPN2 817; GWM 82; IL 1:210; IN 6:245; PEK 101; Scribner, 1898 6, plate 2; VP 1:667.

Synonyms:

Poa vaseyochloa **Scribn.**
in part

Poa leptocoma Trin.

Common names: bog bluegrass
Origin: native
Voucher: OSC, most recently collected in 2012
FN 24:573; FOO 1:459; FPN 659; FPN2 816; GWM 82; IL 1:203; IN 6:238; PEK 99; VP 1:667.

Synonyms:

Poa leptocoma **Trin. ssp.** ***leptocoma***
FN 24:866 synonym for *Poa leptocoma*; JPM 1288; JPM2 1480.

Poa leptocoma **Trin. var.** ***leptocoma***
FN 24:866 synonym for *Poa leptocoma*; FPN 659; VP 1:669.

Poa vaseyochloa **Scribn.**

Poa lettermanii Vasey

Common names: Letterman's bluegrass
Origin: native
Voucher: OSC, most recently collected in 2013
FN 24:580; FOO 1:459; FPN 662; FPN2 814; IL 1:211; IN 6:244; JPM 1288; JPM2 1480; VP 1:669; Vasey, 1893A 273.

Poa × ***limosa*** Scribn. & T.A. Williams

Common names: hybrid bluegrass
Origin: native and exotic
Voucher: OSC, most recently collected in 2008
FN 24:601; FOO 1:460; FPN2 811; Scribner, 1899 5.

Poa macrantha Vasey

Common names: seashore bluegrass
Origin: native
Voucher: OSC, most recently collected in 2018
FN 24:551; FOO 1:460; FPN 657; FPN2 812; IL 1:200; JPM 1288; JPM2 1480; PEK 97; VP 1:669; Vasey, 1888 11.

Poa mansfieldii Otting & B.L. Wilson

Common names: Mansfield's bluegrass
Origin: native
Voucher: OSC, most recently collected in 2014

Poa marcida Hitchc.

Common names: withered bluegrass

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:512; FOO 1:460; FPN 659; FPN2 815; Hitchcock, 1928 158; PEK 98; VP 1:669.

Poa* × *multnomae Piper

Common names: Multnomah bluegrass

Origin: native Voucher: OSC, most recently collected in 2012

FN 24:545; FOO 1:460; FPN 663 synonym for *Poa gracillima* var. *multnomae*; FPN2 811; IL 1:206 synonym for *Poa gracillima*; VP 1:661 synonym for *Poa gracillima* var. *multnomae*.

Synonyms:

***Poa gracillima* Vasey**

in part

PEK 101.

***Poa gracillima* Vasey var. *multnomae* (Piper) C.L. Hitchc.**

FN 24:866 synonym for *Poa × multnomae; FPN 663; VP 1:661.*

Poa nemoralis L.

Common names: woodland bluegrass, wood bluegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 24:574; FOO 1:461; FPN 660; FPN2 813; JPM 1288; JPM2 1480; Linnaei, 1753 ; VP 1:671.

Poa nervosa (Hook.) Vasey

sensu stricto,

Common names: veiny bluegrass

Origin: native

FOO 1:461; PEK 98; Vasey, 1893B (plate:) 81.

Synonyms:

Poa nervosa* (Hook.) Vasey var. *nervosa

FN 24:867 synonym for *Poa nevadensis*; FPN 657; VP 1:673.

***Poa vaseyana* Scribn. ex Beal**

FPN 657 synonym for *Poa nervosa* var. *wheeleri*; GWM 85 for *Poa nervosa*; Hitchcock & Chase, 1950 synonym for *Poa nervosa*; IN 6:230 synonym for *Poa nervosa*; VP 1:671 synonym for *Poa nervosa* var. *wheeleri*.

Poa palustris L.

Common names: fowl bluegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 24:574; FOO 1:461; FPN 660; FPN2 813; IL 1:204; IN 6:234; JPM 1288; JPM2 1480; Linnaei, 1758-1759 874; PEK 99; VP 1:674.

Poa piperi Hitchc.

Common names: Piper's bluegrass

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:554; FOO 1:462; IL 1:201; JPM 1289; JPM2 1480.

Poa pratensis L.

FN 24:522; FOO 1:462; FPN 661; GWM 84; IL 1:202; Linnaei, 1753 67-68; PEK 98; VP 1:675.

Poa pratensis L. ssp. ***agassizensis*** (B. Boivin & D. Löve) Roy L. Taylor & MacBryde

Common names: Agassiz' Kentucky bluegrass

Origin: uncertain Voucher: OSC, most recently collected in 2002

FN 24:523; FOO 1:463; FPN2 815; IN 6:232 synonym for *Poa pratensis*; Taylor & MacBryde, 1978 193.

Synonyms:

***Poa agassizensis* B. Boivin & D. Löve**

FN 24:865 synonym for *Poa pratensis* ssp. *agassizensis*; FPN 661 synonym for *Poa pratensis*; IN 6:232.

Poa pratensis L. ssp. ***angustifolia*** (L.) Lej.

Common names: thin-leaved Kentucky bluegrass
Origin: exotic, naturalized
FOO 1:463; FPN2 815.

Poa pratensis L. ssp. ***irrigata*** (Lindm.) H. Lindb.

Common names: dryland Kentucky bluegrass
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1933
FOO 1:464; FPN2 815.

Poa pratensis L. ssp. ***pratensis***

Common names: typical Kentucky bluegrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018
FN 24:526; FOO 1:464; FPN2 816; JPM 1289; JPM2 1480.

Synonyms:
Poa pratensis **L. ssp. *latifolia* Weihe ex Mert. & W.D.J. Koch**

Poa pringlei Scribn.

Common names: Pringle's bluegrass
Origin: native Voucher: OSC, most recently collected in 2015
FN 24:564; FOO 1:464; IL 1:210; JPM 1289; JPM2 1480; PEK 100.

Poa reflexa Vasey & Scribn.

Common names: nodding bluegrass
Origin: native Voucher: OSC, most recently collected in 1978
FN 24:538; FOO 1:464; FPN 659; FPN2 816; IN 6:238; PEK 99; VP 1:675; Vasey, 1893A 276.

Poa rhizomata Hitchc.

Common names: rhizome bluegrass
Origin: native Voucher: OSC, most recently collected in 2011
FN 24:546; FOO 1:464; Hitchcock, 1912 155; IL 1:203; JPM 1289; JPM2 1480; PEK 97.

Poa secunda J. Presl

FN 24:586; FOO 1:465; FPN 663 synonym for *Poa sandbergii*; JPM 1289; PEK 101; Presl, 1828 271.

Synonyms:
Poa canbyi **(Scribn.) Howell**
FN 24:866 synonym for *Poa secunda* ssp. *secunda*; FPN 663 synonym for *Poa scabrella*; IL 1:207; IN 6:248; PEK 101.

Poa secunda J. Presl ssp. ***juncifolia*** (Scribn.) Soreng

Common names: alkali bluegrass, Nevada bluegrass, big bluegrass
Origin: native Voucher: OSC, most recently collected in 2023
FN 24:586; FOO 1:465; FPN2 812; JPM 1289; JPM2 1480; Soreng, 1991A 401.

Synonyms:
Poa ampla **Merr.**
FN 24:865 synonym for *Poa secunda* ssp. *juncifolia*; FPN 663 synonym for *Poa juncifolia*; IL 1:208; IN 6:250; PEK 102.

Poa brachyglossa **Piper**
FPN 663 synonym for *Poa juncifolia*; IL 1:208.

Poa juncifolia **Scribn.**
FN 24:866 synonym for *Poa secunda* ssp. *juncifolia*; FPN 663; IN 6:250; PEK 101; VP 1:665.

Poa nevadensis **Vasey ex Scribn.**
FN 24:867 synonym for *Poa secunda* ssp. *juncifolia*; FPN 663; IL 1:207; IN 6:248; PEK 101; VP 1:673.

Poa secunda J. Presl ssp. ***secunda***

Common names: Canby's bluegrass, pine bluegrass, Pacific bluegrass, Sandberg's bluegrass

Origin: native Voucher: OSC, most recently collected in 2024

FN 24:588; FOO 1:466; FPN2 812; JPM 1289; JPM2 1480.

Synonyms:

Poa gracillima **Vasey**

in part

FN 24:866 synonym for *Poa secunda* ssp. *secunda*.

Poa gracillima **Vasey var.** ***gracillima***

FN 24:866 synonym for *Poa secunda* ssp. *secunda*; FPN 663; GWM 82; IL 1:206; IN 6:246; VP 1:661.

Poa incurva **Scribn. & T.A. Williams**

FN 24:866 synonym for *Poa secunda* ssp. *secunda*; FPN 663.

Poa sandbergii **Vasey**

FN 24:588 synonym for *Poa secunda* ssp. *secunda*; FPN 663; GWM 84; IL 1:207; IN 6:246; PEK 101; VP 1:677.

Poa scabrella **(Thurb.) Benth. ex Vasey**

FN 24:867 synonym for *Poa secunda* ssp. *secunda*; FPN 663; GWM 84; IL 1:206; IN 6:246; PEK 101; VP 1:679.

Poa stenantha Trin.

FN 24:592; FPN 662; IL 1:204; PEK 99; VP 1:681.

Poa stenantha Trin. var. ***stenantha***

Common names: northern bluegrass

Origin: native Voucher: OSC, most recently collected in 2014

FOO 1:466; FPN2 813.

Poa suksdorfii (Beal) Vasey ex Piper

Common names: western bluegrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 24:584; FOO 1:466; FPN 662; FPN2 814; GWM 85; IN 6:245; Piper, 1906 135; VP 1:681.

Poa trivialis L.

Common names: rough bluegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:568; FOO 1:466; FPN 659; IL 1:203; IN 6:234; JPM 1289; JPM2 1482; Linnaei, 1753 67; PEK 98; VP 1:681.

Synonyms:

Poa trivialis **L. ssp.** ***trivialis***

FPN2 815.

Poa unilateralis Scribn. ex Vasey

FN 24:594; FOO 1:467; IL 1:209; JPM 1289; PEK 100; Vasey, 1893B (t.) 85.

Poa unilateralis Scribn. ex Vasey ssp. ***pachypholis*** (Piper) D.D. Keck ex Soreng

Common names: seacliff bluegrass

Origin: native Voucher: OSC, most recently collected in 1986

FN 24:596; FOO 1:468; FPN2 814; Galash, 2024 ; Soreng, 1998 199.

Poa unilateralis Scribn. ex Vasey ssp. ***unilateralis***

Common names: San Francisco bluegrass

Origin: native Voucher: OSC, most recently collected in 2018

FN 24:596; FOO 1:468; JPM2 1482.

Poa wallowensis Soreng

Common names: Wallowa bluegrass

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 814; Galash, 2024 .

Misapplied names:

***Poa laxa* Haenke**

FOO 1:458; Jirasek et al., 1791 118.

Poa wheeleri Vasey

Common names: Wheeler's bluegrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:546; FOO 1:468; FPN 657 synonym for *Poa nervosa* var. *wheeleri*; FPN2 817; JPM 1290; JPM2 1482; PEK 98.

Synonyms:

***Poa curta* Rydb.**

FN 24:866 synonym for *Poa wheeleri*; FPN 658; IN 6:230; VP 1:657.

***Poa nervosa* (Hook.) Vasey**

in part

***Poa nervosa* (Hook.) Vasey var. *wheeleri* (Vasey) C.L. Hitchc.**

FN 24:867 synonym for *Poa wheeleri*; FPN 657; VP 1:673.

Podagrostis

Checklist contributor: Richard Halse, 3/3/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Podagrostis humilis (Vasey) Björkman

sensu stricto,

Common names: alpine bentgrass

Origin: native

FOO 1:469; FPN 618 synonym for *Agrostis humilis*.

Synonyms:

***Agrostis humilis* Vasey**

FN 24:833 synonym for *Podagrostis humilis*; FPN 618; GWM 65; IL 1:150; IN 6:276; JPM 1229; JPM2 1415; PEK 123; VP 1:469.

Podagrostis thurberiana (Hitchc.) Hultén

Common names: Thurber's bentgrass

Origin: native Voucher: OSC, most recently collected in 2020

Barkworth et al., 2007 611 synonym for *Agrostis humilis*; FN 24:867 synonym for *Podagrostis humilis*; FOO 1:469; FPN 618 synonym for *Agrostis thurberiana*; FPN2 818; IN 6:276 synonym for *Agrostis thurberiana*; VP 1:478 synonym for *Agrostis thurberiana*.

Synonyms:

***Agrostis thurberiana* Hitchc.**

FN 24:834 synonym for *Podagrostis humilis*; FPN 618; GWM 66; IL 1:150; IN 6:276; JPM 1230; PEK 122; VP 1:478.

***Podagrostis humilis* (Vasey) Björkman**

in part

Polypogon

Checklist contributor: Richard Halse, 11/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Polypogon exaratus (Trin.) P.M. Peterson, Soreng & Romasch.

Common names: spike bentgrass

Origin: native Voucher: OSC, most recently collected in 2024

Synonyms:

***Agrostis ampla* Hitchc.**

FN 24:833 synonym for *Agrostis exarata*; FPN 618 synonym for *Agrostis exarata* var. *monolepis*; PEK 124.

***Agrostis exarata* Trin.**

FN 24:651; FOO 1:351; FPN 618; FPN2 773; GWM 65; IL 1:153; JPM 1229; JPM2 1415; PEK 123; VP 1:467.

Agrostis exarata* Trin. ssp. *exarata

FN 24:833 synonym for *Agrostis exarata*; FPN 618.

Agrostis exarata* Trin. var. *exarata

FN 24:833 synonym for *Agrostis exarata*; FPN 618; IN 6:278.

***Agrostis exarata* Trin. ssp. *minor* (Hook.) C.L. Hitchc.**

FN 24:833 synonym for *Agrostis exarata*; FPN 618; IN 6:278; VP 1:467.

***Agrostis exarata* Trin. var. *minor* Hook.**

FN 24:833 synonym for *Agrostis exarata*.

***Agrostis exarata* Trin. var. *monolepis* (Torr.) Hitchc.**

FN 24:833 synonym for *Agrostis exarata*; FPN 618; IN 6:280; Kuntze, 1891-1898 1:469.

***Agrostis longiligula* Hitchc.**

FN 24:834 synonym for *Agrostis exarata*; FPN 618; IL 1:154; PEK 124; VP 1:471.

Polypogon fugax Nees ex Steud.

Common names: Asia Minor bluegrass, Asian beardgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1916

FN 24:663; FPN2 818.

Polypogon interruptus Kunth

Common names: ditch beardgrass

Origin: native Voucher: OSC, most recently collected in 2013

FN 24:663; FOO 1:470; FPN 664; FPN2 818; JPM 1290; JPM2 1482; PEK 127; VP 1:683.

Polypogon maritimus Willd.

Common names: Mediterranean beardgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FN 24:665; FOO 1:470; IL 1:147; JPM 1290; JPM2 1483.

Polypogon monspeliensis (L.) Desf.

Common names: rabbitsfoot grass, annual beardgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 24:665; FOO 1:470; FPN 664; FPN2 818; IL 1:147; IN 6:280; JPM 1290; JPM2 1483; PEK 127; VP 1:683.

Polypogon viridis (Gouan) Breistr.

Common names: water beardgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1959

FN 24:663; FOO 1:470; FPN2 818; JPM2 1483.

Synonyms:

***Agrostis semiverticillata* (Forssk.) C. Chr.**

FN 24:834 synonym for *Polypogon viridis*; FPN 617; IN 6:274; JPM 1230; PEK 122; VP 1:475.

***Agrostis verticillata* Vill.**

FN 24:834 synonym for *Polypogon viridis*; FPN 617 synonym for *Agrostis semiverticillata*; IL 1:150.

×Pseudelymus

Checklist contributor: Richard Halse, 2/27/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

× ***Pseudelymus saxicola*** (Scribn. & J.G. Sm.) Barkworth & D.R. Dewey

Common names: hybrid wheatgrass

Origin: native Voucher: OSC, most recently collected in 1998

FN 24:283; FOO 1:470.

Synonyms:

Agropyron saxicola **(Scribn. & J.G. Sm.) Piper**

IL 1:244; PEK 108.

× ***Agrositanion saxicola*** **(Scribn. & J.G. Sm.) Bowden**

FN 24:833 synonym for × *Pseudelymus saxicola*; IN 6:295.

Pseudoroegneria

Checklist contributor: Richard Halse, 2/27/2008

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Pseudoroegneria spicata (Pursh) Á. Löve

Common names: bluebunch wheatgrass

Origin: native Voucher: OSC, most recently collected in 2024

FN 24:281; FOO 1:471; FPN2 819.

Synonyms:

Agropyron inerme **(Scribn. & J.G. Sm.) Rydb.**

FN 24:832 synonym for *Pseudoroegneria spicata*; IL 1:242; PEK 108.

Agropyron spicatum **(Pursh) Scribn. & J.G. Sm.**

FN 24:833 synonym for *Pseudoroegneria spicata*; FPN 614; GWM 64; IL 1:244; IN 6:327; PEK 108; VP 1:459.

Agropyron spicatum **(Pursh) Scribn. & J.G. Sm. var.** ***pubescens*** **Elmer**

FN 24:833 synonym for *Pseudoroegneria spicata*; FPN 614; IL 1:244.

Agropyron spicatum **(Pursh) Scribn. & J.G. Sm. var.** ***spicatum***

FPN 614; VP 1:461.

Elymus spicatus **(Pursh) Gould**

JPM2 1447.

Pseudoroegneria spicata **(Pursh) Á. Löve ssp.** ***spicata***

FN 24:868 synonym for *Pseudoroegneria spicata (Pursh) A Löve f. spicata*; JPM 1290.

Pseudosasa

Checklist contributor:

Flora of Oregon author: not applicable

Pseudosasa japonica (Siebold & Zucc. ex Steud.) Makino ex Nakai

Common names: Japanese arrow bamboo

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2023

Puccinellia

Checklist contributor: Katie Mitchell, 5/18/2007

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Puccinellia distans (Jacq.) Parl.

Common names: European alkali grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 24:473; FOO 1:472; FPN 665; FPN2 819; IL 1:214; IN 6:222; JPM 1292; JPM2 1483; PEK 92; VP 1:685.

Puccinellia lemmonii (Vasey) Scribn.

Common names: Lemmon's alkali grass

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:469; FOO 1:472; FPN 664; FPN2 819; IL 1:214; IN 6:222; JPM 1292; JPM2 1483; PEK 93; VP 1:687.

Puccinellia nutkaensis (J. Presl) Fernald & Weath.

Common names: Alaska alkali grass

Origin: native Voucher: OSC, most recently collected in 2018

FN 24:475; FOO 1:472; FPN 665; FPN2 819; JPM 1292; JPM2 1483.

Synonyms:

***Puccinellia grandis* Swallen**

FN 24:868 synonym for *Puccinellia nutkaensis*; FPN 665 synonym for *Puccinellia lucida*; PEK 92.

***Puccinellia lucida* Fernald & Weath.**

FN 24:868 synonym for *Puccinellia nutkaensis*; FPN 665; VP 1:687.

Puccinellia nuttalliana (Schult.) Hitchc.

Common names: Nuttall's alkali grass

Origin: native Voucher: OSC, most recently collected in 2020

FN 24:475; FOO 1:473; FPN 665; FPN2 820; IL 1:215; IN 6:222; JPM 1292; JPM2 1483; VP 1:689.

Synonyms:

***Puccinellia airoides* S. Watson & J.M. Coult.**

FN 24:868 synonym for *Puccinellia nuttalliana*; PEK 92.

***Puccinellia cusickii* Weath.**

FN 24:868 synonym for *Puccinellia nuttalliana*; FPN 665; VP 1:685.

Puccinellia pumila (Vasey) Hitchc.

Common names: smooth alkali grass

Origin: native Voucher: OSC, most recently collected in 2017

FN 24:471; FOO 1:473; FPN 665; FPN2 819; JPM 1293; JPM2 1484; PEK 92; VP 1:691.

Synonyms:

***Puccinellia paupercula* (Holm) Fernald & Weath. var. *alaskana* (Scribn. & Merr.) Fernald &**

FN 24:868 synonym for *Puccinellia pumila*; FPN 665 synonym for *Puccinellia pumila*; IL 1:215.

Puccinellia simplex Scribn.

Common names: California alkaligrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018

FPN2 819.

Rytidosperma

Checklist contributor: Kenton Chambers, 2/6/1997

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Rytidosperma biannulare (Zotov) Connor & Edgar

Common names: Tasmanian wallaby grass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1945

FN 25:311; FOO 1:474.

Rytidosperma penicillatum (Labill.) Connor & Edgar

Common names: hairy wallaby grass, hairy oatgrass, poverty grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2015

FN 25:310; FOO 1:474; JPM2 1484.

Misapplied names:

***Danthonia pilosa* R. Br.**

FN 25:310 synonym for *Rytidosperma penicillatum*; JPM 1249.

Sasa

Checklist contributor:

Flora of Oregon author: not applicable

Sasa palmata (hort. ex Burb.) E.G. Camus

Common names: broad-leaved bamboo

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018

×Schedololium

Checklist contributor: Barbara Wilson, 3/3/2010

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

× ***Schedololium holmbergii*** (Dorfl.) Soreng & Terrell

Common names: Holmberg's schedololium

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

Sclerochloa

Checklist contributor: Kenton Chambers, 7/29/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Sclerochloa dura (L.) P. Beauv.

Common names: fairgrounds grass, hardgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

Brandenburg et al., 1991 ; FN 24:481; FOO 1:475; FPN 666; FPN2 821; IN 6:218; JPM 1294; JPM2 1485; PEK 95; VP 1:693.

Scolochloa

Checklist contributor: Kenton Chambers, 7/29/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Scolochloa festucacea (Willd.) Link

Common names: common rivergrass

Origin: native Voucher: OSC, most recently collected in 2018

FN 24:734; FOO 1:476; FPN 666; FPN2 821; IN 6:218; VP 1:695.

Synonyms:

***Fluminea festucacea* (Willd.) Hitchc.**

FN 24:853 synonym for *Scolochloa festucacea*; IL 1:197; PEK 95.

Secale

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Secale cereale L.

Common names: rye

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:259; FOO 1:477; FPN 667; FPN2 821; IN 6:336; JPM 1294; JPM2 1485; VP 1:695.

Secale cereale L. × ***Secale strictum*** (C. Presl) C. Presl

Common names: winter rye - mountain rye hybrid

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1998

FN 24:259 excluded.

Secale strictum (C. Presl) C. Presl

Common names: mountain rye

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1980

FN 24:259; FPN2 821.

Semiarundinaria

Checklist contributor:

Flora of Oregon author: not applicable

Semiarundinaria fastuosa (Mitford) Makino

Common names: temple bamboo, Narihira bamboo
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2023

Setaria

Checklist contributor: Kenton Chambers, 8/19/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Setaria faberi R.A.W. Herrm.

Common names: Japanese bristlegrass
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2016
FPN2 822.

Setaria parviflora (Poir.) Kerguélen

Common names: knotroot bristlegrass
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1969
FN 25:556; FOO 1:478, 531; FPN2 822; JPM2 1486.

Synonyms:

Chaetochloa geniculata **(Lam.) Millsp. & Chase**
IL 1:119.

Setaria geniculata **(Lam.) P. Beauv.**
FN 25:556 synonym for *Setaria parviflora*; FPN 667; VP 1:697.

Setaria gracilis **Kunth**
FN 25:556 synonym for *Setaria parviflora*; JPM 1296; KZ 1:461.

Setaria pumila (Poir.) Roem. & Schult.

Common names: yellow foxtail, yellow bristlegrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 25:558; FOO 1:478; JPM 1296.

Synonyms:

Chaetochloa lutescens **(Weigel) Stuntz**
IL 1:118; PEK 139 synonym for *Setaria lutescens*.

Chaetochloa nigrirostris **(Nees) Skeels**
IL 1:119.

Setaria lutescens **F.T. Hubb.**
FN 25:750 synonym for *Setaria pumila*; FPN 667; PEK 139; VP 1:697.

Setaria pumila **(Poir.) Roem. & Schult. ssp.** ***pallide-fusca*** **(Schumach.) B.K. Simon**
FN 25:558; FOO 1:478; FPN2 822.

Setaria pumila **(Poir.) Roem. & Schult. ssp.** ***pumila***
FN 25:558; FOO 1:478; FPN2 822; JPM2 1486.

Misapplied names:

Setaria glauca **(L.) P. Beauv.**
FN 25:558 synonym for *SEE COMMENTS*; IN 6:380.

Setaria verticillata (L.) P. Beauv.

Common names: hooked bristlegrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2002
FN 25:554; FOO 1:478; FPN 667; FPN2 822; IN 6:380; JPM 1296; JPM2 1486; VP 1:699.

Synonyms:

Chaetochloa verticillata **(L.) Scribn.**
FN 24:842 synonym for *Setaria verticillata*; IL 1:118.

Setaria verticillata **(L.) P. Beauv. var.** ***verticillata***
FN 25:554 synonym for *Setaria verticillata*; VP 1:699.

Setaria viridis (L.) P. Beauv.

Common names: green bristlegrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

FN 25:554; FPN 668; IN 6:380; JPM 1296; JPM2 1486; PEK 139; VP 1:699.

Synonyms:

***Chaetochloa viridis* (L.) Scribn.**

IL 1:118; PEK 139 synonym for *Setaria viridis*.

***Setaria viridis* (L.) P. Beauv. var. *major* (Gaudin) Peterm.**

FN 25:556; FPN2 822.

Setaria viridis* (L.) P. Beauv. var. *viridis

FN 25:556; FOO 1:478; FPN2 822.

Sorghum

Checklist contributor: Richard Halse, 8/16/2005

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Sorghum bicolor (L.) Moench

Common names: sorghum, milo, shattercane

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 25:628; FOO 1:480; FPN2 823; JPM 1296; JPM2 1488.

Synonyms:

Sorghum bicolor* (L.) Moench ssp. *bicolor

FN 25:628.

Sorghum halepense (L.) Pers.

Common names: Johnson grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 25:628; FOO 1:480; FPN 669; FPN2 823; IL 1:108; IN 6:386; JPM 1296; JPM2 1488; PEK 140; VP 1:704.

Spartina

Checklist contributor: Kenton Chambers, 8/14/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Spartina gracilis Trin.

Common names: alkali cordgrass

Origin: native Voucher: OSC, most recently collected in 2023

FN 25:247; FOO 1:481; FPN 669; FPN2 823; IL 1:175; IN 6:448; JPM 1297; JPM2 1488; PEK 134; VP 1:705.

Sphenopholis

Checklist contributor: Katie Mitchell, 5/15/2007

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Sphenopholis obtusata (Michx.) Scribn.

Common names: prairie wedgescale

Origin: native Voucher: OSC, most recently collected in 2015

FN 24:621; FOO 1:482; FPN 670; FPN2 824; IN 6:255; JPM 1297; JPM2 1489; PEK 114; VP 1:707.

Synonyms:

***Sphenopholis obtusata* (Michx.) Scribn. var. *lobata* (Trin.) Scribn. ex B.L. Rob.**

FN 24:871 synonym for *Sphenopholis obtusata*; IL 1:169.

Sphenopholis obtusata* (Michx.) Scribn. var. *obtusata

FN 24:871 synonym for *Sphenopholis obtusata*; IN 6:256.

Sporobolus

Checklist contributor: Katie Mitchell, 5/14/2007
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Sporobolus airoides (Torr.) Torr.

Common names: alkali sacaton
Origin: native Voucher: OSC, most recently collected in 2023
FN 25:126; FOO 1:482; FPN 670; FPN2 825; IL 1:145; JPM 1298; JPM2 1489; PEK 129; VP 1:709.

Synonyms:
Sporobolus airoides* (Torr.) Torr. var. *airoides
IN 6:426.

Sporobolus alopecuroides (Piller & Mitterp.) P.M. Peterson

Common names: foxtail pricklegrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

Synonyms:
***Crypsis alopecuroides* (Piller & Mitterp.) Schrad.**
FN 25:139; FOO 1:383; FPN2 787; IN 6:430; JPM 1247; JPM2 1436.
***Heleochloa alopecuroides* (Piller & Mitterp.) Host**
FN 25:139 synonym for *Crypsis alopecuroides*; FPN 644; IL 1:142.

Sporobolus alterniflorus (Loisel.) P.M. Peterson & Saarela

Common names: smooth cordgrass, saltwater cordgrass
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2005

Synonyms:
***Spartina alterniflora* Loisel.**
FN 25:244; FOO 1:480; FPN 669; FPN2 823; JPM 1297; JPM2 1488; VP 1:705.

Sporobolus cryptandrus (Torr.) A. Gray

Common names: sand dropseed
Origin: native Voucher: OSC, most recently collected in 2017
FN 25:129; FOO 1:482; FPN 670; FPN2 825; IL 1:146; IN 6:426; JPM 1298; JPM2 1489; PEK 129; VP 1:710.

Sporobolus indicus (L.) R. Br.

Common names: smutgrass
Origin: exotic, not naturalized Voucher: WS, most recently collected in 1900
FN 25:122; FOO 1:531; FPN2 825; JPM 1298; JPM2 1490.

Synonyms:
***Sporobolus elongatus* auct. non R. Br.**
IL 1:146.
***Sporobolus poiretii* (Roem. & Schult.) Hitchc.**
FPN 670; VP 1:709.

Sporobolus michauxianus (Hitchc.) P.M. Peterson & Saarela

Common names: prairie cordgrass, freshwater cordgrass
Origin: native Voucher: OSC, most recently collected in 2019

Synonyms:
***Spartina michauxiana* Hitchc.**
IL 1:175.
***Spartina pectinata* Link**
FN 25:250; FOO 1:481; FPN 669; FPN2 823; IN 6:446; PEK 134; VP 1:705.

Sporobolus montevidensis (Arechav.) P.M. Peterson & Saarela

Common names: dense-flowered cordgrass

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2025

Synonyms:

Spartina densiflora **Brongn.**

FN 25:247; FPN2 823; JPM 1297; JPM2 1488.

Sporobolus niliacus (Fig. & De Not.) P.M. Peterson

Common names: African pricklegrass, modest pricklegrass

Origin: exotic, not naturalized

Voucher: CIC, most recently collected in 1978

Synonyms:

Crypsis vaginiflora **(Forssk.) Opiz**

FPN2 787; JPM2 1436.

Sporobolus pumilus (Roth) P.M. Peterson & Saarela

Common names: saltmeadow cordgrass

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2004

Synonyms:

Spartina patens **(Aiton) Muhl.**

FN 25:249; FOO 1:481; FPN2 823; JPM 1297; JPM2 1488.

Sporobolus schoenoides (L.) P.M. Peterson

Common names: swamp pricklegrass

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2023

Synonyms:

Crypsis schoenoides **(L.) Lam.**

FN 25:140; FOO 1:383; JPM 1247; JPM2 1436.

Taeniatherum

Checklist contributor: Richard Halse, 10/1/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Taeniatherum caput-medusae (L.) Nevski

Common names: medusahead

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2024

FN 24:258; FOO 1:483; FPN 637 synonym for *Elymus caput-medusae*; FPN2 825; IN 6:310; JPM 1299.

Synonyms:

Elymus caput-medusae **L.**

FN 24:848 synonym for *Taeniatherum caput-medusae*; FPN 637; IL 1:248; JPM2 1445; PEK 109; VP 1:561.

Thinopyrum

Checklist contributor: Richard Halse, 11/7/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Thinopyrum acutum (DC.) Banfi

Common names: tick quackgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1919

Synonyms:

Agropyron junceum **(L.) P. Beauv.**

FN 24:832 synonym for *Thinopyrum junceum*; FPN 615; IL 1:244; VP 1:449.

Thinopyrum pycnanthum **(Gould) Barkworth**

FN 24:376; FPN2 825; Wilson, 2011 6.

Misapplied names:

Agropyron pungens **(Pers.) Roem. & Schult.**

FN 24:832 synonym for *Thinopyrum pycnanthum*; FPN 615; IL 1:244.

Thinopyrum intermedium (Host) Barkworth & D.R. Dewey ssp. ***barbulatum*** (Schur) Barkworth & D.R. Dewey

Common names: pubescent wheatgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:376; FOO 1:484; FPN2 825.

Synonyms:

Agropyron glaucum **(Desf. ex DC. & Lam.) Roem. & Schult.**

IL 1:244.

Agropyron intermedium **(Host) P. Beauv.**

FN 24:832 synonym for *Thinopyrum intermedium*; FPN 614; VP 1:455.

Agropyron intermedium **(Host) P. Beauv. var.** ***intermedium***

IN 6:322.

Agropyron intermedium **(Host) P. Beauv. var.** ***trichophorum*** **(Link) Halácsy**

FN 24:832 synonym for *Thinopyrum intermedium*; IN 6:322.

Elytrigia intermedia **(Host) Nevski ssp.** ***intermedia***

FN 24:850 synonym for *Thinopyrum intermedium* ssp. *intermedium*; JPM 1256.

Thinopyrum intermedium (Host) Barkworth & D.R. Dewey ssp. ***intermedium***

Common names: intermediate wheatgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 24:376; FOO 1:484; FPN2 825.

Thinopyrum junceum (L.) Á. Löve

Common names: Russian wheatgrass

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1925

FN 24:376; FPN2 825; Wilson, 2011 6.

Synonyms:

Elytrigia juncea **(L.) Nevski**

FN 24:850 synonym for *Thinopyrum junceum*; JPM 1256; KZ 1:442.

Thinopyrum obtusiflorum (DC.) Banfi

Common names: tall wheatgrass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

Synonyms:

Agropyron elongatum **(Host) P. Beauv.**

FN 24:832 synonym for *Thinopyrum ponticum*; IN 6:322.

Elymus ponticus **(Podp.) N.W. Snow**

JPM2 1447.

Elytrigia elongata **(Host) Nevski**

FN 24:850 synonym for *Thinopyrum ponticum*; JPM 1256.

Elytrigia pontica **(Podp.) Holub ssp.** ***pontica***

FN 24:850 synonym for *Thinopyrum ponticum*; JPM 1256.

Thinopyrum ponticum **(Podp.) Z.W. Liu & R.R.-C. Wang**

FN 24:378; FOO 1:485; FPN2 825.

Thinopyrum obtusiflorum (DC.) Banfi × ***Triticum aestivum*** L.

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 1993

Synonyms:

Thinopyrum ponticum **(Podp.) Z.W. Liu & R.R.-C. Wang ×** ***Triticum aestivum*** **L.**

Torreyochloa

Checklist contributor: Kenton Chambers, 7/24/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

---

Torreyochloa erecta (Hitchc.) G.L. Church

Common names: spiked false mannagrass, erect mannagrass

Origin: native Voucher: OSC, most recently collected in 2011

FN 24:608; FOO 1:485; FPN2 826; JPM 1299; JPM2 1496.

Synonyms:

Glyceria erecta **Hitchc.**

FN 24:853 synonym for *Torreyochloa erecta*; PEK 94.

Glyceria pauciflora **J. Presl**

in part

PEK 94.

Torreyochloa pallida (J. Presl) G.L. Church var. ***pauciflora*** (J. Presl) J.I. Davis

Common names: weak mannagrass, pale false mannagrass

Origin: native Voucher: OSC, most recently collected in 2024

FN 24:608; FOO 1:485; FPN2 826; JPM 1299; JPM2 1496.

Synonyms:

Glyceria otisii **Hitchc.**

FN 24:853 synonym for *Torreyochloa pallida* var. *pauciflora*; FPN 665 synonym for *Puccinellia pauciflora* var. *pauciflora*; PEK 94.

Glyceria pauciflora **J. Presl**

Puccinellia pauciflora **(J. Presl) Munz**

FN 24:868 synonym for *Torreyochloa pallida* var. *pauciflora*; FPN 664; IN 6:220; VP 1:689.

Puccinellia pauciflora **(J. Presl) Munz var.** ***holmii*** **(Beal) C.L. Hitchc.**

FN 24:868 synonym for *Torreyochloa pallida* var. *pauciflora*; FPN 664; VP 1:691.

Puccinellia pauciflora **(J. Presl) Munz var.** ***microtheca*** **(Buckley) C.L. Hitchc.**

FN 24:868 synonym for *Torreyochloa pallida* var. *pauciflora*; FPN 665; VP 1:691.

Puccinellia pauciflora **(J. Presl) Munz var.** ***pauciflora***

FN 24:868 synonym for *Torreyochloa pallida* var. *pauciflora*; FPN 665; VP 1:691.

Tripidium

Checklist contributor:
Flora of Oregon author: not applicable

Tripidium ravennae (L.) H. Scholz

Common names: ravennagrass
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2023
FPN2 764.

Synonyms:
***Saccharum ravennae* (L.) L.**
JPM 1293; JPM2 1484.

Triplasis

Checklist contributor: Katie Mitchell, 4/27/2007
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Triplasis purpurea (Walter) Chapm.

Common names: purple sandgrass
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2018
FN 25:42; FOO 1:486.

Synonyms:
Triplasis purpurea* (Walter) Chapm. var. *purpurea
FPN2 826.

Triticum

Checklist contributor: Richard Halse, 11/1/2006
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Triticum aestivum L.

Common names: wheat
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2021
FN 24:277; FOO 1:489; FPN 673; FPN2 827; IN 6:334; JPM2 1497; VP 1:724.

Urochloa

Checklist contributor: Barbara Wilson
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Urochloa mutica (Forssk.) T.Q. Nguyen

Common names: paragrass
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 1915
FN 25:494; FPN2 757.

Vahlodea

Checklist contributor: Kenton Chambers, 2/22/2002
Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Vahlodea atropurpurea (Wahlenb.) Fr.

Common names: mountain hairgrass

Origin: native Voucher: OSC, most recently collected in 2019

FN 24:692; FOO 1:489; FPN2 827; JPM2 1498.

Synonyms:

Aira atropurpurea **Wahlenb.**

FPN 635 synonym for *Deschampsia atropurpurea*; IL 1:165.

Deschampsia atropurpurea **(Wahlenb.) Scheele**

FN 24:843 synonym for *Vahlodea atropurpurea*; FPN 635; GWM 73; JPM 1250; PEK 115; VP 1:547.

Deschampsia atropurpurea **(Wahlenb.) Scheele var.** ***latifolia*** **(Hook.) Scribn. ex Macoun**

FPN 635; VP 1:549.

Ventenata

Checklist contributor: Kenton Chambers, 7/30/2002

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Ventenata dubia (Leers) Coss.

Common names: ventenata, North Africa grass

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 24:684; FOO 1:490; FPN 674; FPN2 827; JPM 1302; JPM2 1498; VP 1:724.

Zea

Checklist contributor: Richard Halse, 11/1/2006

Flora of Oregon author: not applicable

Zea mays L.

FN 25:701; IN 6:394.

Zea mays L. ssp. ***mays***

Common names: corn

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FPN2 759.

Zizania

Checklist contributor: Richard Halse, 11/7/2006

Flora of Oregon author: Barbara Wilson, Richard Brainerd, Nick Otting

Zizania palustris L. var. ***palustris***

Common names: wild rice

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2016

FN 24:50; FOO 1:492; FPN2 828.

Synonyms:

Zizania aquatica **L. ssp.** ***angustifolia*** **(Hitchc.) Tzvelev**

Zizania aquatica **L. var.** ***angustifolia*** **Hitchc.**

Excluded names:

Achnatherum lettermanii (Vasey) Barkworth

FN 24:118; FPN2 772; JPM 1226.

Synonyms:

***Stipa lettermanii* Vasey**

FN 24:872 synonym for *Achnatherum lettermanii*; FPN 672; GWM 86; IL 1:133; IN 6:358; JPM2 1493; PEK 132; VP 1:714.

***Stipa minor* (Vasey) Scribn.**

FPN 672 synonym for *Stipa occidentalis* var. *minor*; IL 1:134.

***Stipa occidentalis* Thurb. ex S. Watson var. *minor* (Vasey) C.L. Hitchc.**

FN 24:872 synonym for *Achnatherum nelsonii* ssp. *dorei*; FPN 672; GWM 86; VP 1:714.

Aegilops neglecta Req. ex Bertol.

FN 24:265; JPM2 1413.

Agrostis perennans (Walter) Tuck.

FN 24:647.

Bromus berteroanus Colla

FN 24:224; FPN2 782; JPM2 1429.

Synonyms:

***Bromus trinii* É. Desv.**

FN 24:840 synonym for *Bromus berteroanus*; FPN 624; IL 1:234; IN 6:201; JPM 1243; PEK 87; VP 1:519.

Bromus catharticus Vahl var. elatus (E. Desv.) Planchuelo

FN 24:201; JPM2 1429.

Bromus erectus Huds.

FN 24:218; FPN 627; IL 1:229; VP 1:507.

Bromus porteri (J.M. Coult.) Nash

FN 24:213; FPN2 782; IL 1:231; JPM2 1431.

Bromus pumpellianus Scribn.

FN 24:207.

Bromus pumpellianus Scribn. ssp. pumpellianus

FN 24:207; FPN2 781; Mansfield, 2000 244.

Synonyms:

***Bromus inermis* Leyss. ssp. *pumpellianus* (Scribn.) Wagnon**

FN 24:839 synonym for *Bromus pumpellianus*; FPN 626.

Bromus racemosus L.

FN 24:233; FPN 625 synonym for <I>Bromus mollis</I>; FPN2 783; IL 1:232; JPM2 1431; PEK 86.

Calamagrostis bolanderi Thurb.

JPM2 1432.

Cenchrus spinifex Cav.
FN 25:533; FPN2 786; IL 1:119.

Synonyms:
***Cenchrus incertus* M.A. Curtis**
FN 25:735 synonym for *Cenchrus spinifex*; JPM 1246; JPM2 1434.
***Cenchrus pauciflorus* Benth.**
FN 25:533 synonym for *Cenchrus spinifex*; FPN 632 synonym for *Cenchrus longispinus*; IL 1:119; PEK 139.

Elymus hispidus (Opiz) Melderis
JPM2 1446.

Elymus scribneri (Vasey) M.E. Jones
FN 24:330; FPN 614 synonym for <I>Agropyron scribneri</I>; FPN2 792; JPM 1256; JPM2 1447; Mansfield, 2000 248.

Synonyms:
***Agropyron scribneri* Vasey**
FN 24:833 synonym for *Elymus scribneri*; FPN 614; IN 6:331; VP 1:457.

Elymus sierrae Gould
FN 24:332; JPM 1256; JPM2 1447.

Synonyms:
***Agropyron pringlei* (Scribn. & J.G. Sm.) Hitchc.**
IL 1:244.

Elymus triticoides Buckley var. simplex (Scribn. & T.A. Williams) Hitchc.
IN 6:300 synonym for Elymus simplex; PEK 110; VP 1:567 synonym for <I>Elymus triticoides</I>.

Elymus virginicus L.
FPN2 792; IN 6:304.

Eragrostis mexicana (Hornem.) Link ssp. mexicana
FN 25:78; JPM 1258; JPM2 1450.

Festuca californica Vasey var. parishii (Piper) Hitchc.
FN 24:852 synonym for Festuca californica Vasey ssp. parishii (Piper) Darbysh.; IL 1:222; PEK 91.

Festuca minutiflora Rydb.
FN 24:434; FPN2 797; JPM 1260; JPM2 1454; Wilson, 2011 6.

Festuca ovina L. var. ovina
FN 24:422 synonym for <I>Festuca ovina</I>; FPN 642; IN 6:215; PEK 91; VP 1:584.

Festuca saximontana Rydb. var. saximontana
FN 24:432; FPN2 797.

Hesperostipa comata (Trin. & Rupr.) Barkworth ssp. intermedia (Scribn. & Tweedy) Barkworth
FN 24:158; FPN2 800; JPM 1263; Wilson, 2011 6.

Synonyms:
***Stipa comata* Trin. & Rupr. var. *intermedia* Scribn. & Tweedy**
FN 24:872 synonym for *Hesperostipa comata* ssp. *intermedia*; FPN 671; IL 1:131; IN 6:362; JPM2 1493; VP 1:713.

Hordeum pusillum Nutt.
FN 24:243; FPN 646; FPN2 802; IL 1:245; IN 6:314; PEK 112; VP 1:607.

Melica californica Scribn.
FN 24:93; JPM 1271; JPM2 1463; PEK 106.

Muhlenbergia frondosa (Poir.) Fernald
FN 25:158.

Muhlenbergia montana (Nutt.) Hitchc.
FPN2 805; JPM2 1466.

Nassella chilensis (Trin.) E. Desv.
FN 24:177; FPN 652 ambiguous synonym; FPN2 807; IL 1:134.

Panicum capillare L. var. occidentale Rydb.
FN 25:459 synonym for <I>Panicum capillare</I> ssp. <I>capillare</I>; FPN 653 synonym for <I>Panicum capillare</I>; PEK 138.

Pennisetum setaceum (Forssk.) Chiov.
FN 25:527; JPM 1281; JPM2 1472; Kartesz & Meacham, 2007 .

Phalaris brachystachys Link
FN 24:768; FPN 654; FPN2 809; IL 1:122; JPM 1281; JPM2 1474.

Phleum graecum Boiss. & Heldr.
IL 1:142.

Phyllostachys aurea Carrière ex Rivière & C. Rivière
JPM2 1475.

Piptatherum micranthum (Trin. & Rupr.) Barkworth
FN 24:148; JPM 1283.

Synonyms:

***Oryzopsis micrantha* (Trin. & Rupr.) Thurb.**
FN 24:859 synonym for *Piptatherum micranthum*; FPN 652; IN 6:349; VP 1:633.

***Stipa divaricata* Columbus & J.P. Sm.**
JPM2 1493.

Poa arctica R. Br.
FN 24:529; FPN 658 synonym for <I>Poa grayana</I>; GWM 81; PEK 98.

Poa fendleriana (Steud.) Vasey ssp. fendleriana
FN 24:558; FPN2 816; JPM2 1479.

Poa interior Rydb.
FN 24:576; FPN 662; FPN2 813; IN 6:236; VP 1:665; Weber, 1982 synonym for <I>Poa nemoralis</I> ssp. <I>interior</I>.

Poa kelloggii Vasey
FN 24:514; FPN 657; FPN2 812; IL 1:202; JPM 1288; JPM2 1480; PEK 98.

Poa occidentalis Vasey
FN 24:536; IL 1:204.

Podagrostis aequivalvis (Trin.) Scribn. & Merr.
FN 24:693; FPN 617 synonym for <I>Agrostis aequivalvis</I>; FPN2 818; Wilson, 2011 6.

Synonyms:

***Agrostis aequivalvis* (Trin.) Trin.**
FN 24:833 synonym for *Podagrostis aequivalvis*; FPN 617; GWM 65; IL 1:149; PEK 122; VP 1:463.

Setaria italica (L.) P. Beauv.
FN 25:556; FOO 1:477 uncertain status; FPN 668; FPN2 822.

Sphenopholis intermedia (Rydb.) Rydb.

FN 24:623; FPN 670 synonym for <I>Sphenopholis obtusata</I>; FPN2 824; VP 1:707.

Synonyms:

***Sphenopholis obtusata* (Michx.) Scribn. var. *major* (Torr.) Erdman**

FN 24:871 synonym for *Sphenopholis intermedia*; IN 6:256.

Sporobolus neglectus Nash

FN 25:121; FPN 670; FPN2 824; IL 1:144; VP 1:710.

Vulpia octoflora (Walter) Rydb. var. glauca (Nutt.) Fernald

FN 24:450; IN 6:202.

Synonyms:

***Festuca octoflora* Walter var. *tenella* (Willd.) Fernald**

FN 24:852 synonym for *Vulpia octoflora Walter var. glauca (Nutt.) Fernald*; FPN 640; VP 1:583.

Zizania aquatica L.

FN 24:48; FPN 674; VP 1:725.

Literature cited for Poaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Aiken, S.G., and S.J. Darbyshire. 1990. Fescue Grasses (*Festuca* L.: Poaceae) of Canada. Agric. Can. Publ. 1844/E. Ottawa, Ontario, Canada.

Aiken, S.G., M.J. Dallwitz, C.L. McJannet, and L.L. Consaul. 1997A. *Festuca* of North America: Descriptions, Illustrations, Identification, and Information Retrieval; accessed 17th November 1997. Univeristy of New Orleans. http://biodiversity.uno.edu/delta/

Aiken, S.G., M.J. Dallwitz, C.L. McJannet, and L.L. Consaul. 1997B. Fescue grasses of North America. Canadian Museum of Nature, Ottawa, Ontario, Canada.

Alexeev, E.V. 1985. Fescues (*Festuca* L., Poaceae) of Alaska and Canada. Novosti Sistematiki Vysshchikh Rastenii 22:5-34.

Allard, R.W., and L.W. Kannenberg. 1968. Population studies in predominantly self-pollinated species. XI. Genetic divergence among the members of the *Festuca microstachys* complex. Evolution 22:517-528.

Allred, K.W. 1984A. Morphologic variation and classification of the North American *Aristida purpurea* complex (Gramineae). Brittonia 36:382-395.

Allred, K.W. 1984B. Studies in the genus *Aristida* (Gramineae) of the southeastern United States. Rhodora 87:137-145.

Archangeli, G. 1882. Compendio della Flora Italiana. Ermanno Loescher, Rome, Italy.

Barkworth, M. 2006. Grass Manual on the Web (demo). Intermountain Herbarium, Utah State University, Logan, UT. http://www.herbarium.usu.edu/webmanual/

Barkworth, M.E., M.K. Anderton, K.M. Capels, S. Long, and M.B. Piep, Eds. 2007. Manual of the Grasses for North America North of Mexico. Utah State University Press, Logan, UT.

Bowden, W.M. 1967. Taxonomy of intergeneric hybrids of the tribe Triticeae from North America. Canadian Journal of Botany 45:711-724.

Brandenburg, D.M., J.R. Estes, and J.W. Thieret. 1991. Hardgrass(*Sclerochloadura*, Poaceae) in the United States. Sida 14:369-376.

Buckley, S.B. 1862. Descriptions of plants. No. 3. Gramineae. Proceedings of the Academy of Natural Sciences of Philadelphia 14:88-100.

Carlbom, C.G. 1966. A Biosystematic Study of Some North American Species of *Agrostis* L. and *Podagrostis* (Griseb.) Scribn. & Merr. Ph.D. dissertation. Oregon State University, Corvallis, OR.

Carlbom, C.G. 1969. *Agrostis perennans* (Poaceae), a remote disjunction in the Pacific Northwest. Madroño 20:220.

Chambers, K.L. 1966. Notes on some grasses of the Pacific coast. Madroño 18:250-251.

Chambers, K.L. 1985. Pitfalls in identifying *Ventenata dubia*. Madroño 32:120-121.

Cotton, R., and C.A. Stace. 1967. Taxonomy of the genus *Vulpia* (Graminae). I. Chromosome numbers and geographical distribution of the Old World species. Genetics 46:235-255.

Crow, G.E., and C.B. Hellquist. 2000. Volume 2. Angiosperms: Monocotyledons: Aquatic and Wetland Plants of Northeastern North America. A Revised and Enlarged Edition of Norman C. Fassett's A Manual of Aquatic Plants. 2 volumes. University of Wisconsin Press, Madison, WI.

Darbyshire, S.J. 1997. Manual of North American Grasses. Unpublished manuscript.

Dore, W.G., and J. McNeill. 1980. Monograph 26: Grasses of Ontario. Research Branch, Agriculture Canada, Canada.

Finot, V.L., P.M. Peterson, R.J. Soreng, and F. Zulooya. 2005. A revision of *Trisetum* and *Graphephorum* in North America, North of Mexico. Sida 21:1419-1453.

Freckmann, R.W., and M.G. Lelong. 2002. Nomenclatural changes and innovations in *Panicum* and *Dichanthelium* (Poaceae: Paniceae). Sida 20(1):161-174.

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Gould, F.W., and C.A. Clark. 1978. *Dichanthelium* (Poaceae) in the United States and Canada. Annals of the Missouri Botanical Garden 65:1088-1132.

Hitchcock, A.S. 1912. Gramineae. In: A Flora of California. Jepson, W.L., Ed. Cunningham, Curtiss, and Welch, San Francisco, CA.

Hitchcock, A.S. 1928. New species of grasses from the United States. Proceedings of the Biological Society of Washington 41:157-158.

Hitchcock, A.S., and A. Chase. 1950. Miscellaneous Publication Number 200: Manual of the Grasses of the United States. 2nd ed. United States Government Printing Office, Washington, DC.

Jirasek, J., T. Haenke, A. Grube, and F. Gerstner. 1791. Beobachtungen auf Reisen nach dem Riesengebirge. Waltherischen Hofbuchhandlung, Dresden, Germany.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kellogg, E.A. 1985. A biosystematic study of the *Poa secunda* complex. Journal of the Arnold Arboretum 66:201-242.

Kiger, R.W. 1971. *Arthraxon hispidus* (Gramineae) in the United States: taxonomic and floristic status. Rhodora 73:39-46.

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Kuntze, C.E.O. 1891-1898. Revisio Generum Plantarum, 3 volumes. Leipzig, Germany.

Linnaei, C. 1753. Species Plantarum. Volume 1. Impensis Laurentii Salvii, Holmiae, Sweden.

Linnaei, C. 1758-1759. Systema naturae per regna tria naturae. Editio Decima, reformata. Volume 2. Impensis Direct. Laurentii Salvii, Holmiae, Sweden.

Lonard, R.I., and F.W. Gould. 1974. The North American species of *Vulpia* (Graminae). Madroño 22:217-230.

Löve, Á., D. Löve, and B.M. Kapoor. 1971. Cytotaxonomy of a century of Rocky Mountain orophytes. Arctic and Alpine Research 3(2):139-165.

Mansfield, D. 2000. Flora of Steens Mountain. Oregon State University Press, Corvallis, OR.

Marr, K.L., and R.J. Hebda. 2006. *Calamagrostis tacomensis*, a newly described species from Washington and Oregon. Madroño 53(3):288-298.

Mobberley, D.G. 1956. Taxonomy and distribution of the genus *Spartina*. Iowa State College Journal of Science 30:471-574.

Nees von Esenbeck, C.G. 1838. Characters of nine new species of Glumaceae. By Dr. C.G. Nees v. Esenbeck, President of the Imperial Academy *Naturae Curiosorum*. Extracted from a letter to Professor Lindley. Annals of Natural History 1:283-285.

Nelson, J.C. 1918B. Some Oregon exotics. American Botanist 24:126-129.

Nelson, J.C. 1919A. Notes on the grasses of Howell's Flora of Northwest America. Torreya 19:187-193.

Nelson, J.C. 1919B. The grasses of Salem, Oregon and vicinity. Torreya 19:216-227.

Newhouse, B., R.E. Brainerd, and P.F. Zika. 2002. Notes on some grasses of the Pacific coast. Madroño 49:194.

Otting, N., and B.L. Wilson. 2023. *Agrostis swalalahos* (Poaceae), a grass endemic to the mountains of northwest Oregon, U.S.A. Journal of the Botanical Research Institute of Texas 17(1):9-19.

Pavlick, L.E. 1983. The taxonomy and distribution of *Festuca idahoensis* in British Columbia and northwestern Washington. Canadian Journal of Botany 61:345-353.

Pavlick, L.E. 1985. A new taxonomic survey of the *Festuca rubra* complex in northwestern North America, with emphasis on British Columbia. Phytologia 57:1-17.

Peterson, P., R. Soreng, K. Romaschenko, P. Barberá, A. Quintanar, C. Aedo, and J. Saarela. 2022. Phylogeny and biogeography of *Calamagrostis* (Poaceae: Pooideae: Poeae: Agrostidinae), description of a new genus, *Condilorachia* (Calothecinae), and expansion of *Greeneochloa* and *Pentapogon* (Echinopogoninae). Journal of Systematics and Evolution 60(3):570-590.

Peterson, P.M., R.J. Soreng, K. Romaschenko, P. Barberá, A. Quintanar, and C. Aedo. 2019. New combinations and new names in American *Cinnagrostis*, *Peyritschia*, and *Deschampsia*, and three new genera: *Greeneochloa*, *Laegaardia*, and *Paramochloa* (Poeae, Poaceae). Phytoneuron 2019-39:1-23.

Piper, C.V. 1906. Flora of the State of Washington. Contributions from the United States National Herbarium 11:1-637.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium. http://www.ipni.org

Presl, K.B. 1828. Reliquiae Haenkeanae. 1973 reprint edition. A. Asher & Co. B.V., Amsterdam.

Rice, P. 2004-present. Invaders Database System. . http://invader.dbs.umt.edu/

Romaschenko, K., P.M. Peterson, R.J. Soreng, N. Garcia-Jacas, O. Futorna, and A. Susanna. 2008. Molecular phylogenetic analysis of the American Stipeae (Poaceae) resolves *Jarava* sensu lato polyphyletic: evidence for a new genus, *Pappostipa*. Journal of the Botanical Research Institute of Texas 2:165-192.

Rominger, J.M. 1962. Taxonomy of *Setaria*

Saarela, J., R. Bull, M. Paradis, S. Ebata, P. Peterson, R. Soreng, and B. Paszko. 2017. Molecular phylogenetics of cool-season grasses in the subtribes Agrostidinae, Anthoxanthinae, Aveninae, Brizinae, Calothecinae, Koeleriinae and Phalaridinae (Poaceae, Pooideae, Poeae, Poeae chloroplast group 1). Phytokeys 87:1-139.

Scribner, F.L. 1898. Studies on American grasses. I. New or little known grasses. U.S. Department of Agriculture. Division of Agrostology Bulletin 8:5-11.

Scribner, F.L. 1899. New species of North American grasses. U.S. Department of Agriculture. Division of Agrostology Circular 9:1-7.

Snow, N. 1998. Nomenclatural changes in *Leptochloa* P. Beauvois sensu lato (Poaceae, Chloridoideae). Novon 8:77-80.

Soreng, R.J. 1985. *Poa*, L. in New Mexico, with a key to middle and southern Rocky Mountain species (Poaceae). Great Basin Naturalist 45:395-422.

Soreng, R.J. 1991A. Notes on new infraspecific taxa and hyrbids in North American *Poa* (Poaceae). Phytologia 71:390-413.

Soreng, R.J. 1991B. Systematics of the 'Epiles' group of *Poa* (Poaceae). Systematic Botany 16(3):507-528.

Soreng, R.J. 1998. An infrageneric classification for *Poa* in North America, and other notes on sections, species, and subspecies of *Poa, Puccinellia,* and *Dissanthelium* (Poaceae). Novon 8:187-202.

Soreng, R.J., and R.H. Simmons. 2018. Noteworthy collections: Maryland, Virginia, and North Carolina. Castanea 83(2):270–271.

Soreng, R.J., P.M. Peterson, G. Davidse, E.J. Judziewicz, F.O. Zuloaga, T.S. Filgueiras, and O. Morrone. 2003. Catalogue of New World Grasses (Poaceae): IV. Subfamily Pooideae. Contributions from the United States National Herbarium 48:1-730.

Spicker, D., and M. Joselyn. 1985. *Spartina* (Gramineae) in northern California: Distribution and taxonomic notes. Madroño 32:158-167.

Stace, C. 1997. New flora of the Bitish Isles. 2nd edition. Cambridge University Press.

Taylor, R.L., and B. MacBryde. 1978. New taxa and nomenclatural changes with respect to *Vascular Plants of British Columbia: A Descriptive Resource Inventory*. Canadian Journal of Botany 56(2):184-195.

Tkach, N., J. Schneider, E. Döring, A. Wölk, A. Hochback, J. Nissen, G. Winterfeld, S. Meyer, J. Gabriel, M. Hoffmann, and M. Röser. 2020. Phylogenetic lineages and the role of hybridization as driving force of evolution in grass supertribe Poodae. Taxon 69(2):234-277.

Vahl, M. 1790. *Poa glauca*. Flora Danica 17:964.

Valdés, B., S. Talavera, and E. Fernandez-Galiano, Eds. 1987. Flora Vascular de Andalucía Occidental. Volume 3. Ketres Editoria, Barcelona.

Vasey, G. 1882. Some new grasses. Botanical Gazette 7:32-33.

Vasey, G. 1888. New western grasses. Bulletin of the Torrey Botanical Club 15:11-13.

Vasey, G. 1893A. Descriptions of new or noteworthy grasses from the United States. Contributions from the United States National Herbarium 1:267-280.

Vasey, G. 1893B. Grasses of the Pacific slope, including Alaska and the adjacent islands : Plates and descriptions of the grasses of California, Oregon, Washington, and the Northwestern Coast, including Alaska. U.S. Department of Agriculture. Division of Botany Bulletin 13:1-409.

Voss, E.G. 1972. Michigan Flora, 3 volumes. Cranbrook Institute of Science, Bloomfield Hills.

Weber, W.A. 1982. New names and combinations, principally in the Rocky Mountain flora, II. Phytologia 51:369-376.

Webster, R.D. 1993. Nomenclature of *Setaria* (Poaceae: Paniceae). Sida 15:447-489.

Welsh, S.L., N.D. Atwood, S. Goodrich, and L.C. Higgins, Eds. 2003. A Utah Flora: third edition, revised. Brigham Young University, Provo, UT.

Wilson, B. 2002. Proposal to reject *Festuca howellii* Hack. ex Beal (Poaceae). Taxon 51(3):577-578.

Wilson, B. 2011. Writing the Poaceae treatment for the Flora of Oregon. Oregon Flora Newsletter 17 (1):1,6-7.

Wilson, B.L. 2007. A new variety of *Festuca roemeri* (Poaceae) from the California floristic province of North America. Journal of the Botanical Research Institute of Texas 1(1):59-67.

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. Journal of the Torrey Botanical Society 130(1):43-46.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest