Checklist of Oregon Polygonaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Bistorta

Checklist contributor: Henrietta Chambers, 8/17/2005
Flora of Oregon author: Kenton Chambers

Bistorta bistortoides (Pursh) Small

Common names: smokeweed, western bistort, American bistort
Origin: native Voucher: OSC, most recently collected in 2024
FN 5:596; FPN2 324; IL 2:62 synonym for *Polygonum bistortoides*; IN 2a:250; JPM2 1077.

Synonyms:
***Polygonum bistortoides* Pursh**
FN 5:596 synonym for *Bistorta bistortoides*; FPN 86; GWM 125; IL 2:62; JPM 888; PEK 265; VP 2:148.

Bistorta vivipara (L.) Delarbre

Common names: viviparous bistort, serpent-grass, alpine bistort
Origin: native Voucher: OSC, most recently collected in 2007
FN 5:595; FPN2 324; IL 2:61 synonym for *Polygonum viviparum*; IN 2a:250.

Synonyms:
***Polygonum viviparum* L.**
FN 5:595 synonym for *Bistorta vivipara*; FPN 86; GWM 128; Gale, 1944 128; IL 2:61; PEK 265; VP 2:167.

Chorizanthe

Checklist contributor: James Reveal, 1/1/2006
Flora of Oregon author: James Reveal

Chorizanthe brevicornu Torr.

FN 5:469; FPN 79; IL 2:5; IN 2a:384; JPM 858; VP 2:103.

Chorizanthe brevicornu Torr. var. ***spathulata*** (Small ex Rydb.) C.L. Hitchc.

Common names: Great Basin brittle spineflower
Origin: native Voucher: OSC, most recently collected in 2022
FN 5:470; FPN 79; FPN2 324; JPM 858; JPM2 1079.

Synonyms:
***Chorizanthe spathulata* Small**
FN 5:470 synonym for *Chorizanthe brevicornu* var. *spathulata*; IL 2:5; PEK 281.

Chorizanthe membranacea Benth.

Common names: pink spineflower
Origin: native Voucher: OSC, most recently collected in 1998
FN 5:450; IL 2:12; JPM 858; JPM2 1080.

Synonyms:
***Eriogonella membranacea* (Benth.) Goodman**
IL 2:12 synonym for *Chorizanthe membranacea*; PEK 282.

Chorizanthe watsonii Torr. & A. Gray

Common names: Watson's spineflower, five-tooth spineflower
Origin: native Voucher: OSC, most recently collected in 2010
FN 5:468; FPN 79; FPN2 324; IL 2:14; IN 2a:384; JPM 860; JPM2 1082; PEK 281; VP 2:104.

Eriogonum

Checklist contributor: James Reveal, 10/1/2005
Flora of Oregon author: James Reveal

Eriogonum baileyi S. Watson

FN 5:425; FPN 84; IL 2:36; IN 2a:368; JPM 869; PEK 274.

Eriogonum baileyi S. Watson var. ***baileyi***

Common names: Bailey's buckwheat
Origin: native Voucher: OSC, most recently collected in 2013
FN 5:425; FPN2 325; JPM 869; JPM2 1094.

Synonyms:

Eriogonum vimineum **Douglas ex Benth. var.** ***baileyi*** **(S. Watson) R.J. Davis**
FPN 84 synonym for *Eriogonum baileyi*; VP 2:138.

Eriogonum brachyanthum Coville

Common names: shortflower buckwheat
Origin: native Voucher: OSC, most recently collected in 2009
FN 5:426; IL 2:36; IN 2a:368; JPM 869; JPM2 1094.

Eriogonum caespitosum Nutt.

Common names: matted buckwheat
Origin: native Voucher: OSC, most recently collected in 2022
FN 5:364; FPN 79; FPN2 325; GWM 121; IL 2:23; JPM2 1094; PEK 279; VP 2:112.

Synonyms:

Eriogonum cespitosum **Nutt.**
JPM 869.

Eriogonum calcareum (S. Stokes) Grady & Reveal

FPN2 328; IN 2a:298.

Eriogonum calcareum (S. Stokes) Grady & Reveal var. ***calcareum***

Common names: Harper buckwheat, calcareous buckwheat
Origin: native Voucher: OSC, most recently collected in 2011

Synonyms:

Eriogonum ochrocephalum **S. Watson**
FN 5:283; FPN 82; IL 2:43; IN 2a:294; JPM 878; VP 2:126.

Eriogonum ochrocephalum **S. Watson ssp.** ***calcareum*** **S. Stokes**
FN 5:284 synonym for *Eriogonum ochrocephalum* var. *calcareum*; IL 2:43 synonym for *Eriogonum ochrocephalum*;

Eriogonum ochrocephalum **S. Watson var.** ***calcareum*** **(S. Stokes) M. Peck**
FN 5:284; FPN 82.

Eriogonum cernuum Nutt.

Common names: nodding buckwheat
Origin: native Voucher: OSC, most recently collected in 1984
FN 5:401; FPN 84; FPN2 325; IL 2:34; IN 2a:356; JPM 869; JPM2 1095; PEK 273; VP 2:112.

Synonyms:

Eriogonum cernuum **Nutt. var.** ***cernuum***
JPM 869.

Eriogonum cernuum **Nutt. var.** ***viminale*** **(S. Stokes) Reveal**
FN 5:401 synonym for *Eriogonum cernuum*; JPM 869.

Eriogonum chrysops Rydb.

Common names: bitterroot buckwheat, one-eyed wild buckwheat, golden buckwheat

Origin: native Voucher: OSC, most recently collected in 2022

FN 5:281; FPN 82; FPN2 324; GWM 121; IN 2a:296; VP 2:113.

Synonyms:

***Eriogonum ovalifolium* Nutt. ssp. *chrysops* (Rydb.) S. Stokes**

FN 5:281 synonym for *Eriogonum chrysops*; PEK 277.

Eriogonum collinum S. Stokes ex M.E. Jones

Common names: juniper buckwheat, hill buckwheat

Origin: native Voucher: IDS, most recently collected in 1981

FN 5:406; IN 2a:362; JPM2 1095.

Eriogonum compositum Douglas ex Benth.

FN 5:355; FPN 80; GWM 121; IL 2:27; IN 2a:328; PEK 278.

Eriogonum compositum Douglas ex Benth. var. ***compositum***

Common names: northern buckwheat, arrowleaf buckwheat

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:355; FPN 80; FPN2 326; JPM 869; JPM2 1095; VP 2:115.

Eriogonum compositum Douglas ex Benth. var. ***leianthum*** Hook.

Common names: smooth arrowleaf buckwheat

Origin: native Voucher: OSC, most recently collected in 2003

FN 5:356; FPN 80; FPN2 326; VP 2:115.

Eriogonum crosbyae Reveal

FN 5:277; FPN2 324; IN 2a:292.

Eriogonum crosbyae Reveal var. ***crosbyae***

Common names: Crosby's buckwheat

Origin: native Voucher: OSC, most recently collected in 2008

Reveal, 1983 .

Eriogonum crosbyae Reveal var. ***mystrium*** (Reveal) Grady & Reveal

Common names: Pueblo Mountains buckwheat

Origin: native Voucher: OSC, most recently collected in 2018

Synonyms:

***Eriogonum prociduum* Reveal var. *mystrium* Reveal**

FN 5:276.

Eriogonum cusickii M.E. Jones

Common names: Cusick's buckwheat

Origin: native Voucher: OSC, most recently collected in 2013

FN 5:277; FPN 82; FPN2 328; Galash, 2024 ; IL 2:41 synonym for *Eriogonum strictum*; VP 2:115.

Synonyms:

***Eriogonum chrysocephalum* A. Gray**

FN 5:266 synonym for *Eriogonum brevicaule* var. *laxifolium*; VP 2:112.

Eriogonum diclinum Reveal

Common names: Jaynes Canyon buckwheat

Origin: native Voucher: OSC, most recently collected in 2017

FN 5:367; JPM 870; JPM2 1096.

Eriogonum douglasii Benth.

FN 5:363; FPN 80; GWM 122; IL 2:23; IN 2a:332; PEK 279.

Eriogonum douglasii Benth. var. ***douglasii***

Common names: Douglas' buckwheat

Origin: native Voucher: OSC, most recently collected in 2016

FN 5:364; FPN 80; FPN2 325; JPM 870; VP 2:117.

Eriogonum douglasii Benth. var. ***meridionale*** Reveal

Common names: southern buckwheat

Origin: native Voucher: OSC, most recently collected in 2007

FN 5:363; JPM2 1096.

Eriogonum elatum Douglas ex Benth.

FN 5:315; FPN 82; IL 2:47; IN 2a:312; JPM 870; VP 2:117.

Eriogonum elatum Douglas ex Benth. var. ***elatum***

Common names: rush buckwheat, tall buckwheat

Origin: native Voucher: OSC, most recently collected in 2007

FN 5:316; FPN2 329; JPM 870; JPM2 1096; PEK 277.

Eriogonum elatum Douglas ex Benth. var. ***villosum*** Jeps.

Common names: tall woolly buckwheat

Origin: native Voucher: OSC, most recently collected in 1953

FN 5:316; IL 2:47 synonym for *Eriogonum elatum*; JPM 870; JPM2 1096; PEK 277.

Eriogonum fasciculatum Benth. var. ***foliolosum*** (Nutt.) S. Stokes ex Abrams

Common names: leafy buckwheat

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015

Eriogonum flavum Nutt.

FN 5:371; FPN 81; GWM 122; VP 2:118.

Eriogonum flavum Nutt. var. ***piperi*** (Greene) M.E. Jones

Common names: Piper's buckwheat, Piper's golden buckwheat

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:372; FPN 82; FPN2 328; VP 2:120.

Synonyms:

Eriogonum androsaceum **Benth.**

FN 5:372; FPN 81; FPN2 327; VP 2:109.

Eriogonum piperi **Greene**

FN 5:372 synonym for *Eriogonum flavum* var. *piperi*; FPN 82 synonym for *Eriogonum flavum* var. *piperi*; IL 2:24; PEK

Eriogonum heracleoides Nutt.

FN 5:353; FPN 80; FPN2 326; GWM 122; IL 2:27; IN 2a:328; PEK 279.

Eriogonum heracleoides Nutt. var. ***heracleoides***

Common names: whorled buckwheat, Wyeth's buckwheat, parsnipflower buckwheat

Origin: native Voucher: OSC, most recently collected in 2025

FN 5:354; FPN 80; JPM 873; JPM2 1099; VP 2:121.

Synonyms:

Eriogonum heracleoides **Nutt. var.** ***angustifolium*** **(Nutt.) Torr. & A. Gray**

FN 5:354 synonym for *Eriogonum heracleoides* var. *heracleoides*; FPN 80; VP 2:121.

Eriogonum hookeri S. Watson

Common names: Hooker's buckwheat

Origin: native Voucher: OSC, most recently collected in 2010

FN 5:396; IN 2a:353; JPM 873; JPM2 1099.

Eriogonum latifolium Sm.

Common names: coast buckwheat, seaside buckwheat

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:314; IL 2:46; JPM 874; JPM2 1100; PEK 276.

Eriogonum lobbii Torr. & A. Gray

Common names: granite buckwheat, Lobb's buckwheat

Origin: native Voucher: OSC, most recently collected in 1984

FN 5:374; IL 2:27; IN 2a:336; JPM 874; JPM2 1100.

Synonyms:

Eriogonum lobbii* Torr. & A. Gray var. *lobbii

JPM 874.

Eriogonum luteolum Greene var. ***luteolum***

Common names: goldencarpet buckwheat

Origin: native Voucher: OSC, most recently collected in 2015

FN 5:420; JPM 874; JPM2 1100.

Eriogonum maculatum A. Heller

Common names: spotted buckwheat

Origin: native Voucher: OSC, most recently collected in 2009

FN 5:411; FPN 84; FPN2 325; IN 2a:364; JPM 874; JPM2 1100; PEK 273.

Synonyms:

***Eriogonum angulosum* Benth. var. *maculatum* (A. Heller) Jeps.**

FN 5:411 synonym for *Eriogonum maculatum*; IL 2:29.

Misapplied names:

***Eriogonum angulosum* Benth.**

FN 5:411; FPN 84 synonym for *Eriogonum maculatum*; IL 2:29; JPM 868; JPM2 1094; VP 2:109.

Eriogonum marifolium Torr. & A. Gray

FN 5:365; FPN 81; IL 2:26; IN 2a:334; JPM 874; PEK 280; VP 2:121.

Eriogonum marifolium Torr. & A. Gray var. ***marifolium***

Common names: marumleaf buckwheat

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:366; FPN2 327; JPM2 1100.

Eriogonum microtheca Nutt. var. ***ambiguum*** (M.E. Jones) Reveal

Common names: yellow-flowered slender buckwheat

Origin: native Voucher: OSC, most recently collected in 2014

Synonyms:

***Eriogonum microthecum* Nutt. var. *ambiguum* (M.E. Jones) Reveal**

FN 5:247; JPM 876; JPM2 1102.

Eriogonum microtheca Nutt. var. ***laxiflorum*** Hook.

Common names: Great Basin wild buckwheat, Great Basin slender buckwheat

Origin: native Voucher: OSC, most recently collected in 2009

Synonyms:

***Eriogonum microthecum* Nutt. var. *laxiflorum* Hook.**

FN 5:244; FPN 82; FPN2 328; JPM 876; JPM2 1102; VP 2:123.

Eriogonum microtheca Nutt. var. ***microtheca***

Common names: slender buckwheat

Origin: native Voucher: OSC, most recently collected in 2022

Synonyms:

Eriogonum microthecum **Nutt. var.** ***microthecum***

FN 5:247; FPN 82; FPN2 328; VP 2:123.

Eriogonum nidularium Coville

Common names: birdnest buckwheat

Origin: native Voucher: OSC, most recently collected in 2020

FN 5:427; IL 2:35; IN 2a:370; JPM 876; JPM2 1102; PEK 274.

Eriogonum niveum Douglas ex Benth.

Common names: snow buckwheat

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:318; FPN 83; FPN2 329; IL 2:41; PEK 275; VP 2:124.

Synonyms:

Eriogonum niveum **Douglas ex Benth. var.** ***decumbens*** **(Benth.) Torr. & A. Gray**

FN 5:318 synonym for *Eriogonum niveum*; PEK 275.

Eriogonum niveum **Douglas ex Benth. var.** ***niveum***

PEK 275.

Eriogonum novonudum M. Peck

Common names: false naked buckwheat

Origin: native Voucher: OSC, most recently collected in 2020

FN 5:284; IN 2a:300; PEK 276.

Eriogonum nudum Douglas ex Benth.

FN 5:309; FPN 82; IL 2:46; IN 2a:310; JPM 876; VP 2:126.

Eriogonum nudum Douglas ex Benth. var. ***nudum***

Common names: naked buckwheat, nude buckwheat, barestem buckwheat

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:310; FPN2 329; IL 2:46; JPM 876; JPM2 1103; PEK 276; VP 2:126.

Eriogonum nudum Douglas ex Benth. var. ***oblongifolium*** S. Watson

Common names: Harford's wild buckwheat

Origin: native Voucher: OSC, most recently collected in 2017

FN 5:313; FPN2 329; JPM 876; JPM2 1103.

Eriogonum nudum Douglas ex Benth. var. ***paralinum*** Reveal

Common names: Del Norte buckwheat

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:310; JPM 876; JPM2 1103.

Eriogonum nudum Douglas ex Benth. var. ***pubiflorum*** Benth.

Common names: hairy-flowered buckwheat, Fremont's wild buckwheat

Origin: native Voucher: OSC, most recently collected in 2015

FN 5:312; FPN2 329; IL 2:46; JPM 876; JPM2 1103; PEK 276.

Eriogonum nutans Torr. & A. Gray

FN 5:402; IL 2:34; IN 2a:358; JPM 878; PEK 273.

Eriogonum nutans Torr. & A. Gray var. ***nutans***

Common names: Dugway buckwheat

Origin: native Voucher: OSC, most recently collected in 2003

FN 5:403; JPM2 1103.

Eriogonum ovalifolium Nutt.

FN 5:319; FPN 83; IL 2:43; IN 2a:316; JPM 878.

Eriogonum ovalifolium Nutt. var. ***depressum*** Blank.

Common names: dwarf cushion buckwheat

Origin: native Voucher: OSC, most recently collected in 2018

FN 5:323; FPN 83; FPN2 330; JPM2 1104; VP 2:129.

Eriogonum ovalifolium Nutt. var. ***nivale*** (Canby ex Coville) M.E. Jones

Common names: Sierran cushion buckwheat

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:323; FPN 83; FPN2 330; GWM 123; JPM 878; JPM2 1104; VP 2:129.

Eriogonum ovalifolium Nutt. var. ***ovalifolium***

Common names: cushion buckwheat

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:320; FPN 83; FPN2 330; GWM 123; IL 2:43; JPM 878; JPM2 1104; VP 2:129.

Synonyms:

Eriogonum ovalifolium **Nutt. ssp.** ***ovalifolium***

PEK 277.

Eriogonum ovalifolium Nutt. var. ***purpureum*** (Nutt.) Durand

Common names: purple cushion buckwheat

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:320; FPN2 330; JPM 878; JPM2 1104.

Synonyms:

Eriogonum ovalifolium **Nutt. var.** ***celsum*** **A. Nelson**

FN 5:320 synonym for *Eriogonum ovalifolium* var. *purpureum*; FPN 83.

Eriogonum ovalifolium Nutt. var. ***rubidum*** (Gand.) Reveal & Mansfield

Common names: Steens Mountain cushion buckwheat

Origin: native Voucher: OSC, most recently collected in 2015

Eriogonum pendulum S. Watson

Common names: Waldo buckwheat

Origin: native Voucher: OSC, most recently collected in 2009

FN 5:303; JPM 878; JPM2 1104; PEK 275.

Eriogonum prociduum Reveal

Common names: prostrate buckwheat

Origin: native Voucher: OSC, most recently collected in 2008

FN 5:276; FPN2 328; Galash, 2024 ; IN 2a:292; JPM 879; JPM2 1106.

Synonyms:

Eriogonum prociduum **Reveal var.** ***prociduum***

FN 5:276.

Eriogonum pusillum Torr. & A. Gray

Common names: yellow turbans

Origin: native Voucher: OSC, most recently collected in 2000

FN 5:404; IL 2:34; IN 2a:258; JPM 879; JPM2 1106; PEK 273.

Eriogonum pyrolifolium Hook.

FN 5:374; FPN 81; FPN2 327; JPM 879; PEK 278.

Eriogonum pyrolifolium Hook. var. ***coryphaeum*** Torr. & A. Gray

Common names: hairy Shasta buckwheat

Origin: native Voucher: OSC, most recently collected in 2013

FN 5:374; FPN 81; JPM2 1106; VP 2:130.

Synonyms:

Eriogonum pyrolaefolium **Hook. var.** ***coryphaeum*** **Torr. & A. Gray**

IL 2:24 synonym for *Eriogonum pyrolifolium*; VP 2:130.

Eriogonum pyrolifolium **Hook. var.** ***bellingerianum*** **M. Peck**

FN 5:374 synonym for *Eriogonum pyrolifolium* var. *coryphaeum*; PEK 278.

Eriogonum pyrolifolium Hook. var. ***pyrolifolium***

Common names: pyrola-leaved buckwheat

Origin: native Voucher: OSC, most recently collected in 1994

FN 5:374; FPN 81; JPM2 1106.

Synonyms:

Eriogonum pyrolaefolium **Hook. var.** ***pyrolaefolium***

IL 2:24; PEK 278; VP 2:130.

Eriogonum roseum Durand & Hilg.

Common names: wand buckwheat

Origin: native Voucher: OSC, most recently collected in 1909

FN 5:423; IL 2:36 synonym for *Eriogonum virgatum*; JPM 879; JPM2 1106.

Synonyms:

Eriogonum virgatum **Benth.**

FN 5:423 synonym for *Eriogonum roseum*; IL 2:36; PEK 274.

Eriogonum salicornioides Gand.

Common names: saltwort buckwheat, glasswort buckwheat

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:406; IN 2a:362.

Eriogonum scopulorum Reveal

Common names: cliff buckwheat

Origin: native Voucher: OSC, most recently collected in 2017

FN 5:280; FPN2 328.

Eriogonum spergulinum A. Gray

FN 5:409; FPN 84; IL 2:29; IN 2a:363; JPM 879; VP 2:130.

Eriogonum spergulinum A. Gray var. ***reddingianum*** (M.E. Jones) J.T. Howell

Common names: Redding's buckwheat, spurry buckwheat

Origin: native Voucher: OSC, most recently collected in 2022

FN 5:409; FPN 84; FPN2 325; JPM 879; JPM2 1107; PEK 272; VP 2:130.

Eriogonum sphaerocephalum Douglas ex Benth.

FN 5:361; FPN 80; GWM 123; IL 2:23; IN 2a:330; JPM 880; PEK 278.

Eriogonum sphaerocephalum Douglas ex Benth. var. ***halimioides*** (Gand.) S. Stokes

Common names: halimium buckwheat, rock buckwheat

Origin: native Voucher: OSC, most recently collected in 2018

FN 5:362; FPN 80; FPN2 326; JPM 880; JPM2 1107; VP 2:131.

Eriogonum sphaerocephalum Douglas ex Benth. var. ***sphaerocephalum***

Common names: round-headed buckwheat, rock buckwheat

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:362; FPN 80; FPN2 326; JPM 880; JPM2 1107; VP 2:131.

Eriogonum sphaerocephalum Douglas ex Benth. var. ***sublineare*** (S. Stokes) Reveal

Common names: scabland buckwheat

Origin: native Voucher: OSC, most recently collected in 1982

FN 5:363; FPN2 326.

Synonyms:

Eriogonum douglasii **Benth. var.** ***tenue*** **(Small) C.L. Hitchc.**

FN 5:363 synonym for *Eriogonum sphaerocephalum* var. *sublineare*; FPN 80.

Eriogonum strictum Benth.

FN 5:317; FPN 83; GWM 123; IL 2:41; IN 2a:314; JPM 880; JPM2 1107; PEK 275.

Eriogonum strictum Benth. var. ***anserinum*** (Greene) S. Stokes

Common names: Goose Lake buckwheat

Origin: native Voucher: OSC, most recently collected in 2019

FN 5:318; FPN 83; FPN2 329; JPM 880; JPM2 1107.

Synonyms:

Eriogonum flavissimum **Gand.**

FPN 83 synonym for *Eriogonum strictum* var. *anserinum*; IL 2:43 synonym for *Eriogonum ovalifolium* ssp. *flavissimum*;

Eriogonum ovalifolium **Nutt. ssp.** ***flavissimum*** **(Gand.) S. Stokes**

FN 5:318 synonym for *Eriogonum strictum var. anserinum*; IL 2:43.

Eriogonum strictum **Benth. var.** ***flavissimum*** **(Gand.) C.L. Hitchc.**

FN 5:318 synonym for *Eriogonum strictum* var. *anserinum*; FPN 83 synonym for *Eriogonum strictum* var. *anserinum*; VP

Eriogonum strictum Benth. var. ***proliferum*** (Torr. & A. Gray) C.L. Hitchc.

Common names: proliferous buckwheat, Blue Mountain buckwheat

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:317; FPN 83; FPN2 329; IL 2:43 synonym for *Eriogonum prociduum*; JPM 880; JPM2 1107; PEK 275; VP 2:132.

Synonyms:

Eriogonum proliferum **Torr. & A. Gray**

FN 5:317 synonym for *Eriogonum strictum* var. *proliferum*; IL 2:43; PEK 275.

Eriogonum strictum **Benth. ssp.** ***proliferum*** **(Torr. & A. Gray) S. Stokes**

FN 5:317 synonym for *Eriogonum strictum* var. *proliferum*; FPN 83.

Eriogonum strictum Benth. var. ***strictum***

Common names: strict buckwheat, Blue Mountain buckwheat

Origin: native Voucher: OSC, most recently collected in 2013

FN 5:318; FPN2 329.

Synonyms:

Eriogonum strictum **Benth. ssp.** ***strictum***

FPN 83; VP 2:132.

Eriogonum ternatum Howell

Common names: ternate buckwheat

Origin: native Voucher: OSC, most recently collected in 2011

FN 5:356; IL 2:26; JPM 880; JPM2 1107; PEK 280.

Eriogonum thymoides Benth.

Common names: thyme buckwheat, thymeleaf buckwheat

Origin: native Voucher: OSC, most recently collected in 2014

FN 5:360; FPN 81; FPN2 327; GWM 123; IL 2:24; IN 2a:330; PEK 279; VP 2:132.

Eriogonum umbellatum Torr. var. ***argus*** Reveal

Common names: one-eyed sulphur flower

Origin: native Voucher: OSC, most recently collected in 2007

FN 5:348; JPM 880; JPM2 1108.

Eriogonum umbellatum Torr. var. ***aureum*** (Gand.) Reveal

Common names: golden sulphur flower

Origin: native Voucher: OSC, most recently collected in 2007

FN 5:340; FPN2 327; IN 2a:324.

Synonyms:

***Eriogonum umbellatum* Torr. var. *intectum* A. Nelson**

FN 5:340 synonym for *Eriogonum umbellatum* var. *aureum*; FPN 81.

Eriogonum umbellatum Torr. var. ***devestivum*** Reveal

Common names: emperor's sulphur flower

Origin: native Voucher: OSC, most recently collected in 1968

FN 5:347; FPN2 326.

Eriogonum umbellatum Torr. var. ***dichrocephalum*** Gand.

Common names: bicolor sulphur flower

Origin: native Voucher: OSC, most recently collected in 2020

FN 5:344; FPN2 327; IN 2a:326; JPM 882; JPM2 1108.

Synonyms:

***Eriogonum umbellatum* Torr. ssp. *aridum* (Greene) S. Stokes**

FN 5:344 synonym for *Eriogonum umbellatum* var. *dichrocephalum*; VP 2:136.

Eriogonum umbellatum Torr. var. ***dumosum*** (Greene) Reveal

Common names: many-flowered sulphur flower, American Valley sulphur flower

Origin: native Voucher: OSC, most recently collected in 2004

FN 5:343; JPM2 1108.

Synonyms:

***Eriogonum umbellatum* Torr. var. *speciosum* (Drew) S. Stokes**

FN 5:352; JPM 882; JPM2 1108.

Misapplied names:

***Eriogonum umbellatum* Torr. ssp. *polyanthum* (Benth.) S. Stokes**

IL 2:27; PEK 280.

***Eriogonum umbellatum* Torr. var. *polyanthum* (Benth.) M.E. Jones**

Eriogonum umbellatum Torr. var. ***ellipticum*** (Nutt.) Reveal

Common names: starry sulphur flower

Origin: native Voucher: OSC, most recently collected in 2020

FN 5:347; FPN2 326; IN 2a:326.

Synonyms:

***Eriogonum umbellatum* Torr. var. *chrysanthum* Gand.**

FN 5:347 synonym for *Eriogonum umbellatum* var. *ellipticum*; FPN 81.

***Eriogonum umbellatum* Torr. var. *croceum* S. Stokes**

FN 5:347 synonym for *Eriogonum umbellatum* var. *ellipticum*; GWM 124; VP 2:136.

***Eriogonum umbellatum* Torr. var. *stellatum* (Benth.) M.E. Jones**

FN 5:347 synonym for *Eriogonum umbellatum* var. *ellipticum*; FPN 81; IL 2:27; PEK 280; Reveal, 1983 synonym for

---

Eriogonum umbellatum Torr. var. ***glaberrimum*** (Gand.) Reveal

Common names: Warner Mountains sulphur flower, green buckwheat

Origin: native Voucher: OSC, most recently collected in 2019

FN 5:353; FPN 81; FPN2 324; Galash, 2024 ; JPM 882; JPM2 1108.

Eriogonum umbellatum Torr. var. ***goodmanii*** Reveal

Common names: serpentine sulphur buckwheat, Goodman's sulphur flower

Origin: native Voucher: OSC, most recently collected in 2016

FN 5:343; JPM2 1108.

Eriogonum umbellatum Torr. var. ***haussknechtii*** (Dammer) M.E. Jones

Common names: Haussknecht's sulphur flower

Origin: native Voucher: OSC, most recently collected in 2020

FPN2 326.

Synonyms:

***Eriogonum umbellatum* Torr. var. *hausknechtii* (Dammer) M.E. Jones**

FN 5:342; FPN 81; VP 2:136.

Eriogonum umbellatum Torr. var. ***modocense*** (Greene) S. Stokes

Common names: Modoc sulphur flower

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:342; IN 2a:324; JPM2 1108.

Misapplied names:

***Eriogonum umbellatum* Torr. var. *polyanthum* (Benth.) M.E. Jones**

Eriogonum umbellatum Torr. var. ***nelsoniorum*** Reveal

Common names: Nelson's sulphur flower

Origin: native Voucher: OSC, most recently collected in 2010

JPM2 1108.

Eriogonum umbellatum Torr. var. ***nevadense*** Gand.

Common names: Nevada sulphur flower, Nevada buckwheat

Origin: native Voucher: OSC, most recently collected in 2007

FN 5:343; IN 2a:326; JPM 882; JPM2 1108.

Eriogonum umbellatum Torr. var. ***sandbergii*** Reveal

Common names: Sandberg's sulphur flower

Origin: native Voucher: OSC, most recently collected in 1982

FN 5:341; FPN2 327.

Eriogonum villosissimum Reveal & D.A. York

Common names: Acker Rock buckwheat

Origin: native Voucher: OSC, most recently collected in 2009

Galash, 2024 .

Eriogonum vimineum Douglas ex Benth.

Common names: broom buckwheat, wickerstem buckwheat

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:421; FPN 84; FPN2 325; IL 2:38; IN 2a:366; JPM 882; JPM2 1110; PEK 274.

Synonyms:

***Eriogonum vimineum* Douglas ex Benth. var. *shoshonense* (A. Nelson) S. Stokes**

FN 5:421 synonym for *Eriogonum vimineum*; FPN 84; VP 2:138.

Eriogonum vimineum* Douglas ex Benth. var. *vimineum

FPN 84; IL 2:38; VP 2:138.

Eriogonum watsonii Torr. & A. Gray

Common names: Watson's buckwheat

Origin: native Voucher: OSC, most recently collected in 2020

FN 5:399; FPN 84; FPN2 325; IL 2:34 synonym for *Eriogonum deflexum Torr. ssp. watsonii (Torr. & A. Gray Stokes*; IN 2a:354; PEK 273.

Synonyms:

***Eriogonum deflexum* Torr.**

FN 5:394; IL 2:34; IN 2a:351; JPM 870; VP 2:115.

***Eriogonum deflexum* Torr. var. *multipedunculatum* (S. Stokes) C.L. Hitchc.**

FN 5:399 synonym for *Eriogonum watsonii*; FPN 84 synonym for *Eriogonum watsonii*; VP 2:115.

Fagopyrum

Checklist contributor: Richard Halse, 4/15/2009

Flora of Oregon author: treatment pending

Fagopyrum esculentum Moench

Common names: buckwheat, common buckwheat, domestic buckwheat

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2015

FN 5:573; FPN2 323; IN 2a:200; JPM 883.

Fallopia

Checklist contributor: Henrietta Chambers, 8/17/2005

Flora of Oregon author: Stephen Meyers

Fallopia baldschuanica (Regel) Holub

Common names: silver lace vine, Bukhara fleeceflower

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FN 5:544; FPN2 330; IN 2a:221.

Fallopia* × *bohemica (Chrtek & Chrtkova) J.P. Bailey

Common names: Bohemian knotweed, hybrid knotweed

Origin: exotic Voucher: OSC, most recently collected in 2019

FN 5:542; FPN2 330.

Fallopia convolvulus (L.) Á. Löve

Common names: climbing knotweed, ivy bindweed, black bindweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 5:545; FPN2 330; IN 2a:222; JPM2 1111.

Synonyms:

***Polygonum convolvulus* L.**

FN 5:545 synonym for *Fallopia convolvulus*; FPN 85; IL 2:66; JPM 890; PEK 270; VP 2:151.

Fallopia japonica (Houtt.) Ronse Decr.

Common names: Japanese knotweed

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2021

FN 5:543; JPM2 1111.

Synonyms:

Fallopia japonica* (Houtt.) Ronse Decr. var. *japonica

FPN2 330.

***Polygonum cuspidatum* Siebold & Zucc.**

FN 5:543 synonym for *Fallopia japonica*; FPN 89; IL 2:66; JPM 890; VP 2:152.

Fallopia sachalinensis (F. Schmidt ex Maxim.) Ronse Decr.

Common names: giant knotweed

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2019

FN 5:542; FPN2 330; JPM2 1111.

Synonyms:

***Polygonum sachalinense* F. Schmidt ex Maxim.**

FN 5:542 synonym for *Fallopia sachalinensis*; FPN 89; IL 2:66; JPM 891; PEK 265; VP 2:165.

Koenigia

Checklist contributor:

Flora of Oregon author: Stephen Meyers

Koenigia davisiae (A. Gray) T.M. Schust. & Reveal var. ***davisiae***

Common names: Newberry's fleeceflower, Newberry's knotweed, Davis' knotweed

Origin: native

Voucher: OSC, most recently collected in 2014

Synonyms:

Aconogonon davisiae* (A. Gray) Soják var. *davisiae

FN 5:600.

***Polygonum davisiae* Brewer ex A. Gray**

FN 5:599 synonym for *Aconogonon davisiae*; FPN 89; IL 2:62; JPM 890; KZ 1:487; PEK 266.

***Polygonum newberryi* Small**

FN 5:599 synonym for *Aconogonon davisiae*; FPN 89; IL 2:62; JPM 890; PEK 265.

Polygonum newberryi* Small var. *newberryi

FN 5:599 synonym for *Aconogonon davisiae*; FPN 89; VP 2:160.

Koenigia phytolaccifolia (Small) T.M. Schust. & Reveal

Common names: alpine fleeceflower, poke knotweed

Origin: native

Voucher: OSC, most recently collected in 2024

Synonyms:

***Aconogonon phytolaccifolium* (Meisn. ex Small) Rydb.**

FN 5:599; IL 2:62 synonym for *Polygonum phytolaccaefolium*; JPM2 1077.

***Aconogonon phytolaccifolium* (Meisn. ex Small) Rydb. var. *glabrum* S.-P. Hong**

FN 5:599; FPN2 324.

Aconogonon phytolaccifolium* (Meisn. ex Small) Rydb. var. *phytolaccifolium

FN 5:599; FPN2 324.

***Polygonum phytolaccaefolium* Meisn.**

FPN 89; IL 2:63.

***Polygonum phytolaccifolium* Meisn.**

FN 5:599 synonym for *Aconogonon phytolaccifolium*; GWM 126; JPM 891; KZ 1:488; PEK 265; VP 2:161.

Oxyria

Checklist contributor: Henrietta Chambers, 6/6/2005

Flora of Oregon author: Kenton Chambers

Oxyria digyna (L.) Hill

Common names: mountain sorrel, alpine sorrel

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:533; FPN 84; FPN2 331; GWM 124; IL 2:54; IN 2a:218; JPM 884; JPM2 1114; PEK 263; VP 2:139.

Oxytheca

Checklist contributor: Henrietta Chambers, 12/19/2006

Flora of Oregon author: James Reveal

Oxytheca dendroidea Nutt.

FN 5:435; IL 2:18; IN 2a:378; PEK 281; VP 2:139.

Oxytheca dendroidea Nutt. ssp. ***dendroidea***

Common names: treelike puncturebract, narrowleaf oxytheca

Origin: native Voucher: OSC, most recently collected in 2009

FN 5:435; FPN2 331; IL 2:18; JPM 886; JPM2 1115; PEK 281; VP 2:139.

Synonyms:

***Oxytheca dendroides* Nutt.**

FPN 84.

Persicaria

Checklist contributor: Henrietta Chambers, 8/17/2005

Flora of Oregon author: Richard Halse

Persicaria amphibia (L.) Delarbre

Common names: water smartweed

Origin: native Voucher: OSC, most recently collected in 2020

FN 5:583; FPN2 331; JPM2 1115.

Synonyms:

***Polygonum amphibium* L.**

FN 5:584 synonym for *Persicaria amphibia*; FPN 90; IL 2:62 synonym for *Polygonum natans*; JPM 888; Mitchell, 1968

***Polygonum amphibium* L. var. *emersum* Michx.**

FN 5:583 synonym for *Persicaria amphibia*; IL 2:63 synonym for *Polygonum coccineum*; JPM 888.

***Polygonum amphibium* L. var. *natans* Michx.**

IL 2:62 synonym for *Polygonum natans*; VP 2:145.

***Polygonum amphibium* L. var. *stipulaceum* N. Coleman**

FN 5:583 synonym for *Persicaria amphibia*; JPM 888.

***Polygonum coccineum* Muhl. ex Willd.**

FN 5:583 synonym for *Persicaria amphibia*; FPN 90; IL 2:63; PEK 266; VP 2:149.

Polygonum coccineum* Muhl. ex Willd. var. *coccineum

FN 5:583 synonym for *Persicaria amphibia*; PEK 266.

***Polygonum coccineum* Muhl. ex Willd. var. *hartwrightii* (A. Gray) Bissell**

FN 5:583 synonym for *Persicaria amphibia*; PEK 266.

***Polygonum natans* Eaton**

FN 5:583 synonym for *Persicaria amphibia*; IL 2:62; PEK 266.

Persicaria hydropiper (L.) Delarbre

Common names: marshpepper knotweed, marshpepper smartweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:590; IN 2a:246; JPM2 1115.

Synonyms:

***Polygonum hydropiper* L.**

FN 5:590 synonym for *Persicaria hydropiper*; FPN 86; IL 2:63; JPM 890; PEK 267; VP 2:155.

Persicaria hydropiperoides (Michx.) Small

Common names: waterpepper

Origin: native Voucher: OSC, most recently collected in 2020

FN 5:585; FPN2 332; IN 2a:247; JPM2 1116.

Synonyms:

Polygonum hydropiperoides **Michx.**

FN 5:585 synonym for *Persicaria hydropiperoides*; FPN 90; IL 2:63; JPM 890.

Polygonum hydropiperoides **Michx. var.** ***asperifolium*** **Stanford**

FN 5:585 synonym for *Persicaria hydropiperoides*; IL 2:63 synonym for *Polygonum hydropiperoides*; PEK 266.

Polygonum hydropiperoides **Michx. var.** ***hydropiperoides***

FN 5:585 synonym for *Persicaria hydropiperoides*; FPN 90; PEK 266; VP 2:157.

Polygonum hydropiperoides **Michx. var.** ***psilostachyum*** **H. St. John**

FN 5:585 synonym for *Persicaria hydropiperoides*; PEK 266.

Polygonum persicarioides **Kunth**

PEK 267.

Persicaria lapathifolia (L.) Delarbre

Common names: pale smartweed, curltop knotweed, curltop ladysthumb

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:589; FPN2 332; IL 2:66 synonym for *Polygonum lapathifolium*; JPM2 1116.

Synonyms:

Polygonum lapathifolium **L.**

FN 5:589 synonym for *Persicaria lapathifolia*; FPN 87,90; IL 2:66; JPM 890; PEK 266; VP 2:157.

Polygonum lapathifolium **L. var.** ***lapathifolium***

FN 5:589 synonym for *Persicaria lapathifolia*; IL 2:66; PEK 266.

Polygonum lapathifolium **L. var.** ***salicifolium*** **Sibth.**

FN 5:589 synonym for *Persicaria lapathifolia*; IL 2:66; PEK 266.

Persicaria maculosa Gray

Common names: heartweed, redshank, spotted ladysthumb

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:593; FPN2 332; IN 2a:248; JPM2 1116.

Synonyms:

Polygonum persicaria **L.**

FN 5:593 synonym for *Persicaria maculosa*; FPN 90; IL 2:63; JPM 891; PEK 267; VP 2:161.

Persicaria orientalis (L.) Spach

Common names: kiss-me-over-the-garden-gate, princess-feather

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

FN 5:591; FPN2 331; JPM2 1116.

Persicaria pensylvanica (L.) M. Gomez

Common names: Pennsylvania smartweed, pinkweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1988

FN 5:588; IL 2:66 synonym for *Polygonum pensylvanicum*; IN 2a:242; JPM2 1116.

Synonyms:

Polygonum pensylvanicum **L.**

FN 5:588 synonym for *Persicaria pensylvanica*; IL 2:66; JPM 891.

Persicaria perfoliata (L.) H. Gross

Common names: devil's-tail, mile a minute, giant climbing tearthumb

Origin: exotic, not naturalized Voucher: GH

FN 5:577; FPN2 331; Hickman & Hickman, 1977 .

Persicaria punctata (Elliott) Small

Common names: dotted knotweed, water smartweed, dotted smartweed

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:586; FPN2 332; IN 2a:244; JPM2 1116.

Synonyms:

Polygonum punctatum **Elliott**

FN 5:586 synonym for *Persicaria punctata*; FPN 86; IL 2:63; JPM 891; PEK 267; VP 2:163.

Polygonum punctatum **Elliott var.** ***punctatum***

FN 5:586 synonym for *Persicaria punctata*; IL 2:63.

Persicaria sagittata (L.) H. Gross

Common names: arrowleaf knotweed, arrowleaf tearthumb, arrowvine

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

FN 5:577; FPN2 331.

Persicaria wallichii Greuter & Burdet

FN 5:581; JPM2 1116.

Persicaria wallichii Greuter & Burdet var. ***wallichii***

Common names: Himalayan knotweed, cultivated knotweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 5:581; FPN2 331.

Synonyms:

Polygonum polystachyum **Wall.**

FN 5:581 synonym for *Persicaria wallichii*; FPN 89; JPM 891; VP 2:163.

Polygonum

Checklist contributor: Henrietta Chambers, 8/17/2005

Flora of Oregon author: Richard Halse

Polygonum achoreum S.F. Blake

Common names: Blake's knotweed, striate knotweed, leathery knotweed

Origin: native Voucher: OSC, most recently collected in 2012

FN 5:549; FPN 89; FPN2 333; GWM 125; VP 2:145.

Polygonum austiniae Greene

Common names: Austin's knotweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:569; FPN 87; FPN2 335; IL 2:58; IN 2a:232; JPM2 1119; PEK 268; VP 2:146.

Synonyms:

Polygonum douglasii **Greene ssp.** ***austiniae*** **Greene**

FN 5:569 synonym for *Polygonum austiniae*; JPM 890.

Polygonum aviculare L.

FN 5:556; FPN 88, 89; GWM 125; IL 2:56; IN 2a:228; PEK 269; VP 2:146.

Polygonum aviculare L. ssp. ***aviculare***

Common names: prostrate knotweed, common knotweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 5:557; FPN2 333; JPM2 1119.

Synonyms:

Polygonum aviculare **L. var.** ***aviculare***

FN 5:557 synonym for *Polygonum aviculare* ssp. *aviculare*; IL 2:56; PEK 269.

Polygonum aviculare **L. var.** ***littorale*** **(Link) Koch**

IL 2:56; PEK 269.

Polygonum aviculare L. ssp. ***buxiforme*** (Small) Costea & Tardif

Common names: American knotweed, box knotweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:558; FPN2 333; JPM2 1119.

Polygonum aviculare L. ssp. ***depressum*** (Meisn.) Arcang.

Common names: oval-leaf knotweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 5:559; FPN2 333; JPM2 1119.

Synonyms:

Polygonum arenastrum **Boreau**

FN 5:559 synonym for *Polygonum aviculare*; JPM 888.

Polygonum aviculare L. ssp. ***neglectum*** (Besser) Arcang.

Common names: narrow-leaf knotweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 5:558; FPN2 333; JPM2 1119.

Synonyms:

Polygonum aviculare **L. var.** ***angustissimum*** **Meisn.**

FN 5:560 synonym for *Polygonum aviculare ssp. rurivagum*; IL 2:56; PEK 269.

Polygonum californicum Meisn.

Common names: California knotweed

Origin: native Voucher: OSC, most recently collected in 2001

FN 5:564; FPN 85; FPN2 334; IL 2:61; JPM 890; JPM2 1120; PEK 270; VP 2:149.

Polygonum cascadense W.H. Baker

Common names: Cascade knotweed

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:571; FPN 87; FPN2 335; Kruckeberg & Love, 2006 ; Oregon Flora Project, 2006F ; PEK 268; VP 2:149.

Polygonum douglasii Greene

Common names: Douglas' knotweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:567; FPN 87; FPN2 334; GWM 126; IL 2:58; IN 2a:231; JPM 890; JPM2 1120; PEK 268; VP 2:152.

Synonyms:

Polygonum douglasii **Greene ssp.** ***douglasii***

FN 5:567-68 synonym for *Polygonum douglasii*; JPM 890.

Polygonum douglasii **Greene var.** ***douglasii***

FN 5:567 synonym for *Polygonum douglasii*; FPN 87; IL 2:58; PEK 268; VP 2:152.

Polygonum douglasii **Greene ssp.** ***johnstonii*** **(Munz) J.C. Hickman**

FN 5:568 synonym for *Polygonum sawatchense ssp. sawatchense*; JPM 890.

Polygonum douglasii **Greene var.** ***latifolium*** **(Engelm.) Greene**

FN 5:567 synonym for *Polygonum douglasii*; FPN 87; IL 2:58; PEK 268; VP 2:152.

Polygonum erectum L.

Common names: erect knotweed

Origin: native Voucher: OSC, most recently collected in 1927

FN 5:550; FPN 86; FPN2 333; IL 2:58; PEK 268; VP 2:153.

Polygonum fowleri B.L. Rob.

FN 5:554; FPN 88; IL 2:56; IN ; VP 2:153.

Polygonum fowleri B.L. Rob. ssp. ***fowleri***

Common names: Fowler’s knotweed

Origin: native Voucher: OSC, most recently collected in 2022

FPN2 333; IL 2:56; JPM2 1120.

Polygonum gabrielae Costea & Tardif

Common names: Gabriela's knotweed

Origin: native Voucher: OSC, most recently collected in 1953

FPN2 334; Galash, 2024 .

Polygonum heterosepalum M. Peck & Ownbey

Common names: oddsepal knotweed, dwarf desert knotweed

Origin: native Voucher: OSC, most recently collected in 2006

FN 5:563; FPN 85; FPN2 334; IN 2a:229; PEK 270; VP 2:155.

Polygonum majus (Meisn.) Piper

Common names: large Douglas' knotweed, wiry knotweed, Palouse knotweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:570; FPN 87; FPN2 334; GWM 126; IL 2:58; IN 2a:234; JPM2 1120; PEK 268; VP 2:158.

Synonyms:

Polygonum douglasii **Greene ssp.** ***majus*** **(Meisn. ex Small) J.C. Hickman**

FN 5:570 synonym for *Polygonum majus*; JPM 890.

Polygonum minimum S. Watson

Common names: leafy dwarf knotweed, broadleaf knotweed

Origin: native Voucher: OSC, most recently collected in 2021

FN 5:569; FPN 86; FPN2 335; GWM 126; IL 2:58; IN 2a:234; JPM 890; JPM2 1120; PEK 267; VP 2:158.

Polygonum nuttallii Small

Common names: Nuttall's knotweed

Origin: native Voucher: OSC, most recently collected in 2000

FN 5:570; FPN 87; FPN2 335; IL 2:59; PEK 269; VP 2:160.

Polygonum paronychia Cham. & Schltdl.

Common names: dune knotweed, black knotweed, beach knotweed

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:562; FPN 89; FPN2 332; IL 2:56; JPM 891; JPM2 1120; PEK 267; VP 2:160.

Polygonum parryi Greene

Common names: prickly knotweed, Parry's knotweed

Origin: native Voucher: OSC, most recently collected in 2010

FN 5:563; FPN 85; FPN2 334; IL 2:61; JPM 891; JPM2 1120; PEK 270; VP 2:160.

Polygonum polygaloides Meisn.

FN 5:565; FPN 88; GWM 128; IL 2:59; IN 2a:230; JPM 891; PEK 270; VP 2:163.

Polygonum polygaloides Meisn. ssp. ***confertiflorum*** (Nutt. ex Piper) J.C. Hickman

Common names: dense-flowered knotweed, fruitleaf knotweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:566; FPN2 334; JPM 891; JPM2 1120.

Synonyms:

Polygonum confertiflorum **Nutt.**

FN 5:566 synonym for *Polygonum polygaloides* ssp. *confertiflorum*; FPN 88; IL 2:61; PEK 269; VP 2:151.

Polygonum watsonii **Small**

FN 5:566 synonym for *Polygonum polygaloides* ssp. *confertiflorum*; FPN 88; IL 2:61 synonym for *Polygonum*

Polygonum polygaloides Meisn. ssp. ***esotericum*** (L.C. Wheeler) J.C. Hickman

Common names: whitemargin knotweed, Modoc County knotweed

Origin: native Voucher: OSC, most recently collected in 2018

FN 5:567; FPN2 334; JPM 891; JPM2 1120.

Synonyms:

Polygonum esotericum **L.C. Wheeler**

FN 5:567 synonym for *Polygonum polygaloides* ssp. *esotericum*; FPN 88 synonym for *Polygonum watsonii*; IL 2:59; PEK

Polygonum polygaloides Meisn. ssp. ***kelloggii*** (Greene) J.C. Hickman

Common names: Kellogg's knotweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:567; FPN2 334; JPM 891; JPM2 1120.

Synonyms:

Polygonum kelloggii **Greene**

FN 5:567 synonym for *Polygonum polygaloides* ssp. *kelloggii*; FPN 88; GWM 126; IL 2:59; IN 2a:230; PEK 269; VP

Polygonum polygaloides Meisn. ssp. ***polygaloides***

Common names: polygala knotweed, milkwort knotweed

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:566; FPN2 334.

Polygonum ramosissimum Michx.

FN 5:551; FPN 86; IL 2:58; JPM 891; PEK 268; VP 2:165.

Polygonum ramosissimum Michx. ssp. ***ramosissimum***

Common names: yellow-flowered knotweed, bushy knotweed

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 5:551; FPN2 333; JPM2 1121.

Polygonum sawatchense Small

FN 5:568; FPN 88; GWM 128; IL 2:59; IN 2a:232; PEK 268; VP 2:165.

Polygonum sawatchense Small ssp. ***oblivium*** Costea & Tardif

Common names: Sawatch knotweed

Origin: native Voucher: OSC, most recently collected in 2010

FN 5:569; FPN2 335; JPM2 1121.

Polygonum sawatchense Small ssp. ***sawatchense***

Common names: Sawatch knotweed

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 335.

Polygonum shastense Brewer ex A. Gray

Common names: Shasta knotweed

Origin: native Voucher: OSC, most recently collected in 2004

FN 5:565; IL 2:56; JPM 891; JPM2 1121; PEK 267.

Polygonum spergulariiforme Meisn. ex Small

Common names: spurry knotweed, fall knotweed
Origin: native Voucher: OSC, most recently collected in 2016
FN 5:570; FPN2 335; JPM2 1121.

Synonyms:

***Polygonum douglasii* Greene ssp. *spergulariiforme* (Meisn. ex Small) J.C. Hickman**
FN 5:570 synonym for *Polygonum spergulariaeforme*; JPM 890.

***Polygonum spergulariaeforme* Meisn. ex Small**
FPN 87, 88; IL 2:59; PEK 269; VP 2:167.

Rumex

Checklist contributor: Henrietta Chambers, 1/15/2001
Flora of Oregon author: Richard Halse

Rumex acetosella L.

Common names: red sorrel, sheep sorrel
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FN 5:498; FPN 91; FPN2 335; GWM 128; IL 2:54; IN 2a:203; JPM 894; JPM2 1124; PEK 263; VP 2:171.

Rumex californicus Rech. f.

Common names: California dock, California willow dock, toothed willow dock
Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2002
FN 5:509-510; IL 2:51 synonym for *Rumex salicifolius* var. *denticulatus*; JPM2 1124.

Synonyms:

***Rumex salicifolius* Weinm. var. *denticulatus* Torr.**
FN 5:509 synonym for *Rumex californicus*; FPN2 336; IL 2:51; JPM 894.

Rumex conglomeratus Murray

Common names: sharp dock, clustered dock
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024
FN 5:524; FPN 92; FPN2 337; IL 2:51; IN 2a:210; JPM 894; JPM2 1124; PEK 262; VP 2:171.

Rumex crassus Rech. f.

Common names: fleshy willow dock, willow dock
Origin: native Voucher: OSC, most recently collected in 2010
FN 5:510; FPN2 336 synonym for *Rumex salicifolius* var. *salicifolius*; IL 2:51 synonym for *Rumex salicifolius*; JPM2 1124.

Synonyms:

***Rumex salicifolius* Weinm. var. *crassus* (Rech. f.) J.T. Howell**
FN 5:510 synonym for *Rumex crassus*; JPM 894.

Misapplied names:

***Rumex salicifolius* Weinm.**

Rumex crispus L.

Common names: sour dock, yellow dock, curly dock
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023
FN 5:522; FPN 92; FPN2 337; IL 2:51; IN 2a:212; JPM 894; JPM2 1124; PEK 261; VP 2:171.

Rumex cuneifolius Campd.

Common names: Argentine dock, wedgeleaf dock
Origin: exotic, naturalized Voucher: OSC, most recently collected in 2016
FN 5:514; FPN 91; FPN2 335; PEK 262; VP 2:173.

Rumex dentatus L.

Common names: toothed dock

Origin: exotic, not naturalized Voucher: WS, most recently collected in 1912

FN 5:527; FPN 91; FPN2 336; IN 2a:216; JPM 894; JPM2 1124; VP 2:173.

Rumex fueginus Phil.

Common names: Tierra del Fuego dock, golden dock, seaside dock

Origin: native Voucher: OSC, most recently collected in 2017

FN 5:531; FPN 91 synonym for *Rumex maritimus*; JPM2 1124.

Synonyms:

***Rumex maritimus* L.**

FN 5:529; FPN 91; IN 2a:216; JPM 894; VP 2:173.

***Rumex maritimus* L. var. *athrix* H. St. John**

FN 5:531 synonym for *Rumex fueginus*; PEK 263.

***Rumex maritimus* L. ssp. *fueginus* Dusén**

FPN2 336.

***Rumex maritimus* L. var. *fueginus* (Phil.) Dusén**

FN 5:531 synonym for *Rumex fueginus*; PEK 263.

Rumex lacustris Greene

Common names: lake willow dock, lake dock

Origin: native Voucher: OSC, most recently collected in 2007

FN 5:510; IL 2:51 synonym for *Rumex salicifolius* var. *denticulatus*; JPM2 1125.

Synonyms:

***Rumex salicifolius* Weinm. var. *lacustris* (Greene) J.C. Hickman**

FN 5:510 synonym for *Rumex lacustris*; FPN2 337; JPM 894.

Misapplied names:

***Rumex salicifolius* Weinm.**

Rumex obtusifolius L.

Common names: bitter dock, broadleaf dock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 5:526; FPN 91; FPN2 336; IL 2:53; IN 2a:214; JPM 894; JPM2 1125; PEK 262; VP 2:175.

Rumex occidentalis S. Watson

Common names: western dock

Origin: native Voucher: OSC, most recently collected in 2019

FN 5:518; FPN 92; IL 2:50; IN 2a:210; JPM 894; JPM2 1125; PEK 261; VP 2:175.

Synonyms:

Rumex occidentalis* S. Watson var. *occidentalis

FN 5:518 synonym for *Rumex occidentalis*; FPN 92; FPN2 337; VP 2:177.

***Rumex occidentalis* S. Watson var. *procerus* (Greene) J.T. Howell**

FPN 92; VP 2:177.

Rumex patientia L.

Common names: garden patience, patience dock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 5:520; FPN 92; FPN2 337; IN 2a:211.

Rumex paucifolius Nutt.

Common names: alpine sheep sorrel

Origin: native Voucher: OSC, most recently collected in 2016

FN 5:501; FPN 90; FPN2 337; IL 2:54; IN 2a:204; JPM 894; JPM2 1125; PEK 263.

Rumex persicarioides L.

Common names: golden dock, yellow dock, seashore dock

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:530; FPN 91; FPN2 336; IL 2:53; JPM2 1125; PEK 263; VP 2:177.

Rumex pulcher L.

Common names: fiddle dock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 1978

FN 5:526; FPN 91; FPN2 336; IL 2:51; IN 2a:214; JPM 894; JPM2 1125; PEK 262; VP 2:179.

Rumex sanguineus L.

Common names: bloody dock, red-veined dock

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 5:525; FPN 92; FPN2 337; IL 2:51; VP 2:180.

Rumex transitorius Rech. f.

Common names: Pacific willow dock

Origin: native Voucher: OSC, most recently collected in 2024

FN 5:512; JPM2 1125.

Synonyms:

***Rumex salicifolius* Weinm. var. *transitorius* (Rech. f.) J.C. Hickman**

FN 5:512 synonym for *Rumex transitorius*; FPN2 336; JPM 894.

Misapplied names:

***Rumex salicifolius* Weinm.**

Rumex triangulivalvis (Danser) Rech. f.

Common names: white dock, white willow dock, triangular-valved dock

Origin: native Voucher: OSC, most recently collected in 2017

FN 5:511; FPN 92 synonym for *Rumex salicifolius* var. *triangulivalvis*; IL 2:51 synonym for *Rumex salicifolius* var. *denticulatus*; JPM2 1125.

Synonyms:

***Rumex mexicanus* Meisn.**

FN 5:511; FPN 92 synonym for *Rumex salicifolius* var. *mexicanus*; PEK 262.

***Rumex mexicanus* Meisn. var. *strictus* M. Peck**

PEK 262.

***Rumex salicifolius* Weinm. var. *triangulivalvis* Danser**

FN 5:511 synonym for *Rumex triangulivalvis*; FPN 92; FPN2 336; JPM 894; VP 2:180.

Misapplied names:

***Rumex salicifolius* Weinm.**

Rumex utahensis Rech. f.

Common names: Utah willow dock

Origin: native Voucher: OSC, most recently collected in 2023

FN 5:510; JPM2 1126.

Synonyms:

***Rumex salicifolius* Weinm. var. *montigenitus* Jeps.**

FPN 92; IL 2:51 synonym for *Rumex salicifolius* var. *denticulatus*; VP 2:180 for *Rumex salicifolius*.

***Rumex salicifolius* Weinm. var. *utahensis* (Rech.f.) Reveal**

FPN2 336.

Misapplied names:

***Rumex salicifolius* Weinm.**

Rumex venosus Pursh

Common names: winged dock, veiny dock

Origin: native Voucher: OSC, most recently collected in 2019

FN 5:505; FPN 91; FPN2 336; IL 2:50; IN 2a:204; JPM 895; JPM2 1126; PEK 261; VP 2:180.

Excluded names:

Eriogonum commixtum Greene ex Tidestr.

FN 5:425 synonym for <I>Eriogonum baileyi</I> var. <I>praebens</I>; FPN 84 synonym for <I>Eriogonum vimineum</I> var. <I>shoshonense</I>; PEK 274.

Eriogonum incanum Torr. & A. Gray

FN 5:366; IL 2:26; IN 2a:334; JPM 873; JPM2 1099; PEK 279.

Eriogonum kingii Torr. & A. Gray

FN 5:281; IN 2a:296; PEK 278.

Eriogonum ochrocephalum S. Watson var. ochrocephalum

FN 5:283; JPM 878; JPM2 1104; PEK 276.

Eriogonum ovalifolium Nutt. ssp. vineum S. Stokes

FN 5:322 synonym for Eriogonum ovalifolium var. vineum; IL 2:43; PEK 277.

Eriogonum umbellatum Torr. var. majus Hook.

FN 5:346; FPN2 327; IN 2a:326; PEK 280.

Eriogonum umbellatum Torr. var. subalpinum (Greene) M.E. Jones

FN 5:346 synonym for <I>Eriogonum umbellatum</I> var. <I>majus</I>; FPN 81; IL 2:27 synonym for Eriogonum umbellatum ssp. majus; VP 2:136.

Eriogonum umbellatum Torr. var. torreyanum (A. Gray) M.E. Jones

FN 5:353; FPN 81 synonym for <I>Eriogonum umbellatum</I> var. <I>glaberrimum</I>; JPM 882; JPM2 1108; VP 2:136.

Synonyms:

***Eriogonum torreyanum* A. Gray**

FN 5:353 synonym for *Eriogonum umbellatum* var. *torreyanum*; FPN 81 synonym for *Eriogonum umbellatum* var.

Eriogonum umbellatum Torr. var. umbellatum

FN 5:339; FPN 81; FPN2 327; IL 2:27; IN 2a:324; PEK 280; VP 2:138.

Eriogonum ursinum S. Watson

FN 5:358; IL 2:26; JPM 882; PEK 280.

Persicaria capitata (Buch.-Ham. ex D. Don) H. Gross

FN 5:579; FPN2 331; JPM2 1115.

Persicaria coccinea (Muhl. ex Willd.) Greene

IN 2a:239.

Polygonum ramosissimum Michx. ssp. prolificum (Small) Costea & Tardif

FN 5:552; FPN2 333; JPM2 1120.

Pterostegia drymarioides Fisch. & C.A. Mey.

FN 5:478; IL 2:1 synonym for <I>Pterostegia drymaroides</I>; IN 2a:387; JPM 892; JPM2 1121; Kartesz, 2005 ; PEK 271.

Synonyms:

***Pterostegia drymaroides* Fisch. & C.A. Mey.**

IL 2:1.

Rumex acetosa L.

FN 5:502; FPN 90; VP 2:169.

Rumex salicifolius Weinm. var. mexicanus (Meisn.) C.L. Hitchc.
FPN 92; FPN2 335.

Synonyms:
Rumex mexicanus* Meisn. var. *mexicanus
PEK 262.

Rumex salicifolius Weinm. var. salicifolius
FPN2 335; IL 2:51; JPM 894; VP 2:180.

Literature cited for Polygonaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Galash, D. 2024. Personal communication, rare plant abstracts, draft content. .

Gale, S. 1944. *Rhynchospora*, section *Eurhynchospora*, in Canada, the United States and the West Indies. Rhodora 46:89-134, 159-197,

Hickman, J.C., and C.S. Hickman. 1977. *Polygonum perfoliatum*: a recent Asiatic adventive. Bartonia 45:18-23.

Hinds, H. 1995. Nomenclatural changes in *Polygonum*, *Persicaria*, and *Aconogonon* (Polygonaceae). Novon 5:165-166.

Hong, S.-P. 1991. A revision of *Aconogonon* (= *Polygonum* sect. *Aconogonon*, Polygonaceae) in North America. Rhodora 93:322-346.

Kartesz, J.T. 2005. A Synonymized Checklist and Atlas with Biological Attributes for the Vascular Flora of the United States, Canada

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden

Mitchell, R.S. 1968. Variation in the *Polygonum amphibium* complex and its taxonomic significance. University of California

Plant Names Project, Ed. 2004-present. The International Plant Names Index. Harvard University Herbaria, Royal Botanic Gardens,

Rechinger, K.H., Jr. 1937. The North American species of *Rumex*. Publications of the Field Museum of Natural History. Botanical

Reveal, J.L. 1983. The Demoulin Rule and newly mandated combinations in *Eriogonum* (Polygonaceae). Taxon 32:292-295.

Reveal, J.L. 2005A. Polygonaceae. Flora of North America 5:218-478.

Reveal, J.L. 2012. A revision of Eriogoneae for North America (Polygonaceae). The Eriogonum Society. http://www.eriogonum.org/

Ronse Decraene, L.-P., and J.R. Akeroyd. 1988. Generic limits in *Polygonum* and related genera (Polygonaceae) on the basis of floral

Schuster, T., J. Reveal, M. Bayly, and K. Kron. 2015. An updated molecular phylogeny of Polygonoideae (Polygonaceae):

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. Journal of the Torrey

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest