Checklist of Oregon Rosaceae

Thea Jaster, Stephen C. Meyers, and Scott Sundberg, eds.
Version 2.4 © 2026 Oregon Flora Project

Acaena

Checklist contributor: Rhoda Love, 6/9/2005
Flora of Oregon author: Kenton Chambers

Acaena novae-zelandica Kirk

Common names: biddy-biddy
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2018
FN 9:324.

Synonyms:
Acaena novae-zelandiae **Kirk**
FN 9:324; JPM 946; JPM2 1169.

Adenostoma

Checklist contributor:
Flora of Oregon author: treatment pending

Adenostoma fasciculatum Hook. & Arn. var. ***fasciculatum***

Common names: chamise
Origin: exotic, not naturalized
Voucher: SOC, most recently collected in 1947
FN 9:393.

Agrimonia

Checklist contributor: Rhoda Love, 6/9/2005
Flora of Oregon author: Kenton Chambers

Agrimonia gryposepala Wallr.

Common names: common agrimony, tall hairy agrimony
Origin: native
Voucher: OSC, most recently collected in 2021
FN 9:316; FPN2 189; IL 2:446; JPM 946; JPM2 1170; PEK 438; VP 3:92.

Amelanchier

Checklist contributor: Rhoda Love, 4/21/2006
Flora of Oregon author: treatment pending

Amelanchier alnifolia (Nutt.) Nutt. ex M. Roem.

Common names: Pacific serviceberry

Origin: native Voucher: OSC, most recently collected in 2017

FPN 208; FPN2 189; JPM 946; Love, 1998B ; Love, 2007A .

Synonyms:

Amelanchier alnifolia* (Nutt.) Nutt. ex M. Roem. var. *alnifolia

FN 9:651; FPN 208; IN 3a:153; Love, 2007A ; PEK 444; VP 3:95.

***Amelanchier alnifolia* (Nutt.) Nutt. ex M. Roem. var. *cusickii* (Fernald) C.L. Hitchc.**

FPN 208; GWM 196; IN 3a:153; Love, 2007A ; PEK 444; VP 3:95.

***Amelanchier alnifolia* (Nutt.) Nutt. ex M. Roem. var. *pumila* (Nutt.) A. Nelson**

FN 9:652; FPN 208; IN 3a:153; JPM 948; JPM2 1170; Love, 2007A ; PEK 444; VP 3:95.

***Amelanchier alnifolia* (Nutt.) Nutt. ex M. Roem. var. *semiintegrifolia* (Hook.) C.L. Hitchc.**

FN 9:652; FPN 208; JPM 948; JPM2 1170; Love, 2007A ; PEK 444; VP 3:95.

***Amelanchier florida* Lindl.**

in part

Amelanchier florida* Lindl. var. *florida

PEK 444.

***Amelanchier glabra* Greene**

FPN 208 synonym for *Amelanchier alnifolia* var. *pumila*; IL 2:471; PEK 444.

Amelanchier cusickii Fernald

Common names: Cusick's serviceberry

Origin: native Voucher: OSC, most recently collected in 2011

FN 9:652; IL 2:471; Love, 2007A .

Synonyms:

***Amelanchier florida* Lindl.**

in part

***Amelanchier florida* Lindl. var. *cusickii* (Fernald) M. Peck**

PEK 444.

Amelanchier pallida Greene

Common names: pale serviceberry

Origin: native Voucher: OSC, most recently collected in 2013

FN 9:650; IL 2:473; IN 3a:152; PEK 444.

Amelanchier utahensis Koehne

Common names: Utah serviceberry

Origin: native Voucher: OSC, most recently collected in 2020

FN 9:650; FPN 208; FPN2 189; IL 2:471; JPM 948; JPM2 1170; Jones, 1946 ; Love, 2007A ; Oregon Flora Project, 2007G ; PEK 444; VP 3:95.

Synonyms:

***Amelanchier florida* Lindl.**

***Amelanchier florida* Lindl. var. *gracilis* (A. Heller) M. Peck**

PEK 444.

***Amelanchier gracilis* A. Heller**

IL 2:471.

Amelanchier utahensis* Koehne var. *utahensis

IN 3a:153.

×Amelasorbus

Checklist contributor: Rhoda Love, 6/24/1997

Flora of Oregon author: treatment pending

× ***Amelasorbus jackii*** Rehder

Common names: amelasorbus

Origin: native Voucher: OSC, most recently collected in 1915

Love, 1998B .

Aphanes

Checklist contributor: Rhoda Love, Richard Halse, 5/13/2009

Flora of Oregon author: Richard Halse

Aphanes arvensis L.

Common names: field parsley piert

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 9:310; FPN2 190; Hulten & Fries, 1986 ; Meyer, 1990 ; Tatnall, 1946 .

Synonyms:

Alchemilla arvensis **(L.) Scop.**

IL 2:445; PEK 439 synonym for *Alchemilla occidentalis*.

Aphanes australis Rydb.

Common names: slender parsley-piert

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

FN 9:311; FPN2 190.

Aphanes occidentalis (Nutt.) Rydb.

Common names: western lady's mantle

Origin: native Voucher: OSC, most recently collected in 2024

FN 9:311; FPN2 190; IL 2:445 synonym for *Alchemilla occidentalis*; JPM 948; JPM2 1170.

Synonyms:

Alchemilla occidentalis **Nutt.**

FPN 207; IL 2:445; PEK 439; VP 3:92.

Argentina

Checklist contributor:

Flora of Oregon author: treatment pending

Argentina anserina (L.) Rydb. ssp. ***anserina***

Common names: common silverweed

Origin: native Voucher: OSC, most recently collected in 2020

Synonyms:

Potentilla anserina **L. ssp.** ***anserina***

FN 9:128; FPN2 203; JPM 966; JPM2 1192.

Potentilla anserina **L. var.** ***anserina***

IL 2:438.

Potentilla anserina **L. var.** ***concolor*** **Hayne**

PEK 429.

Potentilla anserina **L. var.** ***sericea*** **Hayne**

IL 2:438.

Argentina pacifica (Howell) Rydb.

Common names: Pacific silverweed

Origin: native Voucher: OSC, most recently collected in 2013

Synonyms:

Argentina anserina **(L.) Rydb. ssp.** ***pacifica*** **(Howell) Ertter & N.M. House**

Potentilla anserina **L. ssp.** ***pacifica*** **(Howell) Rousi**

FN 9:129; FPN2 203; JPM 966; JPM2 1192.

Potentilla pacifica **Howell**

FPN 216; IL 2:438; PEK 429; VP 3:151.

Aruncus

Checklist contributor: Henrietta Chambers, 6/9/2003

Flora of Oregon author: Kenton Chambers

Aruncus dioicus (Walter) Fernald var. ***acuminatus*** (Rydb.) H. Hara

Common names: sylvan goatsbeard

Origin: native Voucher: OSC, most recently collected in 2018

FN 9:424; FPN2 190; JPM2 1171.

Synonyms:

Aruncus sylvester **Kostel.**

FPN 208; IL 2:413 synonym for *Aruncus vulgaris*; VP 3:97.

Aruncus sylvester **Kostel. var.** ***acuminatus*** **(Douglas) Jeps.**

PEK 422.

Aruncus vulgaris **Raf.**

IL 2:413.

Misapplied names:

Aruncus dioicus **(Walter) Fernald var.** ***pubescens*** **(Rydb.) Fernald**

FN 9:424; JPM 948.

Cercocarpus

Checklist contributor: Henrietta Chambers, 5/7/2002

Flora of Oregon author: Rory Nichols

Cercocarpus betuloides Nutt.

Common names: birchleaf mountain mahogany

Origin: native Voucher: OSC, most recently collected in 2016

FN 9:333; FPN 209 synonym for *Cercocarpus montanus*; IL 2:453; JPM 949; PEK 440.

Synonyms:

Cercocarpus betuloides **Nutt. var.** ***betuloides***

FN 9:334; FPN2 190; JPM 949; JPM2 1171.

Cercocarpus betuloides **Nutt. var.** ***macrourus*** **(Rydb.) Jeps.**

JPM 949; JPM2 1171.

Cercocarpus montanus **Raf.**

FN 9:336; FPN 209; IL 2:453; IN 3a:129; PEK 440.

Cercocarpus montanus **Raf. var.** ***glaber*** **(S. Watson) F.L. Martin**

FPN 209.

Cercocarpus betuloides Nutt. × ***Cercocarpus ledifolius*** Nutt. ex Torr. & A. Gray

Origin: native Voucher: OSC, most recently collected in 2010

Cercocarpus ledifolius Nutt. ex Torr. & A. Gray

FPN 209; FPN2 190; GWM 196; IL 2:454; JPM 949.

Cercocarpus ledifolius Nutt. ex Torr. & A. Gray var. ***intermontanus*** N.H. Holmgren

Common names: curlleaf mountain mahogany

Origin: native Voucher: OSC, most recently collected in 2023

FN 9:338; FPN2 190; Holmgren, 1987 ; IN 3a:130; JPM 949; JPM2 1171.

Cercocarpus ledifolius Nutt. ex Torr. & A. Gray var. ***ledifolius***

Common names: mountain mahogany

Origin: native Voucher: OSC, most recently collected in 2011

FN 9:337; FPN 209; FPN2 190; IN 3a:130; JPM 949; JPM2 1171; PEK 440; VP 3:98.

Synonyms:

Cercocarpus ledifolius **Nutt. ex Torr. & A. Gray var.** ***hypoleucus*** **(Rydb.) M. Peck**

PEK 440.

Cercocarpus ledifolius **Nutt. ex Torr. & A. Gray var.** ***intercedens*** **C.K. Schneid.**

FPN 209; VP 3:98.

Chaenomeles

Checklist contributor: Richard Halse, 4/29/2009

Flora of Oregon author: treatment pending

Chaenomeles speciosa (Sweet) Nakai

Common names: flowering quince

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FN 9:485; FPN2 185; IN 3a: 69.

Chamaebatiaria

Checklist contributor: Rhoda Love, 6/9/2005

Flora of Oregon author: treatment pending

Chamaebatiaria millefolium (Torr.) Maxim.

Common names: desert sweet, fern bush

Origin: native Voucher: OSC, most recently collected in 2015

FN 9:395; FPN 209; FPN2 191; IL 2:414; IN 3a:70; JPM 949; JPM2 1172; PEK 422; VP 3:99.

Comarum

Checklist contributor: Richard Halse, 10/24/2006

Flora of Oregon author: Kenton Chambers

Comarum palustre L.

Common names: marsh cinquefoil, purple cinquefoil

Origin: native Voucher: OSC, most recently collected in 2013

FN 9:301; FPN2 191; IL 2:439 synonym for *Potentilla palustris*; JPM2 1172; PEK 430.

Synonyms:

Potentilla palustris **(L.) Scop.**

FPN 216; GWM 206; IL 2:439; IN 3a:82; JPM 969; VP 3:152.

Cotoneaster

Checklist contributor: Peter Zika, 11/18/1999

Flora of Oregon author: Peter Zika

Cotoneaster dielsianus E. Pritz ex Diels

Common names: Diel's cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

Bailey & Bailey, 1976 322; FN 9:466; FPN2 192.

Cotoneaster divaricatus Rehder & E.H. Wilson

Common names: spreading cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

Bailey & Bailey, 1976 322; FN 9:461; FPN2 192.

Cotoneaster fangianus T.T.Yu

Common names: Fang's cotoneaster

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2019

FN 9:467; FPN2 191.

Cotoneaster franchetii Bois

Common names: Franchet's cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

Bailey & Bailey, 1976 323; FN 9:465; FPN2 192; JPM 950; JPM2 1174; Zika, 1992 .

Cotoneaster hjelmqvistii Flinck & B. Hylmö

Common names: Hjelmquist's cotoneaster

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2017

FN 9:462; FPN2 192.

Cotoneaster horizontalis Decne.

Common names: wall cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 9:462; FPN2 192; JPM2 1174.

Cotoneaster integrifolius (Roxb.) G. Klotz

Common names: small-leaf cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 9:458; JPM2 1174.

Cotoneaster lacteus W.W. Sm.

Common names: late cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

Bailey & Bailey, 1976 323; FN 9:454; FPN2 192; Fryer & Hylmö, 2009 50; JPM2 1174.

Cotoneaster nitens Rehder & E.H. Wilson

Common names: few-flowered cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2018

Bailey & Bailey, 1976 323; FN 9:463; FPN2 192; Zika & Alverson, 2005 .

Cotoneaster pannosus Franch.

Common names: silverleaf cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2017

Bailey & Bailey, 1976 323; FN 9:455; FPN2 191; Fryer & Hylmö, 2009 52; JPM2 1174; Zika & Alverson, 2005 .

Cotoneaster rehderi Pojark.

Common names: bullate cotoneaster

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 2007

FN 9:464.

Cotoneaster simonsii Baker

Common names: Himalayan cotoneaster

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

Bailey & Bailey, 1976 324; FN 9:460; FPN2 192; JPM2 1174.

Cotoneaster sternianus (Turrill) Boom

Common names: Stern's cotoneaster
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2007
FN 9:466; FPN2 192.

Cotoneaster* × *suecicus G. Klotz

Common names: Swedish cotoneaster
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2000
FN 9:460; FPN2 191.

Crataegus

Checklist contributor: Rhoda Love, 11/3/2009
Flora of Oregon author: Tim Dickinson

Crataegus castlegarensis Phipps & O'Kennon

Common names: Castlegar hawthorn
Origin: native
Voucher: OSC, most recently collected in 2021
Dickinson et al., 2008 ; FN 9:513; FPN2 195; JPM2 1175; Phipps & O'Kennon, 2002 20:115-144.

Synonyms:

***Crataegus douglasii* Lindl.**
in part

Crataegus chrysocarpa Ashe

Common names: Columbia hawthorn, Piper's hawthorn
Origin: native
Voucher: OSC, most recently collected in 2016
FN 9:597; FPN2 194; Phipps, 1995 44:405-408; Phipps, 1998 76:1863-1899.

Synonyms:

***Crataegus chrysocarpa* Ashe var. *piperi* (Britton) Kruschke**
FN 9:599.

***Crataegus columbiana* Howell**
in part
PEK 445; Phipps, 1995 .

***Crataegus columbiana* Howell var. *piperi* (Britton) Eggl.**
FPN 210; VP 3:101.

***Crataegus piperi* Britton**
FPN 210 synonym for *Crataegus columbiana* var. *piperi*; IL 2:474.

Crataegus* × *cogswellii K.I. Chr. & T.A. Dickinson

Common names: English hawthorn - Sukdorf's hawthorn hybrid
Origin: native
Voucher: OSC, most recently collected in 2021
FPN2 194.

Misapplied names:

***Crataegus gaylussacia* A. Heller × *Crataegus monogyna* Jacq.**

***Crataegus monogyna* Jacq. × *Crataegus suksdorfii* (Sarg.) Kruschke**

Crataegus douglasii Lindl.

sensu stricto,

Common names: Douglas' hawthorn, black hawthorn

Origin: native Voucher: OSC, most recently collected in 1999

Synonyms:

Crataegus columbiana **Howell**

in part

Crataegus columbiana **Howell var.** ***columbiana***

FPN 210; VP 3:101.

Crataegus douglasii **Lindl. var.** ***douglasii***

FPN 210; IN 3a:156; VP 3:101.

Crataegus macracantha Lodd. ex Loudon

Common names: western large thorned hawthorn

Origin: native Voucher: OSC, most recently collected in 1992

FN 9:520; FPN2 194.

Synonyms:

Crataegus coloradensis **A. Nelson**

GWM 198.

Crataegus columbiana **Howell**

in part

Crataegus macracantha **Lodd. ex Loudon var.** ***occidentalis*** **(Britton) Eggl.**

Phipps, 1998 76:1863-1899.

Crataegus monogyna Jacq.

Common names: English hawthorn

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 9:497; FPN 209; IN 3a:156; JPM 950 uncertain status; JPM2 1175; VP 3:100.

Synonyms:

Crataegus monogyna **Jacq. var.** ***monogyna***

FN 9:497; FPN2 194.

Misapplied names:

Crataegus laevigata **(Poir.) DC.**

FN 9:497; FPN2 194; IN 3a:156.

Crataegus phaenopyrum (L. f.) Medik.

Common names: Washington thorn

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 9:499; FPN2 194.

Crataegus rhodamae-loveae T.A. Dickinson

Common names: Love's hawthorn

Origin: native Voucher: OSC, most recently collected in 2024

Synonyms:

Crataegus douglasii **Lindl.**

in part

Misapplied names:

Crataegus gaylussacia **A. Heller**

Crataegus × ***suksdorfii*** **(Sarg.) Kruschke**

Crataegus* × *suksdorfii (Sarg.) Kruschke

Common names: Suksdorf's hawthorn

Origin: native

Synonyms:

***Crataegus douglasii* Lindl.**

in part

***Crataegus douglasii* Lindl. var. *suksdorfii* Sarg.**

FPN 210; VP 3:101.

Misapplied names:

***Crataegus gaylussacia* A. Heller**

Dasiphora

Checklist contributor: Richard Halse, 10/24/2006

Flora of Oregon author: Kenton Chambers

Dasiphora fruticosa (L.) Rydb.

Common names: shrubby cinquefoil

Origin: native Voucher: OSC, most recently collected in 2021

FN 9:296; FPN2 196; IL 2:428 synonym for *Potentilla fruticosa*; JPM2 1175.

Synonyms:

***Pentaphylloides fruticosa* (L.) O. Schwarz**

IN 3a:75; Liston, 1997 .

***Potentilla fruticosa* L.**

FPN 216; GWM 204; IL 2:438; JPM 966; Liston, 1997 synonym; PEK 429; VP 3:140.

Dryas

Checklist contributor: Rhoda Love, 6/9/2005

Flora of Oregon author: Kenton Chambers

Dryas drummondii Richardson ex Hook.

Common names: yellow mountain dryas, mountain avens, Drummond's mountain avens

Origin: native Voucher: OSC, most recently collected in 2013

FN 9:328; FPN 210; FPN2 196; GWM 198; IL 2:447; PEK 434; VP 3:103.

Dryas hookeriana Juz.

Common names: white dryas, mountain avens

Origin: native Voucher: OSC, most recently collected in 2015

FN 9:329; FPN2 196.

Synonyms:

***Dryas octopetala* L.**

FN 9:330; FPN 210; FPN2 196 synonym for *Dryas hookeriana*; GWM 198; IN 3a:124; PEK 435.

***Dryas octopetala* L. var. *hookeriana* (Juz.) Hultén**

FPN 210; VP 3:104.

Drymocallis

Checklist contributor: Barbara Ertter, Richard Halse, 7/1/2007

Flora of Oregon author: Richard Halse

Drymocallis ashlandica (Greene) Rydb.

Common names: Ashland cinquefoil

Origin: native Voucher: OSC, most recently collected in 2008

FN 9:288; FPN2 196; IL 2:439 synonym for *Potentilla ashlandica*.

Synonyms:

***Potentilla ashlandica* Greene**

FPN 217 synonym for *Potentilla glandulosa* var. *nevadensis*; IL 2:439.

***Potentilla glandulosa* Lindl.**

in part

***Potentilla glandulosa* Lindl. ssp. *ashlandica* (Greene) D.D. Keck**

JPM 968; PEK 430.

Drymocallis campanulata (C.L. Hitchc.) Ertter

Common names: John Day drymocallis

Origin: native Voucher: OSC, most recently collected in 2017

FN 9:294; FPN2 196.

Synonyms:

***Potentilla glandulosa* Lindl.**

in part

***Potentilla glandulosa* Lindl. var. *campanulata* C.L. Hitchc.**

FPN 216.

Drymocallis convallaria (Rydb.) Rydb.

Common names: valley cinquefoil, sharp toothed cinquefoil

Origin: native Voucher: OSC, most recently collected in 2016

FN 9:286; IL 2:439 synonym for *Potentilla convallaria*.

Synonyms:

***Potentilla arguta* Pursh**

sensu stricto

FPN 216; GWM 203; IN 3a:80; VP 3:132.

***Potentilla arguta* Pursh var. *convallaria* (Rydb.) Th. Wolf**

FPN 216; IL 2:439 synonym for *Potentilla convallaria*.

***Potentilla convallaria* Rydb.**

FPN 216 synonym for *Potentilla arguta*; IL 2:439; PEK 430.

Misapplied names:

***Drymocallis arguta* (Pursh) Rydb.**

FN 9:285; FPN2 196.

Drymocallis glabrata Rydb.

Common names: Idaho drymocallis

Origin: native Voucher: OSC, most recently collected in 2024

FN 9:291; FPN 217 synonym for *Potentilla glandulosa* var. *intermedia*.

Synonyms:

***Drymocallis glandulosa* (Lindl.) Rydb. ssp. *glabrata* (Rydb.) Soják**

FPN2 197.

***Potentilla glandulosa* Lindl.**

in part

***Potentilla glandulosa* Lindl. ssp. *glabrata* (Rydb.) D.D. Keck**

FPN 217 synonym for *Potentilla glandulosa* var. *intermedia*; PEK 429.

***Potentilla glandulosa* Lindl. var. *intermedia* (Rydb.) C.L. Hitchc.**

FPN 217; VP 3:141.

Drymocallis glandulosa (Lindl.) Rydb. var. ***glandulosa***

Common names: sticky cinquefoil

Origin: native Voucher: OSC, most recently collected in 2024

FN 9:292; JPM2 1176.

Synonyms:

Drymocallis glandulosa **(Lindl.) Rydb. ssp.** ***glandulosa***

FPN2 196.

Drymocallis glandulosa **(Lindl.) Rydb. var.** ***wrangelliana*** **(Fisch. & Avé-Lall.) Ertter**

FN 9:293; JPM2 1176.

Potentilla glandulosa **Lindl. ssp.** ***glandulosa***

IL 2:439; JPM 968; KZ 2:623; PEK 429.

Potentilla glandulosa **Lindl. var.** ***glandulosa***

FPN 217; VP 3:141.

Potentilla valida **Greene**

FPN 217 synonym for *Potentilla glandulosa* var. *glandulosa*; IL 2:440.

Potentilla wrangelliana **Fisch. & Avé-Lall.**

FPN 217 synonym for *Potentilla glandulosa* var. *glandulosa*; IL 2:440; VP 3:140 synonym for *Potentilla glandulosa*.

Drymocallis glandulosa (Lindl.) Rydb. var. ***reflexa*** (Greene) Ertter

Common names: Montana sticky cinquefoil

Origin: native Voucher: OSC, most recently collected in 2010

FN 9:293; JPM2 1176.

Synonyms:

Potentilla glandulosa **Lindl. ssp.** ***reflexa*** **(Greene) D.D. Keck**

JPM 968; KZ 2:623; PEK 430.

Potentilla glandulosa **Lindl. var.** ***reflexa*** **Greene**

FPN 217; IL 2:440 synonym for *Potentilla reflexa*; VP 3:141.

Potentilla reflexa **(Greene) Greene**

FPN 217 synonym for *Potentilla glandulosa* var. *reflexa*; IL 2:440.

Drymocallis lactea (Greene) Rydb.

Common names: Nevada cinquefoil

Origin: native Voucher: OSC, most recently collected in 2016

FN 9:287; FPN2 196.

Synonyms:

Drymocallis lactea **(Greene) Rydb. var.** ***austiniae*** **(Jeps.) Ertter**

FN 9:288; JPM2 1176.

Drymocallis lactea **(Greene) Rydb. var.** ***lactea***

FN 9:288; JPM2 1176.

Potentilla glandulosa **Lindl.**

in part

Potentilla glandulosa **Lindl. ssp.** ***nevadensis*** **(S. Watson) D.D. Keck**

JPM 968; KZ 2:623; PEK 430.

Potentilla glandulosa **Lindl. var.** ***nevadensis*** **S. Watson**

FPN 217; IN 3a:82; VP 3:142.

Drymocallis modocana Ertter

Common names: Modoc Plateau cinquefoil

Origin: native Voucher: OF, most recently collected in 2018

Ertter, 2024 .

Drymocallis pseudorupestris (Rydb.) Rydb. var. ***saxicola*** Ertter

Common names: Rocky Mountain sticky cinquefoil

Origin: native Voucher: OSC, most recently collected in 2010

FN 9:290; JPM2 1176.

Synonyms:

***Potentilla glandulosa* Lindl.**

in part

***Potentilla glandulosa* Lindl. ssp. *pseudorupestris* (Rydb.) D.D. Keck**

JPM 968; KZ 2:623; PEK 429.

***Potentilla glandulosa* Lindl. var. *pseudorupestris* (Rydb.) D.D. Keck**

FPN 217; VP 3:142.

***Potentilla pumila* (Rydb.) Fedde**

IL 2:439.

Drymocallis rhomboidea (Rydb.) Rydb.

Common names: rhomboid sticky cinquefoil

Origin: native Voucher: OSC, most recently collected in 2017

FN 9:294; IL 2:440 synonym for *Potentilla rhomboidea*; JPM2 1178.

Synonyms:

***Potentilla glandulosa* Lindl.**

in part

***Potentilla glandulosa* Lindl. ssp. *globosa* D.D. Keck**

IL 2:630; JPM 968; PEK 430.

***Potentilla rhomboidea* Rydb.**

IL 2:440; PEK 429.

Filipendula

Checklist contributor: Rhoda Love, 6/9/2005

Flora of Oregon author: treatment pending

Filipendula occidentalis (S. Watson) Howell

Common names: queen of the forest

Origin: native Voucher: OSC, most recently collected in 2001

FN 9:25; FPN 211; FPN2 197; Howell, 1903 185; IL 2:415; Oregon Flora Project, 1995B ; Oregon Natural Heritage Information Center, 2004 57; PEK 433; VP 3:105; Watson, 1883 18:192.

Fragaria

Checklist contributor: Rhoda Love, 9/29/2005

Flora of Oregon author: treatment pending

Fragaria cascadensis K.E. Hummer

Common names: Cascade strawberry

Origin: native Voucher: OSC, most recently collected in 2017

FPN2 197; Hummer, 2012 .

Fragaria chiloensis (L.) Mill.

FPN 211; IL 2:442; JPM 952; JPM2 1178; Liston, 2012 18:3; Love, 2005A ; Love, 2005B ; PEK 434; VP 3:107.

Fragaria chiloensis (L.) Mill. ssp. ***pacifica*** Staudt

Common names: Nuttall's strawberry

Origin: native Voucher: OSC, most recently collected in 2017

Synonyms:

***Fragaria* × *ananassa* (Weston) Duchesne ex Rozier ssp. *cuneifolia* (Nutt. ex Howell) Staudt**

FPN2 197; Love, 2005A ; Love, 2005B ; Staudt, 1999 .

***Fragaria cuneifolia* Nutt.**

FPN 211 synonym for *Fragaria chiloensis*; IL 2:422; Love, 2005A ; PEK 434.

Fragaria vesca L.

FN 9:275; FPN 211; IN 3a:116; JPM 952; JPM2 1178; Love, 2005A ; Love, 2005B .

Fragaria vesca L. ssp. ***californica*** (Cham. & Schltdl.) Staudt

Common names: woodland strawberry, woods strawberry

Origin: native Voucher: OSC, most recently collected in 2017

FN 9:276; FPN2 198; JPM 952 synonym for *Fragaria vesca*; Love, 2005A ; Staudt, 1999 .

Synonyms:

***Fragaria bracteata* A. Heller**

FPN 211 synonym for *Fragaria vesca* var. *bracteata*; IL 2:443; Love, 2005B ; PEK 434.

***Fragaria californica* Cham. & Schltdl.**

FN 12:53; IL 2:422; Love, 2005B ; PEK 434.

***Fragaria crinita* Rydb.**

FPN 211 synonym for *Fragaria vesca* var. *crinita*; IL 2:442.

***Fragaria vesca* L. ssp. *bracteata* (A. Heller) Staudt**

FN 9:276; Liston, 2012 18:3; Love, 2005A ; Staudt, 1999 .

***Fragaria vesca* L. var. *bracteata* (A. Heller) R.J. Davis**

FPN 211; GWM 199; IN 3a:118; VP 3:108.

***Fragaria vesca* L. var. *crinita* (Rydb.) C.L. Hitchc.**

FPN 211; Love, 2005A ; VP 3:108.

Fragaria virginiana Mill.

FN 9:276; FPN 211; JPM 952; JPM2 1178; Liston, 2012 18:3; Love, 2005A .

Fragaria virginiana Mill. ssp. ***glauca*** (S. Watson) Staudt

Common names: broad petal strawberry, wild strawberry, mountain strawberry

Origin: native Voucher: OSC, most recently collected in 2023

FPN2 198.

Synonyms:

***Fragaria platypetala* Rydb.**

FPN 211 synonym for *Fragaria virginiana* var. *platypetala*; IL 2:443; PEK 434.

***Fragaria virginiana* Mill. ssp. *platypetala* (Rydb.) Staudt**

FN 9:278; FPN2 198 synonym for *Fragaria virginiana* ssp. *glauca*; JPM 952 synonym for *Fragaria virginiana*; Love, 2005A ; Love, 2005B .

***Fragaria virginiana* Mill. var. *platypetala* (Rydb.) H.M. Hall**

FPN 211; GWM 199; IL 2:443 synonym for *Fragaria platypetala*; IN 3a:118; Staudt, 1999 ; VP 3:109.

Geum

Checklist contributor: Rhoda Love, 1/17/2005

Flora of Oregon author: Kenton Chambers

Geum aleppicum Jacq.

Common names: yellow avens

Origin: native Voucher: OSC, most recently collected in 2013

Bolle, 1933 72:1-119; FN 9:67; FPN 212; FPN2 198; Gajewski, 1957 4:1-416; IN 3a:122; JPM 952; JPM2 1179; VP 3:111.

Synonyms:

***Geum aleppicum* Jacq. var. *strictum* (Aiton) Fernald**

GWM 199; PEK 435.

***Geum strictum* Aiton**

IL 2:447.

Geum macrophyllum Willd.

Common names: largeleaf avens

Origin: native Voucher: OSC, most recently collected in 2024

FPN 212; FPN2 198; GWM 200; IL 2:447; IN 3a:121; JPM 953; PEK 435; VP 3:111.

Synonyms:

Geum macrophyllum* Willd. var. *macrophyllum

Bolle, 1933 72:1-119; FN 9:66; FPN 212; JPM2 1179; PEK 435; VP 3:112.

***Geum macrophyllum* Willd. var. *perincisum* (Rydb.) Raup**

Bolle, 1933 72:1-119; FN 9:66; FPN 212; Gajewski, 1957 4:1-416; IN 3a:121; JPM2 1179; PEK 435; VP 3:112.

Geum rossii (R. Br.) Ser.

Common names: slender stemmed avens, alpine avens, Ross' avens

Origin: native Voucher: OSC, most recently collected in 2018

FN 9:63; FPN 212; FPN2 199; GWM 200; IN 3a:124.

Synonyms:

***Geum gracilipes* (Piper) M. Peck**

FPN 212 synonym for *Geum rossii* var. *turbinatum*; PEK 435.

***Geum rossii* (R. Br.) Ser. var. *turbinatum* (Rydb.) C.L. Hitchc.**

Bolle, 1933 72:1-119; FPN 212; Gajewski, 1957 4:1-416; IN 3a:124; VP 3:113.

***Sieversia gracilipes* (Piper) Greene**

FPN 212 synonym for *Geum rossii* var. *turbinatum*; IL 2:449.

Geum triflorum Pursh

FN 9:62; FPN 212; FPN2 199; GWM 200; IN 3a:122; JPM 953.

Geum triflorum Pursh var. ***ciliatum*** (Pursh) Fassett

Common names: old man's whiskers

Origin: native Voucher: OSC, most recently collected in 2018

Bolle, 1933 72:1-119; FN 9:63; FPN 212; JPM2 1179; VP 3:115.

Synonyms:

***Geum campanulatum* (Greene) M.E. Jones**

PEK 436.

***Geum ciliatum* Pursh**

FPN 212 synonym for *Geum triflorum* var. *ciliatum*; IL 2:449 synonym for *Sieversia ciliata (Pursh) G. Don*; PEK 436.

***Geum triflorum* Pursh var. *campanulatum* (Greene) C.L. Hitchc.**

Bolle, 1933 72:1-119; FPN 212; VP 3:115.

***Sieversia campanulata* (Greene) Rydb.**

IL 2:449.

***Sieversia canescens* (Greene) Rydb.**

IL 2:449.

Geum urbanum L.

Common names: herb bennet

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2024

Bolle, 1933 72:67; FN 9:70; FPN2 198; Fitter & Fitter, 1974 ; Gajewski, 1957 4:1-416.

Heteromeles

Checklist contributor:

Flora of Oregon author: treatment pending

Heteromeles salicifolia (C. Presl) Abrams

Common names: Christmas berry, toyon

Origin: uncertain Voucher: OSC, most recently collected in 2007

IL 2:474 synonym for *Heteromeles arbutifolia*; Phipps, 1992 .

Synonyms:

Heteromeles arbutifolia **(Lindl.) M. Roem.**

FN 9:447; IL 2:474; JPM 953; JPM2 1179; KZ 2:377; Kartesz & Meacham, 2007 .

Holodiscus

Checklist contributor: Rhoda Love, 4/19/2006

Flora of Oregon author: Kenton Chambers

Holodiscus discolor (Pursh) Maxim.

FN 9:417; FPN 213; GWM 200; IL 2:414; JPM 953; Ley, 1943 70:275-285; PEK 421; VP 3:116.

Synonyms:

Holodiscus discolor **(Pursh) Maxim. var.** ***delnortensis*** **Leyss.**

PEK 421.

Holodiscus discolor (Pursh) Maxim. var. ***discolor***

Common names: ocean spray

Origin: native Voucher: OSC, most recently collected in 2024

FN 9:418; FPN2 199; IL 2:414; JPM2 1179; PEK 421.

Synonyms:

Holodiscus discolor **(Pursh) Maxim. var.** ***franciscanus*** **(Rydb.) Jeps.**

IL 2:414.

Holodiscus discolor **(Pursh) Maxim. var.** ***glabrescens*** **(Greenm.) Jeps.**

IL 2:414 synonym for *Holodiscus glabrescens*; IN 3a:74 synonym for *Holodiscus dumosus* var. *glabrescens*; JPM2 1179; VP 3:116 synonym for *Holodiscus dumosus* var. *glabrescens*.

Holodiscus microphyllus Rydb. var. ***glabrescens*** (Greenm.) F.A. Ley

Common names: bush ocean spray, rock spiraea

Origin: native Voucher: OSC, most recently collected in 2018

FN 9:421; FPN2 199; JPM 953.

Synonyms:

Holodiscus dumosus **(Nutt. ex Hook.) A. Heller var.** ***glabrescens*** **(Greenm.) C.L. Hitchc.**

FPN 213; Greenman, 1899 7:115-117; Heller, 1904 1:31-41; IN 3a:74-75; VP 3:117.

Holodiscus glabrescens **(Greenm.) A. Heller**

FPN 213 synonym for *Holodiscus dumosus* var. *glabrescens*; IL 2:414; PEK 422.

Holodiscus microphyllus Rydb. var. ***microphyllus***

Common names: rock spiraea

Origin: native Voucher: OSC, most recently collected in 2015

FN 9:420; FPN2 199; JPM 953.

Synonyms:

Holodiscus discolor **(Pursh) Maxim. var.** ***dumosus*** **(Nutt. ex Hook.) Dippel**

FN 9:419; FPN2 199; VP 3:116 synonym for *Holodiscus dumosus* var. *dumosus*.

Holodiscus discolor **(Pursh) Maxim. var.** ***microphyllus*** **(Rydb.) Jeps.**

JPM2 1179.

Holodiscus dumosus **(Nutt. ex Hook.) A. Heller var.** ***dumosus***

FPN 213; IL 2:414; VP 3:117.

Luetkea

Checklist contributor: Rhoda Love, 6/9/2005

Flora of Oregon author: Kenton Chambers

Luetkea pectinata (Pursh) Kuntze

Common names: partridgefoot, luetkea

Origin: native Voucher: OSC, most recently collected in 2020

FN 9:422; FPN 214; FPN2 200; IL 2:413; JPM 961; JPM2 1188; PEK 422; VP 3:121.

Malus

Checklist contributor: Rhoda Love, 4/1/2005

Flora of Oregon author: Richard Halse

Malus × ***dawsoniana*** Rehder

Common names: Dawson crabapple

Origin: native Voucher: OSC, most recently collected in 2020

Malus domestica (Suckow) Borkh.

Common names: domestic apple, cultivated apple

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

Nikiforova et al., 2013 .

Synonyms:

Malus sylvestris **Mill.**

JPM 962.

Pyrus malus **L.**

FPN 222; VP 3:164.

Misapplied names:

Malus pumila **Mill.**

FN 9:476; FPN2 201; IN 3a:151; JPM2 1188.

Malus domestica (Suckow) Borkh. × ***Malus toringo*** (Siebold) de Vriese

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2004

Synonyms:

Malus domestica **(Suckow) Borkh.** × ***Malus sieboldii*** **Rehder**

Malus fusca (Raf.) C.K. Schneid.

Common names: western crabapple, Oregon crabapple

Origin: native Voucher: OSC, most recently collected in 2021

FN 9:476; FPN 222 synonym for *Pyrus fusca*; FPN2 200; IL 2:470; JPM 962; JPM2 1188; Love, 1997B .

Synonyms:

Malus fusca* (Raf.) C.K. Schneid. var. *fusca

IL 2:470.

***Malus fusca* (Raf.) C.K. Schneid. var. *levipes* (Nutt.) C.K. Schneid.**

IL 2:470.

***Pyrus fusca* Raf.**

FPN 222; IL 2:470 synonym for *Malus fusca*; VP 3:164.

***Pyrus rivularis* Douglas ex Hook.**

FPN 222 synonym for *Pyrus fusca*; IL 2:470 synonym for *Malus fusca*; PEK 443.

Malus hupehensis (Pamp.) Rehder

Common names: Chinese crabapple

Origin: exotic, not naturalized

FPN2 201.

Malus prunifolia (Willd.) Borkh.

Common names: plumleaf crabapple

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2008

FPN2 201.

Malus toringo (Siebold) Siebold de Vriese

Common names: Toringo crab

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2022

FN 9:479; FPN2 200.

Synonyms:

***Malus sieboldii* Rehder**

Bailey, 1942 3:2874-2875 synonym for *Pyrus sieboldii Regel*.

Oemleria

Checklist contributor: Rhoda Love, 9/15/2005

Flora of Oregon author: Kenton Chambers

Oemleria cerasiformis (Torr. & A. Gray ex Hook. & Arn.) J.W. Landon

Common names: osoberry

Origin: native Voucher: OSC, most recently collected in 2021

FN 9:385; FPN 215; FPN2 201; JPM 962; JPM2 1190; Love, 2006 ; Oregon Flora Project, 1996D .

Synonyms:

***Osmaronia cerasiformis* (Torr. & A. Gray ex Hook. & Arn.) Greene**

FPN 215 synonym for *Oemleria cerasiformis*; IL 2:469; PEK 445; VP 3:123.

Peraphyllum

Checklist contributor: Rhoda Love, 11/1/1996

Flora of Oregon author: Kenton Chambers

Peraphyllum ramosissimum Nutt.

Common names: Oregon apple

Origin: native Voucher: OSC, most recently collected in 2017

FN 9:662; FPN 215; FPN2 201; IL 2:473; IN 3a:154; JPM 962; JPM2 1190; PEK 445; VP 3:124.

Photinia

Checklist contributor:
Flora of Oregon author: treatment pending

Photinia × ***fraseri*** Dress

Common names: Fraser's photinia
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2017

Photinia serratifolia (Desf.) Kalkman

Common names: photinia
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2019
FN 9:490; Wu & Raven, 2003 .

Physocarpus

Checklist contributor: Rhoda Love, 10/3/2005
Flora of Oregon author: Kenton Chambers

Physocarpus capitatus (Pursh) Kuntze

Common names: Pacific ninebark
Origin: native
Voucher: OSC, most recently collected in 2024
FN 9:349; FPN 216; FPN2 202; IL 2:409; IN 3a:70; JPM 964; JPM2 1190; PEK 420; VP 3:125.

Physocarpus malvaceus (Greene) Kuntze

Common names: mallow ninebark, few-flowered ninebark
Origin: native
Voucher: OSC, most recently collected in 2024
FN 9:349; FPN 216; FPN2 202; GWM 202; Greene, 1889 2:30; Heller, 1898 25:581, 626; IL 2:409; IN 3a:71; Kuntze, 1891-1898 1:219; PEK 420; Torrey & Gray, 1838-1843 1:414; VP 3:126.

Potentilla

Checklist contributor: Barbara Ertter, Richard Halse, 10/15/2008
Flora of Oregon author: Richard Halse, Barbara Ertter, Alexandra DiNicola, Kenton Chambers

Potentilla anglica Laichard.

Common names: English cinquefoil
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2011
FN 9:135; FPN2 206; JPM2 1192; KZ 2:621.

Potentilla argentea L.

Common names: silvery cinquefoil
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2009
FN 9:144; FPN 220; FPN2 205; VP 3:131.

Potentilla baileyi (S. Watson) Greene var. ***beneolens*** (A. Nelson & J.F. MacBr.) Mosyakin & Shiyan

Common names: Owyhee ivesia, Bailey's ivesia
Origin: native
Voucher: OSC, most recently collected in 2021
Synonyms:
Ivesia baileyi **S. Watson var.** ***beneolens*** **(A. Nelson & J.F. Macbr.) Ertter**
FN 9:226; FPN2 200; IN 3a:111; JPM 960; JPM2 1186.

Potentilla biennis Greene

Common names: biennial cinquefoil
Origin: native
Voucher: OSC, most recently collected in 2016
FN 9:140; FPN 218; FPN2 205; IL 2:430; IN 3a:89; JPM 966; JPM2 1192; PEK 424; VP 3:132.

Potentilla brevifolia Nutt.

Common names: shortleaf cinquefoil

Origin: native Voucher: OSC, most recently collected in 2011

FN 9:188; FPN 218; FPN2 204; GWM 203; IL 2:435; IN 3a:90; PEK 428; VP 3:134.

Potentilla breweri S. Watson

Common names: Brewer's cinquefoil

Origin: native Voucher: OSC, most recently collected in 2014

Ertter & Mansfield, 2007 184; FN 9:170; FPN 220; FPN2 204; IL 2:435; JPM2 1192; Knoke& Giblin, 2024 ; PEK 428; VP 3:134.

Synonyms:

Potentilla breweri* S. Watson var. *breweri

PEK 428.

***Potentilla breweri* S. Watson var. *expansa* S. Watson**

IL 2:435 synonym for *Potentilla brevifolia*; PEK 428.

***Potentilla drummondii* Lehm.**

in part

***Potentilla drummondii* Lehm. ssp. *breweri* (S. Watson) Ertter**

JPM 966.

Potentilla bruceae Rydb.

Common names: Bruce's cinquefoil

Origin: native Voucher: OSC, most recently collected in 2006

Ertter & Mansfield, 2007 184; FN 9:159; FPN2 203; IL 2:435 synonym for *Potentilla breweri*; JPM2 1192.

Synonyms:

***Potentilla anomalifolia* M. Peck**

FPN 218 synonym for *Potentilla drummondii*; IL 2:438 synonym for *Potentilla drummondii*; PEK 427.

***Potentilla drummondii* Lehm.**

in part

***Potentilla drummondii* Lehm. ssp. *bruceae* (Rydb.) D.D. Keck**

IN 3a:94; JPM 966.

Potentilla brunnescens Rydb.

Common names: slender brown cinquefoil

Origin: native Voucher: WWB, most recently collected in 2010

FN 9:157.

Synonyms:

***Potentilla gracilis* Douglas ex Hook. var. *brunnescens* (Rydb.) C.L. Hitchc.**

FPN 218; FPN2 206; VP 3:145.

Potentilla congesta (Douglas ex Hook.) Baill. var. ***congesta***

Common names: shaggy horkelia

Origin: native Voucher: OSC, most recently collected in 1986

Synonyms:

Horkelia congesta* Douglas ex Hook. ssp. *congesta

Horkelia congesta* Douglas ex Hook. var. *congesta

FN 9:268; FPN2 199.

Potentilla congesta (Douglas ex Hook.) Baill. var. ***nemorosa*** (D.D. Keck) J.T. Howell

Common names: Josephine horkelia

Origin: native

Voucher: OSC, most recently collected in 2009

Synonyms:

***Horkelia congesta* Douglas ex Hook. ssp. *nemorosa* D.D. Keck**

JPM 955.

***Horkelia congesta* Douglas ex Hook. var. *nemorosa* (D.D. Keck) M. Peck**

FN 9:268; JPM2 1182.

Potentilla daucifolia Greene var. ***caruifolia*** (Rydb. ex Howell) Mosyakin & Shiyan

Common names: carawayleaf horkelia

Origin: native

Voucher: OSC, most recently collected in 2017

Synonyms:

***Horkelia daucifolia* (Greene) Rydb. var. *caruifolia* (Rydb. ex Howell) Ertter & Reveal**

FN 9:267.

Potentilla daucifolia Greene var. ***daucifolia***

Common names: carrotleaf horkelia

Origin: native

Voucher: US, most recently collected in 1939

Synonyms:

Horkelia daucifolia* (Greene) Rydb. var. *daucifolia

FN 9:266; JPM2 1182.

Potentilla douglasii Greene var. ***capitata*** (Lindl.) J.T. Howell

Common names: big headed horkelia

Origin: native

Voucher: OSC, most recently collected in 2022

Synonyms:

***Horkelia fusca* Lindl. ssp. *capitata* (Lindl.) D.D. Keck**

IL 2:418; JPM 956; PEK 431.

***Horkelia fusca* Lindl. var. *capitata* (Lindl.) M. Peck**

FN 9:261; FPN 213; FPN2 199; VP 3:119.

Potentilla douglasii Greene var. ***douglasii***

Common names: tawny horkelia

Origin: native

Voucher: OSC, most recently collected in 2023

Synonyms:

Horkelia fusca* Lindl. ssp. *fusca

IL 2:418; PEK 431; VP 3:119.

Horkelia fusca* Lindl. var. *fusca

FN 9:260; FPN2 199.

Potentilla douglasii Greene var. ***filicoides*** Crum

Common names: pinewoods horkelia

Origin: native

Voucher: OSC, most recently collected in 2000

Synonyms:

***Horkelia fusca* Lindl. ssp. *filicoides* (Crum) D.D. Keck**

IL 2:418; PEK 431.

***Horkelia fusca* Lindl. var. *filicoides* (Crum) M. Peck**

FN 9:260.

Potentilla douglasii Greene var. ***parviflora*** (Nutt. ex Hook. & Arn.) J.T. Howell

Common names: small flowered horkelia

Origin: native Voucher: OSC, most recently collected in 2018

Synonyms:

Horkelia fusca **Lindl. ssp.** ***parviflora*** **(Nutt. ex Hook. & Arn.) D.D. Keck**

IL 2:418; JPM 956; PEK 431.

Horkelia fusca **Lindl. var.** ***parviflora*** **(Nutt. ex Hook. & Arn.) Wawra**

FN 9:262; FPN 214; FPN2 199; IN 3a:104; JPM2 1182; VP 3:119.

Horkelia fusca **Lindl. ssp.** ***pseudocapitata*** **(Rydb.) D.D. Keck**

IL 2:418; PEK 431; VP 3:120.

Horkelia fusca **Lindl. var.** ***pseudocapitata*** **(Rydb.) M. Peck**

FN 9:262; FPN 214; JPM2 1182.

Potentilla douglasii **Greene var.** ***pseudocapitata*** **(Rydb. ex Howell) Jeps.**

Potentilla drummondii Lehm.

sensu stricto,

Common names: Drummond's cinquefoil

Origin: native Voucher: OSC, most recently collected in 1934

Ertter & Mansfield, 2007 184; FPN 218; IL 2:438; JPM2 1194; VP 3:138.

Synonyms:

Potentilla drummondii **Lehm. ssp.** ***drummondii***

JPM 966.

Potentilla flabellifolia Hook. ex Torr. & A. Gray

Common names: fanfoil, fringe leaf cinquefoil

Origin: native Voucher: OSC, most recently collected in 2021

FN 9:190; FPN 220; FPN2 204; GWM 204; IL 2:434; JPM 966; JPM2 1194; PEK 427; VP 3:138.

Potentilla glaucophylla Lehm.

FPN 219 synonym for *Potentilla diversifolia* var. *diversifolia*; FPN2 206; IL 2:434 synonym for *Potentilla diversifolia*; IN 3a:100 synonym for *Potentilla diversifolia*; VP 3:137 synonym for *Potentilla diversifolia*.

Potentilla glaucophylla Lehm. var. ***glaucophylla***

Common names: diverse leaved cinquefoil, mountain meadow cinquefoil

Origin: native Voucher: OSC, most recently collected in 2016

FN 9:152; IL 2:434 synonym for *Potentilla diversifolia*; JPM2 1194.

Synonyms:

Potentilla diversifolia **Lehm.**

FPN 219; GWM 203; IL 2:434; IN 3a:100.

Potentilla diversifolia **Lehm. var.** ***diversifolia***

FPN 219; JPM 966; PEK 427; VP 3:138.

Potentilla diversifolia **Lehm. var.** ***glaucophylla*** **(Lehm.) S. Watson**

PEK 427.

Potentilla gordonii (Hook.) Greene var. ***alpicola*** (Rydb. ex Howell) Mosyakin & Shiyan

Common names: Gordon's ivesia

Origin: native Voucher: OSC, most recently collected in 1984

Synonyms:

Ivesia gordonii **(Hook.) Torr. & A. Gray var.** ***alpicola*** **(Howell) Ertter & Reveal**

FN 9:234; JPM2 1187.

Potentilla gordonii (Hook.) Greene var. ***ursinorum*** Jeps.

Common names: bear's ivesia

Origin: native Voucher: OSC, most recently collected in 2017

Synonyms:

***Ivesia gordonii* (Hook.) Torr. & A. Gray var. *ursinorum* Jeps.**

FN 9:235; JPM2 1187.

Potentilla gracilis Douglas ex Hook.

FN 9:153; FPN 218; IL 2:430; JPM 968.

Potentilla gracilis Douglas ex Hook. var. ***elmeri*** (Rydb.) Jeps.

Common names: Elmer's cinquefoil

Origin: native Voucher: OSC, most recently collected in 2015

FN 9:156; FPN 219; IN 3a:100; JPM 968; JPM2 1194; VP 3:145.

Potentilla gracilis Douglas ex Hook. var. ***fastigiata*** (Nutt.) S. Watson

Common names: slender cinquefoil

Origin: native Voucher: OSC, most recently collected in 2022

FN 9:155; IL 2:431 synonym for *Potentilla fastigiata*; IN 3a:100; JPM 968; JPM2 1194.

Synonyms:

***Potentilla angustata* Rydb.**

IL 2:431 synonym for *Potentilla nuttallii*; PEK 425.

Potentilla blaschkeana* Turcz. ex Lehm. var. *blaschkeana

IL 2:431.

***Potentilla etomentosa* Rydb.**

IL 2:431; PEK 426.

***Potentilla fastigiata* Nutt.**

IL 2:431.

***Potentilla glomerata* A. Nelson**

FPN 219 synonym for *Potentilla gracilis* var. *glabrata*; IL 2:430; PEK 426.

***Potentilla gracilis* Douglas ex Hook. var. *blaschkeana* (Turcz. ex Lehm.) Jeps.**

GWM 204; PEK 426.

***Potentilla gracilis* Douglas ex Hook. var. *glabrata* C.L. Hitchc.**

FPN 219; VP 3:142.

***Potentilla gracilis* Douglas ex Hook. var. *indiges* (M. Peck) Ertter & N.M. House**

***Potentilla gracilis* Douglas ex Hook. var. *permollis* (Rydb.) C.L. Hitchc.**

FPN 219; VP 3:145.

***Potentilla indiges* M. Peck**

FPN 219 synonym for *Potentilla gracilis* var. *glabrata*; PEK 425.

***Potentilla jucunda* A. Nelson**

FPN 219 synonym for *Potentilla gracilis* var. *glabrata*; PEK 425.

***Potentilla nuttallii* Lehm.**

IL 2:431; PEK 425.

***Potentilla nuttallii* Lehm. var. *glabrata* Lehm.**

IL 2:431.

Potentilla nuttallii* Lehm. var. *nuttallii

IL 2:431.

Potentilla gracilis Douglas ex Hook. var. ***flabelliformis*** (Lehm.) Nutt.

Common names: fan shaped cinquefoil, fan leaved cinquefoil, Idaho cinquefoil

Origin: native Voucher: OSC, most recently collected in 2023

FN 9:157; FPN 218; FPN2 206; IL 2:431 synonym for *Potentilla flabelliformis*; IN 3a:100; JPM 968; JPM2 1194; VP 3:145.

Synonyms:

***Potentilla flabelliformis* Lehm.**

IL 2:431; KZ 2:623; PEK 426.

Potentilla gracilis Douglas ex Hook. var. ***gracilis***

Common names: graceful cinquefoil

Origin: native Voucher: OSC, most recently collected in 2024

FN 9:154; FPN 219; FPN2 206; JPM 968; JPM2 1194; PEK 426; VP 3:146.

Synonyms:

***Potentilla macropetala* Rydb.**

FPN 219 synonym for *Potentilla gracilis* var. *gracilis*; IL 2:430 synonym for *Potentilla gracilis*; PEK 426.

Potentilla gracilis Douglas ex Hook. var. ***owyheensis*** Ertter & Mansfield

Common names: snow cinquefoil, five-leaved cinquefoil, Owyhee cinquefoil

Origin: native Voucher: OSC, most recently collected in 2023

Ertter, 2007 181; FN 9:156; FPN2 206.

Synonyms:

***Potentilla nivea* L.**

FPN2 205.

***Potentilla quinquefolia* Rydb.**

Ertter, 2007 184 synonym; FPN 218; PEK 426; VP 3:154.

Potentilla hendersonii (Howell) J.T. Howell

Common names: Henderson's horkelia

Origin: native Voucher: OSC, most recently collected in 2000

Synonyms:

***Horkelia hendersonii* Howell**

FN 9:249; IL 2:419; JPM 956; JPM2 1182; PEK 431.

Potentilla howellii Greene

Common names: Howell's horkelia

Origin: native Voucher: OSC, most recently collected in 2005

Synonyms:

***Horkelia howellii* (Greene) Rydb.**

FN 9:265; IL 2:419 synonym for *Horkelia sericata*; JPM2 1183; PEK 432 synonym for *Horkelia sericata*.

***Horkelia sericata* S. Watson**

in part

Potentilla indica (Andrews) Th. Wolf

Common names: Indian strawberry, mock strawberry, false strawberry

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

Synonyms:

***Duchesnea indica* (Andrews) Teschem.**

FPN 210; IL 2:440; JPM 950; VP 3:105.

Duchesnea indica* (Andrews) Teschem. var. *indica

FN 9:273; FPN2 197.

Potentilla jepsonii Ertter

FN 9:216; JPM2 1194.

Potentilla jepsonii Ertter var. ***jepsonii***

Common names: Jepson's cinquefoil

Origin: native Voucher: CIC, most recently collected in 2020

Synonyms:

***Potentilla pensylvanica* L.**

FN 9:214; FPN 218; IN 3a:82; JPM 969; JPM2 1195; KZ 2:624; Kartesz & Meacham, 2007 ; VP 3:152.

Potentilla pensylvanica* L. var. *pensylvanica

FPN2 203.

Potentilla millefolia Rydb.

sensu stricto,

Common names: cutleaf cinquefoil, many leaved cinquefoil

Origin: native Voucher: OSC, most recently collected in 1894

IL 2:435; PEK 428.

Synonyms:

***Potentilla klamathensis* Rydb.**

FPN 220 synonym for *Potentilla ovina*; IL 2:435; PEK 428.

***Potentilla plattensis* Nutt.**

FPN2 204.

Potentilla newberryi A. Gray

Common names: Newberry's cinquefoil

Origin: native Voucher: OSC, most recently collected in 2019

FN 9:137; FPN 217; FPN2 203; IL 2:430; JPM 969; JPM2 1195; PEK 425; VP 3:148.

Potentilla norvegica L.

Common names: Norwegian cinquefoil, rough cinquefoil

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 9:140; FPN 217; FPN2 204; IN 3a:88; JPM 969; JPM2 1195; PEK 425; VP 3:149.

Synonyms:

***Potentilla monspeliensis* L.**

FPN 217 synonym for *Potentilla norvegica*; IL 2:430.

Potentilla ovina J.M. Macoun var. ***ovina***

Common names: sheep cinquefoil

Origin: native Voucher: OSC, most recently collected in 2002

FN 9:172; FPN2 204; IN 3a:91; KZ 2:624.

Potentilla recta L.

Common names: sulphur cinquefoil, erect cinquefoil

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 9:142; FPN 220; FPN2 206; IL 2:431 synonym for *Potentilla nuttallii*; JPM 969; JPM2 1195; VP 3:154.

Potentilla reptans L.

Common names: creeping cinquefoil

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2018

FN 9:135; FPN2 206.

Potentilla rhypara (Ertter & Reveal) Mosyakin & Shiyan

Common names: grimy mousetail, grimy ivesia

Origin: native Voucher: OSC, most recently collected in 2019

Synonyms:

***Ivesia rhypara* Ertter & Reveal**

FN 9:228; Oregon Flora Project, 1996H .

Ivesia rhypara* Ertter & Reveal var. *rhypara

FN 9:229; IN 3a:114.

***Ivesia rhypara* Ertter & Reveal var. *shellyi* Ertter**

FN 9:229; IN 3a:114.

Potentilla rivalis Nutt.

Common names: brook cinquefoil, streambank cinquefoil

Origin: native Voucher: OSC, most recently collected in 2017

FN 9:139; FPN 218; FPN2 205; IL 2:429; IN 3a:88; JPM 969; JPM2 1195; PEK 424; VP 3:154.

Synonyms:

***Potentilla millegrana* Engelm.**

FPN 218 synonym for *Potentilla rivalis*; GWM 204; IL 2:429; PEK 424.

Potentilla sericata (S. Watson) Greene

Common names: silky horkelia, Howell's horkelia

Origin: native

Synonyms:

***Horkelia sericata* S. Watson**

sensu stricto

JPM2 1183.

Potentilla shockleyi (S. Watson) Jeps. var. ***shockleyi***

Common names: Shockley's ivesia

Origin: native Voucher: OSC, most recently collected in 2002

Synonyms:

Ivesia shockleyi* S. Watson var. *shockleyi

FN 9:228; IN 3a:112; JPM 961; JPM2 1188.

Potentilla supina L. ssp. ***paradoxa*** (Nutt.) Soják

Common names: bushy cinquefoil

Origin: native Voucher: OSC, most recently collected in 2013

FN 9:139; FPN2 203.

Synonyms:

***Potentilla paradoxa* Nutt.**

FPN 217; IL 2:429; IN 3a:88; PEK 424; VP 3:152.

Potentilla tilingii (Regel) Greene var. ***flavescens*** (Rydb.) J.T. Howell

Common names: pale horkelia

Origin: native Voucher: OSC, most recently collected in 1933

Synonyms:

***Horkelia tridentata* Torr. ssp. *flavescens* (Rydb.) D.D. Keck**

IN 3a:102; JPM 957.

***Horkelia tridentata* Torr. var. *flavescens* (Rydb.) Ertter & Reveal**

FN 9:270; JPM2 1183.

Potentilla tilingii (Regel) Greene var. ***tilingii***

Common names: clustered horkelia

Origin: native Voucher: OSC, most recently collected in 2016

Synonyms:

Horkelia tridentata* Torr. ssp. *tridentata

JPM 957.

Horkelia tridentata* Torr. var. *tridentata

FN 9:269; JPM2 1183.

Potentilla versicolor Rydb.

Ertter & Mansfield, 2007 ; FN 9:171; FPN 220 synonym for *Potentilla ovina*; FPN2 203; IL 2:438; IN 3a:92 synonym for *Potentilla millefolia*; PEK 428; VP 3:149 synonym for *Potentilla ovina*.

Potentilla versicolor Rydb. var. ***darrachii*** Ertter & DiNicola

Common names: Darrach's varying cinquefoil

Origin: native Voucher: OSC, most recently collected in 2019

Knoke& Giblin, 2024 ; Willis, 2025 .

Potentilla versicolor Rydb. var. ***versicolor***

Common names: varying cinquefoil, Steens Mountain cinquefoil

Origin: native Voucher: OSC, most recently collected in 2002

Synonyms:

***Potentilla millefolia* Rydb.**

in part

***Potentilla ovina* J.M. Macoun**

in part

Potentilla villosa Pall. ex Pursh

Common names: finely villous cinquefoil

Origin: native Voucher: OSC, most recently collected in 1998

FN 9:201; FPN 220; FPN2 205; IL 2:434; Simpson, 1999 .

Misapplied names:

***Potentilla villosa* Pall. ex Pursh var. *parviflora* C.L. Hitchc.**

FPN 220; Simpson, 1999 ; VP 3:157.

***Potentilla villosula* Jurtzev**

Poteridium

Checklist contributor: Rhoda Love, 4/1/2008

Flora of Oregon author: Kenton Chambers

Poteridium occidentale (Nutt.) Rydb.

Common names: annual burnet, western burnet

Origin: native Voucher: OSC, most recently collected in 2024

FN 9:320; IL 2:445 synonym for *Sanguisorba occidentalis*.

Synonyms:

***Sanguisorba annua* (Nutt. ex Hook.) Torr. & A. Gray**

IN 3a:132; JPM 975 excluded; PEK 439 synonym for *Sanguisorba occidentalis*.

***Sanguisorba occidentalis* Nutt.**

FPN 226; GWM 210; IL 2:445; IN 3a:132 synonym for *Sanguisorba annua*; JPM 975; PEK 439; VP 3:185.

Misapplied names:

***Poteridium annuum* (Nutt.) Spach**

FN 9:320; FPN2 207; JPM2 1195.

Poterium

Checklist contributor: Rhoda Love, 1/14/2009
Flora of Oregon author: Kenton Chambers

Poterium sanguisorba L.

JPM2 1196.

Poterium sanguisorba L. var. ***polygamum*** (Wald. & Kit.) Vis.

Common names: small burnet, garden burnet
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2023
FN 9:318; FPN2 207.

Synonyms:

Sanguisorba minor **Scop.**
FPN 226; IN 3a:132; PEK 439; VP 3:185.

Sanguisorba minor **Scop. ssp.** ***muricata*** **(Spach) Briq.**
JPM 975.

Prunus

Checklist contributor: Henrietta Chambers, 2/15/2002
Flora of Oregon author: Peter Zika

Prunus americana Marshall

Common names: wild plum
Origin: native and exotic
Voucher: OSC, most recently collected in 2020
FN 9:378; FPN 222; FPN2 209; VP 3:158.

Prunus armeniaca L.

Common names: apricot
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2020
FN 9:375; FPN2 207.

Prunus avium (L.) L.

Common names: sweet cherry
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2021
FN 9:368; FPN 222; FPN2 208; Oregon Flora Project, 1997D .

Prunus cerasifera Ehrh.

Common names: cherry plum
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2020
FN 9:375; FPN2 207; JPM 970; JPM2 1196.

Prunus cerasus L.

Common names: sour cherry
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2003
FN 9:368; FPN 222; FPN2 209; VP 3:158.

Prunus domestica L.

Common names: European plum, common garden plum
Origin: exotic, naturalized
Voucher: OSC, most recently collected in 2020
FN 9:376; FPN 222; FPN2 209; PEK 446.

Prunus dulcis (Mill.) D.A. Webb

Common names: almond
Origin: exotic, not naturalized
Voucher: OSC, most recently collected in 2021
FPN2 207.

Prunus emarginata (Douglas) Eaton

Common names: shrubby bitter cherry

Origin: native Voucher: OSC, most recently collected in 2017

FN 9:367; FPN 221; FPN2 209; IL 2:466; IN 3a:147; JPM 970; JPM2 1198.

Synonyms:

Prunus emarginata **(Douglas) Eaton var. *emarginata***

FPN 221; IL 2:466; PEK 446; VP 3:160.

Prunus emarginata **(Douglas) Eaton var. *mollis* (Douglas ex Hook.) W.H. Brewer**

FPN 221; IL 2:466; PEK 446; VP 3:160.

Prunus laurocerasus L.

Common names: cherry laurel, hedge cherry laurel

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2021

FN 9:362; FPN 221; FPN2 207; Oregon Flora Project, 1997D .

Prunus lusitanica L.

Common names: Portugal laurel

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2021

FN 9:363; FPN2 207.

Prunus mahaleb L.

Common names: Mahaleb cherry

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 9:366; FPN 221; FPN2 208; VP 3:160.

Prunus persica (L.) Batsch

Common names: peach

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FN 9:371; FPN2 208; JPM2 1198.

Prunus × ***pugetensis*** Jacobson & Zika

Common names: Puget cherry

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2014

FPN2 208.

Prunus pumila L. var. ***besseyi*** (L. H. Bailey) Waugh

Common names: sand cherry

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FN 9:374; FPN2 209.

Prunus serotina Ehrh. var. ***serotina***

Common names: choke cherry

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2020

FPN2 208.

Prunus spinosa L.

Common names: blackthorn, sloe

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 9:376; FPN 222; FPN2 208; VP 3:160.

Prunus subcordata Benth.

Common names: Klamath plum, western plum

Origin: native Voucher: OSC, most recently collected in 2020

FN 9:377; FPN 221; FPN2 207; IL 2:466; JPM 970; JPM2 1198; VP 3:161.

Synonyms:

***Prunus subcordata* Benth. var. *kelloggii* Lemmon**

IL 2:466; PEK 446.

***Prunus subcordata* Benth. var. *oregana* (Greene) W. Wight**

IL 2:466; PEK 446.

Prunus subcordata* Benth. var. *subcordata

IL 2:466; PEK 446.

Prunus virginiana L.

Common names: western chokecherry

Origin: native Voucher: OSC, most recently collected in 2023

FPN 221; FPN2 208.

Synonyms:

***Prunus demissa* (Nutt.) Walp.**

FPN 221 synonym for *Prunus virginiana* var. *demissa*; IL 2:467; PEK 446.

Prunus demissa* (Nutt.) Walp. ssp. *demissa

IL 2:467.

***Prunus virginiana* L. var. *demissa* (Nutt.) Torr.**

FN 9:366; FPN 221; IN 3a:147; JPM 970; JPM2 1198; VP 3:162.

***Prunus virginiana* L. var. *melanocarpa* (A. Nelson) Sarg.**

FPN 221; IN 3a:147; VP 3:162.

Purshia

Checklist contributor: Rhoda Love, 10/27/2005

Flora of Oregon author: Rory Nichols

Purshia tridentata (Pursh) DC.

Curran, 1885 3:153; FPN 222; FPN2 209; GWM 207; IL 2:451; IN 3a:128; JPM 972; Jones, 1895 5:680; Koehler & Smith, 1981 28:13-25; PEK 440; Pursh, 1814 ; VP 3:162.

Purshia tridentata (Pursh) DC. var. ***tridentata***

Common names: bitterbrush, antelope brush

Origin: native Voucher: OSC, most recently collected in 2025

FN 9:340; JPM 972; JPM2 1199.

Pyracantha

Checklist contributor: Peter Zika, 3/6/2006

Flora of Oregon author: Peter Zika

Pyracantha coccinea M. Roem.

Common names: firethorn, scarlet firethorn

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 9:470; FPN2 210; JPM2 1199.

Pyracantha fortuneana (Maximowicz) H.L. Li

Common names: Chinese firethorn

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2017

FN 9:469; FPN2 210; JPM2 1199.

Synonyms:

Pyracantha crenatoserrata **(Hance) Rehder**

Pyracantha rogersiana **(A.B. Jacks.) Chitt.**

Pyracantha koidzumii (Hayata) Rehder

Common names: Formosa firethorn

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2019

Pyrus

Checklist contributor: Rhoda Love, 12/29/2008

Flora of Oregon author: Peter Zika

Pyrus calleryana Decne.

Common names: Caucasian pear

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2019

FN 9:482; FPN2 210.

Pyrus communis L.

Common names: garden pear, domestic pear

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2021

FN 9:483; FPN 222; FPN2 210; JPM2 1199; Tutin et al., 1969-1980 .

Pyrus nivalis Jacq.

Common names: snow pear

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2021

FN 9:481; FPN2 210.

Pyrus pashia Buch.-Ham. ex D. Don

Common names: Himalayan pear

Origin: exotic, not naturalized

Voucher: CHSC, most recently collected in 2016

Rosa

Checklist contributor: Henrietta Chambers, 10/8/2004

Flora of Oregon author: Christian Feuillet

Rosa bridgesii Crép.

Common names: Cascade rose, pygmy rose

Origin: native

Voucher: OSC, most recently collected in 2009

FN 9:118; IL 2:465; JPM 973; JPM2 1200.

Synonyms:

Rosa yainacensis **Greene**

IL 2:459.

Rosa californica Cham. & Schltdl.

Common names: California rose

Origin: native

Voucher: OSC, most recently collected in 2014

FN 9:111; IL 2:462; JPM 973; JPM2 1200; PEK 438.

Rosa canina L.

Common names: dog rose

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 9:90; FPN 223; FPN2 211; IN 3a:135; JPM 973; JPM2 1201; PEK 437; VP 3:167.

Rosa gymnocarpa Nutt.

FPN 223; FPN2 210; GWM 207; IL 2:465; IN 3a:138; JPM 973; PEK 438; VP 3:167.

Rosa gymnocarpa Nutt. ssp. ***gymnocarpa***

Common names: wood rose

Origin: native Voucher: OSC, most recently collected in 2013

Synonyms:

Rosa gymnocarpa **Nutt. var.** ***gymnocarpa***

FN 9:116; JPM2 1201.

Rosa gymnocarpa Nutt. ssp. ***helleri*** (Greene) Ertter & W.H. Lewis

Common names: Heller's wood rose

Origin: native Voucher: OSC, most recently collected in 2001

Rosa gymnocarpa Nutt. var. ***serpentina*** Ertter & W.H. Lewis

Common names: Siskiyou Rose

Origin: native

FN 9:117; JPM2 1201.

Rosa × ***harisonii*** Rivers

Common names: Harison's rose

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2013

Rosa multiflora Thunb.

Common names: multiflower rose

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2023

FN 9:84; FPN2 210; IN 3a:135; JPM2 1201.

Rosa nutkana C. Presl

FPN 224; GWM 207; IL 2:459; IN 3a:138.

Synonyms:

Rosa myriadenia **Greene**

IL 2:459.

Rosa nutkana C. Presl ssp. ***macdougalii*** (Holz.) Piper

Common names: bristly Nootka rose

Origin: native Voucher: OSC, most recently collected in 2012

FN 9:113; FPN2 210; JPM2 1201.

Synonyms:

Rosa nutkana **C. Presl var.** ***hispida*** **Fernald**

FPN 224; VP 3:170.

Rosa spaldingii **Crép. var.** ***alta*** **(Suksd.) G.N. Jones**

PEK 437.

Rosa spaldingii **Crép. var.** ***spaldingii***

PEK 437.

Rosa nutkana C. Presl var. ***nutkana***

Common names: Nootka rose

Origin: native

Voucher: OSC, most recently collected in 2024

FPN 224; IL 2:459; JPM 973; PEK 437; VP 3:170.

Synonyms:

Rosa durandii **Crép.**

FPN 224 synonym for *Rosa nutkana* var. *nutkana*; IL 2:459.

Rosa nutkana **C. Presl var.** ***muriculata*** **(Greene) G.N. Jones**

FPN 224 synonym for *Rosa nutkana* var. *nutkana*; IL 2:459; PEK 437.

Rosa nutkana **C. Presl ssp.** ***nutkana***

FN 9:113; FPN2 210; JPM2 1201.

Rosa pisocarpa A. Gray

FN 9:109; FPN 223; IL 2:462; JPM 973; PEK 437; VP 3:170.

Rosa pisocarpa A. Gray ssp. ***ahartii*** Ertter & W.H. Lewis

Common names: Ahart's rose

Origin: native

Voucher: OSC, most recently collected in 2010

FN 9:110; JPM2 1201.

Rosa pisocarpa A. Gray ssp. ***pisocarpa***

Common names: peafruit rose, clustered wild rose

Origin: native

Voucher: OSC, most recently collected in 2020

FN 9:110; FPN2 210; JPM2 1201.

Synonyms:

Rosa rivalis **Eastw.**

IL 2:463.

Rosa rubiginosa L.

FN 9:90; FPN 223 synonym for *Rosa eglanteria*; FPN2 210; IL 2:458; JPM2 1201.

Rosa rubiginosa L. var. ***rubiginosa***

Common names: sweet briar rose, eglantine rose

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2021

FN 9:91.

Synonyms:

Rosa eglanteria **L.**

FPN 223; IN 3a:136; JPM 973; PEK 436; VP 3:167.

Rosa rugosa Thunb.

Common names: Japanese rose

Origin: exotic, not naturalized

Voucher: OSC, most recently collected in 2022

FN 9:98; FPN2 211.

Rosa spithamea S. Watson

Common names: dwarf rose, ground rose

Origin: native

Voucher: OSC, most recently collected in 2010

FN 9:118; IL 2:463; JPM 973; JPM2 1201.

Synonyms:

Rosa spithamea **S. Watson var.** ***solitaria*** **L.F. Hend.**

PEK 438.

Rosa spithamea **S. Watson var.** ***spithamea***

PEK 438.

Rosa woodsii Lindl.

FN 9:105; FPN 223; FPN2 211; IL 2:463 synonym for *Rosa macounii*; IN 3a:136.

Rosa woodsii Lindl. ssp. ***ultramontana*** (S. Watson) Roy L. Taylor & MacBryde

Common names: pearhip rose, Woods' rose

Origin: native Voucher: OSC, most recently collected in 2017

FN 9:109; IN 3a:136 synonym for *Rosa woodsii*; JPM2 1202.

Synonyms:

Rosa covillei **Greene**

IL 2:463.

Rosa woodsii **Lindl. var. *ultramontana* (S. Watson) Jeps.**

FPN 224; GWM 208; IL 2:462 synonym for *Rosa ultramontana (S. Wats.) Heller*; JPM 973; PEK 437; VP 3:171.

Misapplied names:

Rosa macounii **Greene**

IL 2:463; PEK 437.

Rubus

Checklist contributor: Maxine Thompson, 3/10/1997

Flora of Oregon author: Kim Hummer, Aaron Liston, Larry Alice

---

Rubus armeniacus Focke

Common names: Himalayan blackberry

Origin: exotic, naturalized

Misapplied names:

Rubus bifrons **Vest**

Rubus discolor **Weihe & Nees**

Rubus procerus **P.J. Müll. ex Genev.**

Rubus bartonianus M. Peck

Common names: bartonberry

Origin: native Voucher: OSC, most recently collected in 2013

FN 9:36; FPN 224; FPN2 212; PEK 442; VP 3:174.

Rubus glaucifolius Kellogg

Common names: Cuyamaca raspberry

Origin: native Voucher: OSC, most recently collected in 1998

FN 9:41; JPM 974; JPM2 1202.

Rubus idaeus L.

FPN 226; GWM 208; IN 3a:141.

Rubus idaeus L. ssp. ***strigosus*** (Michx.) Focke

Common names: North American red raspberry

Origin: native Voucher: OSC, most recently collected in 2020

FN 9:43; FPN2 213; KZ 1:532.

Synonyms:

***Rubus idaeus* L. var. *gracilipes* M.E. Jones**

FPN 226.

***Rubus idaeus* L. ssp. *sachalinensis* (H. Lév.) Focke**

VP 3:176.

***Rubus melanolasius* Focke**

FPN 226 synonym for *Rubus idaeus* var. *gracilipes*; IL 2:457; PEK 441.

***Rubus strigosus* Michx.**

FPN 226 synonym for *Rubus idaeus* var. *gracilipes*.

Rubus laciniatus Willd.

Common names: evergreen blackberry, cut leaved blackberry

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2019

FN 9:43; FPN 225; FPN2 213; IL 2:458; JPM 974; JPM2 1204; PEK 443; VP 3:176.

Rubus lasiococcus A. Gray

Common names: dwarf bramble

Origin: native Voucher: OSC, most recently collected in 2019

FN 9:44; FPN 225; FPN2 212; IL 2:455; JPM 974; JPM2 1204; PEK 441; VP 3:176.

Rubus leucodermis Douglas ex Torr. & A. Gray

Common names: blackcap, western black raspberry

Origin: native Voucher: WS, most recently collected in 2011

FPN 226; FPN2 213; GWM 208; IL 2:457; IN 3a:142; JPM 974; JPM2 1204; PEK 441; VP 3:176.

Synonyms:

Rubus leucodermis* Douglas ex Torr. & A. Gray var. *leucodermis

FN 9:45.

***Rubus nigerrimus* (Greene) Rydb.**

FPN 226; FPN2 212; IL 2:457; PEK 441; VP 3:178.

Rubus nivalis Douglas

Common names: snow dewberry, dwarf snow bramble

Origin: native Voucher: OSC, most recently collected in 2016

FN 9:45; FPN 225; FPN2 212; IL 2:455; JPM 974; JPM2 1204; PEK 442; VP 3:178.

Rubus parviflorus Nutt.

Common names: thimbleberry

Origin: native Voucher: OSC, most recently collected in 2025

FN 9:48; FPN 224; GWM 208; IL 2:455; IN 3a:144; JPM 974; JPM2 1204; PEK 442; VP 3:179.

Synonyms:

***Rubus nutkanus* Moc. ex Ser.**

FPN2 212.

Rubus parviflorus* Nutt. var. *parviflorus

IL 2:455.

Rubus pedatus Sm.

Common names: strawberry dwarf bramble, five leaved dwarf bramble

Origin: native Voucher: OSC, most recently collected in 2008

FN 9:49; FPN 224; FPN2 212; IL 2:455; PEK 441; VP 3:180.

Rubus pensilvanicus Poir.

Common names: dewberry

Origin: exotic, not naturalized

Voucher: SOC, most recently collected in 2001

Rubus procerus P.J. Müll. ex Genev.

Common names: European blackberry

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2019

Synonyms:

Rubus anglocandicans **A. Newton**

FPN2 211.

Misapplied names:

Rubus armeniacus **Focke**

Rubus bifrons **Vest**

Rubus discolor **Weihe & Nees**

Rubus praecox **Bertol.**

Rubus spectabilis Pursh

Common names: salmonberry

Origin: native

Voucher: OSC, most recently collected in 2023

FN 9:53; FPN 224; FPN2 211; IL 2:457; JPM 975; JPM2 1204; PEK 442; VP 3:182.

Synonyms:

Rubus spectabilis **Pursh var.** ***spectabilis***

IL 2:457.

Rubus ulmifolius Schott

Common names: elmleaf blackberry

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2011

FN 9:54; FPN2 211.

Synonyms:

Rubus discolor **Weihe & Nees**

Rubus ulmifolius **Schott var.** ***inermis*** **(Willd.) Focke**

JPM 975.

Rubus ursinus Cham. & Schltdl.

Common names: trailing blackberry, Pacific dewberry, Pacific blackberry

Origin: native

Voucher: OSC, most recently collected in 2025

FN 9:55; FPN 225; FPN2 212; IL 2:458 synonym for *Rubus vitifolius ssp. ursinus (Cham. & Sch.) Abrams*; JPM 975; JPM2 1204; VP 3:182.

Synonyms:

Rubus ursinus **Cham. & Schltdl. var.** ***macropetalus*** **(Douglas ex Hook.) Britton**

FPN 225; VP 3:183.

Rubus ursinus **Cham. & Schltdl. var.** ***ursinus***

VP 3:183.

Rubus vitifolius **Cham. & Schltdl.**

FPN 225 synonym for *Rubus ursinus*; IL 2:457; PEK 442.

Rubus vestitus Weihe & Nees

Common names: European blackberry

Origin: exotic, naturalized

Voucher: OSC, most recently collected in 2020

FN 9:56; FPN 225; FPN2 213; VP 3:183.

Sanguisorba

Checklist contributor: Rhoda Love, 3/22/2008

Flora of Oregon author: Kenton Chambers

Sanguisorba officinalis L.

Common names: great burnet

Origin: native Voucher: OSC, most recently collected in 2018

FN 9:323; FPN 226; FPN2 214; JPM 975; JPM2 1205; Nordberg, 1966 11:1-103; Simpson, 2000 ; VP 3:186.

Synonyms:

***Sanguisorba microcephala* C. Presl**

FPN 226 synonym for *Sanguisorba officinalis*; IL 2:445; PEK 439.

Sanguisorba stipulata Raf.

Common names: Sitka burnet, broad leaved burnet

Origin: native Voucher: OSC, most recently collected in 2019

FN 9:322; FPN2 214.

Synonyms:

***Sanguisorba canadensis* L.**

FN 9:322; FPN2 214 synonym for *Sanguisorba stipulata*; PEK 439.

***Sanguisorba canadensis* L. var. *latifolia* Hook.**

IL 2:445 synonym for *Sanguisorba sitchensis*; PEK 439.

***Sanguisorba sitchensis* C.A. Mey.**

FPN 226; IL 2:445; VP 3:186.

Sibbaldia

Checklist contributor: Barbara Ertter, 1/1/2002

Flora of Oregon author: Kenton Chambers

Sibbaldia procumbens L.

Common names: creeping sibbaldia

Origin: native Voucher: OSC, most recently collected in 2021

FN 9:298; FPN 227; FPN2 214; GWM 210; IL 2:443; IN 3a:116; JPM 975; JPM2 1205; PEK 433; VP 3:186.

Synonyms:

***Potentilla procumbens* Sibth.**

FPN 227 synonym for *Sibbaldia procumbens*; IL 2:429; PEK 424.

Sorbus

Checklist contributor: Peter Zika, 5/9/2007

Flora of Oregon author: Peter Zika

Sorbus aucuparia L.

Common names: European mountain ash, rowan

Origin: exotic, naturalized Voucher: OSC, most recently collected in 2020

FN 9:438; FPN 227; FPN2 215; JPM 976; JPM2 1205; VP 3:188.

Sorbus californica Greene

Common names: California mountain ash

Origin: native Voucher: OSC, most recently collected in 2001

FN 9:441; FPN2 214; IL 2:470 synonym for *Sorbus sitchensis* ssp. *californica*; JPM 976; JPM2 1205.

Synonyms:

***Sorbus sitchensis* M. Roem. ssp. *californica* (Greene) Abrams**

IL 2:470.

Sorbus scopulina Greene

Common names: Greene's mountain ash, Rocky Mountain mountain ash

Origin: native Voucher: OSC, most recently collected in 2018

FN 9:442; FPN 227; FPN2 215; IN 3a:150; JPM 976; JPM2 1205; Love, 1998B .

Synonyms:

***Sorbus scopulina* Greene var. *cascadensis* (G.N. Jones) C.L. Hitchc.**

FPN 227; GWM 210; JPM 976; VP 3:189.

Sorbus scopulina* Greene var. *scopulina

FPN 227; JPM 976; VP 3:189.

Sorbus scopulina Greene × ***Sorbus sitchensis*** M. Roem.

Origin: native Voucher: OSC, most recently collected in 1995

Sorbus sitchensis M. Roem.

FPN 227; GWM 211; IL 2:470; PEK 443.

Sorbus sitchensis M. Roem. var. ***grayi*** (Wenz.) C.L. Hitchc.

Common names: Gray's mountain ash, Sitka mountain ash, dwarf mountain ash

Origin: native Voucher: OSC, most recently collected in 2010

FN 9:444; FPN 227; FPN2 215; JPM 976; JPM2 1205; VP 3:190.

Synonyms:

***Sorbus occidentalis* (S. Watson) Greene**

FPN 227 synonym for *Sorbus sitchensis* var. *grayi*; IL 2:470; PEK 443.

Sorbus sitchensis M. Roem. var. ***sitchensis***

Common names: Sitka mountain ash

Origin: native Voucher: OSC, most recently collected in 2009

FN 9:444; FPN 227; FPN2 215; IL 2:470; JPM2 1205; VP 3:190.

Spiraea

Checklist contributor: Kenton Chambers, 11/20/2002

Flora of Oregon author: Kenton Chambers

Spiraea douglasii Hook.

Chambers, 2003B ; FN 9:406; FPN 228; IL 2:411; JPM 976; JPM2 1206.

Spiraea douglasii Hook. var. ***douglasii***

Common names: Douglas spiraea

Origin: native Voucher: OSC, most recently collected in 2024

Chambers, 2003B ; FN 9:407; FPN 228; FPN2 215; PEK 421; VP 3:193.

Spiraea douglasii Hook. var. ***menziesii*** (Hook.) C. Presl

Common names: Menzies' spiraea

Origin: native Voucher: OSC, most recently collected in 2019

Chambers, 2003B ; FN 9:407; FPN 228; FPN2 215; IL 2:411 synonym for *Spiraea menziesii Hook.*; PEK 421; VP 3:193.

Spiraea × ***hitchcockii*** W.J. Hess & Stoynoff

Common names: Hitchcock's spiraea

Origin: native Voucher: OSC, most recently collected in 2019

FN 9:406; FPN2 215.

Spiraea lucida Douglas ex Greene

Common names: shinyleaf spiraea

Origin: native Voucher: OSC, most recently collected in 2023

FN 9:404; FPN 228 synonym for *Spiraea betulifolia*; FPN2 215; GWM 211; IL 2:411; PEK 421.

Synonyms:

***Spiraea betulifolia* Pall.**

Chambers, 2003B ; FPN 228; IL 2:411 synonym for *Spiraea lucida*; IN 3a:73; VP 3:190.

***Spiraea betulifolia* Pall. var. *lucida* (Douglas ex Greene) C.L. Hitchc.**

FPN 228.

Spiraea* × *pyramidata Greene

Common names: pyramid spiraea

Origin: native Voucher: OSC, most recently collected in 2008

Chambers, 2003B ; FN 9:408; FPN 228; FPN2 215; Hess, 1969 .

Synonyms:

***Spiraea* × *subvillosa* Rydb.**

Chambers, 2003B ; PEK 421.

Spiraea splendens Baumann ex K. Koch

Common names: subalpine spiraea

Origin: native Voucher: OSC, most recently collected in 2021

Chambers, 2003B ; FN 9:405; FPN2 215; IL 2:411 synonym for *Spiraea densiflora* ssp. *splendens*; JPM2 1206.

Synonyms:

***Spiraea densiflora* Nutt. ex Torr. & A. Gray**

Chambers, 2003B excluded; FPN 227; GWM 211; IL 2:410; JPM 976; PEK 420; VP 3:192.

Spiraea densiflora* Nutt. ex Torr. & A. Gray ssp. *densiflora

IL 2:410; PEK 420.

Spiraea densiflora* Nutt. ex Torr. & A. Gray var. *densiflora

FPN 227; VP 3:192.

***Spiraea densiflora* Nutt. ex Torr. & A. Gray ssp. *splendens* (Baumann ex K. Koch) Abrams**

IL 2:411; PEK 421.

***Spiraea densiflora* Nutt. ex Torr. & A. Gray var. *splendens* (Baumann ex K. Koch) C.L.**

FPN 228; VP 3:192.

***Spiraea splendens* Baumann ex K. Koch var. *rosea* (A. Gray) Kartesz & Gandhi**

Chambers, 2003B ; FN 9:406.

Spiraea splendens* Baumann ex K. Koch var. *splendens

Chambers, 2003B ; FN 9:406; KZ 1:537.

Spiraea tomentosa L. var. ***rosea*** (Raf.) Fernald

Common names: hardhack, steeplebush

Origin: exotic, not naturalized Voucher: OSC, most recently collected in 2006

FN 9:403.

Excluded names:

Crataegus chrysocarpa Ashe var. chrysocarpa
FN 9:598.

Crataegus oxyacantha L.
FPN 209; PEK 445.

Horkelia fusca Lindl. var. brownii (Rydb.) Ertter & Reveal
FN 9:263.

Petrophytum caespitosum (Nutt.) Rydb.
FN 9:413; FPN 215; IL 2:412; IN 3a:73; JPM 962; Mansfield, 2000 ; Torrey & Gray, 1838-1843 1:418; VP 3:124; Watson, 1890 15:242.

Potentilla gracilis Douglas ex Hook. var. pulcherrima (Lehm.) Fernald
FPN 219; FPN2 206; IN 3a:100; VP 3:145.

Synonyms:
***Potentilla pulcherrima* Lehm.**
FN 9:158; FPN 219 synonym for *Potentilla gracilis* var. *pulcherrima*; JPM2 1195.

Potentilla rubricaulis Lehm.
FN 9:207; IN 3a:84.

Potentilla uniflora Ledeb.
FPN 220; IL 2:434; PEK 427; VP 3:156.

Rosa rubiginosa L. var. nemoralis (Léman) Thory
FN 9:91.

Rubus arcticus L. ssp. acaulis (Michx.) B. Boivin
FN 9:35.

Rubus illecebrosus Focke
FN 9:43.

Literature cited for Rosaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Bailey, L.H. 1942. Standard Cyclopedia of Horticulture, 6 volumes. The Macmillan Company, NY.

Bailey, L.H. 1949. Manual of Cultivated Plants Most Commonly Grown in the Continental United States and Canada. MacMillan Publishing Co., New York, NY, U.S.A.

Bailey, L.H., and E.Z. Bailey. 1976. Hortus Third: A concise dictionary of plants cultivated in the United States and Canada. MacMillan Publishing Co., New York, NY, U.S.A.

Bolle, F. 1933. Eine Ubersicht uber die Gattung *Geum* L. und die ihr nahestehenden Gattungen. Beihefte 72:1-119.

Brooks, P. 1994. A Checklist of Plants of the Wallowa-Whitman National Forest. Wallowa-Whitman National Forest, Baker City, OR.

Bruckart, W.L. III, J.L. Michael, M. Sochor, and B. Trávníček. 2017. Invasive blackberry species in Oregon: Their identity and susceptibility to rust disease and the implications for biological control. Invasive Plant Science and Management 10(2):143-154.

Brunsfeld, S.J., and F.D. Johnson. 1990. Cytological, morphological, ecological and phenological support for specific status of *Crataegus suksdorfii* (Rosaceae). Madroño 37(4):274-282.

Campbell, C.S. 1999. The evolutionary role of hybridization in agamic complexes, with special emphasis on *Amelanchier* (Rosaceae). In: Proceedings of the VIIth International Symposium of the International Organization of Plant Biosystematists. van Raamsdonk, L.W.D., and J.C.M. den Nijs, Eds. Hugo de Vries Laboratory, Amsterdam.

Campbell, C.S., and W.A. Wright. 1996. Apomixis, hybridization, and taxonomic complexity in eastern North American *Amelanchier* (Rosaceae). Folia Geobotanica 31:345-354.

Campbell, C.S., C.W. Greene, and S.E. Bergquist. 1987. Apomixis and sexuality in three species of *Amelanchier*, shadbush (Rosaceae, Malodeae). American Journal of Botany 74(3):321-329.

Campbell, C.S., C.W. Greene, and T.A. Dickinson. 1991. Reproductive biology in subfam. Maloideae (Rosaceae). Systematic Botany 16(2):333-349.

Campbell, C.S., C.W. Greene, B.F. Neubauer, and J.M. Higgins. 1985. Apomixis in *Amelanchier laevis*, shadbush (Rosaceae, Maloideae). American Journal of Botany 72(9):1397-1403.

Campbell, C.S., L.A. Alice, and W.A. Wright. 1999. Comparisons of within-population genetic variation in sexual and agamospermous *Amelanchier* (Rosaceae) using RAPD markers. Plant Systematics and Evolution 215:157-167.

Campbell, C.S., M.F. Wojciechowski, B.G. Baldwin, L.A. Alice, and M.J. Donoghue. 1997A. Persistent nuclear ribosomal DNA sequence polymorphism in the *Amelanchier* agamic complex (Rosaceae). Molecular Biological Evolution 14(1):81-90.

Campbell, C.S., W.A. Wright, T.F. Vining, and W.A. Halteman. 1997B. Morphological variation in sexual and agamospermous *Amelanchier* (Rosaceae). Canadian Journal of Botany 75:1166-1173.

Chambers, K.L. 2003B. New names and hybrids among Oregon spiraeas. Oregon Flora Newsletter 9(1):3.

Clark, L.V., K.J. Evans, and M. Jasieniuk. 2013. Origins and distribution of invasive *Rubus fruticosus* L. agg. (Rosaceae) clones in the western United States. Biological Invasions 15:1331–1342.

Cuizhi, G., and S.A. Spongberg. 1847. *Pyracantha* M. Roemer. Familiarum Naturalium Regni Vegetabilis Monographicae 3:104, 219.

Curran, M.K. 1885. Descriptions of some Californian plants collected by the writer in 1884. Bulletin of the California Academy of Sciences 1(3):151-155.

Dibble, A.C., and C.S. Campbell. 1995. Distribution and conservation of nantucket shadbush (Rosaceae). Rhodora 97:339-349.

Dibble, A.C., W.A. Wright, C.S. Campbell, and C.W. Greene. 1998. Quantitative morphology of the *Amelanchier* agamic complex (Rosaceae) at the Maine Site. Systematic Botany 23(1):31-42.

Dickinson, T.A., and N. Talent. 2005. Polyploidy in *Crataegus* and *Mespilus* (Rosaceae, Maloideae) evolutionary inferences from flow cytometry of nuclear DNA amounts. Canadian Journal of Botany 83:1268-1304.

Dickinson, T.A., E. Lo, N. Talent, and R.M. Love. 2008. Black-fruited hawthorns of western North America - one or more agamic complexes? Canadian Journal of Botany 86:846-865.

Dickinson, T.A., S. Belaoussoff, R.M. Love, and M. Muniyamma. 1996. North American black-fruited hawthorns. I. Variation in floral construction, breeding system correlates, and their possible evolutionary significance in *Crataegus* sect. *Douglasii* Loudin. Folia Geobotanica & Phytotaxonomica 31:355-371.

Dickson, E.E., S. Kresovich, and N.F. Weeden. 1991. Isozymes in North American *Malus* (Rosaceae): hybridization and species differentiation. Systematic Botany 16(2):363-375.

Egolf, D.R., and A.O. Andrick. 1995. A Checklist of *Pyracantha* cultivars. U.S. Department of Agriculture, Agriculture Research Service, U.S. National Arboretum Contribution #8.

Ertter, B. 2007. Generic realignments in tribe Potentilleae and revision of *Drymocallis* (Rosoideae: Rosaceae) in North America. Journal of the Botanical Research Institute of Texas 1(1):31-46.

Ertter, B. 2024. A new *Drymocallis* (Rosaceae) from northeastern California and south-central Oregon. Phytoneuron 2024-12:1-8.

Ertter, B., and D.H. Mansfield. 2007. A new variety of *Potentilla gracilis* (Rosaceae) and re-evaluation of the *Potentilla drummondii* complex. Madroño 54(2):180-186.

Ertter, B., and N.M. House. 2024. Changes Needed to Update Potentilleae and *Rosa* (Rosaceae) in the Jepson Eflora. Phytoneuron 62:1-10.

Ertter, B., and W.H. Lewis. 2008. New *Rosa* (Rosaceae) in California and Oregon. Madroño 55(2):170-177.

Evans, W.D., and J.K. Jones. 1967. Incompatibility in *Fragaria*. Canadian Journal of Genetics and Cytology 9:831-836.

Fernald, M.L. 1936. Memoranda on *Aruncus*. Rhodora 38:179-182.

Fernald, M.L. 1939. New species, varieties and transfers. Rhodora 41:423-424.

Fitter, R., and A. Fitter. 1974. The Wildflowers of Britain and Northern Europe. Collins, London.

Focke, W.O. 1910-1914. Species Ruborum. Monographiae generis Rubi prodromus. Bibliotheca Botanica 17(72 part I and II), 19(83 part III):1-448.

Fryer, J., and B. Hylmö. 2008. Two new Cotoneasters (*Cotoneaster*: Rosaceae) from Yunnan Province, China. Journal of the Botanical Research Institute of Texas 2:53-56.

Fryer, J., and B. Hylmö. 2009. Cotoneasters: A Comprehensive Guide to Shrubs for Flowers, Fruit, and Foliage. Timber Press, Portland, OR, U.S.A.

Gajewski, W. 1955. The cytogenetic relationships among *Geum macrophyllum*, *G. perincisum* and *G. oregonense*. Acta Societatis Botanicorum Poloniae 24:319-334.

Gajewski, W. 1957. A cytogenetic study on the genus *Geum* L. Monographs in Systematic Botany 4:1-416.

Gajewski, W. 1959. Evolution in the genus *Geum*. Evolution 13:378-388.

Greene, E.L. 1889. The North American Neilliæ. Pittonia 2:25-31.

Greenman, J.M. 1899. Northwestern plants, chiefly from Oregon. Erythaea 7(11):115-117.

Hancock, J.F., and R.S. Bringhurst. 1978. Inter-populational differentiation and adaptation in the perennial, diploid species *Fragaria vesca* L. American Journal of Botany 65:795-803.

Harris, R.E. 1970. The genus *Amelanchier*. Horticultural Society 95:116-118.

Harrison, R.E., J.J. Luby, G.R. Furnier, and J.F. Hancock. 1997. Morphological and molecular variation among populations of octoploid *Fragaria virginiana* and *F. chiloensis* (Rosaceae) from North America. American Journal of Botany 84:612-620.

Heller, A.A. 1898. New and interesting plants from western North America.-III. and IV. Bulletin of the Torrey Botanical Club 25:580-582, 626-629.

Heller, A.A. 1904. New Labiates from California. Muhlenbergia 1(3):31-41.

Hess, W.J. 1969. A taxonomic study of *Spiraea pyramidata* Greene (Rosaceae). Sida 3:298-308.

Hess, W.J., and N.A. Stoynoff. 1999. A new hybrid of *Spiraea* (Rosaceae) from Oregon. Sida 18:827-830.

Holmgren, N.H. 1987. A new varietal name for the Intermountain curl-leaf mountain-mahogany. Brittonia 39:423-427.

Howell, T.J. 1903. A Flora of Northwest America. Unknown publisher, Portland, OR.

Hulten, E., and M. Fries. 1986. Atlas of North European Vascular Plants North of the Tropic of Cancer, 3 volumes. Koeltz Scientific Books, Germany.

Hummer, K.E. 2012. A new species of *Fragaria* (Rosaceae) from Oregon. Journal of the Botanical Research Institute of Texas 6(1):9-15.

Jenson, R.J., and J.F. Hancock. 1981. Multivariate relationships among California strawberries. Bulletin of the Torrey Botanical Club 109:136-147.

Jones, G.N. 1935. The Washington species and varieties of *Rosa*. Madroño 3:120-135.

Jones, G.N. 1939. A synopsis of the North American species of *Sorbus*. Journal of the Arnold Arboretum 20:1-43.

Jones, G.N. 1946. American species of *Amelanchier*. Illinois Biological Monographs 20:1-126.

Jones, M.E. 1895. Contributions to western botany. Proceedings of California Academy of Sciences II 5:611-732.

Kartesz, J.T., and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Keck, D.D. 1938. Revision of *Horkelia* and *Ivesia*. Lloydia 1:75-142.

Knoke, D., and D. Giblin. 2024. *Potentilla breweri* - Burke Herbarium image collection. Burke Museum Herbarium. https://burkeherbarium.org/imagecollection/taxon.php?Taxon=Potentilla%20breweri

Koehler, D.L., and D.M. Smith. 1981. Hybridization between *Cowania mexicana* var. *stansburiana* and *Purshia glandulosa* (Rosaceae). Madroño 28:13-25.

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Kruschke, E.P. 1965. Contributions to the taxonomy of *Crataegus*. Milwaukee Public Museum 3:1-273.

Kuntze, C.E.O. 1891-1898. Revisio Generum Plantarum, 3 volumes. Leipzig, Germany.

Ley, A. 1943. A taxonomic revision of the genus *Holodiscus*. Bulletin of the Torrey Botanical Club 70(2):275-285.

Lis, R.A. 1992. Leaf architectural survey of *Cercocarpus* (Rosaceae) and its systematic significance. International Journal of Plant Science 153:258-272.

Liston, A. 2012. Wild strawberries. Oregon Flora Newsletter 18(1):1,3,7.

Little, E.L. 1976. Atlas of United States Trees, Vol. 3: Minor Western Hardwoods. Misc. Publication No. 1314. U.S. Department of Agriculture, Forest Service; U.S. Government Printing Office, Washington, DC.

Love, R. 1995. Columbia hawthorn: readers help wanted. Oregon Flora Newsletter 1(3):12.

Love, R. 1997B. As different as apples and pears. Oregon Flora Newsletter 3(2):9.

Love, R. 1998B. *Amelasorbus*: An intergeneric hybrid and a new taxon for the Oregon Checklist. Oregon Flora Newsletter 4(2):7-8.

Love, R. 2005A. Oregon's strawberries: some genetic complexity. Oregon Flora Newsletter 11(3):23.

Love, R. 2005B. Key to Oregon strawberries. Oregon Flora Newsletter 11(3):25.

Love, R. 2007A. The serviceberries: "much perplexity." Oregon Flora Newsletter 13(2):9-10.

Love, R., and M. Feigan. 1978. Intersecific hybridization between native and naturalized *Crataegus* (Rosacesae) in western Oregon. Madroño 25(4):211-217.

Mansfield, D. 2000. Flora of Steens Mountain. Oregon State University Press, Corvallis, OR.

Martin, F.L. 1950. A revision of *Cercocarpus*. Brittonia 7(2):91-111.

McAllister, H. 2005. The Genus *Sorbus*: Mountain Ash and Other Rowans. Royal Botanic Gardens, Kew, Kew, England.

Meyer, J. 1990. Chrysler Herbarium Checklist Manuscript. .

Mosyakin, S.L., B. Ertter, and N.M. Shiyan. 2020. New combinations in *Potentilla* for taxa originally validated or treated in *Ivesia*, *Horkelia*, and *Horkeliella* (Rosaceae: Potentilleae). Phytotaxa 474(3):261-271.

Nikiforova, S.V., D. Cavalieri, R. Velasco, and V. Goremykin. 2013. Phylogenetic analysis of 47 chloroplast genomes clarifies the contribution of wild Species to the domesticated apple maternal line. Molecular Biology and Evolution 30(8):1751–1760.

Nordberg, G. 1966. *Sanguisorba* L., *Sarcopoterium* Spach, and *Bencomia* Webb et Berth. Opera Botanica 112(2):1-103.

Oregon Flora Project. 2007G. Did you know? Oregon Flora Newsletter 13(2):12.

Oregon Natural Heritage Information Center. 2004. Rare, Threatened and Endangered Species of Oregon. Oregon Natural Heritage Information Center, Portland, OR.

Orrell, T.M., acting director. 2004-present. Integrated Taxonomic Information System on-line database. U.S. Department of Agriculture. http://www.itis.usda.gov

Phipps, J.B. 1992. *Heteromeles* and *Photinia* (Rosaceae, subfam. Maloideae) of Mexico and Central America. Canadian Journal of Botany 70:2138-2162.

Phipps, J.B. 1995. The identity of *Crataegus columbiana* and its relationship to *C. piperi* (Rosaceae). Taxon 44:405-408.

Phipps, J.B. 1998. Introduction to the red-fruited hawthorns (*Crataegus*, Rosaceae) of western North America. Canadian Journal of Botany 76:1863-1899.

Phipps, J.B., and R.J. O'Kennon. 2002. New taxa of *Crataegus* (Rosaceae) from the northern Okanagan-southwest Shuswap diversity center. Sida 20(1):115-144.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium. http://www.ipni.org

Potter, D., J.J. Luby, and R.E. Harrison. 2000. Phylogenetic relationships among species of *Fragaria* (Rosaceae) inferred from non-coding nuclear and chloroplast DNA sequences. Systematic Botany 25:337-348.

Pursh, F. 1814. Flora Americae Septentrionalis. White, Cochrane, and Co., London.

Rafinesque, C.S. 1838. New Flora of North America: Third Part. Printed for the author and publisher, Philadelphia, PA.

Randall, J.M., and J. Marinelli, Eds. 1996. Handbook No. 149: Invasive Plants: Weeds of the Global Garden. Brooklyn Botanic Garden, Brooklyn, NY, U.S.A.

Rehder, A. 1940. Manual of Cultivated Trees and Shrubs Hardy in North America Exclusive of the Subtropical and Warmer Temperate Regions, second edition. MacMillan, New York, NY, U.S.A.

Rehder, A. 1974. Manual of Cultivated Trees and Shrubs Hardy in North America. MacMillan, New York, U.S.A.

Robinson, W.A. 1982. Experimental taxonomy in the genus *Amelanchier*. II. Do the taxa in the genus *Amelanchier* form an agamic complex? Rhodora 84:85-99.

Robinson, W.A., and C.R. Partanen. 1980. Experimental taxonomy in the genus *Amelanchier*. I. A new look at the chromosome numbers of the *Amelanchier* species growing in the northeastern U.S. Rhodora 82:483-493.

Rydberg, P.A. 1900. Catalogue of the flora of Montana and the Yellowstone National Park. Memoirs of the New York Botanical Garden 1:1-492.

Sargent, C.S. 1902-1913. Trees and Shrubs: Illustrations of new or little known ligneous plants prepared chiefly from material at the Arnold Arboretum of Harvard University. Volume 2. Houghton, Mifflin and Co., Boston.

Sargent, C.S. 1907. The black-fruited *Crataegus* of western North America. Botanical Gazette 44:64-66.

Sargent, C.S. 1965. Manual of the Trees of North America. Volume 1. Boston.

Simpson, C. 1999. Fuji Mountain in south Lane County yields botanical surprise. Oregon Flora Newsletter 5(3):15.

St. John, H. 1963. Flora of Southeastern Washington and of Adjacent Idaho. 3rd ed. Edwards Brothers, Escondido, CA.

Stace, C. 1997. New flora of the Bitish Isles. 2nd edition. Cambridge University Press.

Staudt, G. 1962. Taxonomic studies in the genus *Fragaria*. Canadian Journal of Botany 40:869-886.

Staudt, G. 1989. The species of *Fragaria*, their taxonomy and geographical distribution. Acta Horticulturae 265:23-33.

Staudt, G. 1999. Systematics and geographic distribution of the American strawberry species: Taxonomic studies in the genus *Fragaria* (Rosaceae: Potentilleae). University of California Publications in Botany 81:174.

Sundberg, S. 1996B. What we have learned from your responses. Oregon Flora Newsletter 2(1):5.

Talent, N., and T.A. Dickenson. 2007. Endosperm formation in aposporous *Crataegus* (Rosaceae, Spiraeoideae, tribe Pyreae): parallels to Ranunculaceae and Poaceae. New Phytologist 173:231-249.

Tatnall, R.R. 1946. Flora of Delaware and the Eastern Shore. Society of Natural History of Delaware, Lancaster.

Torrey, J., and A. Gray. 1838-1843. A Flora of North America, Volume 2. Wiley & Putnam, New York, NY.

Tutin, T.G., V.H. Heywood, N.A. Burges, D.M. Moore, D.H. Valentine, S.M. Walters, and D.A. Webb, Eds. 1969-1980. Flora Europaea. 5 volumes. Cambridge University Press, Cambridge, United Kingdom.

Uttal, L.J. 1974. The varieties of *Spiraea betulifolia*. Bulletin of the Torrey Botanical Club 101:35-36.

Watson, S. 1883. Contributions to American botany: 2. descriptions of some new western species. Proceedings of the American Academy of Arts and Sciences 18:192-196.

Watson, S. 1890. On the genus *Eriogynia*. Botanical Gazette 15:241-242.

Weber, H.E. 1972. Die Gattung *Rubus* L. in nordwestlichen Europa. Phanerogamarum Monographiae 7:1-504.

Weber, H.E. 1986. Zur Nomenklatur und Verbreitung der von K.E.A. Weihe aufgestellten Taxa der Gattung *Rubus* L. (Rosaceae). Botanisches Jahrbuch für Systematik 106:289-335.

Weber, H.E., and W. Maurer. 1991. Kommentierte Checkliste der in Osterreich nachgeweisenen Arten der Gattung *Rubus* L. (Rosaceae). Phyton 31:67-79.

Willis, G. 2025. Personal communication, rare plant abstracts, draft content. .

Wu, Z.-y., and P.H. Raven, Eds. 2003. Flora of China, 25 volumes projected. Science Press, Beijing, China.

Zika, P.F. 1989. Some new weeds in Oregon. Bulletin of the Native Plant Society of Oregon 22(2):15.

Zika, P.F. 1992. Noteworthy collections - Oregon. Madroño 39(1):80.

Zika, P.F., and E.R. Alverson. 2005. Noteworthy collections: Oregon. Madroño 52(4):273-274.

Abbreviations Used

FN = Flora of North America
FPN = Flora of the Pacific Northwest
FPN2 = Flora of the Pacific Northwest, 2nd editio
FOO = Flora of Oregon
GWM = Guide to the plants of the Wallowa Mountains of northeastern
IL = An Illustrated Flora of the Pacific States
IN = Intermountain Flora
IPNI = The International Plant Names Index
JPM = The Jepson manual, first edition
JPM2 = The Jepson manual, second edition
KZ = A synonymized checklist...(Kartesz)
PEK = A manual of the higher plants of Oregon
VP = Vascular Plants of the Pacific Northwest