```
params Title_Top1, Title_Bottom1, Title_Left1, Title_Right1, RightArrowCount, MyRectangle, title_line1, title_line2, title_line3, Wholetitle, SearchTitle, ImageTop,
ImageLeft, ImageBottom, ImageRight, SubMenu_DownArrowCount, SubMenu_Left, SubMenu_Right, SubMenu_Top1, SubMenu_Bottom1, SubMenu_Option1,
SubMenu_Option1_Title1

Put ReadText((ImageLeft + Title_Left1),(ImageTop + Title_Top1),(ImageRight + Title_Right1),(ImageBottom + Title_Bottom1)) Into ReadTitle_ErrorCheck
If " Redacted " is in ReadTitle_ErrorCheck
        Delete " Redacted " from ReadTitle_ErrorCheck
Else
        If " Redacted " is in ReadTitle_ErrorCheck
                Delete " Redacted " from ReadTitle_ErrorCheck
        Else
                If " Redacted " is in ReadTitle_ErrorCheck
                        Delete "Redacted" from ReadTitle_ErrorCheck
                End If
        End If
End If
put offset("HD", ReadTitle_ErrorCheck) into OffsetHD
put offset("SD", ReadTitle_ErrorCheck) into OffsetSD
put offset("$", ReadTitle_ErrorCheck) into OffsetDollar
If OffsetHD <> 0
        delete characters OffsetHD to 100 of ReadTitle_ErrorCheck
Else
        If OffsetSD <> 0
                delete characters OffsetSD to 100 of ReadTitle_ErrorCheck
        Else
                If OffsetDollar <> 0
                        delete characters OffsetDollar to 100 of ReadTitle_ErrorCheck
                End If
        End If
End If
Put line 1 of ReadTitle_ErrorCheck into title_line1
Put line 2 of ReadTitle_ErrorCheck into title_line2
Put line 3 of ReadTitle_ErrorCheck into title_line3
Combine title_line1 & " " & title_line2 & " " & title_line3
put it into Wholetitle

If SubMenu_DownArrowCount = 0
        //This Error check script is run after a searchtitle is found inside a submenu. Sometimes after returning to the submenu it begins back at the first title of the
line again. This Error check will know that and return the script back to where it left off.
        If SubMenu_Option1_Title1 is in Wholetitle and SearchTitle is not in WholeTitle
```

```
                    Repeat RightArrowCount Times
                            Click (Image: "Remote_RightArrow")
                            Wait 2
                    End Repeat
                    Wait 8
            Else
                    If SearchTitle is not in Wholetitle
                            Repeat RightArrowCount Times
                                    Click (Image: "Remote_RightArrow")
                                    Wait 2
                            End Repeat
                    End If
            End If
    End If

    //This is a check that upon returning from collecting title data, the screen did not jump back up to the top as it does from time to time. This will return the selection
    back to the current SubMenu and next title.
    If SubMenu_DownArrowCount <> 0
            If SubMenu_Option1 is in ReadText((ImageLeft - SubMenu_Left), (ImageTop + SubMenu_Top1), (ImageRight + SubMenu_Right),(ImageBottom +
    SubMenu_Bottom1)) and SubMenu_Option1_Title1 is in Wholetitle
                    Repeat SubMenu_DownArrowCount Times
                            Click (Image: "Remote_DownArrow")
                            Wait 3
                    End Repeat
                    Wait 8
                    Repeat RightArrowCount Times
                            Click (Image: "Remote_RightArrow")
                            Wait 2
                    End Repeat
                    Wait 8
            Else
                    //This Error check script is run after a searchtitle is found inside a submenu. Sometimes after returning to the submenu it begins back at the first
    title of the line again. This Error check will know that and return the script back to where it left off.
                    If SearchTitle is not in Wholetitle
                            Repeat RightArrowCount Times
                                    Click (Image: "Remote_RightArrow")
                                    Wait 2
                            End Repeat
                    End If
            End If
```

End If