

Belway General Induction

About This Induction

This is a General Induction and is required to be completed by all Belway Staff and associates. Please read this induction carefully as there will be some questions for you to answer so we can be sure that you've understood everything.

This General Induction does not replace our Clients' induction.

Belway operates on many different client sites and each client may have their own induction, policies, procedures and onsite rules that must be complied with whilst engaged with that client. Those policies, procedures and onsite rules will be provided by the client either via an induction and/or training.

Assistance can be sought for translation and comprehension however the answers must be answered by the staff member being inducted.

If you have any queries, concerns please contact your Belway Supervisor on site.

Why are you completing this induction ?

I am a new Belway Employee or applying to be a Belway Employee

What Is Your Name?

Nathaniel Sanderson

What Is Your Email?

nathanielsanderson67@outlook.com

What Is Your Mobile Number?

0451 329 659

Score

100

Result

Pass

Declaration Signature



Personal electronic mobile devices:



Personal electronic mobile devices are NOT to be used whilst operating equipment, machinery or in operational areas.
Each of our clients have strict rules on personal electronic mobile devices, and may have designated areas, so please ensure you are aware of our clients site rules.
If you are required to be contacted in case of an emergency, please advise your Supervisor.

We are allowed to use mobile phones in operational areas during work hours?

False

Personal Protective equipment (PPE):



SHIRT/VEST - High visibility shirts or vests to be worn when in operational areas. Please ensure the shirts are clean and presentable.

FOOTWEAR - Protective capped footwear is to be worn whilst engaged at our clients sites.

Each of our clients have specific PPE requirements. You will be advised of the specific PPE Requirements by Belway staff prior to commencement.

What are the 2 main PPE Items required to wear before entering any work site?

High Visibility shirt or vest

Protective capped footwear

Stealing/Theft

Stealing will not be tolerated by Belway. Instant dismissal and criminal charges may occur.
Some of our clients have security procedures that conduct bag inspections and car inspections (if parked onsite), so please ensure you comply with security or management onsite.

Smoking and Vaping in Designated Area



If you smoke or vape, please ensure you are aware of our customers' smoking / vaping policies which will be outlined in Customer/Site specific inductions and/or on signage.

Some customers do not allow smoking or vaping at all on site whereas others may allow it but only in designated areas.

Always assume smoking and vaping is NOT allowed unless a policy, induction or site signage indicates it is allowed.

It is your responsibility as a smoker or vaper to find these site rules and obey them at all times as consequences of not following the rules could include being banned from sites and disciplinary action up to and including dismissal.

Is smoking or vaping permitted onsite?	YES - But only if site rules permit this and only in Designated Areas
--	---

Material Handling Equipment (MHE)



Material Handling Equipment Includes Forklifts, Order Pickers, Pallet runners, Electric Pallet Jacks, Work platforms etc.

Only Competent and Authorised Operators can operate MHE

All forklift drivers, order pickers and other licenced MHE must hold a relevant License or High Risk Work Licence (HRW). Your HRW Licence must be with you whilst operating the MHE. Please ensure you have been given authority to operate the MHE by the client prior to operation.

All Forklift operators must hold and carry a relevant state high risk work license when operating MHE?	True
--	------

Taking Forklift Safety Seriously



WorkSafe NSW and other states have an initiative to encourage Safe practices on Forklifts. For more information click here: http://www.safework.nsw.gov.au/_data/assets/pdf_file/0013/403150/forklift-safety-factsheet-SW08946.pdf

- No Licence, No Drive or Face A Fine.
- Pre-Operation Checks to be completed prior to operating the forklift or MHE.
- Operate the forklift at a safe speed to the conditions. Slow down if wet or congested.
- Always wear seatbelt if fitted
- Report any faults, damages, hazards or near misses
- Never operate the forklift if you cannot read the load rating plate
- Park the forklift on level ground away from emergency exits, doorways or walkways.
- Must sound horn and look over both shoulders prior to reversing.

What is the minimum distance a pedestrian should maintain from a forklift?

3 Metres

Sun Safety and UV Protection

Protect yourself in **five ways** from skin cancer



SLIP



SLOP



SLAP



SEEK



SLIDE

When working outside the sun can be harmful to your health and safety. It is essential that you protect yourself to reduce skin cancer and other issues the sun can cause.

The Australian Skin Cancer Council recommend the following :

- Slip on a shirt that covers your body including the neck
- Slop on some sunscreen regularly that is above 30+ SPF
- Slap on a hat that has 360 degrees protection
- Seek shade (where possible such as a container or awning/annex)
- Slide on some sunglasses (if possible)

Site Specific Rules and Site Access

Prior to or on arrival, ensure you are aware of our Client’s site specific rules.

You have a duty of care to yourself and others.

Site address, site contact person and access points will be provided by Belway supervisor prior to commencement of work.

Ensure you arrive 15 minutes early to allow for entry to site as new sites may be unfamiliar.

Sign in and out of the Belway Site Register on arrival and exit.

Enter premises through designated walkways and entry doors.

Never use forklift/truck access doors.

When should you arrive at work?

Preferably 15 minutes before your shift or On time

When on Belway client sites, I must ensure that . . .

I follow the Belway and the Client site specific rules and procedures

Unauthorised Areas

You are not permitted to enter some areas of our client sites. These areas will be marked unauthorised areas or keep out.
Please ensure you adhere to these areas for your own safety.


Running Late, Leave or Absent

RUNNING LATE - For any reason you are running late, please contact your Belway supervisor or after-hours manager. Multiple occurrences of late arrival or being absent may result in termination of your employment.

PERSONAL LEAVE – When taking leave or planning a holiday, please inform your supervisor with as much time as possible so a replacement can be found before you go on leave. Please understand that the position may not be available on return depending on timing and length of leave.

ABSENT - If you are sick or unwell, please call your Belway supervisor prior to the arranged start time. Please understand that the position may not be available on return depending on timing and length of time absent.

Emergency Procedure



Each of our clients have an emergency procedure with an emergency evacuation plan and evacuation area. In the event of an emergency, stay calm and follow all instructions from the emergency wardens onsite. Turn off and shut down any equipment and walk to the nearest emergency exit following it to the emergency evacuation point. Under no circumstances are you allowed to leave the site until the emergency has been cleared by emergency services.

Incident Reporting



Any injuries, incidents, hazards and near misses are to be reported to our Client's management staff immediately. If it is an injury, contact the Belway site team leader or your Belway supervisor so that the appropriate assistance can be provided immediately.

If you are uncomfortable with reporting to the management team onsite, please contact Belway office and management will consult with the client and the next steps. Click this link for a fact sheet https://www.safework.nsw.gov.au/_data/assets/pdf_file/0003/50088/20191011-SIRA08088-If-you-get-injured-at-work-poster.pdf

Belway has an Incident Reporting Form to ensure incident including actual injuries, near misses and hazards are properly reported and investigated. What must you do if an incident occurs?

You must report all incidents and/or injury immediately to Belway leading hand and/or client

Personal belongings

Due to being a casual at our clients sites a locker may not be allocated.
Please ensure all valuable items are securely locked away in your car and not taken on premises.
Personal belongings are to be kept in a personal bag that can be stored onsite.
Our clients hold no responsibility for personal goods stolen or lost.

No Food or Drink in Operational Areas



No food or drink to be consumed in operational areas with the exception of water
Please use lunch rooms provided.

Walkways



All Belway staff are to use marked safety walkways (if present onsite).
Follow all walkways to the operational areas when arriving and exiting site.

Safe Manual Handling Techniques

Please ensure you follow the safe manual handling techniques below. Always stretch where possible.



What can I do to prevent a manual handling injury?

Stretch regularly, alternate tasks, use equipment where possible, follow the correct manual handling techniques and report any hazards, near misses and incidents


Stretching Exercises

Stretching prior to work is encouraged to prepare the body for work and prevent injuries.

Stretching Exercises

ACT//SOLUTIONS
ANZ COMPLIANCE & TRAINING SOLUTIONS

SHOULDER ROLLS: X10 FORWARD AND BACK



Stand Shoulder width apart. Nice and relaxed.



Roll Shoulders forwards in a circular shape, making sure arms are even



Continue rolling shoulders forward for 10 reps. Change from forward to backwards for 10 reps.

SQUATS: X 10



Stand Shoulder width apart. Nice and relaxed.



Squat as low as you can with heels on the ground, hands out and back as straight as possible.

ARM STRETCHES: X10 SECS EACH




Stretch out arm with hand up and the other hand pulling gently on the stretched out hand.



Stretch out arm with hand down and the other hand pulling gently on the stretched out hand.

LUNGES: X 10 SECS EACH SIDE X 2 REPS



Stand Shoulder width apart. Nice and relaxed.



Move left leg to the front keeping back leg to the rear. Ensure straight back and hips straight



Back leg knee should also be off the ground. Hold 10 secs and then switch legs.

NECK AND ARM TWISTS: X10 EACH SIDE



Start with hands spread out with one hand thumb up and the other thumb down.



Look towards hand with thumb down and hold for 3 secs.



Alternate by turning thumb down on the other side and look towards that thumb.

WAITERS BOW: X10



Stand Shoulder width apart. Nice and relaxed.



Bend forward sliding hands to knees or holding your back and stomach. Maintain straight back

Created by: ACT SOLUTIONS

Website: www.anzctsolutions.com.au

Unloading Containers By Hand

Preparation

Before entering any of our clients work sites, you must have the correct Personal Protective Equipment (PPE). This consists of

1. High Visibility Top (eg, vest, singlet or shirt) which must be visible at all times (not covered by a jumper)
2. Protective Capped Footwear.

It is advisable to also bring gloves, protective glasses and sun block (where necessary).

Prepare for work by warming up, stretching and drinking water to hydrate (drink constantly during work as well).

Be aware of your surroundings such as ramps, steps, gaps, uneven ground, slippery surfaces, and spills.

Inspect your work area and make sure it is safe and free of hazards. Where possible, remove any hazards that may cause you to trip, slip or fall.

Safe Operating Procedure for Unloading Containers

Protect your eyes when cutting off the security seal/bolt. Dispose of cut seals/bolts to remove risk of slipping on loose items. Use Safety Glasses (if required)

If container doors are difficult to open, wear gloves and use a steel pipe to provide greater leverage. Always open one door first to assess stability of the load. If load is unstable, notify your leading hand or supervisor immediately (reports, photos etc).


Remove safety netting, straps and/or dunnage (air) bags only when safe to do so under the supervision of leading hands and/or supervisors.

If a load is unstable, you must use 'toggle bars' to restrain the load as you unpack the product. Ask your supervisor to show you how to use the 'toggle bars'. Watch out for loose / falling items.

Maintain a 3 metre exclusion zone around a forklift where possible. Some sites require you to exit the container before the forklift enters (especially where containers are on trailers / docks). If you are required to remain inside the container when a forklift is in operation (only when container is on the ground), you must stand at the side of the pallets where you are visible to the forklift driver.

Never stand behind the pallet when a forklift is entering the container. The forklift driver must sound the horn before entering the container.

Stand to the sides of the pallets, 3 metres away from forklift. NEVER BEHIND or FRONT



As a pedestrian, it is safe to stand in front or behind the pallet when a forklift is picking up the pallet

No - It's not safe

Remove any rubbish (plastic, cardboard, netting, etc) immediately and place in the appropriate bins.

Do not create a trip hazard by leaving rubbish lying around while you work.

Always contain any spills and clean up immediately using spill kits to remove slip hazards (especially oils).

Never place any part of your body under a suspended load (eg, pallet on fork tynes lifted off the ground). Use a stick to reach out of reach items.

Never pick up broken glass with bare hands. Always use gloves or shovels/brooms etc.

Safety tips to prevent injuries when lifting

DO NOT twist/turn as you lift. Lift to an upright position first, then move your feet to re position your body.

DO NOT stand on unstable or uneven surfaces such as pallets or cartons. Always plant your feet firmly on stable surfaces. If required, use a safety step to reach high objects and pass the cartons down to your partner in the container rather than climbing up and down and risk slipping or falling from the step.

Brace your body weight by placing one foot forward and/or one hand on a stable surface to support your back but do not over extend.

Stretch constantly during work. Change sides in the container periodically (e.g after each time the pallets are replenished or at the quarter/half way mark) to equalise the stresses on each side of your body.

Do not lift more than you can, do so safely and comfortably.

Stretch and warm down after work to help your body recover quickly.

Common injuries and potential hazards to avoid

CRUSHED or PINCHED FINGERS

Be careful when placing heavy items such as canned items. Watch for sharp edges on tops of cans as these can split or separate finger nails from the ends of fingers.

BACK PAIN

Using the correct lifting techniques such as lifting with your legs rather than your back can avoid back pain and injury.

TWISTED ANKLES

Watch out for loose items such as container seals, uneven surfaces such as the edges of ramps and uneven ground surfaces that can cause you to trip, slip or roll your ankles.

WALKING INTO HAZARDS

Watch where you are going. Do not talk on your phone or text while walking. Stand in a safe location, back to a wall for example with a clear area in full view in front of you before using your phone.

BEWARE OF FORKLIFTS

Watch out for forklifts in operation. Keep a minimum safe distance of 3 metres around an operating forklift. Be aware of the paths taken by forklifts and avoid standing behind a forklift at all times.

Chain of Responsibility - CoR

The Chain of Responsibility (CoR) ensures everyone who works with heavy vehicles – from the business that employs a driver to the place where goods are delivered – is accountable for safety. At Belway Labour Management we mostly load/unload containers. The following are ways to improve vehicle safety:

Load restraint

The container crew must use methods to ensure safe packing, such as:

- stacking goods in a safe manner
- ensuring goods are secured to the pallet
- ensuring goods are stretch wrapped where necessary

Mass and dimension

The container crew loaders must ensure that:

- individual pallet weights are correct
- load documentation and labels are accurate
- goods packed in freight containers do not exceed the container's cargo capacity

Fatigue

The container crew loaders must ensure that the load is:

- packed in a timely manner, without unnecessary delays
- packed and ready to be loaded at the agreed loading time

Bullying and Practical jokes

Bullying, teasing, racial vilification are behaviours that will not be tolerated on any Belway work site. Report any such incidences and the matter will be dealt with immediately.

Practical jokes can lead to risky behaviour and accidents on site and will not be tolerated.