

Test Plan 1 — UI Sanity (Marketing Site)

⚠

CURRENTLY DISABLED. The `chromium` project is commented out in `playwright.config.ts`, so this group does **not** run in the default suite. The spec files under `tests/ui/**` are retained — re-enable the group by uncommenting the `chromium` project in `playwright.config.ts`. The cases below still describe those specs.

Project	<code>chromium</code>
Specs	<code>tests/ui/**</code>
Default filter	<code>@other-smoke</code>
Target	Marketing site — prod <code>https://www.organuz.ai</code>
Page objects	<code>src/pages</code> (<code>HomePage</code> , <code>BlogPage</code>)
Cases	12
Skips	None — this group is always expected to pass
Skill	<code>ui-sanity-tests</code>

Scope

A visibility-only sanity check of the public marketing site. It confirms the homepage renders its main sections: the hero, the primary navigation, the six-agent roster, the projects and FAQ sections, the contact form, and the blog index. Every check is read-only and runs against production — no forms are submitted and no data is written. The goal is simply to confirm the marketing site is up and its key sections are present after a deploy.

Preconditions

- Public internet access to `www.organuz.ai` (no credentials needed).
- The site content is in Hebrew and laid out right-to-left (RTL), so some assertions match Hebrew strings (for example, the hero mentions "אור").

Cases

ID	CASE	ASSERTS	TAGS
UI-01	Hero heading is visible and mentions "אור"	Hero <code>h1</code> renders and contains the brand term	<code>@ui @other-smoke</code>
UI-02	Hero subtitle is visible	Hero subtitle text is present	<code>@ui @other-smoke</code>
UI-03	Hero user-type selector buttons are visible	The audience-selector buttons render in the hero	<code>@ui @other-smoke</code>
UI-04	Primary navigation links are visible	Header primary nav links render	<code>@ui @other-smoke</code>
UI-05	Header CTA link is visible and points to the app	Header CTA is present and its href targets the product app	<code>@ui @other-smoke</code>
UI-06	"Why Organuz" section is visible	Section heading renders	<code>@ui @other-smoke</code>
UI-07	"Meet Or" section and its CTA are visible	Section heading + CTA render	<code>@ui @other-smoke</code>
UI-08	All six AI agents are showcased	The agent roster shows all six agents	<code>@ui @other-smoke</code>
UI-09	Projects showcase section is visible	Projects section heading renders	<code>@ui @other-smoke</code>
UI-10	FAQ section shows the first question	FAQ section heading + first question render	<code>@ui @other-smoke</code>
UI-11	Contact form exposes all of its fields	Every contact-form field is present (not submitted)	<code>@ui @other-smoke</code>
UI-12	Blog index loads with at least one article	Blog index renders ≥ 1 article	<code>@ui @other-smoke</code>

Run

```
npx playwright test --project=chromium
```

Notes

- The group is filtered to the `@other-smoke` tag by default. Any other `@ui` tests that get added won't run in the default suite unless they also carry that tag. Adding or removing an `@other-smoke` UI test changes the documented count (12) — update `CLAUDE.md` and the parity skill.
- Never submit the contact form or perform any write — this runs against production.