

Test Plan 9 — Local Web (Local-Only Marketing E2E)

Project	local-web
Specs	tests/local-web/** (*.local.spec.ts)
Target	Marketing site — prod https://www.organuz.ai (real Chromium)
Page objects / fixtures	HomeFlows via tests/ui/support/fixtures ; local guard in tests/local-web/support.ts
Cases	~50
Skips	Whole group self-skips on CI (process.env.CI set) — sanctioned local/CI divergence
Skill	none

Scope

A deeper, visibility-only sweep of the public marketing homepage than the chromium UI sanity group (Plan 1). It drives a real Chromium browser against production and asserts that each homepage section renders — hero and header navigation, the audience selector and "Why Organuz" tabs, the "Meet Or" / agents / projects sections, the FAQ questions, and the contact-form fields. Every check is **read-only**: nothing is filled or submitted, so no automation data reaches the real CRM.

These specs are meant to run **only on a developer machine**. Each spec calls `localOnly()` (from `tests/local-web/support.ts`), which registers a `beforeEach` guard that `test.skip`s every test in the file when `process.env.CI` is set. As a result the group runs (and passes) locally but is **skipped on GitHub Actions**, and the `local-web` project is **not in the CI matrix**. This is a sanctioned local/CI divergence — see the `test-suite-parity` skill.

Preconditions

- Public internet access to `www.organuz.ai` ; no credentials required.
- Run locally (i.e. `CI` unset). On CI the whole group self-skips by design.

- The site is Hebrew / right-to-left (RTL), so some assertions match Hebrew strings (for example the hero contains "אור").

Cases

Grouped by spec file (all tagged @ui @local-only , visibility-only):

SPEC	COVERS
home-hero-nav.local.spec.ts	Hero H1 + it contains "אור", hero subtitle, header CTA visible and its href targets the app, and each primary nav link (Why Organuz, Meet Or, Agents, Sample Projects, Knowledge Hub, FAQ) is visible
home-audiences-why.local.spec.ts	Each audience button (Private homes, Residential buildings, Businesses, Agriculture, Authorities, Market players) is visible; the "Why Organuz" heading and each of its tabs (Property owners, Solar companies, Authorities & corporations, Investors & financiers) is visible
home-or-agents-projects.local.spec.ts	"Meet Or" heading + "Talk to Or" link, the agents-section heading and each agent card (AgentNames), and the active-projects heading
home-faq.local.spec.ts	The FAQ section heading, plus each known FAQ question (FaqQuestions) rendered as an accordion button or plain text (tolerant locator)
home-contact.local.spec.ts	Each contact-form field (Full name, Email, Phone, Message, Submit) is visible — never filled or submitted

Section rosters (AgentNames , FaqQuestions , nav links, audiences, tabs) come from tests/constants.ts , so the exact per-file count tracks those lists; the group totals ~50 cases.

Run

```
# Local only — leave CI unset:
npx playwright test --project=local-web
```

Notes

- The group is a **superset in depth** of Plan 1 (UI sanity). Plan 1 is the CI-safe `@other-smoke` subset; this group is the fuller local-only sweep.
- Keep it read-only against production — never fill or submit the contact form.
- If the group ever needs to run on CI, remove the `localOnly()` guard and add `local-web` to the CI matrix in lockstep (`test-suite-parity` skill); until then, its skip on CI is expected and must stay green.