22:35

Ejemplo de un doc OpenAPI:

```
openapi: 3.0.1
  title: Book Store
  version: 0.0.1
description: Orianna's books collection
paths:
      summary: All Books description: Lists the books in the collection
      responses:
           description: OK
           content:
                schema:
    $ref: '#/components/schemas/books'
                    $ref: '#/components/examples/books'
         '400':
          description: Error fetching the books.
      summary: Add a book
requestBody:
    required: true
         content:
             schema:
             $ref: '#/components/schemas/books'
         '201':
           description: OK
         '400':
| description: Error in the request.
    parameters:
     - $ref: '#/components/parameters/id'
      summary: Get a book
description: List an specific book
      responses:
           description: OK
           content:
                schema:
                  $ref: '#/components/schemas/book'
         '404':
          description: Invalid ID
```

```
summary: Update a book
description: ''
      requestBody:
required: true
         content:
             schema:

$ref: '#/components/schemas/book'
      responses:
         '200':
description: OK
          400':
   description: Invalid request.
      summary: null description:
      requestBody:
required: true
         content:
              $ref: '#/components/schemas/book'
      responses:
| '200':
| description: OK
| '400':
           description: Invalid request.
url: http://localhost:3000/
 parameters:
     description: Book's identificator
     name: book id
in: path
     require: true
schema:
$ref: '#/components/schemas/id'
     type: string format: uuid
     description: a unique book identifier
      type: object
      properties:
_id:
          type: string
format: uuid
description: a unique book identifier
          type: string
description: book's name
```

OpenAPI - Ejercicio

• Genera el documento OpenAPI para el ejercicio del cine



Ejercicio (cont.)	□ _k	9
Diseña un servicio web basado en REST Define las diferentes rutas que necesitamos Piensa en las diferentes acciones que se pueden realizar Piensa en ejemplos de mensaje y los campos que debería tener Considera los códigos de estado	an	
CEU Son Pinto	REST	65

```
cineOpenAPI.yaml cineOpenAPI.yaml
   openapi: 3.0.0
                                                                                                  paths:
     title: Cine
     description: API de peliculas y sesiones
   paths:
     /peliculas:
         summary: Lista Peliculas
description: Lista todas las peliculas disponibles
            application/json:
                $ref: '#/components/schemas/peliculas'
          responses:
              "200":
                description: OK.
              "400":
              description: Error, Solicitud Invalida.
                description: Error. No encontrado.
          summary: Agrega Peliculas
          description: Agrega una Pelicula a la lista.
          requestBody:
            content:
              application/json:
                schema:

$ref: '#/components/schemas/pelicula'
                  example:
                    $ref: '#/components/examples/pelicula'
          responses:
"201":
              description: Pelicula Agregada
            "400":
              description: Error. Solicitud Invalida.
            "409":
             description: Error.
      /peliculas/{id}:
          parameters:
            schema:
              $ref: '#/components/schemas/id'
          put:
| summary: Actualizar una pelicula
            requestBody:
required: true
                $ref: '#/components/schemas/pelicula'
exampleObject:
                 $ref: '#/components/examples/pelicula'
            responses:
              "201":
                description: Pelicula Actualizada
              "400":
                description: Error. Solicitud Invalida.
```

```
! cineOpenAPI.yaml cineOpenAPI.yaml
       /peliculas/{id}:
          put:
               "404":
           delete:
             summary: Borrar una pelicula
             requestBody:
               required: true
               content:
                 application/json:
                   schema:
                  $ref: '#/components/schemas/pelicula'
                 exampleObject:
                 $ref: '#/components/examples/pelicula'
               "204":
                description: OK
                description: Error.
      - url: 'http://localhost:3000/api/cine'
     components:
       schemas:
           type: string
           format: uuid
           description: Identificador único de peliculas
         peliculas:
           type: array
           description: Una lista de peliculas
           items:
               $ref: '#/components/schemas/pelicula'
           type: object
           properties:
              $ref: '#/components/schemas/id'
              type: string
             duration:
              type: number
              description: Durations in minutes
             director:
               type: string
       examples:
         pelicula:
           value:
             id: f81d4fae-7dec-11d0-a765-00a0c91e6bf6
             title: Capitan América 2
             duration: 140
             director: Los hermanos Russo
```