

Seamless TinyML lifecycle management

In Software Engineering Project with Helsinki University CS

16/01/2023

Origami@NEXUS

Basic info (1/2)

- Here's the original **announcement**
- Here's our proposal, **Seamless TinyML lifecycle management**
- 5 students are assigned to our project.
- 15 working hours / week / student is expected.
- The project duration, 14 weeks (week 3-16), is scheduled.
 - 15 hours * 14 weeks * 5 students
 - = 1050 hours / 7.5 hour
 - = 140 man days / 22
 - = 6.4 man month
 - Which SBI workload unit to use? (e.g. 3 hours, 7.5 hours or 15 hours)

Basic info (2/2)

Milestone

1. MWC is at the end of FEB. on **week 9**.
2. NEXUS Demo day is on 27th March on **week 13**.

Project duration:

1. Originally, 14 weeks, Week 3-16
2. Preferably, 12 weeks, Week 3-14
3. Ideally, 10 weeks, Week 3-12

Weekly workforce

- $15 \text{ hours} * 14 \text{ weeks} = 210 \text{ hours}$
1. Originally, $210 \text{ hours} / 14 \text{ weeks} = 15 \text{ hours/week}$
 2. Preferably, $210 \text{ hours} / 12 \text{ weeks} = 17.5 \text{ hours/week}$
 3. Ideally, $210 \text{ hours} / 10 \text{ weeks} = 21 \text{ hours/week}$

Can UI (Dashboard & Control panel) parts be prioritized to meet some milestones?

Project goal (1/2)

We will reproduce [Roberto's demo video](#), adding its ML training phase, along with TinyML MCU. While this demo uses relatively large hardware which may not belong to TinyML strictly (e.g. TinyML should run on RTOS but not on Linux), we are gradually migrating to TinyML MCUs. There are 4 benefits of starting with the original setting:

1. Jetson nano is a standalone GPU, where we run the following app locally at once before starting pipelining on other nodes.
 - Computer vision app, inc. ML models
 - dashboard on a webserver
 - Jupyter notebook

Project goal (2/2)


2. We could learn from Jetson nano mature tool-stack what kind of tool-stack is still missing to implement TinyMLaaS.
3. We could start with this existing demo immediately with runnable CI, and
4. We are polishing it more fancy gradually towards TinyML as-a-Service.
5. We could gradually migrating to TinyML by adding or replacing a node one by one.
 - For example, we could replace the data acquisition node with:
 - a. Camera sensor + Arduino Nano 33 BLE Sense + RPI (for IP)
 - b. Camera sensor + RPI pico with WiFi

Our final goal is to run ML on a microcontroller node but it's better to start with the safer configuration at first.


MVP journey

We should always have a runnable MVP automatically generated by CI/CD at every Sprint.

Not like this....



Like this!




MVP0

Jetson nano is almost a laptop with GPU so that everything should work standalone.


ML pipeline

1. Object detection
2. -> face detection
3. -> Person identification pipeline




MVP0 -> MVP1

MVP0: Standalone ML processing




MVP1: Add MCU via SPI to collect data




At first, we could push sensor part out via I2C.

MVP1 -> MVP2

MVP1: Add MCU via SPI to collect data




MVP2: Connect via network




To orchestrate ML, IP connection is convenient so that we insert RPI between Jetson and MCU.

MVP2 -> MVP3

MVP2: Connect via network





MVP3: Offloading with TinyML





Run a small part of ML processing (ML2) as TinyML on MCU.

MVP3 -> MVP4



Factor out UI on Cloud. This part could be done independently from TinyML.


MVP4 -> MVP5




Run some part of ML processing (ML0) on Cloud.

MVP5 -> MVP6

MVP5: Add Cloud ML




MVP6: Parallelized ML processing




No cascading MLs but parallelizing with nodes.

MVP7

MVP6: Parallellized ML processing



MVP7: TinyML as-a-Service




Get rid of Jetson nano but only with TinyMLaaS.

TDD / CI / CD / Acceptance test

How it works

1. Developer sends RP to repository
2. Kicked Github workflow (action)
3. Starts CI / CD
4. Run acceptance tests on 3 envs
 - a. Container with **mock** Cam
 - b. Jetson nano with **mock** Cam
 - c. MCU with **mock** Cam
5. Merge Changes once all tests pass.
6. Store Artifacts
 - installable images
7. Always Runnable system to demo



Kick-off meeting Agenda (1/3)

- Scheduled on 16th JAN (MON)

Get familiar with all participants. Everyone introduces oneself

1. What one can do
2. What one wants to do
3. How one sees this project

Will explain **Project goal**

- We should present **demo video 1** & **demo video 2**

Set up a **SCRUM** team (e.g. specify each role in the project)

- SM: HU instructor + **Michihito Mizutani**
- PO: **Roberto Morabito**
- Developer: 5 students
- ML support: **Hiroshi Doyu**
- Customer: Perttu & Samuli would review the outcome of increment in bi-weekly

User story mapping

- Specify PBIs always as GitHub issues, which need to be a PR and it automatically runs CI/CD as acceptance tests.
- Estimate PBI effort
- Specify acceptance tests
- 1 increment == 2 sprint
- 1st sprint planning should be done on 16th.

Kick-off meeting Agenda (3/3)

Agree on WoW in SCRUM

- Use Github project KANBAN
- Use **Discord channel** to communicate or Slack?
- Agree on scheduling a Daily meeting day & time
- 1 increment == 2 sprint
- 1st sprint should have some **Architecture investigation** to find out which components are reusable.
- 1st sprint should have a ZFR (Zero Feature Release) to make sure that CI/CD works on Github workflow (action) without any features (or just with existing components)
- We should run CI/CD to reproduce the current Roberto's demo story at first, without a training part. If HW is not available, it could be simulated.

Architecture investigation @Roberto?

- How should we understand Roberto's demo architecture?
 - Any architecture document?
 - Any architecture block diagram?
 - Any flow diagram?
 - Any list of components used? which could be reused and which not, since the outcome of this project would be opensource'ed.
 - Any list of software frameworks each components uses?
- Should we map each Seamless TinyML lifecycle management's phase on this demo scenario?
- Should we make sure which phases are still missing? (e.g. "2. Model training")

Mapping 6 Seamless TinyML lifecycle to this project

Phase #	Name	Early phase	Demo
1	Data collection	Simulated	RPI pico + Cam
2	Model training	Missing	On Cloud VM?
3	Model squeezing	ML compiler	ML compiler
4	Model splitting	Standalone	Pipelining
5	Model deployment	Standalone	TBI
6	Model update	Dashboard	Control panel

Remaining questions

- What's the main purpose of this project from students' perspective? (e.g. experience Agile development)
- How long can the 16th meeting be allocated? (e.g. 3-4 hours with lunch break)
- What kind of competency are students generally expected? (e.g. Python, JS, Java, Frontend, Embedded)
- Can student's weekly working hours be negotiable? (e.g. 15 hours with 14 weeks -> 17.5 hours with 12 weeks)

Origami

<https://Origami-TinyML.github.io/blog/about.html>