

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta name="twitter:card" content="summary_large_image">
  <meta name="twitter:site" content="@website_account">
  <meta name="twitter:creator" content="@author_account">
  <meta name="twitter:url" content="https://example.com/blog-post.html">
  <meta name="twitter:title" content="Amazing Blog Post">
  <meta name="twitter:description" content="Check out this incredible blog post
about technology!">
  <meta name="twitter:image" content="https://example.com/blog-post-image.jpg">
  <title>Twitter Card Example</title>
</head>
<body>
  <h1>Twitter Card Example</h1>
  <p>Learn how to create Twitter Cards for your content.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <link href="https://plus.google.com/+YourCompany" rel="publisher">
  <meta itemprop="name" content="Exciting Product Launch">
  <meta itemprop="description" content="Join us for the unveiling of our latest
product!">
  <meta itemprop="image" content="https://example.com/product-launch-image.jpg">
  <title>Structured Data Example</title>
</head>
<body>
  <h1>Structured Data Example</h1>
  <p>Learn about using structured data for rich snippets.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0">
  <title>Viewport Example</title>
</head>
<body>
  <h1>Viewport Example</h1>
```

```
<p>This page demonstrates the usage of the viewport meta tag.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta http-equiv="refresh" content="10">
  <title>Refresh Example</title>
</head>
<body>
  <h1>Refresh Example</h1>
  <p>This page will automatically refresh after 10 seconds.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta name="format-detection" content="telephone=no">
  <title>Format Detection Example</title>
</head>
<body>
  <h1>Format Detection Example</h1>
  <p>This page prevents automatic detection of phone numbers.</p>
  <p>If you write a phone number like 123-456-7890, it won't be automatically
recognized as a clickable phone link.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta http-equiv="refresh" content="10;url=https://www.anotherexample.com/" />
  <title>Redirect Example</title>
</head>
<body>
  <h1>Redirect Example</h1>
  <p>This page will automatically redirect to another URL after 10 seconds.</p>
  <p>If you don't want to wait, you can <a
href="https://www.anotherexample.com/">click here to go to the new page</a>.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta name="mobile-web-app-capable" content="no">
  <title>Mobile Web App Example</title>
</head>
<body>
  <h1>Mobile Web App Example</h1>
  <p>This page is not designed to be displayed as a standalone web application on
Android Chrome.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta name="apple-mobile-web-app-capable" content="yes">
  <title>iOS Web App Example</title>
</head>
<body>
  <h1>iOS Web App Example</h1>
  <p>This page is designed to be displayed as a standalone web application on iOS
devices.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta name="theme-color" content="blue">
  <title>Android Chrome Theme Color Example</title>
</head>
<body>
  <h1>Android Chrome Theme Color Example</h1>
  <p>This page defines the theme color for Android Chrome as blue.</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta name="apple-mobile-web-app-status-bar-style" content="default">
<title>iOS Status Bar Style Example</title>
</head>
<body>
  <h1>iOS Status Bar Style Example</h1>
  <p>This page defines the status bar style for iOS as default.</p>
</body>
</html>
```