

**Jessup Manufacturing Company**

2815 West Route 120  
McHenry, Illinois 60051  
Jessupmfg.com





## NON-SLIP FILMS

Tapes, treads, custom parts








## LEADER IN NON-SLIP TECHNOLOGY

Jessup Manufacturing is a leader in non-slip technology offering a full line of tapes, treads, mats, and bulk materials for industrial, commercial, and institutional use.

All of Jessup's best-selling Safety Track® and Flex Track® tapes come in many sizes and can be custom-sized and die-cut to meet your specific requirements. Our engineers can recommend the right product to work for your specific environment and usage. Custom die-cutting to fit walkways, production areas, stairs, ramps, marine decks, and designated safety areas can further reduce injuries and provide visual cues for a safer workplace.

Jessup makes three main types of non-slip material: grit, resilient, and vinyl.





GRIT, RESILIENT, VINYL

Jessup non-slip materials are preferred by safety engineers and maintenance professionals for quality, availability and customization. Jessup non-slip products have been made in Illinois for more than 60 years. Safety Track® and Flex Track® brands are available to businesses and consumers through maintenance, repair, and operations (MRO) distributors and major retailers.

| Series | Type      | Grade            |
|--------|-----------|------------------|
| 3100   | Grit      | Commercial       |
| 3200   | Grit      | Heavy Duty       |
| 3300   | Grit      | Commercial       |
| 3400   | Grit      | Photoluminescent |
| 3500   | Resilient | Medium Resilient |
| 3600   | Resilient | Heavy Duty       |
| 3700   | Grit      | Conformable      |
| 3800   | Grit      | Military         |
| 4100   | Vinyl     | Fine             |
| 4200   | Vinyl     | Coarse           |
| 4215   | Vinyl     | Coarse           |

Materials are available to businesses and consumers through MRO distributors and major retailers.



ADHESIVE SCIENCE

Name the performance attribute you need and Jessup can match it to the right adhesive. Frequent requests include:

- High tack
- Removable
- Low surface energy
- High shear
- High temperature
- Low temperature
- Chemical resistant
- Corrosion resistant
- High coat weight




## TESTING AND CERTIFICATION

Jessup Safety Track® and Flex Track® brands exceed Occupational Safety and Health Administration (OSHA) and Americans with Disabilities Act (ADA) standards for non-slip protection on hazardous surfaces. Jessup products are also certified “High Traction” by the National Floor Safety Institute (NFSI).

Tests include peel adhesion, shear adhesion, tack, thickness, and UV stability.

Photoluminescent non-slip tapes and treads are certified to the American Society for Testing and Materials (ASTM) and New York City (MEA #235-05-M) standards.

Safety Track® Military Grade exceeds MIL-PRF-24667C Type XI.




## PRIVATE LABEL, CUSTOM, CONVERTING

Jessup specializes in adhesive coated non-slip films and supplies parts for all kinds of manufactured goods—from consumer products to the decks of warships. Our custom coating and complete converting capabilities enable us to create the material type, performance, and shape for any application.

Jessup can convert materials in many ways, including slitting, sheeting, laser cut, kiss cut, back-slit, score, perforate, print, and more.

Jessup non-slip tapes go into many industries, including industrial safety, transportation, defense, hospitality, graphics, commercial construction and consumer goods.



## SOLVE + MAKE™



If Jessup's best selling Safety Track® and Flex Track® non-slip tapes and treads are not perfect for your application, please contact us to develop your specific material or part. With Jessup's Solve + Make™ service, we can combine grit, resilient, textured vinyl, or your own specified material with the adhesive, liner, and converting that you require. Our engineers will help you develop the product, test it, certify as required, and manage your supply chain needs.



# SAFETY TRACK® COMMERCIAL GRADE – 3100

Safety Track® Commercial Grade non-slip 80 grit tape is designed for general purpose applications. This product has been engineered to exceed OSHA standards by providing a durable, consistent, non-slip surface. The silicon carbide grit ensures durability in both indoor and outdoor applications. The adhesive system aggressively bonds to substrates and is very durable.

Safety Track® 3100 series tapes and treads help prevent slips on floors, stairs, ramps, and sports equipment.



Jessup The Original® griptape used by pro skateboarders worldwide



**Safety Track® 3100**  
Commercial grade comes in a large choice of tape widths and tread sizes.

Best-selling Safety Track® Commercial Grade non-slip tape and treads are chosen by safety engineers, plant managers, and facilities engineers to reduce slips, trips and falls.





## SAFETY TRACK® HEAVY DUTY GRADE – 3200

Safety Track® Heavy Duty grade non-skid 46 grit tape is a premium product made of silicon carbide grit. It stands up to the oil, diesel fuel, and mud found in the most extreme conditions in mining, refining, agriculture, manufacturing, construction, and many other industries. This product delivers a consistent, long-lasting “high slip resistance” performance under the toughest conditions.

# 3200




### Safety Track® 3200

Heavy duty grade comes in many tape widths and tread sizes and can be laser cut into any shape.



## SAFETY TRACK® COMMERCIAL GRADE COLORS – 3300



### Safety Track® 3300

Commercial Grade comes in a large choice of colors, tape widths and tread sizes, including popular yellow and black stripe.

Safety Track® Commercial Grade non-skid 60 grit tape has been designed for general purpose applications. This product has been engineered to exceed OSHA standards by providing a durable, consistent, non-slip surface. The aluminum oxide grit ensures durability in both indoor and outdoor applications. The adhesive system aggressively bonds to substrates and is very durable. The collection includes hazard striped message treads and popular safety yellow, red, and orange, among others.

### Available Colors

3305 Clear  
3310 Snow White  
3315 Safety Red  
3320 Safety Orange  
3325 Dark Blue  
3330 Light Blue  
3335 Safety Yellow  
3340 Brick Red  
3345 Medium Brown  
3350 Concrete Gray  
3355 Green  
3358 Speckled Yellow  
3360 Yellow/Black Stripe  
3365 Red/White Stripe  
3370 Granite  
3380 Neon Green  
3385 Neon Pink  
3390 Neon Yellow  
3395 Camouflage  
3398 Purple

### Mop Friendly

3336 Safety Yellow  
3375 Black

# 3300



SAFETY TRACK® GLO BRITE® PHOTOLUMINESCENT – 3400

Safety Track® Glo Brite® photoluminescent non-slip egress tapes and treads glow to show the way out in the event of a sudden power outage. These tapes reduce the risk of slips and falls and are designed for marking stairs and corridors as part of an emergency egress route. Manufactured with the same aggressive adhesive system as other Safety Track® products, Safety Track® Glo Brite® products adhere to clean, dry, oil-free substrates. They meet rigid ASTM and NYC (MEA #235-05-M) standards.



3400

Use **Safety Track® Glo Brite®** grit tapes and treads with Glo Brite® exit signs and egress tapes to meet all egress code requirements.




SAFETY TRACK® RESILIENT MEDIUM GRADE – 3500

Safety Track® Resilient Medium Grade is designed for heavy shoe traffic, yet it's comfortable for bare feet. Made of rubberized vinyl with a secure, non-abrasive texture, Safety Track® Resilient is ideal for both commercial and industrial indoor applications. It's certified "High Traction" by the National Floor Safety Institute (NFSI) and it's also mop-friendly for easy cleaning.



3500

Use **Safety Track® Resilient** for secure footing at door thresholds, stairs, vehicles, and equipment where safe footing is essential.





SAFETY TRACK® RESILIENT HEAVY DUTY GRADE – 3600

Safety Track® Resilient Heavy Duty Grade is designed for heavier traffic in tougher environments. Made of rubberized vinyl with a secure, non-abrasive texture, Safety Track® Resilient Heavy Duty Grade can be used in cargo planes, ship consoles, and a wide range of floor applications both indoors and outdoors.



3600

**Safety Track® 3600**  
High slip resistant surface designed for indoor and outdoor applications.



SAFETY TRACK® CONFORMABLE – 3700

Safety Track® Conformable 60 grit tapes and treads conform to irregular surfaces like radius corners, bends, ladder stairs, diamond tread plate, and other deeply textured surfaces. It is designed for heavy traffic in tough environments and has excellent stability in high and low temperature ranges. Made with foil, Safety Track® Conformable is also very durable.


**Safety Track® 3700**  
Foil backed, non-slip tape designed for irregular and raised surfaces.

3700





SAFETY TRACK® MILITARY GRADE – 3800



Safety Track® Military Grade peel-and-stick 36 grit tapes and treads are approved by NAVSEA under MIL-PRF-24667C Type XI. With a very heavy grit designed for decks of vessels used by the U.S. Navy, U.S. Coast Guard, and U.S. Marine Corps, Jessup's Mil spec product stands up to harsh marine environments, equipment abrasions, heavy traffic, and temperature fluctuations. As with all Jessup products, Safety Track® Military Grade is made in the USA.

**Jessup Safety Track® 3800 Peel-and-Stick exceeds MIL-PRF-24667C Type XI**

**Safety Track® 3800**  
Engineered to perform in extreme environments, anti-slip peel and stick exceeds MIL-PRF-24667C Type XI.

3800

FLEX TRACK® FINE GRADE – 4100


Flex Track® Fine Grade peel-and-stick treads, bathtub mats, and tapes are used to prevent slips and falls in homes, health clubs, long term care facilities, and other places where people walk in socks or bare feet. This product is especially effective preventing slips and falls in wet, slippery areas such as baths and showers. It also works well for exercise areas and fitness equipment.

Flex Track® Fine Grade is made of non-abrasive embossed PVC with an adhesive system engineered for indoor use.



4100

**FlexTrack® 4100**  
Engineered for foot friendly, non-slip indoor applications.






FLEX TRACK® COARSE GRADE – 4200

Flex Track® Coarse Grade is a heavily embossed, anti-slip PVC that was developed for excellent traction for vehicles and equipment like lawn mowers, boat trailers, high impact exercise equipment and other applications that require safety for active movement.

4200



**Flex Track® 4200**  
General purpose vinyl embossed anti-slip that adheres to metal, sealed wood and most plastics.



MESSAGING FILMS – 4215


Flex Track® Messaging Films provide important safety messages in your facility while providing non-slip surfaces for foot or vehicle traffic. All of Jessup's Messaging Films are designed to meet OSHA 1910.145 specifications for accident prevention, signs and tags. Popular messages include Caution, Slippery When Wet, Caution Do Not Enter, Fire Exit and more.



4215

| Color               | Message                 | Width    |
|---------------------|-------------------------|----------|
| Red/White Stripe    | –                       | 2 inches |
| Yellow/Black Stripe | –                       | 2 inches |
| Red/White Stripe    | –                       | 3 inches |
| Yellow/Black Stripe | –                       | 3 inches |
| Yellow/Black Stripe | CAUTION                 | 3 inches |
| Yellow/Black Stripe | CAUTION DO NOT ENTER    | 3 inches |
| Yellow/Black Stripe | CAUTION WATCH YOUR STEP | 3 inches |
| Yellow/Black        | SLIPPERY WHEN WET       | 3 inches |
| White/Green         | EMERGENCY EYE WASH      | 3 inches |
| White/Green         | EMERGENCY SHOWER        | 3 inches |
| White/Red           | EXIT →                  | 3 inches |
| White/Red           | ← EXIT                  | 3 inches |
| White/Red           | FIRE EXIT               | 3 inches |
| White/Black         | SEVERE WEATHER SHELTER  | 3 inches |
| White/Black         | TORNADO SHELTER         | 3 inches |

Jessup can print customized message tape for you. Specify colors, message and logo.





APPLICATION GUIDE



































| Applications           | Safety Track® Series |      |      |      |      |      |      |      | Flex Track® Series |      |      |
|------------------------|----------------------|------|------|------|------|------|------|------|--------------------|------|------|
|                        | 3100                 | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 4100               | 4200 | 4215 |
| Farm machinery         | ●                    | ●    | ●    |      |      |      | ●    | ●    |                    |      |      |
| Construction equipment | ●                    | ●    | ●    |      |      |      | ●    | ●    |                    |      |      |
| Forklifts              | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Cherry pickers         | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Recreational vehicles  | ●                    | ●    | ●    |      | ●    | ●    | ●    |      |                    | ●    |      |
| Snowmobiles            | ●                    | ●    | ●    |      | ●    | ●    | ●    |      |                    | ●    |      |
| ATVs                   | ●                    | ●    | ●    |      | ●    | ●    | ●    |      |                    | ●    |      |
| Garden tractors        | ●                    | ●    | ●    |      | ●    | ●    | ●    |      |                    | ●    |      |
| Lawn mowers            | ●                    | ●    | ●    |      | ●    | ●    | ●    |      |                    | ●    |      |
| Wet and oily areas     | ●                    | ●    | ●    |      |      |      | ●    |      |                    |      |      |
| Loading docks          | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      | ●    |
| Cold storage           | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Catwalks               | ●                    | ●    | ●    | ●    |      | ●    | ●    |      |                    |      |      |
| Platforms              | ●                    | ●    | ●    | ●    |      | ●    | ●    |      |                    |      | ●    |
| Ramps                  | ●                    | ●    | ●    | ●    |      | ●    | ●    |      |                    |      | ●    |
| Ladders                | ●                    | ●    | ●    | ●    | ●    | ●    | ●    |      |                    |      |      |
| Scaffolds              | ●                    | ●    | ●    | ●    | ●    | ●    | ●    |      |                    |      |      |
| Step stools            | ●                    |      | ●    | ●    | ●    | ●    | ●    |      |                    |      |      |
| Conveyors              | ●                    |      | ●    | ●    | ●    | ●    |      |      |                    |      |      |
| Crossovers             | ●                    |      | ●    | ●    | ●    | ●    |      |      |                    |      |      |
| Pulleys                | ●                    |      | ●    | ●    | ●    | ●    |      |      |                    |      |      |
| Factory floor          | ●                    | ●    | ●    | ●    |      |      |      |      |                    |      | ●    |
| Machine shop           | ●                    | ●    | ●    | ●    |      |      |      |      |                    |      | ●    |
| Auto service area      | ●                    | ●    | ●    | ●    |      |      |      |      |                    |      | ●    |
| Garage                 | ●                    | ●    | ●    | ●    |      |      |      |      |                    |      | ●    |

APPLICATION GUIDE (CONT.)

| Applications             | Safety Track® Series |      |      |      |      |      |      |      | Flex Track® Series |      |      |
|--------------------------|----------------------|------|------|------|------|------|------|------|--------------------|------|------|
|                          | 3100                 | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 4100               | 4200 | 4215 |
| Steps, Stairs, Platforms | ●                    |      | ●    | ●    | ●    | ●    | ●    |      |                    |      |      |
| Aircraft decks           | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Aircraft cargo holds     | ●                    | ●    | ●    |      |      | ●    | ●    | ●    |                    |      |      |
| Aircraft ladders         | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Trains                   | ●                    | ●    | ●    |      |      | ●    | ●    | ●    |                    |      |      |
| Train platforms          | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Semi-trailers            | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Buses                    | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Ship decks               | ●                    | ●    | ●    |      |      | ●    | ●    | ●    |                    |      |      |
| Ship bridge              | ●                    | ●    | ●    |      |      | ●    | ●    |      |                    |      |      |
| Water skis               |                      |      |      |      | ●    | ●    |      |      |                    |      |      |
| Surfboard                |                      |      |      |      | ●    | ●    |      |      |                    |      |      |
| Jet boards               |                      |      |      |      | ●    | ●    |      |      |                    |      |      |
| Boat skis                |                      |      |      |      | ●    | ●    |      |      |                    |      |      |
| Swimming pools           |                      |      |      |      | ●    | ●    |      |      |                    |      |      |
| Pool accessories         |                      |      |      |      | ●    | ●    |      |      |                    |      |      |
| Diving boards            |                      |      |      |      | ●    | ●    |      |      |                    |      |      |
| Bathroom                 |                      |      |      |      | ●    |      |      |      | ●                  | ●    |      |
| Bathtubs                 |                      |      |      |      | ●    |      |      |      | ●                  | ●    |      |
| Shower                   |                      |      |      |      | ●    |      |      |      | ●                  | ●    |      |
| Fitness room             | ●                    | ●    | ●    |      | ●    | ●    |      |      | ●                  | ●    |      |
| Food service area        | ●                    |      | ●    |      | ●    | ●    |      |      |                    |      |      |
| Kitchen                  | ●                    |      | ●    |      | ●    | ●    |      |      |                    |      |      |








GRIT PRODUCT SELECTION GUIDE





















| Series Number        | Grade        | Composition         | Adhesive                        | Color   |                     | Sizes (Rolls are 60 ft in length)   | Certifications                    |
|----------------------|--------------|---------------------|---------------------------------|---|---------------------|---|-----------------------------------|
| 3100                 | Commercial   | Silicon Carbide     | High Tack 001 (Aggressive)      |    | Black               | 0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 8, 12, 18, 24, 36, 48, 5.5x5.5, 0.75x24, 6x24, 6x24-REF, 6x24-PL | OSHA, ADA, NFSI “High Traction”   |
| 3100-002             | Commercial   | Silicon Carbide     | High Temp 002 (Very Aggressive) |    | Black               | 0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 8, 12, 18, 24, 36, 48, 5.5x5.5, 0.75x24, 6x24, 6x24-REF, 6x24-PL | OSHA, ADA, NFSI “High Traction”   |
| 3200                 | Heavy Duty   | Silicon Carbide     | High Tack 001 (Aggressive)      |    | Black               | 0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 12, 18, 24, 36, 48, 5.5x5.5, 0.75x24, 6x24                       | OSHA, ADA, NFSI “High Traction”   |
| 3200-002             | Heavy Duty   | Silicon Carbide     | High Temp 002 (Very Aggressive) |    | Black               | 0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 12, 18, 24, 36, 48, 5.5x5.5, 0.75x24, 6x24                       | OSHA, ADA, NFSI “High Traction”   |
| 3305                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Clear               | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3310                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Snow White          | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3315                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Safety Red          | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3320                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Safety Orange       | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3325                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Dark Blue           | 1, 2, 3, 4, 6, 12, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3330                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Light Blue          | 1, 2, 3, 4, 6, 12, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3335                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Safety Yellow       | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3335 CAUTION         | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Safety Yellow       | 3   | OSHA, ADA, NFSI “High Traction”   |
| 3336                 | Mop Friendly | Spherical Aggregate | High Tack 001 (Aggressive)      |    | Safety Yellow       | 1, 2, 4, 6  | OSHA, ADA, NFSI “High Traction”   |
| 3340                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Brick Red           | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3345                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Medium Brown        | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3350                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Concrete Gray       | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3355                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Green               | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3358                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Speckled Yellow     | 1, 2, 3, 4, 6, 12, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3360                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Yellow/Black Stripe | 1, 2, 3, 4, 6, 12, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3360 CAUTION         | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Yellow/Black Stripe | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, 6x24  | OSHA, ADA, NFSI “High Traction”   |
| 3360 WATCH YOUR STEP | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |    | Yellow/Black Stripe | 6X24  | OSHA, ADA, NFSI “High Traction”   |
| 3360 SLIPPING MAN    | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |   | Yellow/Black Stripe | 6X24  | OSHA, ADA, NFSI “High Traction”   |
| 3365                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |  | Red/White Stripe    | 6X24  | OSHA, ADA, NFSI “High Traction”   |
| 3370                 | Commercial   | Silicon Carbide     | High Tack 001 (Aggressive)      |  | Granite             | 1, 2, 3, 4, 6, 12, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3375                 | Mop Friendly | Spherical Aggregate | High Tack 001 (Aggressive)      |  | Black               | 1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, 0.75X24, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3380                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |  | Neon Green          | 1, 2, 3, 4, 6, 12, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3385                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |  | Neon Pink           | 2, 4, 6, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3390                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |  | Neon Yellow         | 2, 4, 6, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3395                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |  | Camouflage          | 2, 4, 6, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3398                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |  | Purple              | 2, 4, 6, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3420                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |  | Photoluminescent    | 1, 2, 3, 4, 6, 12, 6x24   | OSHA, ADA, NFSI “High Traction”   |
| 3450                 | Commercial   | Aluminum Oxide      | High Tack 001 (Aggressive)      |  | Photoluminescent    | 1, 2, 3, 4, 6, 12, 18, 24, 6x24, Arrow, Circle  | OSHA, ADA, NFSI “High Traction”   |
| 3700                 | Conformable  | Silicon Carbide     | High Tack 001 (Aggressive)      |  | Black               | 1, 2, 3, 4, 6, 12, 18, 24   | OSHA, ADA, “High Traction”        |
| 3760                 | Conformable  | Silicon Carbide     | High Tack 001 (Aggressive)      |  | Yellow/Black Stripe | 1, 2, 3, 4, 6, 12, 6x24   | OSHA, ADA, “High Traction”        |
| 3810                 | Military     | Aluminum Oxide      | High Temp 002 (Very Aggressive) |  | Black               | 1, 2, 4, 6, 12, 18  | OSHA, ADA, MIL-PRF-24667C Type XI |
| 3820                 | Military     | Aluminum Oxide      | High Temp 002 (Very Aggressive) |  | Gray                | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24, 2x2, 2x3, 3x3, 3x4, 4x5                                | OSHA, ADA, MIL-PRF-24667C Type XI |



RESILIENT PRODUCT SELECTION GUIDE

| Series Number | Grade      | Composition                    | Adhesive                   | Color   |       | Sizes (Rolls are 60 ft in length)       | Certifications                  |
|---------------|------------|--------------------------------|----------------------------|---|-------|---|---------------------------------|
| 3510          | Commercial | Rubberized Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Black | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24 | OSHA, ADA, NFSI “High Traction” |
| 3520          | Commercial | Rubberized Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Gray  | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24 | OSHA, ADA, NFSI “High Traction” |
| 3530          | Commercial | Rubberized Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Clear | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24 | OSHA, ADA, NFSI “High Traction” |
| 3610          | Coarse     | Rubberized Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Black | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24 | OSHA, ADA, “High Traction”      |
| 3620          | Coarse     | Rubberized Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Gray  | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24 | OSHA, ADA, High Traction”       |

VINYL PRODUCT SELECTION GUIDE

| Series Number | Grade             | Composition                  | Adhesive                   | Color   |  | Sizes (Rolls are 60 ft in length except 4215 series which are 54 ft)                 | Certifications |
|---------------|-------------------|------------------------------|----------------------------|---|--|--|----------------|
| 4100          | Commercial        | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | White                                    | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 0.75x36, 0.75x7.5, 0.75x17.5, 16x34, 16x40, 24x24 | OSHA, ADA      |
| 4100CL        | Commercial        | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Clear                                    | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 0.75x7.5, 0.75x17.5, 16x34                        | OSHA, ADA      |
| 4100S         | Commercial        | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Sandstone                                | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 0.75x36, 0.75x7.5, 0.75x17.5, 16x34, 16x40, 24x24 | OSHA, ADA      |
| 4200          | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Black                                    | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48  | OSHA, ADA      |
| 4210          | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Clear                                    | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48  | OSHA, ADA      |
| 4215-0150     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Yellow/Black Stripe                      | 2  | OSHA, ADA      |
| 4215-0151     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Red/White Stripe                         | 2  | OSHA, ADA      |
| 4215-0152     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Yellow/Black Stripe                      | 3  | OSHA, ADA      |
| 4215-0153     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Yellow/Black Stripe CAUTION DO NOT ENTER | 3  | OSHA, ADA      |
| 4215-0154     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Yellow/Black Stripe CAUTION              | 3  | OSHA, ADA      |
| 4215-0155     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Yellow/Black Stripe WATCH YOUR STEP      | 3  | OSHA, ADA      |
| 4215-0156     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |    | Green/White EMERGENCY                    | 3  | OSHA, ADA      |
| 4215-0157     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Green/White EMERGENCY SHOWER             | 3  | OSHA, ADA      |
| 4215-0158     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Red/White EXIT ➡                         | 3  | OSHA, ADA      |
| 4215-0159     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Red/White FIRE EXIT                      | 3  | OSHA, ADA      |
| 4215-0160     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Red/White Stripe                         | 3  | OSHA, ADA      |
| 4215-0161     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Black/White WEATHER SHELTER              | 3  | OSHA, ADA      |
| 4215-0162     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Yellow/Black SLIPPERY                    | 3  | OSHA, ADA      |
| 4215-0163     | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | Black/White TORNADO SHELTER              | 3  | OSHA, ADA      |
| 4220          | Heavy Duty/Coarse | Embossed Poly Vinyl Chloride | High Tack 001 (Aggressive) |  | White                                    | 1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 16x34   | OSHA, ADA      |





## NON-SLIP SOLUTIONS + **MADE RIGHT**

Jessup continuously improves non-slip products through innovation, responding to the changing needs of our customers and utilizing the latest material science technology. Applications for one industry can lead to breakthroughs in another. Materials for construction and commerce can adapt beautifully for homes and play.

### START A CONVERSATION

Let Jessup make your non-slip material. Contact Jessup Manufacturing to discuss your project by visiting [jessupmfg.com](http://jessupmfg.com) or calling 888-711-7735.

