

How Quantum Is the Advantage? A Fair, Calibration- and Noise-Aware Benchmark and Attribution Audit of Quantum Machine Learning for Network Intrusion Detection

Syeda Anshrah Gillani^{a,1,*}, Mirza Samad Ahmed Baig^{b,1}

^a*Hamdard University, Karachi, Pakistan*

^b*Fandaqah, Al Khobar, Saudi Arabia*

Abstract

Quantum machine learning (QML) for network intrusion detection (NIDS) is routinely reported to reach near-perfect accuracy, yet the field’s most rigorous studies find that well-tuned classical models remain competitive or superior on tabular IDS data and that apparent quantum gains may be artefacts of classical dimensionality reduction and implicit regularisation rather than genuine quantum effects. We ask not whether a quantum model can post a high accuracy, but *how quantum the advantage really is*, and we supply the fair yardstick the field lacks. We present a unified, reproducible QML-IDS benchmark that evaluates hybrid variational quantum circuits and quantum-kernel SVMs against five honestly-tuned classical baselines across four standard NIDS datasets (NSL-KDD, UNSW-NB15, CICIDS2017, NF-ToN-IoT-v2) under a single leakage-controlled protocol, with two explicit feature views and operationally meaningful, imbalance- and calibration-aware metrics (AUPRC, true-positive rate at 0.1%/1% false-positive rate, Brier score, expected calibration error) reported with statistical significance. We introduce a **quantum-attribution audit** — parameter-matched classical controls, a random-feature kernel, and a regularisation sweep — that quantifies how much of any observed gain is genuinely attributable to the quantum component, and we map detection and calibration under simulated NISQ noise. We further report a backend-crossover efficiency finding: at the small

*Corresponding author.

Email addresses: SyedaAnshrah16@gmail.com (Syeda Anshrah Gillani), MirzaSamadcontact@gmail.com (Mirza Samad Ahmed Baig)

¹Both authors contributed equally to this work.

qubit counts used in QML-IDS, CPU state simulation is 8–14× faster than GPU. Across datasets we find that honestly-tuned classical models (Random Forest, XGBoost) match or exceed the quantum models on aggregate detection (F1, AUPRC, ROC-AUC) on all four datasets, and the audit attributes this to classical preprocessing and regularisation rather than quantum effects — confirming and generalising recent critiques. The one robust exception is operationally meaningful: a small four-qubit hybrid circuit significantly out-detects the best classical baseline at the 1% false-positive operating point on the distribution-shifted NSL-KDD task ($p = 0.005$). Code, seeds, and splits are released; our contribution stands whether quantum wins, ties, or loses.

Keywords: quantum machine learning, network intrusion detection, hybrid quantum-classical neural networks, quantum support vector machine, NISQ, reproducible benchmark, class imbalance, model calibration

1. Introduction

Network intrusion detection systems (NIDS) are a frontline defence against an expanding and increasingly automated threat landscape. Machine learning has become the dominant paradigm for flow- and packet-level intrusion detection, and the recent emergence of quantum machine learning (QML) has prompted a fast-growing body of work applying parameterised quantum circuits, quantum-kernel methods, and hybrid quantum-classical neural networks to the NIDS task. Headline results are striking: accuracies and F1 scores in the 97–99.9% range are reported across many datasets and quantum architectures.

These numbers invite a question the field has not answered convincingly: **how quantum is the reported advantage?** There are three reasons for scepticism, each grounded in rigorous recent work. First, the strongest quantum results are typically obtained on heavily dimensionality-reduced inputs — frequently one feature per qubit after principal component analysis (PCA) — and on binary tasks evaluated under random cross-validation, a regime that systematically over-states real-world detection. Second, when honest, well-tuned classical baselines (Random Forests, gradient-boosted trees, modern deep networks) are placed on the *same* footing, they repeatedly match or beat the quantum models on tabular IDS data: the Meta-Quantum Ensemble study of Bhatnagar et al. [1], despite assembling the most rigorous evaluation in the field, explicitly concedes that classical ensembles remain superior. Third, and most pointedly for a venue such as *Computers & Se-*

curity, Bellante et al. [2] demonstrate that the apparent advantage of PCA-based quantum IDS is *explainable by regularisation, not by quantum effects*. A reviewer of any new QML-IDS paper will, and should, raise this point.

We take this scepticism as the starting point rather than something to argue away. A paper whose central claim is “our quantum model achieves higher accuracy” is both scientifically fragile and strategically weak, because three Q1 papers already supply the counter-argument. The community’s actual deficit is not another accuracy record; it is a **fair, reproducible, and honest evaluation methodology**, together with a principled way to **attribute** any measured difference to its true cause. This paper supplies both.

We construct a single, leakage-controlled benchmarking protocol and apply it to the two quantum families that dominate the literature — hybrid variational quantum circuits (VQCs) and quantum-kernel support vector machines (QSVMs) — against a slate of honestly tuned classical baselines, across four standard datasets. We honour each dataset’s intended evaluation semantics: for NSL-KDD we use the official **KDDTrain+/KDDTest+** split, whose test set deliberately over-represents attack behaviour under-seen in training, so that what we measure is generalisation to novel attacks rather than memorisation. We then go beyond benchmarking with a **quantum-attribution audit**: for every quantum model we construct a parameter-matched classical control sharing the identical classical front-end, and we run a regularisation sweep that tests the Bellante et al. hypothesis directly. Finally, because operational IDS must run at a low false-positive operating point and real quantum devices are noisy, we characterise how detection and calibration behave under simulated NISQ noise.

1.1. Contributions

1. **A fair, reproducible, multi-dataset QML-IDS benchmark.** We evaluate hybrid VQCs and QSVMs against five honestly-tuned classical baselines (Random Forest, XGBoost, RBF-SVM, a tuned MLP, a 1D-CNN) across four standard datasets (NSL-KDD, UNSW-NB15, CICIDS2017, NF-ToN-IoT-v2) on the binary detection task, under one protocol with strict leakage control, honouring official splits. All code, seeds, and splits are released.
2. **An equal-budget fairness design.** We report two explicitly-labelled feature views — a *full* view (classical models on all features) and a *same-budget* view (every model on the identical low-dimensional input the quantum models receive) — eliminating the silent feature-budget asymmetry that confounds prior work.

3. **A quantum-attribution audit.** Parameter-matched classical controls and a regularisation sweep decompose any observed gain into its quantum and classical components, a direct constructive test of the Bellante et al. critique in the practical NISQ regime.
4. **Operationally meaningful evaluation under noise.** Beyond accuracy/F1 we report detection rate and false-positive rate together, low-FPR operating points, and calibration, and characterise degradation under depolarising, amplitude-damping, phase-damping, and readout-error channels.
5. **Statistical rigour and honest framing.** Every result is a mean over ≥ 5 seeds with confidence intervals; quantum-vs-best-classical comparisons use McNemar’s test, paired t /Wilcoxon tests, and a paired bootstrap with effect sizes. The benchmark’s value does not depend on the quantum models winning.

2. Related Work

We organise the related work into five strands and summarise representative studies in Table 1.

Foundational and breadth-oriented QML-IDS. Quantum intrusion detection was established by Kalinin and Krundyshev [3], who applied a quantum SVM and quantum convolutional network to a custom IoT stream dataset ($\sim 98\%$ accuracy); Gong et al. [4] produced the most prominent Q1 variational result (97.21% precision, VQCNN, KDD/NSL-KDD). The strongest *comparative* line is Abreu et al.: QML-IDS [5] and QuantumNetSec [6] span VQC, QSVM, and QCNN across three to four datasets, but with under-tuned classical baselines and no attribution of where gains originate.

Methods landscape. The dominant primitive is the parameterised quantum circuit used as a variational classifier or hybrid head; recurring concerns are trainability (barren plateaus) and encoding choice, with amplitude embedding reported as unstable relative to angle embedding [7]. Quantum-kernel SVMs [8] form the second family, scaling poorly in sample count, hence the reliance on subsampled, PCA-reduced data. Newer directions include quantum GNNs (Q-AGNN [9]) and meta-learning ensembles [1].

Rigorous and sceptical evaluations. A small set of studies interrogates whether quantum helps. Bhatnagar et al.’s Meta-Quantum Ensemble [1] sets the field’s evaluation standard (AUPRC, TPR at low FPR, Brier, ECE, five

Table 1: Representative QML-IDS studies and where this work differs (“sim” = simulator).

Paper	Method	Dataset(s)	Honestbaseline?	Attri-bution?
Kalinin & Krundyshev [3]	QSVM, QCNN	Custom IoT stream	No	No
Gong et al. [4]	VQCNN	KDD / NSL-KDD	Partial	No
Abreu et al. [5, 6]	VQC / QSVM / QCNN	UNSW, CICIDS, CIC-IoT	Under-tuned	No
Bhatnagar et al. [1]	QSVM+QNN+RF	CICIDS, TON_IoT	Yes (cl. wins)	No
Bellante et al. [2]	FT PCA-QML	NIDS datasets	Yes	FT/PCA only
This work	VQC+QSVM +controls	4 datasets, official splits	Yes (5 tuned)	Yes (NISQ)

noise channels) yet concludes classical ensembles remain superior. Bellante et al. [2], in *Computers & Security*, show the observed advantage is explainable by regularisation rather than quantum effects. These works define the bar we must clear: not a higher accuracy, but a fair and *attributable* comparison.

Datasets and evaluation practice.. Most studies use one or two datasets (NSL-KDD/KDD99 the dated-but-default choice); genuine multi-dataset and cross-dataset evaluation is rare, and imbalance-aware metrics, calibration, significance testing, and honest baselines are almost universally missing, with Bhatnagar et al. [1] the principal exception.

We differentiate on three axes. Against Abreu et al. we retain breadth but add tuned baselines, an equal-budget view, operating-point and calibration metrics, significance testing, and reproducibility. Against Bhatnagar et al. we add the causal *decomposition* their paper concedes is missing. Against Bellante et al. — the critique most salient for this venue — we extend the regularisation argument from their fault-tolerant, PCA-specific case study to the practical NISQ hybrid-VQC and QSVM models the community deploys, across a full multi-dataset benchmark, and we do so constructively: we specify exactly what evidence a genuine advantage would require and

report whether, where, and to what extent it appears.

3. Threat Model and Background

3.1. Threat model

We consider flow- and connection-record-based detection: a model classifies each per-connection feature vector as benign or malicious. Three operational constraints shape the evaluation: a strong *cost asymmetry* (false positives flood analysts, so a detector must hold up at a low-FPR operating point); *distribution shift* between training and deployment, including unseen attack signatures (why we honour the NSL-KDD official split); and *class imbalance*. Adaptive adversarial evasion is out of scope.

3.2. Background on quantum machine learning

A QML model operates on n qubits whose joint state is a unit vector in a 2^n -dimensional complex space; a noiseless simulation tracks this 2^n -entry vector, while a noisy simulation tracks a $2^n \times 2^n$ density matrix, whose quadratic cost caps our noisy runs at twelve qubits. Classical flow features must be *encoded* into the circuit (we ablate angle, amplitude, IQP/ZZ, and data-re-uploading encodings); a *variational* ansatz of trainable gates processes the state; and measured Pauli-Z expectations are mapped to class logits by a classical layer (Figure 1). An alternative is to use the circuit only as a fixed feature map and let a classical SVM learn the boundary: the *fidelity kernel* $K(x, x') = |\langle \phi(x') | \phi(x) \rangle|^2$ costs $O(N^2)$ circuit evaluations, while the *projected kernel* computes per-qubit expectations and applies a classical RBF, scaling as $O(N)$.

The link to our central question is direct: in every hybrid pipeline a *classical* front-end compresses high-dimensional records to the per-qubit budget and a *classical* read-out turns measurements into predictions, so any end-to-end accuracy blends a quantum contribution with substantial classical processing and implicit regularisation. Disentangling the two is exactly what the attribution audit (Section 4.4) is built to do.

4. Methodology

4.1. Benchmark protocol and leakage control

We evaluate every model under one protocol designed so no test-distribution information influences training, scaling, reduction, or model selection. Where a dataset ships an official split we honour it: NSL-KDD uses the canonical KDDTrain+/KDDTest+ split (17 attack signatures appear only in test, so




Figure 1: Hybrid quantum-classical classifier. A classical front-end compresses flow features to the per-qubit budget; a variational quantum circuit (encoding + ansatz + measurement) processes the encoded state; a classical read-out produces class logits. The quantum component is sandwiched between classical processing — the motivation for the attribution audit.

we measure generalisation to novel attacks); UNSW-NB15 uses its official CSVs; CICIDS2017 and NF-ToN-IoT-v2 use a single seeded stratified 70/30 split. All preprocessing is fit on training data only; leaky identifier columns (IP/port four-tuples, flow IDs, timestamps, row indices) are dropped; model selection is by cross-validation *within the training set only*, and the test set is scored once per model per seed.

4.2. Two feature views (equal-budget fairness)

We report a **full view** (classical baselines on all encoded dimensions — the practical ceiling) and a **same-budget view** (every model on the identical PCA-reduced input, $n_{\text{features}} = n_{\text{qubits}} = 8$ in the main configuration). Because one-hot expansion produces many sparse columns, standard-scaling before PCA wastes the budget (eight components retain only $\sim 27\%$ of variance on NSL-KDD); min-max scaling before PCA lifts this to 0.841 (Table 2), so we min-max scale prior to reduction.

4.3. Models

The quantum side is a hybrid VQC family and two QSVMs through a single model factory: a parameter-matched classical MLP control, six hybrid VQCs over the encoding $\times$ ansatz grid (angle, IQP/ZZ, amplitude, reuploading; strongly-entangling [SE] and basic-entangler [BE] ansätze), and two QSVMs (IQP fidelity-kernel, angle projected-kernel). The ZZ feature map is built from primitive gates for correct mini-batch broadcasting. The five classical baselines (Random Forest, XGBoost, RBF-SVM, tuned MLP, 1D-CNN) are each hyperparameter-searched (randomised search / grid, 5-fold stratified CV on the training set, optimising F1) and refit per seed.

4.4. The quantum-attribution audit

This is the methodological core and our constructive answer to Bellante et al. [2]. Figure 2 sketches the logic. The audit has three components:




Figure 2: The attribution audit. Each quantum model is compared with a parameter-matched classical control sharing its front-end, plus a regularisation sweep. If a comparably-regularised classical model closes the gap, the apparent advantage is classical; any significant residual is attributed to the quantum circuit.

(i) *parameter-matched classical controls* — for each hybrid VQC, a classical MLP of matched parameter count sharing the identical front-end, and for each QSVM an RBF-SVM and a *random-feature* kernel approximation; if a matched control equals the quantum model, the “advantage” is not attributable to the quantum component; (ii) a *regularisation sweep* varying classical regularisation (read-out ridge, MLP weight decay, RF depth, SVM bandwidth) to test whether comparable regularisation closes any gap; and (iii) a *gain decomposition* reporting, per dataset and metric, the quantum-minus-control difference with significance.

4.5. Class imbalance and noise

The NSL-KDD binary task is only mildly imbalanced, so we default to cost-sensitive learning (balanced class weights, `scale_pos_weight` for XGBoost, weighted cross-entropy) and treat SMOTE (training partition only) as an ablation. For noise robustness we sweep four channels — depolarising, amplitude damping, phase damping, and bit-flip (readout) — at strengths $p \in \{0, 0.001, 0.005, 0.01, 0.05\}$ on PennyLane’s `default.mixed` density-matrix backend, capped at twelve qubits.

5. Experimental Setup

5.1. Datasets

We evaluate on four standard NIDS datasets (Table 2). The **main benchmark is the binary task**. CICIDS2017 here is the three-day *MachineLearningCVE* subset ($\sim 1.04\text{M}$ flows); NF-ToN-IoT-v2 is stratified-downsampled to 200,000 rows (from 16.9M); both are standard, configurable scopes we disclose plainly.

Table 2: Datasets (binary task; PCA-EVR@8 = variance retained by 8 principal components).

Dataset	Split	Raw dim	#cls (bin/multi)	Train / test	EVR@8
NSL-KDD [10]	Official	122	2 / 40	125,973 / 22,544	0.841
UNSW-NB15 [11]	Official	194	2 / 10	175,341 / 82,332	0.870
CICIDS2017 [12]	Strat. 70/30	76	2 / 3	729,491 / 312,639	0.924
NF-ToN-IoT-v2 [13]	Strat. 70/30	39	2 / 10	140,000 / 60,000	0.974

5.2. Metrics and significance

We report threshold metrics (accuracy, precision, recall, F1, detection rate DR, false-positive rate FPR) and ranking/calibration metrics (ROC-AUC, AUPRC, TPR@0.1%FPR, TPR@1%FPR, Brier, ECE), matching and extending the Meta-Quantum-Ensemble suite [1]. Every model is run over five seeds $\{42, \dots, 46\}$ with t -based 95% CIs. Quantum-vs-best-classical comparisons use McNemar’s test (shared test set), paired t /Wilcoxon tests with Cohen’s d (over seeds), and a paired bootstrap (2,000 resamples) for operating-point metrics.

5.3. Backend efficiency and reproducibility

At QML-IDS qubit counts, quantum simulation (not GPU throughput) dominates runtime, and we report a **backend crossover**: the CPU `lightning.qubit` simulator is markedly faster than the GPU `lightning.gpu` simulator (Section 6.5). Each run writes a self-describing JSON record (config, per-seed metrics, tuned hyperparameters, reference-seed predictions, environment snapshot with source checksums). All experiments run on a single laptop (NVIDIA RTX 3050 Ti, 4 GB, under WSL2); the main runs use eight qubits, with a ceiling of sixteen (noiseless) / twelve (noisy). Code, seeds, and splits are released.

6. Results

The overall result, qualified below: *honestly-tuned classical models match or exceed the quantum models on aggregate detection on every dataset, but a small hybrid VQC retains a statistically significant edge at the strict low-FPR operating point on the distribution-shifted NSL-KDD task.*

Table 3: Headline benchmark — F1 (mean over seeds): best classical per view vs. best quantum (same-budget input). The final three columns give the leading quantum model’s AUPRC, ROC-AUC, and TPR@1%FPR.

Dataset	Classical F1		Quantum (best, same-budget)			
	full	same-budget	F1	AUPRC	ROC-AUC	TPR@1%
NSL-KDD	0.803	0.782	0.730	0.911	0.865	0.411
UNSW-NB15	0.912	0.891	0.836	0.942	0.924	0.577
CICIDS2017	1.000	1.000	0.968	0.992	0.998	0.975
NF-ToN-IoT-v2	0.996	0.991	0.949	0.965	0.969	0.195

Best classical model per cell — full view: SVM (NSL-KDD), MLP (UNSW), RF (CICIDS, ToN-IoT); same-budget: XGBoost (NSL-KDD), MLP (UNSW), RF (CICIDS, ToN-IoT).

6.1. Headline benchmark

Table 3 reports F1 under both views. Under the *same-budget* view — the apples-to-apples comparison — the best classical baseline beats the best quantum model on every dataset: NSL-KDD 0.782 vs. 0.730; UNSW-NB15 0.891 vs. 0.836; CICIDS2017 1.000 vs. 0.968; NF-ToN-IoT-v2 0.991 vs. 0.949. The same ordering holds on AUPRC and ROC-AUC. Two qualifications matter. First, **CICIDS2017 and NF-ToN-IoT-v2 are near-saturated** (every tuned classical model scores $F1 \geq 0.97$), so they have weak discriminative power and the quantum models’ high absolute scores there should be read as “this task is easy.” Second, the **CV-to-test gap** confirms why literature numbers are inflated: on NSL-KDD, models scoring $F1 \approx 0.98$ under within-training cross-validation collapse to $F1 \approx 0.78$ on the official test split — a consistent ≈ 0.20 drop across all models and both views. Figure 3 compares the best classical and best quantum F1 per dataset; the qubit-count ablation is shown later in Figure 4.

6.2. Attribution audit

The audit (Table 4) decomposes the difference on NSL-KDD, the discriminative dataset. A parameter-matched classical MLP sharing the quantum front-end attains AUPRC 0.944 and the tuned Random Forest attains F1 0.764 — both matching or exceeding every hybrid VQC on aggregate metrics. For the twelve-qubit hybrid the classical controls win significantly ($F1 -0.039$, $p = 0.021$; $AUPRC -0.036$, $p = 0.035$; $TPR@1\%FPR -0.121$, $p = 0.026$). **Once a classical model is granted the same front-end**

Table 4: Quantum-attribution audit (NSL-KDD): leading quantum variant vs. best matched control. Δ = quantum – control (positive favours quantum, except ECE).

Variant	Metric	Quantum	Best control	Δ	Q better?	p
Hybrid-Angle (q4)	TPR@1%FPR	0.517	0.467 (RF)	+0.050	yes	0.005
Hybrid-Angle (q4)	TPR@0.1%FPR	0.407	0.272 (MLP-m)	+0.135	yes	0.428
Hybrid-Angle (q4)	F1	0.759	0.764 (RF)	−0.004	tie	0.776
Hybrid-Angle (q4)	ECE	0.184	0.193 (RF)	−0.009	yes	0.248
Hybrid-Angle (q12)	F1	0.724	0.764 (RF)	−0.039	no	0.021
Hybrid-Angle (q12)	AUPRC	0.908	0.944 (MLP-m)	−0.036	no	0.035
Hybrid-Angle (q12)	TPR@1%FPR	0.346	0.467 (RF)	−0.121	no	0.026

and comparable capacity/regularisation, the aggregate “quantum advantage” disappears — a confirmation of the Bellante hypothesis on a full multi-dataset benchmark. The one robust exception is the *four-qubit* hybrid at the low-FPR operating point (Section 6.3); notably the larger twelve-qubit circuit is worse, consistent with overfitting at width rather than a quantum benefit.

6.3. Operating-point and calibration analysis

The operating-point metrics hold the paper’s one positive quantum result. On NSL-KDD the four-qubit hybrid VQC achieves $\text{TPR@1\%FPR} = 0.517$, exceeding the best classical model (Random Forest, 0.467) by 0.050 — statistically significant ($p = 0.005$, paired bootstrap) — and $\text{TPR@0.1\%FPR} = 0.407$ vs. 0.272. At the strict 1%-alarm budget a defender would actually impose, the small quantum model catches a meaningfully larger fraction of attacks on novel-attack-heavy traffic. Calibration is comparable (ECE ≈ 0.18 – 0.22 for hybrids vs. 0.193 for Random Forest), the four-qubit hybrid marginally better. This is the evidence a genuine, if narrow, quantum signal would produce.

6.4. Noise robustness

Sweeping four NISQ channels on the six-qubit hybrid shows **graceful degradation, and in the mild regime none at all**. Relative to the noiseless run (ROC-AUC 0.846, $\text{TPR@1\%FPR}$ 0.422, ECE 0.191), depolarising, amplitude-damping, and phase-damping noise at $p \in \{0.01, 0.05\}$ leave low-FPR detection essentially unchanged (0.421–0.430) and slightly *raise* ROC-AUC (to 0.878–0.897), consistent with mild noise acting as a

Table 5: Backend efficiency — CPU (`lightning.qubit`) vs. GPU (`lightning.gpu`) training-step time at fixed work.

Qubits	CPU	GPU	GPU/CPU
4	1.12 s	8.89 s	8.0×
8	2.08 s	28.0 s	13.5×
12	3.94 s	54.3 s	13.8×

regulariser on the shifted task. Only bit-flip (readout) noise materially hurts (TPR@1%FPR 0.379 at $p = 0.05$). No channel causes catastrophic collapse: for this small-circuit regime, readout error is the one to mitigate.

6.5. Significance and efficiency

On aggregate F1, classical significantly beats quantum (twelve-qubit hybrid vs. RF, $p = 0.021$; basic-entangler hybrid, $p = 0.004$); at the low-FPR point the four-qubit hybrid significantly beats RF ($p = 0.005$); the rest are ties. The backend-crossover finding (Table 5) is unambiguous: the **CPU simulator is 8–14× faster than the GPU** at QML-IDS qubit counts, the gap growing with width because the per-circuit work is too small to amortise GPU kernel-launch and transfer overhead. The projected quantum kernel ($O(N)$) is tractable at test scale whereas the fidelity kernel ($O(N^2)$) is not.

7. Discussion

How quantum is the advantage? On this benchmark and in the practical NISQ regime: almost none of it on aggregate detection, and a small but real amount at the operating point that matters operationally. The audit is decisive on the first half — once a classical model is granted the same front-end and comparable regularisation, the aggregate advantage of the hybrid VQC and the QSVM vanishes and tuned classical baselines significantly outperform the quantum models on F1 and AUPRC. We thus confirm the Bellante et al. [2] hypothesis and extend it from their fault-tolerant, PCA-specific case study to the deployed NISQ models, across four datasets, and we corroborate Bhatnagar et al.’s concession [1] while supplying the decomposition their work lacked.

The more interesting half is the exception. At the 1%-FPR operating point on NSL-KDD’s shifted test set, the four-qubit hybrid significantly out-detects the best classical baseline ($p = 0.005$). Three features make it credible rather than noise: it appears on the *discriminative* dataset, not the




Figure 3: Best classical (same-budget) vs. best quantum F1 per dataset (mean over seeds). Tuned classical models lead on every dataset; the gap is largest on the discriminative datasets (NSL-KDD, UNSW-NB15) and smallest where the task is near-saturated (CICIDS2017, NF-ToN-IoT-v2, where every classical model exceeds 0.97).

saturated ones; it is strongest for the *small* circuit and vanishes at twelve qubits, consistent with an implicit-regularisation mechanism rather than raw expressivity; and it survives mild simulated noise, which slightly *improves* ROC-AUC. We are deliberately cautious — one operating point, one dataset, in simulation — but this is precisely where a genuine quantum advantage would first appear, and it motivates targeted real-hardware follow-up rather than another accuracy sweep.

What remains classical. For a practitioner choosing a detector today, the honest recommendation is a tuned Random Forest or XGBoost: they win or tie on every aggregate metric, on every dataset, at a fraction of the cost and with no quantum hardware. This is the result the field needs stated cleanly, because it redirects effort from inflated accuracy records — which our CV-to-test analysis shows are largely an artefact of random cross-validation — toward the one regime where quantum methods showed a measurable, significant edge. Two methodological findings generalise: the ≈ 0.20 F1 CV-to-test gap is a caution for the whole QML-IDS literature, and the backend crossover (the GPU is an order of magnitude *slower* at these qubit counts) saves researchers real time.




Figure 4: Qubit-count ablation of the hybrid VQC on NSL-KDD. Both F1 and the low-FPR detection rate *decline* with width — more qubits do not help on the shifted task. Crucially, only the small four-qubit circuit exceeds the best classical baseline’s TPR@1%FPR (Random Forest, dashed reference at 0.467); the advantage vanishes by twelve qubits, consistent with an implicit-regularisation mechanism rather than raw expressivity.

8. Limitations and Threats to Validity

Simulation only. All quantum results are simulated; we have no real-QPU access, so our noise study models NISQ effects rather than measuring them, omitting correlated/non-Markovian noise, crosstalk, connectivity, and transpilation. A real-hardware confirmation of even one configuration would strengthen the conclusions; we treat the simulated results as an optimistic bound. **Qubit budget.** The 4 GB GPU caps width at ~ 16 qubits (noiseless) / 12 (noisy, $(2^n)^2$ memory); the main configuration uses eight, so we cannot probe the larger-width regime. **Dimensionality reduction** discards variance (eight PCs retain $\sim 84\%$ on NSL-KDD), so any advantage is conditioned on information-reduced input. **Dataset age/composition.** NSL-KDD is dated (mitigated by three further datasets); the IoT coverage is a single NetFlow dataset; CICIDS2017 and NF-ToN-IoT-v2 use standard subsets, configurable to full corpora. **Trainability** (barren plateaus, gradient variance) is not characterised directly, and QSVMs are trained on subsampled data ($O(N^2)$ fidelity kernel). **Statistical power.** Five seeds is the practical floor; we rely on paired tests and effect sizes. The crossover ratio is hardware/library-dependent. **Scope.** Binary detection under benign distribution shift and imbalance; adversarial evasion and the unsupervised/online/federated settings are out of scope.

9. Conclusion

We set out to replace the field’s recurring “our quantum model reaches 99%” claim with the fair, reproducible, attribution-aware yardstick the question requires. Across four datasets under one leakage-controlled protocol, with an equal-budget view, operating-point and calibration metrics, significance testing, a noise sweep, and a quantum-attribution audit, we find that well-tuned classical models match or exceed the quantum models on aggregate detection everywhere, and the audit attributes this to classical preprocessing and regularisation rather than quantum effects — confirming and generalising the Bellante et al. critique. The one robust exception is operationally meaningful: a small four-qubit hybrid significantly out-detects the best classical baseline at the 1% false-positive operating point on the distribution-shifted NSL-KDD task. Beyond the headline we contribute a released, turnkey benchmark and harness, a demonstration that random-cross-validation evaluation overstates novel-attack detection by ~ 20 F1 points, and a practical backend-efficiency result. The most valuable next step is real-hardware confirmation of the low-FPR signal — the single experiment that would distinguish a genuine quantum inductive bias from a simulation artefact. We release the benchmark so that QML-IDS claims can be stated, and contested, on common, honest ground.

Reproducibility.. Code, configurations, fixed seeds, dataset splits, and per-run provenance are released at <https://github.com/Orqly-AI/quantum-ids-benchmark>.

CRedit authorship contribution statement

Both authors contributed equally to all aspects of the work. **Syeda Anshrah Gillani:** Conceptualization, Methodology, Software, Validation, Formal analysis, Investigation, Data curation, Writing – original draft, Writing – review & editing, Visualization. **Mirza Samad Ahmed Baig:** Conceptualization, Methodology, Software, Validation, Formal analysis, Investigation, Data curation, Writing – original draft, Writing – review & editing, Visualization.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Declaration of generative AI and AI-assisted technologies

During the preparation of this work the authors used AI-assisted tooling for code scaffolding, experiment orchestration, and language editing. The authors reviewed and edited all content and take full responsibility for the content of the publication.

Data availability

All datasets used are public benchmarks (NSL-KDD, UNSW-NB15, CICIDS2017, NF-ToN-IoT-v2). The code, fixed seeds, dataset splits, download scripts, and per-run result records are openly released at <https://github.com/Orqly-AI/quantum-ids-benchmark>.

Acknowledgements

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

References

- [1] R. Bhatnagar, N. Innan, A. A. Jothi, M. Shafique, Meta-quantum ensemble framework for robust network intrusion detection, arXiv preprintAUPRC, TPR@0.1%/1% FPR, Brier, ECE, 5 noise channels; concedes classical RF/XGBoost remain superior (2026). arXiv:2605.28879.
URL <https://arxiv.org/abs/2605.28879>
- [2] A. Bellante, T. Fioravanti, M. Carminati, S. Zanero, A. Luongo, Evaluating the potential of quantum machine learning in cybersecurity: A case-study on PCA-based intrusion detection systems, Computers & SecurityArgues quantum advantage in PCA-IDS is explainable by regularisation, not quantum effects (2025). arXiv:2502.11173.
URL <https://arxiv.org/abs/2502.11173>
- [3] M. Kalinin, V. Krundyshev, Security intrusion detection using quantum machine learning techniques, Journal of Computer Virology and Hacking Techniques 19 (1) (2022) 125–136. doi:10.1007/s11416-022-00435-0.

- [4] C. Gong, et al., Network intrusion detection based on variational quantum convolution neural network, *The Journal of Supercomputing* (2024). doi:10.1007/s11227-024-05919-y.
- [5] D. Abreu, C. E. Rothenberg, A. Abelém, QML-IDS: Quantum machine learning intrusion detection system, *arXiv preprint* (2024). arXiv:2410.16308.
URL <https://arxiv.org/abs/2410.16308>
- [6] D. Abreu, C. E. Rothenberg, A. Abelém, QuantumNetSec: Quantum machine learning for network security, *International Journal of Network Management* Multi-dataset, multi-method (VQC/QSVM/QCNN), NISQ-aware (2025). doi:10.1002/nem.70018.
- [7] Z. Wang, K.-W. Fok, V. L. L. Thing, Network attack traffic detection with hybrid quantum-enhanced convolution neural network, *arXiv preprint* 5G-NIDD; cross-base-station + unseen-attack generalisation (2025). arXiv:2504.20436.
URL <https://arxiv.org/abs/2504.20436>
- [8] S. Kumari, S. R. Pokhrel, et al., Modeling wavelet transformed quantum support vector for network intrusion detection, *arXiv preprint* QSVM + Quantum Haar Wavelet Packet Transform; tested noiseless + depolarising (2025). arXiv:2512.01365.
URL <https://arxiv.org/abs/2512.01365>
- [9] D. Chaudhary, S. Rajasegarar, S. R. Pokhrel, Q-AGNN: Quantum-enhanced attentive graph neural network for intrusion detection, *arXiv preprint* (2026). arXiv:2603.22365.
URL <https://arxiv.org/abs/2603.22365>
- [10] M. Tavallaei, E. Bagheri, W. Lu, A. A. Ghorbani, A detailed analysis of the KDD CUP 99 data set, in: *IEEE Symposium on Computational Intelligence for Security and Defense Applications (CISDA)*, 2009. doi:10.1109/CISDA.2009.5356528.
- [11] N. Moustafa, J. Slay, UNSW-NB15: A comprehensive data set for network intrusion detection systems, in: *Military Communications and Information Systems Conference (MilCIS)*, 2015. doi:10.1109/MilCIS.2015.7348942.
- [12] I. Sharafaldin, A. H. Lashkari, A. A. Ghorbani, Toward generating a new intrusion detection dataset and intrusion traffic characterization,

in: International Conference on Information Systems Security and Privacy (ICISSP), 2018. doi:10.5220/0006639801080116.

- [13] M. Sarhan, S. Layeghy, M. Portmann, Towards a standard feature set for network intrusion detection system datasets, *Mobile Networks and Applications* 27 (2022) 357–370, netFlow-format NIDS datasets, incl. NF-ToN-IoT-v2. doi:10.1007/s11036-021-01843-0.