

# Backtest Index

## Sezioni

- [\[\[FFT\\_tests/template\\_test\]\]](#)
- [\[\[DERIVATIVE\\_tests/INDEX\]\]](#)

## Report fuori pipeline

- [\[\[../artifacts/derivative\\_backtests/reports/derivatives\\_report\\_all\\_tfs\\_smoke\]\]](#)
- [\[\[../artifacts/derivative\\_backtests/reports/derivatives\\_report\\_m1\\_smoke\]\]](#)
- [\[\[../artifacts/derivative\\_backtests/reports/derivatives\\_report\\_m5\\_smoke\]\]](#)
- [\[\[../artifacts/derivative\\_backtests/reports/derivatives\\_report\\_m15\\_smoke\]\]](#)
- [\[\[../artifacts/derivative\\_backtests/reports/derivatives\\_report\\_all\\_tfs\]\]](#)
- [\[\[../artifacts/derivative\\_backtests/reports/derivatives\\_report\\_m15\\_full\]\]](#)

## Collegamenti

- [\[\[../03\\_STRATEGIES/INDEX\]\]](#)
- [\[\[../05\\_METRICS/INDEX\]\]](#)
- [\[\[../09\\_LOGS/INDEX\]\]](#)
- [\[\[../11\\_MEMORY/EXPERIMENT\\_PROTOCOL\]\]](#)
- [\[\[../12\\_CODE/INDEX\]\]](#)
- [\[\[../13\\_PDF\\_LIBRARY/INDEX\]\]](#)

## Scopo

Collegare template, report e risultati di backtest in un solo nodo del vault.