

- 1- Install k8s cluster (minikube) (optional you can use <https://www.katacoda.com/courses/kubernetes/playground>)
- 2- Create a pod with the name `redis` and with the image `redis`.
- 3- Create a pod with the name `nginx` and with the image `nginx123`.
Use a pod-definition YAML file. And yes the image name is wrong!
- 4- What is the nginx pod status?
- 5- Change the nginx pod image to `nginx` check the status again
- 6- How many ReplicaSets exist on the system?
- 7- create a ReplicaSet with
 name= `replica-set-1`
 image= `busybox`
 replicas= 3
- 8- Scale the ReplicaSet `replica-set-1` to 5 PODs.
- 9- How many PODs are READY in the `replica-set-1`?
- 10- Delete any one of the 5 PODs then check How many PODs exist now?
 Why are there still 5 PODs, even after you deleted one?
- 11- How many Deployments and ReplicaSets exist on the system?
- 12- create a Deployment with
 name= `deployment-1`
 image= `busybox`
 replicas= 3
- 13- How many Deployments and ReplicaSets exist on the system now?
- 14- How many pods are ready with the `deployment-1`?
- 15- Update `deployment-1` image to `nginx` then check the ready pods again
- 16- Run `kubectl describe deployment deployment-1` and check events
 What is the deployment strategy used to upgrade the `deployment-1`?
- 17- Rollback the `deployment-1`
 What is the used image with the `deployment-1`?
- 18- How many Namespaces exist on the system?
- 19- How many pods exist in the `kube-system` namespace?
- 20- Create a deployment with
 Name: `beta`
 Image: `redis`
 Replicas: 2
 Namespace: `finance`
 Resources Requests:
 CPU: .5 vcpu
 Mem: 1G
 Resources Limits:
 CPU: 1 vcpu
 Mem: 2G