General Agents on the Web

Practice MCQs: 5 tabular + 5 scenario

Ten hard questions on Claude Cowork on the web. Questions come first (pages 2 to 11). The answer sheet is on page 12 and full explanations on pages 13 to 22, so try every question before you look.

Part A · Tabular (Q1 to Q5)

R Read the ask. Underline FIRST, TWO or wrong label.
O Open each row. Test it against its rule. A professional tone proves nothing.
W Whittle the options. Drop later-row fixes, wrong rules and "looks wrong, is fine" rows. Keep the option that names the exact rule break.

Part B · Scenario (Q6 to Q10)

Split every story into five parts:
1 Company who and what. **2 Problem** the pressure.
3 Actions what was asked or approved. **4 Workflow** what came back and where it stands.
5 Hidden clue the one small detail that decides the answer. Parts 1 to 4 set the scene; part 5 picks the option.

Topics covered: schedules, reach and gates, file tiers, the brief, routing, memory layers, plan review.

PART A · TABULAR | Select ONE

MCQ 1

Schedules and heartbeats

Rafael Costa is an operations coordinator at Harbourlight Property Management (about 45 staff). He is turning five weekly chores into Cowork schedules on the web and has logged each one. Read every column.

#	Workflow	Heartbeat	Everything it touches	Gate and success check
1	Monday 8am: brief of new maintenance-request emails	On a schedule	Gmail connector (read + draft only); saves the brief to the Drive folder "Briefs"	Auto (read and summarise). Success: dated file in Drive; "no new requests" is accepted as a valid result
2	Alert me when any contractor invoice in the Invoices sheet passes 5,000 pounds	Monitor	Google Sheets through the Drive connector (read only)	Auto (read only). Success: a notification, and only when the condition is true
3	Tomorrow 7am: summarise the rent roll	Once	Rent-roll file in the Documents folder on his laptop, read through Claude Desktop folder access; the laptop will be asleep overnight	Auto. Success: summary appears in Drive by 7:15
4	First of the month: draft landlord statements	On a schedule	Drive connector (read); Gmail (draft only)	Auto (drafts only). Success: Cowork shows the run as "completed"
5	Friday 4pm: send arrears reminders to tenants	On a schedule	Gmail connector (send) and the tenant-arrears sheet in Drive	Auto. Success: a dated list of the emails that were sent

Which is the FIRST row at which Rafael's setup departs from what the course teaches?

A Row 2, because a monitor running in Auto with nobody present breaks the rule that unattended runs need a human gate.

B Row 3, because the schedule needs a file that lives only on a laptop that will be asleep, so the laptop has quietly become a hidden dependency.

C Row 4, because a "completed" run proves only that the mechanism ran, not that the statements are right.

D Row 5, because sending to tenants is high-consequence and needs Manual or another explicit human control, not Auto.

PART A · TABULAR | Select TWO

MCQ 2

Reach paths, logins and gates

Selma Yildiz is a purchasing assistant at Lantern Print & Packaging (about 80 staff). She has chosen a reach path and an approval mode for five tasks and recorded why. Read every column.

#	Task	Reach path and gate	Her reason
1	Pull weekly shipment statuses from a supplier portal (no connector exists; the account is read-only)	Built-in Cowork browser, Manual while she learns the site	No connector exists, so a browser is the next rung
2	Read customer complaint emails and draft replies	Gmail connector, read + draft only, Auto	Drafts can be reviewed before anything leaves
3	Update prices in the live product-catalogue admin (a connector for it is available)	Claude in Chrome using her logged-in admin session, Auto	Quicker than setting up the connector
4	Summarise a competitor's public pricing page	Browser, Auto	Public page, read only, nothing to change
5	Check supplier payment status on the company bank portal	Cowork browser with the finance team's saved bank login, Manual	Every click needs her approval, so it is safe

Which TWO rows show the most serious departures? (Select TWO)

A. Row 3

B. Row 2

C. Row 5

D. Row 4

PART A · TABULAR | Select ONE

MCQ 3

The three file tiers

Priya Nair runs bookings at Meridian Bike Tours (about 30 staff). After a week of Cowork tasks she labelled where each file ended up using the three-tier model and gave her reason. Exactly one label is wrong.

#	File	Where it actually is	Tier she gave	Her reason
1	scratch_fares.xlsx	Used inside the task to test fare maths; gone when the task ended	Tier 1	Temporary working space, wiped with the task
2	style_guide.pdf	Uploaded to the "Partner Tours" Project; still there three weeks later	Tier 2	Survives the task and the week, in the vendor's storage
3	partner_brief_FINAL.pdf	Still in the Cowork session's files; she sent the partner a share link to open it	Tier 3	The partner can open it, so it has left the platform
4	pricing_2027.xlsx	Saved to the company Drive by the Drive connector	Tier 3	Lands in a system the company controls
5	weekly_brief.txt	Emailed by Cowork to her own work address	Tier 3	An email is an exit; she opened it in her inbox

Which row's tier label is wrong, and why?

A Row 1, because scratch files that vanish should be tier 3 so nothing is ever lost.

B Row 5, because an email is only a message, not a file leaving the platform.

C Row 3, because a share link still points at the vendor's storage: the file never left the platform, so it is tier 2.

D Row 2, because a Project file is persistent context, not a file tier, so it cannot be tier 2.

PART A · TABULAR | Select ONE

MCQ 4

The brief for work you will not watch

Nadia Haque is a finance administrator at Orbit Courier (about 110 staff). She wrote an eight-part brief for a weekly late-delivery refund report that will run unattended, and noted her reason for each part.

#	Part of the brief	What Nadia wrote	Her reason
1	Outcome	A one-page weekly report listing refunds paid for late deliveries, with a total per carrier	One page is what Tomas reads
2	Audience and use	Finance lead Tomas Reyes; on Monday he decides which carriers to challenge	Names the decision
3	Sources	The "Refunds" sheet and the carrier SLA PDF, both in Drive folder Finance/Refunds; nothing else	Smallest set that works
4	Boundaries	Read only. Do not edit the sheet, send email, delete files or publish anything	Nothing here needs a write
5	Method constraints	Late means more than 48 hours past the SLA date; round totals to the nearest pound; cover the Monday to Sunday just ended	Fixes the business rule
6	Escalation	If a delivery date is missing, assume the delivery was on time and carry on	Keeps the run from stopping
7	Destination	Save the report as a PDF in Cowork so it is easy to find	Everything in one place
8	Done	The report has been generated	Simple to check

Which part is the FIRST at which Nadia's brief departs from what the course teaches?

A. Part 8 (Done), because "generated" is runtime evidence, not outcome evidence.

B. Part 7 (Destination), because a file saved in Cowork stays in platform storage instead of a named tier-3 system.

C. Part 3 (Sources), because naming the SLA PDF lets the agent read more than the refunds sheet.

D. Part 6 (Escalation), because a missing date should stop the run and be reported, not be filled with an assumption.

PART A · TABULAR | Select ONE

MCQ 5

Routing: web, desktop or terminal

Idris Bello is operations lead at Saffron Row Catering (about 60 staff). He routed five tasks to a surface using the three routing questions and wrote his reason for each.

#	Task	Surface he chose	His reason
1	Brainstorm names for the autumn menu	Chat	Nothing multi-step to delegate
2	Every Monday, collect supplier price emails from Gmail into a Drive sheet, with all his devices switched off	Cloud-only Cowork	Cloud files and connectors, no local dependency
3	Fix a failing test in the booking-app repository	Coding agent in the terminal	The repo and toolchain are the system of record
4	Reformat 40 guest-allergy forms that exist only on the kitchen PC; the written data policy says guest allergy records may not go to outside processors	Cloud + desktop bridge	The files stay on his own machine
5	Check stock levels on a wholesaler's website (no connector) that is already open in his own Chrome	Claude in Chrome	Help with a page he already has open

Which row is routed wrongly, and why?

A Row 4, because a bridge is not a custody loophole: the files are processed in the cloud, so restricted data means stop and verify first.

B Row 5, because a page you already have open must go to the built-in Cowork browser, not Claude in Chrome.

C Row 2, because anything that must run while devices are off needs a coding agent.

D Row 3, because repository work belongs in Cowork so that it can run unattended.

PART B · SCENARIO | Select ONE

MCQ 6

The tab is a window

Beacon Tutoring is a 22-person tutoring centre. Office manager Zainab Farooq starts a Cowork task on the web at 6pm: compile this week's attendance from the Drive folder "Attendance" and the parent-feedback web page, and produce a one-page summary. She names the session "Week 41 attendance summary", closes her laptop and heads home, planning to read the result on her phone. At 8pm she opens claude.ai on her phone and finds the session still listed, waiting on a request to read last Thursday's register, which exists only as a file in her laptop's Downloads folder. A colleague says: "Closing the tab killed the task. Keep the laptop open from now on, or just use normal chat instead." Another suggests scheduling the task daily so that a fresh run starts tomorrow.

Which explanation and action fit how Cowork actually works?

A Closing the tab ended the run, so she should keep the laptop open and the tab visible for every future task.

B A normal chat would have finished the summary while she was away, so she should switch to chat for this work.

C A daily schedule will start a clean run that finds the file by itself, so she should schedule it.

D The session lives in her account and kept going; it stalled on a laptop-only file, so she should put the register in Drive and let the same session continue from her phone.

PART B · SCENARIO | Select ONE

MCQ 7

Memory, Projects and instructions

Greenfield Accounting has about 45 staff. Kwame Mensah runs Cowork cloud tasks for several clients. In March, in one task, he wrote "keep updates to one page for Alder & Finch" and Claude saved it as a memory topic. Since then, updates for his other clients also arrive as one page, and client Holt complained that the summary was thin. He also finds another memory topic still saying Alder & Finch is VAT-registered, although they deregistered in June. Colleagues suggest three fixes: turn cloud memory off completely and re-explain everything in each task; write every client's preferences into one long global standing instruction; or open a fresh session per client and leave the memory as it is.

According to the persistence stack, what should Kwame do first?

A Turn cloud memory off and re-explain each client's preferences in every task, so nothing stale can persist.

B Correct the stale VAT topic, remove the one-page rule from memory and put it in an Alder & Finch Project instruction; leave one-off details in each task's history.

C Write every client's preferences into a global standing instruction so each task is always told everything.

D Open a fresh session for each client, because session history is where the leak comes from.

PART B · SCENARIO | Select ONE

MCQ 8

Gates and blast radius

Cedar Hill Garden Centre has about 18 staff. Manager Lila Ortiz asks Cowork to tidy the shared "Customer Letters" folder: merge duplicate drafts, then email the final seasonal-discount letter to all 600 customers on the mailing sheet. Her last run in Manual produced 14 approval pauses, so this time she picks Auto because the side panel starts there. She starts the run, puts her phone away and goes to lunch. When she returns, the letter has gone to 600 customers and it includes the expired 20% offer from an old draft. She says: "Auto is supposed to screen every action, so it should have stopped this."

What is the most accurate diagnosis and fix?

A Auto failed, so she should move to Skip, which removes the screening that caused the mistake.

B Manual would have built a plan that listed the old drafts, so she should use Manual and rely on its plan.

C Auto screens actions for safety, not for whether content is right; the send is high-consequence, so keep tidying bounded, make the send a draft or Manual step, and test the phone approval first.

D The folder was too large, so she should limit each run to 100 files and keep Auto for the send.

PART B · SCENARIO | Select ONE

MCQ 9

The delegation loop and plan review

Quayside Bakery has about 12 staff. Owner Mehmet Aydin tells Cowork: "Sort out my supplier invoices." In Manual mode Cowork shows a plan: (1) read every file in the Drive folder "Suppliers", including the 2019 archive; (2) email each supplier whose totals do not match, asking for a corrected statement; (3) build a summary sheet inside Cowork. Mehmet skims it, thinks it looks sensible and approves. The run emails 14 suppliers, one of them dormant since 2020, and the summary sheet exists only in Cowork. He says: "I only wanted a list of problems."

Which plan-review check should have caught the emails, and what should Mehmet have done?

A Reach: the plan proposed a send he never intended; redirect before approving with one sentence such as "Draft the supplier emails but do not send them, and save the sheet to my Drive".

B Order: the plan should have verified the invoices before acting, so he should re-run everything in Auto so verification happens automatically.

C Scope: the emails were within what he asked ("sort out"), so the plan was fine and only the dormant supplier was a mistake.

D Assumptions: the plan silently chose the audience, so the fix is a longer brief with more adjectives and no plan review.

PART B · SCENARIO | Select ONE

MCQ 10

Ran is not the same as worked

Terrace Lane Realty has about 9 staff. Agent Hamid Raza schedules a Cowork task every Monday at 8am: use the Gmail connector to list new property enquiries and save a PDF to a Drive folder. For three weeks the scheduler shows "completed" and a dated PDF appears. In week 4 a client complains that nobody replied. Hamid opens the files: the PDFs for weeks 2, 3 and 4 all say "No new enquiries", although the inbox received 30 or more each week. The Gmail connection expired in week 2, and the agent reported the access error as an empty inbox. Hamid says: "The scheduler worked every week, so the problem is Claude's quality." A colleague proposes adding a second weekly run of the same brief.

What is the most accurate diagnosis and fix?

A The scheduler proved Claude is unreliable, so a second weekly run of the same brief will average out the errors.

B Runtime evidence was mistaken for outcome evidence and the empty-case rule let a read failure pass as "no new items"; an unreadable source must stop the run and say so, and the count must be checked against the inbox.

C Connectors expire, so he should switch the task to the browser path, which cannot lose access.

D Interruptions caused the failure, so he should move the schedule to Skip so access errors never block a run.

ANSWER SHEET

Answers and causes at a glance

Full row-by-row and part-by-part explanations follow on pages 13 to 22.

Q	Answer	Topic	The cause in one line
1	B	Schedules and heartbeats	A schedule that needs a laptop-only file while the laptop sleeps has rebuilt the laptop as a hidden dependency.
2	A and C	Reach paths and logins	Use the connector before the browser and do not Auto-write via your own session; never reuse banking logins, even in Manual.
3	C	File tiers	A share link still points into vendor storage; tier 3 means the file reached a system you control.
4	D	The 8-part brief	Missing evidence must stop the run and be reported, not be replaced by an assumption.
5	A	Routing	A desktop bridge processes local files in the cloud, so restricted data means stop and verify.
6	D	The tab is a window	The session lives in the account; the laptop-only file was the dependency. Move it to Drive and continue from the phone.
7	B	Persistence stack	Edit stale memory; put a one-client rule in that client's Project; leave task detail in session history.
8	C	Gates and blast radius	Auto screens for safety, not correctness; the send is high-consequence and needs a stronger gate.
9	A	Plan review	The Reach check catches an unintended send; redirect the plan with one sentence before approving.
10	B	Ran vs worked	Completed runs are not proof; define outcome evidence and make an unreadable source stop the run.

ANSWER TABULAR

MCQ 1 · Correct answer: B

Row 3: a schedule that depends on a laptop that will be asleep.

R Read the ask. FIRST: stop at the earliest row that breaks a rule. Rows 4 and 5 hide real flaws, but they come after row 3.

O Open each row

Row	Rule it is tested against	Verdict
1	A schedule needs a clock, reachable sources and a valid empty case. Gmail (read + draft) and a Drive output are cloud-reachable, and "no new requests" is accepted.	**OK**
2	A monitor surfaces a result only when a condition becomes true. Auto on a read-only check is low consequence.	**OK, looks wrong, is fine**
3	A schedule is device-independent only if every tool is reachable without the device. The file lives only on a laptop that will be asleep, so the laptop is a hidden dependency. Move the source to Drive or knowingly accept a bridge-dependent run.	**WRONG: first break**
4	"Completed" is runtime evidence. It proves the mechanism ran, not that the statements are right.	**Wrong, but later**
5	Sending to tenants is high-consequence: Manual or another explicit human control, not Auto.	**Wrong, but later**

W Whittle the options

Option	Kill type	Why
A	**Wrong rule**	Auto is reasonable for a read-only monitor; the risk is in actions that send, spend, delete or publish.
B	**Keep**	Names the exact rule: the laptop became a hidden dependency.
C	**Later bait**	A real flaw (ran vs worked), but row 4 comes after row 3.
D	**Later bait**	A real flaw (gate too weak), but row 5 comes after row 3.

ANSWER TABULAR

MCQ 2 · Correct answer: A and C

Rows 3 and 5: browser-over-connector with Auto writes, and a banking login.

R Read the ask. TWO and most serious: do not stop at the first wrong row. Mark every row that breaks a rule, then pick the two that matter most.

O Open each row

Row	Rule it is tested against	Verdict
1	No connector exists, so a browser is the next rung; read-only account; Manual while learning.	OK
2	Read + draft only is medium consequence and reviewable before it leaves the system.	OK
3	A connector exists, so connector before browser. Claude in Chrome inherits her logged-in session, and writing prices changes records, which needs a stronger gate than Auto.	WRONG: select
4	Public page, read only. Auto looks scary but the consequence is low.	OK, looks wrong, is fine
5	Never import or reuse logins for banking, medical, identity or other sensitive systems. Manual approval does not fix that.	WRONG: select

W Whittle the options

Option	Kill type	Why
A	Keep	Row 3: wrong reach path and an Auto write through her own session.
B	Looks wrong, is fine	Row 2: draft-only mail with a human reviewing before send.
C	Keep	Row 5: banking login reuse, whatever the approval mode.
D	Looks wrong, is fine	Row 4: read-only and public, so Auto is reasonable.

ANSWER TABULAR

MCQ 3 · Correct answer: C

Row 3: a share link does not take a file out of the platform.

R Read the ask. Wrong label: test each tier definition. Tier 3 is about the destination: a system you control, not who can open the file.

O Open each row

Row	Rule it is tested against	Verdict
1	Temporary working space, wiped when the task ends: tier 1.	OK
2	Uploaded to the Project and surviving weeks in the vendor's storage and login: tier 2.	OK
3	A share link still points at the vendor's storage. The file never left the platform, so it is tier 2, not tier 3.	WRONG LABEL
4	A connector save to Drive lands in a system the company controls: tier 3.	OK
5	An email to herself is one of the named exit doors: tier 3. The door does not matter, the destination does.	OK

W Whittle the options

Option	Kill type	Why
A	Wrong picture	Scratch files belong in tier 1; only finished work needs to exit.
B	Wrong rule	Email is one of the named doors to tier 3.
C	Keep	Names the exact rule: sharing a link is not an exit.
D	Wrong picture	A Project file is still a file stored in the platform, so it sits in tier 2.

ANSWER TABULAR

MCQ 4 · Correct answer: D

Part 6: a guessed value replaces "stop and say what is missing".

R Read the ask. FIRST: read parts 1 to 8 in order. The destination and "done" errors come later than the escalation rule.

O Open each row

Row	Rule it is tested against	Verdict
1 to 2	Outcome names the finished thing; audience names the decision.	OK
3	Names the SLA PDF and the sheet only. Both were named, so nothing broader is allowed.	OK, looks wrong, is fine
4	Read-only boundary with explicit "do not" list.	OK
5	Threshold, rounding and date window are explicit business rules, not silent assumptions.	OK
6	Missing evidence should stop the run and be reported. Assuming "on time" invents a fact that hides refunds owed.	WRONG: first break
7	Destination should name a tier-3 system. Saving in Cowork leaves it in platform storage.	Wrong, but later
8	"Generated" is runtime evidence. Done needs observable outcome conditions.	Wrong, but later

W Whittle the options

Option	Kill type	Why
A	Later bait	Right rule, wrong row for FIRST.
B	Later bait	Right rule, wrong row for FIRST.
C	Looks wrong, is fine	She named exactly what the agent may use.
D	Keep	Names the exact rule: stop rather than invent the missing evidence.

ANSWER TABULAR

MCQ 5 · Correct answer: A

Row 4: a desktop bridge is not a custody loophole.

R Read the ask. Wrong routing: apply the three questions to each row: what does it touch, must it run with devices off, who may process the data?

O Open each row

Row	Rule it is tested against	Verdict
1	One-off thinking needs chat; nothing to delegate.	OK
2	Cloud files and connectors with devices off: cloud-only Cowork has the strongest unattended continuity.	OK
3	A repository and tests: the repo and toolchain are the system of record, so a coding agent.	OK
4	A local file read through Claude Desktop is processed in the cloud. Restricted data means stop and verify with a written compliance answer first.	WRONG: first break
5	Claude in Chrome is for the page already open in your own Chrome. The built-in browser is for delegating a site.	OK, looks wrong, is fine

W Whittle the options

Option	Kill type	Why
A	Keep	Names the exact rule: bridge does not keep data local; stop and verify.
B	Looks wrong, is fine	An already-open page is exactly the Claude in Chrome job.
C	Wrong rule	Devices-off work fits cloud-only Cowork, not a coding agent.
D	Wrong rule	A repo job belongs to a coding agent or terminal.

ANSWER SCENARIO

MCQ 6 · Correct answer: D

The run lives in the account; the laptop-only file was the real dependency.

COMPANY

Beacon Tutoring, a 22-person tutoring centre. Zainab Farooq is the office manager.

PROBLEM

Weekly attendance summary should be waiting on her phone in the evening.

ACTIONS

She started a cloud task from a Drive folder and a web page, named the session, closed the laptop.

WORKFLOW

Session still in her account, waiting on a request to read a register stored only in her laptop's Downloads folder.

HIDDEN CLUE

One required source was not cloud-reachable. Closing the tab did not stop the run: move the file to Drive and continue the same session from the phone.

A · WRONG PICTURE

The tab is a window: closing it does not end the run.

B · WRONG TOOL

Chat waits for you every turn. It cannot work while she is away.

C · PHOTOCOPIES THE FLAW

A schedule repeats the laptop dependency each day instead of removing it.

D · CORRECT: exact rule and fix

Session lives in the account; fix the source, continue from the phone.

ANSWER SCENARIO

MCQ 7 · Correct answer: B

Edit the stale topic; put a one-client rule in that client's Project.

COMPANY

Greenfield Accounting, about 45 staff. Kwame Mensah runs Cowork cloud tasks for several clients.

PROBLEM

A client-specific rule leaked to every client, and an old client fact is stale.

ACTIONS

He wrote one client's rule in a task and it was saved to memory; a client fact changed later.

WORKFLOW

All clients get one-page updates; the old VAT-registered topic persists across sessions.

HIDDEN CLUE

Persistence is a stack. A one-client rule belongs in that client's Project; stale memory is edited, not worked around.

A · OVER-CORRECTION

Turning memory off throws away useful facts and fixes neither layer.

B · CORRECT: exact rule and fix

Edit memory, use a Project instruction, leave details in session history.

C · WRONG LAYER

A global instruction applies to every client, the same leak again.

D · WRONG LAYER

Fresh sessions do not touch memory, which is the layer carrying the problem.

ANSWER SCENARIO

MCQ 8 · Correct answer: C

Auto screens for safety, not correctness; the send needs a stronger gate.

COMPANY

Cedar Hill Garden Centre, about 18 staff. Lila Ortiz is the manager.

PROBLEM

Tidy a letters folder, then send a seasonal-discount letter to 600 customers.

ACTIONS

She chose Auto because the side panel starts there and Manual had 14 pauses, then walked away.

WORKFLOW

The letter went to all 600 customers, including an expired 20% offer from an old draft.

HIDDEN CLUE

The send is a high-consequence action. The gate was chosen by annoyance and default, not by blast radius.

A · WRONG FIX

Skip removes screening and pauses entirely, so it raises the risk.

B · WRONG PICTURE

Manual does not create a plan for you; plan review must be asked for.

C · CORRECT: exact rule and fix

Match the gate to blast radius: bounded tidy, send behind a human gate.

D · WRONG CAUSE

Folder size is not the issue; the unattended send is.

ANSWER SCENARIO

MCQ 9 · Correct answer: A

Reach check: the plan proposed a send he never intended.

COMPANY

Quayside Bakery, about 12 staff. Mehmet Aydin is the owner.

PROBLEM

Supplier invoices need sorting; he wants a list of problems.

ACTIONS

One-line brief "sort out my supplier invoices"; he skimmed the Manual-mode plan and approved it.

WORKFLOW

14 emails sent, including one to a dormant supplier; the sheet sits only in Cowork.

HIDDEN CLUE

Plan step 2 was a send he did not intend. Fix the plan, not the cleanup: redirect with one sentence before approving.

A · CORRECT: exact rule and fix

Reach check, with a one-sentence redirect and a named destination.

B · WRONG CHECK

Order is about verifying before acting; Auto would not fix an unintended send.

C · WRONG PICTURE

"Sort out" is not authority to send. Emails were an unintended reach.

D · WRONG FIX

A longer brief without plan review skips the leverage step.

ANSWER SCENARIO

MCQ 10 · Correct answer: B

Ran is not worked, and an unreadable source must not look like an empty one.

COMPANY

Terrace Lane Realty, about 9 staff. Hamid Raza is the agent.

PROBLEM

Weekly enquiry list must be accurate so clients get replies.

ACTIONS

He scheduled a Monday 8am Gmail-connector brief that saves a PDF to Drive.

WORKFLOW

Runs completed for weeks; weeks 2 to 4 PDFs say "No new enquiries" because the connector expired and the error was reported as empty.

HIDDEN CLUE

Runtime evidence is not outcome evidence. "No new items" is valid only when the source was actually read.

A · PHOTOCOPIES THE FLAW

A second run repeats the same blind spot; it does not dilute it.

B · CORRECT: exact rule and fix

Outcome evidence plus a stop-on-unreadable-source rule.

C · WRONG RULE

Connector before browser; a browser raises the action risk.

D · WRONG FIX

Skip removes gates and hides failures; it fixes nothing.