Practice MCQs:

Focused on new exam patterns

For students preparing for the PCAO-F exam

55 Questions **4 Question Types** **2 Minutes per Question**

☰
Sequence-Order
25 questions

◉
Scenario-Based
21 questions

☑
Select TWO
4 questions

Σ
Quantitative Reasoning
5 questions

Prepared by: **AI & Mentors Team**

Welcome to your practice set

55 questions · 4 question types · 2 minutes per question · answers and reasons at the end

HOW TO PRACTICE

1 Attempt

Answer every question within 2 minutes, without opening Part 2.

2 Check

Compare with the answers and read each reason.

3 Review

Revisit the chapters where you lost marks, then retry.

WHAT'S INSIDE

☰ **Sequence-Order**	Put five activities in the most defensible order.	**25** questions
◉ **Scenario-Based**	Choose the single best answer for a described situation.	**21** questions
☑ **Select TWO**	Choose exactly two correct answers.	**4** questions
∑ **Quantitative Reasoning**	Work out the numbers first, then choose the answer.	**5** questions

TIME LIMIT

2 minutes per question

That is 110 minutes for the full set of 55. Set a timer for each question, and if the time runs out, choose your best answer and move on.

Questions from the three source sets are shuffled together. Choose the single best answer unless a question says "Select TWO".

PART 1 · Practice Questions

Attempt every question before you open Part 2.

1 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

An invoicing workflow's AI-generated totals were accurate for a year. This month, totals are off, right after the finance team switched to a new tax-rate table that the AI's prompt never references.

- **A** Context overload.
- **B** Stale configuration.
- **C** Under-specification.
- **D** Wrong model tier.

2 → Just Delegate It ☰ Sequence-Order

A small business wants AI to draft replies to refund requests. It may summarize policy and prepare a recommendation, but it must not approve refunds or send messages without review.

ACTIVITIES

1. Review the draft reply and recommendation against the policy and customer record.
2. State the desired output and define which decisions AI may make independently.
3. Give AI the approved policy and the relevant, permitted case details.
4. Ask AI to draft a reply and recommendation within the stated boundary.
5. Approve, revise, or reject the result before any message is sent or refund is processed.

CHOOSE THE BEST SEQUENCE

- **A** 2 → 3 → 4 → 1 → 5
- **B** 3 → 2 → 4 → 5 → 1
- **C** 2 → 4 → 3 → 1 → 5
- **D** 2 → 3 → 1 → 4 → 5

3 → Just Delegate It ☰ Sequence-Order

A consultant needs a short comparison of three AI-agent platforms, including current prices, supported integrations, and source links. The result will be shared with a client.

ACTIVITIES

1. Compare the collected evidence against the requested criteria and flag gaps.
2. Specify the client's use case, comparison criteria, date sensitivity, and table format.
3. Use web research to gather candidate information and source links.
4. Prepare the comparison with clear caveats for anything not verified.
5. Open the cited vendor pages and check the key claims and dates.

CHOOSE THE BEST SEQUENCE

A. 2 → 3 → 5 → 1 → 4
B. 3 → 2 → 1 → 5 → 4
C. 2 → 3 → 1 → 4 → 5
D. 2 → 5 → 3 → 4 → 1

4 ⚙ Skills & Connectors ☰ Sequence-Order

An agent can draft a report in chat and can also use a company document connector. The report must become an official team artifact, but the connector can create new files and cannot edit existing ones.

ACTIVITIES

1. Verify the draft and confirm that it is ready to become an official record.
2. Check the connector's actual save and edit capabilities before choosing the route.
3. Decide the required destination and whether the report must be a new file or an update to an existing one.
4. Use the supported route to create the artifact in the correct company location.
5. Confirm the resulting file, location, and contents after saving.

CHOOSE THE BEST SEQUENCE

A. 3 → 4 → 2 → 1 → 5
B. 2 → 3 → 1 → 4 → 5
C. 3 → 2 → 1 → 4 → 5
D. 3 → 1 → 2 → 4 → 5

5 ✦ AI Fluency ☰ Sequence-Order

A mentor asks AI for a lesson plan. The first draft is polished but aimed at beginners, while the actual audience consists of experienced developers preparing to mentor others.

ACTIVITIES

1. Compare the draft with the audience, learning outcomes, time limit, and required practice.
2. Rewrite the brief with the missing audience and performance requirements.
3. Decide whether the revised plan meets the purpose or needs another iteration.
4. Ask AI to produce a revised plan using the corrected brief.
5. Specify the intended learner level, practical tasks, evidence of mastery, and output structure.

CHOOSE THE BEST SEQUENCE

A. 5 → 2 → 1 → 4 → 3
B. 1 → 5 → 2 → 4 → 3
C. 1 → 2 → 5 → 4 → 3
D. 5 → 4 → 1 → 2 → 3

6 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

An organization’s customer-support agent produces accurate refund calculations in testing. Before deployment, the manager discovers that reviewers approve recommendations without examining the underlying transactions. Which change most directly strengthens the approval gate?

A. Increase the number of cases reviewed while preserving the same review procedure.
B. Require reviewers to verify decisive transaction evidence and retain authority to reject each recommendation.
C. Ask the agent to attach a confidence score to every calculation.
D. Have another AI session reproduce the refund amounts independently.

7 ⚙ Skills & Connectors ☰ Sequence-Order

A reporting agent used to produce accurate summaries. After a team member installs a new Skill and updates a reference file, it begins omitting required checks and citing old figures.

ACTIVITIES

1. Compare the new behavior with the last known-good run and identify when each symptom began.
2. Inspect the prompt and workflow requirements to confirm the required checks are still explicit.
3. Review the new Skill and updated reference file for unexpected instructions, stale information, or changed behavior.
4. Test a controlled run with the prior trusted configuration and current approved source data.
5. Apply the confirmed fix, retest the complete workflow, and document any new permission or review controls.

CHOOSE THE BEST SEQUENCE

A. 2 → 1 → 3 → 4 → 5
B. 1 → 2 → 3 → 4 → 5
C. 1 → 3 → 2 → 5 → 4
D. 3 → 1 → 4 → 2 → 5

8 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

An AI evaluation reports that the error rate fell from 8% to 5%. The earlier system processed 800 cases, while the revised system processed 1,250 cases. At a common volume of 1,250 cases, how many fewer errors would the revised rate predict?

A. About 24 fewer errors, applying the three-percentage-point difference to the earlier volume.
B. About 30 fewer errors, applying the earlier error rate to the new volume.
C. About 37.5 fewer errors, applying the three-percentage-point reduction to 1,250 cases.
D. About 62.5 fewer errors, applying the revised error rate to the new volume.

9 ⚙ Skills & Connectors ☑ Select TWO

(Cross-platform) A company uses a community-built skill with one AI assistant and connects a separate platform to its document repository. The skill requests access to unrelated files, while the connector requests editing permissions even though the task only requires reading. Which TWO actions address the distinct risks? **(Select TWO.)**

- **A** Inspect the skill’s contents and provenance before enabling it.
- **B** Approve both requests because an employee initiated the workflow.
- **C** Restrict the connector’s permissions and accessible resources to what the task requires.
- **D** Rely on the platforms’ built-in safeguards without inspecting either configuration.
- **E** Move the entire workflow to one vendor to eliminate the need for permission review.

10 → Just Delegate It ◉ Scenario-Based

A procurement officer's brief says "compare three vendors, verification: flag anything you can't confirm as unverified." The AI returns six flagged items.

- **A** Only the flagged items need checking; the rest are proven.
- **B** All items need checking, since the absence of a flag isn't proof.
- **C** The brief was poorly written, since Claude itself decided what to flag.
- **D** The flagged items should be ignored, since they signal low confidence only.

11 ⚙ Skills & Connectors ◉ Scenario-Based

(Cross-platform) A team transfers a reusable AI workflow from one coding assistant to another. The instructions load successfully, but the new workflow modifies files outside the requested scope. What is the best response?

- **A** Repeat the task to determine whether the extra modifications were accidental.
- **B** Expand filesystem permissions so the workflow can finish without interruption.
- **C** Restrict effective access, inspect unauthorized changes, and test the revised boundaries.
- **D** Ask a second model whether the modified files are technically valid.

12 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

An agent's first report omits the regional breakdown requested by the analyst. The same omission occurs in every fresh run, and the conversation is short.

ACTIVITIES

1. Check whether the prompt explicitly requested the regional breakdown and defined the required output structure.
2. Revise the brief to include the missing requirement and constraints.
3. Run the task again and inspect whether the missing section is now present.
4. Only if the prompt is adequate, investigate other likely causes such as the feature, model, or source data.
5. Accept the report only after checking the requested sections against the brief.

CHOOSE THE BEST SEQUENCE

A. 4 → 1 → 2 → 3 → 5
B. 1 → 2 → 3 → 4 → 5
C. 1 → 4 → 2 → 3 → 5
D. 2 → 1 → 4 → 5 → 3

13 → Just Delegate It ☰ Sequence-Order

Every Friday, an analyst asks AI to summarize weekly support trends. The task repeats, and the team needs consistent outputs without assuming last week's chat will be remembered.

ACTIVITIES

1. Review a sample run and identify which checks should happen before acceptance.
2. Define the recurring report's outcome, audience, data source, constraints, and format.
3. Move stable instructions and reference material into an appropriate persistent workspace.
4. Run the workflow on a fresh week of data and observe where it drifts.
5. Accept the report only after checking important counts, claims, and omissions.

CHOOSE THE BEST SEQUENCE

A. 2 → 4 → 3 → 5 → 1
B. 3 → 2 → 4 → 1 → 5
C. 2 → 3 → 4 → 1 → 5
D. 2 → 3 → 5 → 4 → 1

14 ⚖ Governance, Risk & Responsible Use ☑ Select TWO

(Cross-vendor) A company uses multiple AI vendors to draft and review a confidential report. One platform is approved for the report's data classification; the other is not. The report also contains personal identifiers irrelevant to the task. Which TWO actions are appropriate? **(Select TWO.)**

- **A** Remove unnecessary identifiers before sharing the report.
- **B** Upload the complete report to both platforms to compare output quality.
- **C** Use the environment and data-handling route approved for that classification.
- **D** Disable web search and assume this makes either upload permissible.
- **E** Preserve all identifiers so the systems receive identical inputs.

15 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

A workflow fails because a recurring rule was never included in the instructions. After the analyst adds the rule in chat, the output improves, but the next run in a new chat fails again.

ACTIVITIES

1. Classify the fix as a stable rule, reference material, or repeatable procedure.
2. Confirm that the one-off correction solved the observed failure.
3. Move the rule into the appropriate persistent instruction location and update related documentation if needed.
4. Run a new-chat test to verify that the fix is applied without relying on the previous conversation.
5. Assign an owner or review trigger so the stored rule remains current.

CHOOSE THE BEST SEQUENCE

- **A** 2 → 1 → 3 → 4 → 5
- **B** 1 → 2 → 3 → 5 → 4
- **C** 2 → 3 → 1 → 4 → 5
- **D** 2 → 1 → 4 → 3 → 5

16 ⚖ Governance, Risk & Responsible Use ☰ Sequence-Order

A team notices that an agent may have sent sensitive project information to an external service after reading a document. The cause is not yet known.

ACTIVITIES

1. Review logs and the relevant Skill, connector scopes, and source content to determine what happened.
2. Stop or contain the suspected transfer and prevent further unsafe actions.
3. Notify the appropriate incident or data owner using the organization's process.
4. Establish which data and systems may have been affected and preserve evidence.
5. Implement a corrective control and verify it before restoring the workflow.

CHOOSE THE BEST SEQUENCE

A. 1 → 2 → 3 → 4 → 5
B. 2 → 4 → 1 → 3 → 5
C. 2 → 3 → 4 → 1 → 5
D. 3 → 2 → 1 → 4 → 5

17 → Just Delegate It ◉ Scenario-Based

A freight firm's AI drafts customs declarations under a brief with no Authority line. It auto-submits one declaration with a misclassified HS code before anyone reviews it.

A. The brief needed more context about shipment types.
B. The brief needed an authority boundary separating drafting from submission.
C. The AI should have asked for confirmation verbally before acting.
D. A stronger model would have classified the code correctly.

18 → Just Delegate It ☰ Sequence-Order

A project lead has rough meeting notes and needs a decision log that colleagues can act on. The notes contain unclear owners and dates.

ACTIVITIES

1. Ask the AI to produce the decision log in a specified table or document.
2. Define what counts as a decision, action, owner, due date, and unresolved issue.
3. Check each extracted decision and action against the original notes.
4. Provide the notes and ask the AI to separate decisions from proposed actions.
5. Resolve or explicitly flag missing owners and dates rather than letting the AI invent them.

CHOOSE THE BEST SEQUENCE

A. 4 → 2 → 1 → 3 → 5
B. 2 → 4 → 1 → 5 → 3
C. 2 → 4 → 3 → 5 → 1
D. 2 → 4 → 5 → 3 → 1

19 ⚖ Governance, Risk & Responsible Use ☰ Sequence-Order

AI creates a shortlist for a training program. The criteria are partly subjective, and applicants may lose an opportunity if the shortlist is used without review.

ACTIVITIES

1. Document the disclosure, review, and escalation decisions that apply.
2. Define the legitimate criteria and who remains accountable for selection.
3. Check the output for unsupported judgments, unfair patterns, and evidence gaps.
4. Decide whether AI should assist, assist only with a defined human gate, or not perform this part of the decision.
5. Allow the accountable person to make and record the final selection decision.

CHOOSE THE BEST SEQUENCE

A. 4 → 2 → 3 → 1 → 5
B. 2 → 4 → 3 → 1 → 5
C. 2 → 3 → 4 → 5 → 1
D. 2 → 4 → 1 → 3 → 5

20 → Just Delegate It ☰ Sequence-Order

A service team wants an agent to summarize case records, draft customer updates, and eventually send them. The source data is sensitive, and incorrect updates could mislead customers.

ACTIVITIES

1. Run a limited pilot with narrow, read-only access and review its outputs against source records.
2. Define the outcome, permitted data, allowed actions, and explicit boundaries for sending messages.
3. Assess the use case, data route, connector permissions, and people-impact risks; name the required reviewer and approval point.
4. Verify factual claims and decide whether the pilot is safe and accurate enough to expand.
5. Only after the controls pass, consider a separately approved expansion of action permissions.

CHOOSE THE BEST SEQUENCE

A. 2 → 3 → 1 → 4 → 5
B. 3 → 2 → 1 → 5 → 4
C. 2 → 1 → 3 → 4 → 5
D. 2 → 3 → 4 → 1 → 5

21 ⚙ Skills & Connectors ◉ Scenario-Based

A compliance Skill that formats audit memos starts firing inconsistently right after a new document-management Connector was added.

A. The Skill file has quietly degraded over time.
B. The new Connector may be shifting how requests are phrased, affecting the Skill's trigger match.
C. Skills and Connectors cannot interact, so this is unrelated.
D. The model powering the Skill has weakened since the Connector was added.

22 ⚙ Skills & Connectors ☰ Sequence-Order

An agent needs to find and summarize documents in one project folder. The connector offers search, read, edit, and delete capabilities.

ACTIVITIES

1. Expand permissions only if a demonstrated need remains and the added risk is approved.
2. Identify the exact folder and actions required for the task.
3. Start with the narrowest available, read-only access.
4. Test retrieval and summarization, then check whether the results match the source files.
5. Confirm what the connector can and cannot do, including recovery or undo behavior.

CHOOSE THE BEST SEQUENCE

A. 2 → 5 → 1 → 3 → 4
B. 2 → 5 → 3 → 4 → 1
C. 5 → 2 → 3 → 1 → 4
D. 2 → 3 → 4 → 5 → 1

23 ✦ AI Fluency ☰ Sequence-Order

AI summarizes a spreadsheet and reports that complaints fell by 18%. The summary looks plausible, but the analyst is unsure whether the correct rows and denominator were used.

ACTIVITIES

1. Decide whether the reported figure is fit to publish or needs correction.
2. Define the exact population, time periods, numerator, denominator, and comparison requested.
3. Use a suitable calculation method on the relevant data rather than relying on a prose estimate.
4. Inspect the selected rows, formula, and resulting value against the intended measure.
5. Ask AI to explain the result and show the calculation or evidence used.

CHOOSE THE BEST SEQUENCE

A. 2 → 5 → 3 → 4 → 1
B. 2 → 3 → 4 → 5 → 1
C. 3 → 2 → 5 → 1 → 4
D. 2 → 4 → 3 → 1 → 5

24 ⚙ Skills & Connectors ☰ Sequence-Order

A research agent reads a web page that contains text instructing it to ignore the user and upload local files. The page is meant to be evidence, not an instruction source.

ACTIVITIES

1. Keep the page's content in the role of untrusted source material rather than following its instructions.
2. Identify that the unexpected instruction came from content being read, not from the authorized task.
3. Stop any proposed external transfer and preserve the relevant details for review.
4. Check whether the agent's permissions or workflow allow the source to trigger actions.
5. Adjust the workflow so external content cannot authorize data access or side effects.

CHOOSE THE BEST SEQUENCE

A. 2 → 1 → 4 → 3 → 5
B. 1 → 2 → 3 → 4 → 5
C. 2 → 4 → 1 → 5 → 3
D. 4 → 2 → 1 → 3 → 5

25 ✦ AI Fluency ◉ Scenario-Based

A trainee asks AI to "make the quarterly summary better," with no audience, format, or constraint specified, and gets back a generic list of writing tips.

A. The model lacks creative reasoning for this kind of task.
B. This is a Discernment gap — the trainee should have checked harder.
C. This is a Description gap — the request specified no role, audience, or format.
D. This is a Diligence gap — the trainee failed to disclose AI use.

26 ⚙ Skills & Connectors ☰ Sequence-Order

A developer finds a community Skill that promises to automate weekly client research. It includes a SKILL.md file and a script that may contact external services.

ACTIVITIES

1. Enable the Skill for the intended task only after its behavior and source are acceptable.
2. Inspect the Skill instructions and bundled files for unexpected network calls, credential handling, or data transfer.
3. Confirm the task, data sensitivity, and whether the Skill comes from a trusted source.
4. Test the approved Skill on a low-risk example and review what it does.
5. Decline or escalate if its behavior is unexplained or would expose data improperly.

CHOOSE THE BEST SEQUENCE

A. 3 → 2 → 5 → 1 → 4
B. 2 → 3 → 1 → 4 → 5
C. 3 → 1 → 2 → 4 → 5
D. 3 → 2 → 1 → 4 → 5

27 ⚙ Skills & Connectors ◉ Scenario-Based

An analyst's AI keeps needing live figures pulled from an internal dashboard every morning, copy-pasted manually each time.

A. This calls for a Skill, since it's a repeated procedure.
B. This calls for a Connector, since it's repeated access to another app's data.
C. This calls for custom instructions, since it happens daily.
D. This calls for a Project, since dashboards count as knowledge.

28 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

A screening system flags 240 applications, of which 60 are genuine exceptions. After a revision, it flags 180 applications, of which 54 are genuine exceptions. By how many percentage points did the proportion of genuine exceptions among flagged applications increase?

- **A** An increase of 3 percentage points, treating the change as a small improvement in the flagged set.
- **B** An increase of 5 percentage points, comparing the genuine-exception share before and after revision.
- **C** An increase of 6.25 percentage points, using the revised count as the original baseline.
- **D** An increase of 10 percentage points, comparing the number of genuine exceptions rather than their share.

29 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

A monthly report is well written, but its totals are repeatedly a little inaccurate. The prompt is clear, and the error occurs in the same calculation step.

ACTIVITIES

1. Replace the unsuitable calculation approach with a tool or method that computes the values from the correct data.
2. Confirm that the prompt defines the intended measure, data rows, and output format.
3. Re-run the calculation and inspect the inputs, formula, and resulting values.
4. Decide whether the calculation step should use a different feature or model rather than more prose prompting.
5. Accept the report only after the relevant totals and their interpretation have been checked.

CHOOSE THE BEST SEQUENCE

- **A** 4 → 2 → 1 → 3 → 5
- **B** 2 → 1 → 4 → 3 → 5
- **C** 2 → 4 → 1 → 3 → 5
- **D** 2 → 3 → 4 → 5 → 1

30 ✦ AI Fluency ◉ Scenario-Based

(Cross-vendor) A company combines work from two AI platforms into a public report. One platform generates the analysis; the other reviews it. The review finds no errors in a small sample, but it does not establish whether the analysis omitted relevant sections. What is the best next step?

A. Accept the report because the reviewing platform found no errors.

B. Ask the reviewing platform to repeat its review with the same sample.

C. Independently compare source coverage with the report and investigate missing sections before release.

D. Increase the reviewer’s reasoning effort without changing the evidence examined.

31 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

A reviewer audits 30% of 480 records and finds 9 defective records. If the same defect rate holds, approximately how many defective records should be expected among the unchecked records?

A. About 21 defects, applying the observed defect rate only to the unchecked records.

B. About 27 defects, adding the observed sample defects to the projected unchecked defects.

C. About 30 defects, projecting the sample’s defect count across the full dataset.

D. About 36 defects, applying the observed count to the unchecked proportion incorrectly.

32 ⚖ Governance, Risk & Responsible Use ☑ Select TWO

(Cross-vendor) A company uses 20 AI products across Marketing, Finance, HR, and Operations. A shared report combines outputs from six products, but two claims cannot be traced to approved evidence. Which TWO controls best address the problem? **(Select TWO.)**

- **A** Require a common evidence-verification standard across products and departments.
- **B** Accept claims when two different products generate the same conclusion.
- **C** Assign one accountable owner to approve the integrated report and resolve unsupported claims.
- **D** Replace all 20 products with a single product before reviewing the report.
- **E** Ask each product to certify the accuracy of its own contribution.

33 ✦ AI Fluency ☑ Select TWO

A company’s AI assistant extracts clauses from thousands of contracts. A second system reviews a small sample and finds no errors, but neither system establishes that every clause was extracted. Which TWO checks provide the strongest evidence of completeness? **(Select TWO.)**

- **A** Ask the extraction system to confirm that it finished the task.
- **B** Compare the extracted-clause count with an independently established source count.
- **C** Increase the reviewer’s reasoning effort and repeat the same sample.
- **D** Compare source sections with the extracted output, including sections that produced no extracted clause.
- **E** Accept the extraction if both systems report identical totals.

34 ⚙ Skills & Connectors ◉ Scenario-Based

An analyst needs a monthly report with an identical layout, revenue figures that refresh hourly from the finance system, and read-only access to financial records. Which design best meets these requirements?

- **A** Store the latest revenue figures in reusable instructions and update them manually each reporting cycle.
- **B** Use reusable instructions for the layout and a read-only connector for current financial data.
- **C** Use a write-enabled connector and restate the layout in every prompt.
- **D** Put the layout and a static copy of the financial data in one long prompt.

35 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

A legal team wants AI to support contract review. AI can extract clauses and compare them with a playbook, but final approval creates obligations for the organization.

ACTIVITIES

1. Build and test the workflow with AI handling bounded extraction and comparison tasks.
2. List the real workflow steps and the requirements each step must satisfy.
3. Assign each step to AI, a human, or a collaboration with a named reviewer.
4. Use reversibility, consequence of error, and accountability to decide ownership.
5. Explain the final workflow, including exactly where the human approval gate sits.

CHOOSE THE BEST SEQUENCE

- **A** 2 → 4 → 3 → 1 → 5
- **B** 4 → 2 → 3 → 5 → 1
- **C** 2 → 3 → 4 → 1 → 5
- **D** 2 → 4 → 1 → 3 → 5

36 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

A workflow selects 35% of a dataset containing 4,800 records. During quality control, 2 out of every 7 selected records are removed. How many selected records remain?

- **A** 1,120 records, subtracting the removed share from the original dataset rather than the selected subset.
- **B** 1,200 records, calculating the selected subset first and then removing the specified share.
- **C** 1,440 records, subtracting the removed share from the full dataset.
- **D** 1,680 records, reporting the selected subset before quality-control removals.

37 ✦ AI Fluency ☰ Sequence-Order

AI produces a polished market analysis with confident percentages and citations. One citation cannot be found, and another source is several years old.

ACTIVITIES

1. Decide which claims can be accepted, which need correction, and which must be marked unverified.
2. Describe the question, audience, required evidence, and acceptable source quality.
3. Check the cited sources directly and compare the relevant passages with the claims.
4. Choose the appropriate research method or tool for current evidence.
5. Inspect the output for unsupported claims, stale data, and mismatches between sources and conclusions.

CHOOSE THE BEST SEQUENCE

- **A** 2 → 4 → 3 → 5 → 1
- **B** 4 → 2 → 5 → 3 → 1
- **C** 2 → 4 → 1 → 3 → 5
- **D** 2 → 3 → 4 → 1 → 5

38 → Just Delegate It ☰ Sequence-Order

An operations associate must turn a 60-page vendor audit into a board-ready one-page summary. The summary must be accurate, concise, and suitable for directors.

ACTIVITIES

1. Review the extracted findings against the source report for accuracy.
2. Upload the report and have Claude extract the key findings for each audit area.
3. Define the summary's audience, purpose, and required structure.
4. Have Claude draft the one-page summary from the verified findings.
5. Refine the draft's tone and emphasis through targeted feedback.

CHOOSE THE BEST SEQUENCE

A. 2 → 3 → 1 → 4 → 5
B. 3 → 2 → 1 → 4 → 5
C. 3 → 2 → 4 → 1 → 5
D. 2 → 1 → 3 → 5 → 4

39 ⚖ Governance, Risk & Responsible Use ☰ Sequence-Order

A team wants to enable an agent Skill and connector for a weekly document workflow. The Skill is unfamiliar, and the connector requests access to the entire shared drive.

ACTIVITIES

1. Enable only the approved configuration and run a limited test.
2. Check whether the workflow is appropriate for AI in the first place.
3. Inspect the Skill and its bundled files for unexpected instructions or data transfers.
4. Restrict connector access to the smallest scope and begin read-only where possible.
5. Record unresolved risks and escalate them to the proper owner rather than bypassing review.

CHOOSE THE BEST SEQUENCE

A. 2 → 3 → 4 → 5 → 1
B. 3 → 2 → 4 → 1 → 5
C. 2 → 4 → 3 → 5 → 1
D. 2 → 3 → 5 → 4 → 1

40 ⚙ Skills & Connectors ◉ Scenario-Based

A support team wants AI to always close tickets with the company's legal disclaimer, in every single reply, and separately wants its refund-policy lookup to trigger only when refunds come up.

- **A** Skill for the disclaimer; custom instructions for refund lookup.
- **B** Custom instructions for the disclaimer; Skill for refund lookup.
- **C** Connector for the disclaimer; Project for refund lookup.
- **D** Project for both, since both are repeated needs.

41 ⚖ Governance, Risk & Responsible Use ◉ Scenario-Based

A telecom's AI churn-prediction model flags customers for retention offers. An audit finds it disproportionately flags customers from one specific region, unrelated to actual churn risk.

- **A** This is a Data question — the input data was too large.
- **B** This is a Capability question — the tool wasn't approved for this use.
- **C** This is a People question — it may be unfairly affecting one group.
- **D** This is a Case question — AI shouldn't predict churn at all.

42 ✦ AI Fluency ◉ Scenario-Based

A paralegal delegates first-pass contract review to AI, writes a clear brief, but signs off on the final filing without reading the AI's flagged clauses.

- **A** This is a Description failure — the brief wasn't clear enough.
- **B** This is a Discernment failure — the output wasn't checked.
- **C** This is a Delegation failure — this task shouldn't go to AI at all.
- **D** This is a Diligence failure — disclosure of AI use was skipped.

43 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

(Cross-platform) An organization moves a decision-support workflow to a different AI platform. The prompts and source data remain unchanged, but recommendations that were previously reviewed internally will now be shown directly to customers. What should happen before launch?

- **A** Retain the existing approval because the prompts and data are unchanged.
- **B** Compare model accuracy and retain existing controls if the results are similar.
- **C** Reassess the audience, consequences, approval gates, and residual risks before release.
- **D** Launch immediately and rely on random audits to identify problems afterward.

44 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

A step computes a late-payment penalty (reversible, arithmetic) and is approved by a named reviewer immediately afterward. A separate team copies this exact step into a workflow with no approval step after it.

- **A** The step remains AI-appropriate in both workflows, since the arithmetic hasn't changed.
- **B** The step stops being AI-appropriate in the second workflow, since the review gate that made it safe is now missing.
- **C** The step was never appropriate for AI, in either workflow.
- **D** The step becomes more appropriate in the second workflow, since it now runs faster.

45 → Just Delegate It ◉ Scenario-Based

An editor verifies an AI-cited statistic by asking the same AI, in the same chat, "are you sure this is right?" It confirms.

- **A** This counts as Trace, since a source was referenced.
- **B** This counts as Challenge, since a follow-up question was asked.
- **C** This is not independent verification — same model, same blind spots.
- **D** This counts as Decide, since a final answer was reached.

46 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

A logistics dispatcher reviews AI-suggested routes "when time allows," with no named reviewer and no defined checkpoint before drivers are assigned.

- **A** This is a properly staffed gate, since review happens regularly.
- **B** This is an unstaffed gate — no named role, no named risk, no fixed point before action.
- **C** This is over-delegation, since routing should never go to AI.
- **D** This is halo delegation, since dispatch borrowed trust from an unrelated task.

47 ⚖ Governance, Risk & Responsible Use ◉ Scenario-Based

A bank's AI-dispatch tool has read-only access to transaction data and separate, Manual-approval browser access to submit fraud-alert tickets. A manager sets ticket submission to auto-approve after "30 clean runs."

- **A** This is sound, since 30 runs is a statistically solid sample size.
- **B** This is risky if "clean" only measures that a ticket was submitted, not that it was submitted for the correct, verified case.
- **C** This is sound, since read-only access to transaction data eliminates the real risk.
- **D** This is risky only because Manual approval should never be changed once set.

48 ⚖ Governance, Risk & Responsible Use ◉ Scenario-Based

A hospital intern uploads a redacted patient file (names removed) to a general AI chat, but leaves in a rare combination of age, diagnosis, and ward that could still identify the patient.

- **A** This is full anonymization, since names were removed.
- **B** This is sufficient pseudonymization, since identifiers were stripped.
- **C** This is partial redaction — the leftover details can still re-identify the patient.
- **D** This is acceptable, since the data tier automatically drops once names are gone.

49 ⚖ Governance, Risk & Responsible Use ☰ Sequence-Order

AI can draft a reply to a customer who disputes a charge. The reply uses account data and could affect the customer's next action.

ACTIVITIES

1. Define a review gate that names the responsible role, what must be checked, and when the check occurs.
2. Decide whether AI may support this task based on reversibility, consequences, human judgment, and accountability.
3. Identify the approved route for the account data and check whether the data may be used for this purpose.
4. Have AI draft the reply from the permitted information.
5. Require the responsible reviewer to verify the factual claims before the reply is sent.

CHOOSE THE BEST SEQUENCE

A. 2 → 3 → 4 → 1 → 5
B. 3 → 2 → 1 → 4 → 5
C. 2 → 1 → 3 → 4 → 5
D. 2 → 3 → 1 → 4 → 5

50 ✦ AI Fluency ☰ Sequence-Order

A team wants to use an agent for candidate screening. The agent can organize applications and summarize evidence, but the shortlist affects people's opportunities.

ACTIVITIES

1. Assign the evidence-gathering and summarization work to AI while retaining the consequential judgment for a responsible person.
2. Define the hiring criteria, intended use, and the decision that must remain human-owned.
3. Check whether the proposed workflow could unfairly exclude candidates or rely on unsuitable signals.
4. Specify the information AI may use and the form in which it must present evidence.
5. Review the summaries and process before anyone uses them to make a decision.

CHOOSE THE BEST SEQUENCE

A. 2 → 4 → 1 → 3 → 5
B. 4 → 2 → 3 → 1 → 5
C. 2 → 3 → 4 → 1 → 5
D. 2 → 4 → 3 → 1 → 5

51 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

An organization evaluates a screening system using 840 applications. Historical testing indicates that 5% receive an incorrect approval. An audit detects 4 out of every 7 incorrect approvals. Assuming the rates hold, how many incorrect approvals are expected to remain undetected?

A. About 12, because the audit removes most errors and leaves only a small residual.

B. About 18, because 42 expected errors arise and the audit detects 24 of them.

C. About 24, because the audit detects 4 out of every 7 cases and that count is the residual.

D. About 30, because the full expected error count should be reduced by the audit's detection rate.

52 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

A company's AI assistant consistently summarizes an outdated refund policy stored in its knowledge files. The current policy is available in an approved authoritative source. What is the best corrective action?

A. Add a prompt instructing the assistant to be cautious when discussing refund rules.

B. Increase reasoning effort so the assistant can infer the current policy.

C. Ask the assistant to reconcile the outdated policy with its general knowledge.

D. Update or replace the stale knowledge source and validate outputs against the current policy.

53 ✦ AI Fluency ◉ Scenario-Based

An HR officer tells her team "AI wrote this, I verified every clause" when presenting an AI-assisted policy draft to leadership.

A. This is unnecessary disclosure that undermines her credibility.

B. This reflects proper Diligence — transparency plus ownership of the result.

C. This is a Discernment step, since she's explaining her reasoning.

D. This is excessive, since Delegation already covers disclosure.

54 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

An agent's first few runs are accurate. Later runs increasingly use old policy details even though the prompt has not changed.

ACTIVITIES

1. Check the dates and ownership of the instructions and knowledge sources the workflow depends on.
2. Identify whether the decline is gradual and began after initially successful runs.
3. Update or replace stale references and define a maintenance trigger.
4. Run a controlled test using current policy material and compare the result.
5. Restore normal use only after the updated workflow passes the relevant checks.

CHOOSE THE BEST SEQUENCE

A. 2 → 3 → 1 → 4 → 5
B. 1 → 2 → 3 → 5 → 4
C. 2 → 1 → 3 → 4 → 5
D. 2 → 1 → 4 → 3 → 5

55 ✦ AI Fluency ☰ Sequence-Order

A long conversation initially produced a good plan. After many unrelated requests, the assistant starts ignoring an earlier constraint even though the user repeats it in slightly different words.

ACTIVITIES

1. Test the plan in a fresh conversation with only the relevant context.
2. Identify when the output first began to degrade.
3. Move stable project facts and recurring rules into the appropriate persistent context.
4. Check whether the original task, constraints, and expected format were clearly stated.
5. Choose a fix based on the likely cause rather than rewriting prompts at random.

CHOOSE THE BEST SEQUENCE

A. 4 → 2 → 1 → 3 → 5
B. 2 → 1 → 4 → 3 → 5
C. 2 → 4 → 1 → 5 → 3
D. 3 → 2 → 4 → 1 → 5

PART 2 · Answers and Reasons

Start with the quick answer grid, then read the reason behind each answer.

QUICK ANSWER GRID

Q1 **B**	Q2 **A**	Q3 **A**	Q4 **C**	Q5 **B**
Q6 **B**	Q7 **B**	Q8 **C**	Q9 **A, C**	Q10 **B**
Q11 **C**	Q12 **B**	Q13 **C**	Q14 **A, C**	Q15 **A**
Q16 **C**	Q17 **B**	Q18 **D**	Q19 **B**	Q20 **A**
Q21 **B**	Q22 **B**	Q23 **B**	Q24 **A**	Q25 **C**
Q26 **A**	Q27 **B**	Q28 **B**	Q29 **C**	Q30 **C**
Q31 **A**	Q32 **A, C**	Q33 **B, D**	Q34 **B**	Q35 **A**
Q36 **B**	Q37 **A**	Q38 **B**	Q39 **A**	Q40 **B**
Q41 **C**	Q42 **B**	Q43 **C**	Q44 **B**	Q45 **C**
Q46 **B**	Q47 **B**	Q48 **C**	Q49 **D**	Q50 **D**
Q51 **B**	Q52 **D**	Q53 **B**	Q54 **C**	Q55 **C**

Just Delegate It · AI Fluency · Skills & Connectors
Workflow Design & Diagnosis · Governance, Risk & Responsible Use

DETAILED ANSWERS

1 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

✔ ANSWER **B**

Why: Nothing in the prompt changed; the world changed (a new tax-rate table) and the setup wasn't updated to reflect it. That's the definition of stale configuration, distinct from context overload or under-specification.

2 → Just Delegate It ☰ Sequence-Order

✔ ANSWER **A (2 → 3 → 4 → 1 → 5)**

Why: Define the outcome and authority boundary, provide approved context, let AI draft, verify the result, and make the human acceptance decision before consequential action. A draft is not permission to execute.

3 → Just Delegate It ☰ Sequence-Order

✔ ANSWER **A (2 → 3 → 5 → 1 → 4)**

Why: The task and criteria come first. Research produces candidates, primary pages are checked, the evidence is assessed for gaps, and only then is a client-ready comparison prepared. A source link alone does not establish that a claim is current or correct.

4 ⚙ Skills & Connectors ☰ Sequence-Order

✔ ANSWER **C (3 → 2 → 1 → 4 → 5)**

Why: Define where the artifact belongs, check what the connector can really do, verify the content, use a route the tool supports, and confirm the saved result. A connector's limitation should shape the workflow rather than be mistaken for a permissions problem.

5 ✦ AI Fluency ☰ Sequence-Order

✓ ANSWER **B (1 → 5 → 2 → 4 → 3)**

Why: First diagnose the mismatch between the draft and the real audience, then specify the learner level, practical tasks, and evidence of mastery. Use those requirements to rewrite the brief, generate the revised plan, and evaluate whether it fits the purpose.

6 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

✓ ANSWER **B**

Why: An approval gate is meaningful only if a human checks the evidence that matters and can reject the recommendation. Increasing review volume without changing the review method, relying on confidence scores, or duplicating the calculation does not ensure that the underlying transactions are examined.

7 ⚙ Skills & Connectors ☰ Sequence-Order

✓ ANSWER **B (1 → 2 → 3 → 4 → 5)**

Why: Use the timing to locate the change, confirm the task requirements, inspect the modified configuration and sources, isolate the cause with a controlled test, and verify the full fix. Rewriting the prompt alone may leave a malicious or stale Skill untouched.

8 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

✓ ANSWER **C**

Why: At 1,250 cases, an 8% error rate predicts 100 errors, while a 5% rate predicts 62.5 errors. The difference is 3 percentage points of 1,250, or 37.5 fewer expected errors. The question asks for a comparison at the same volume, so the earlier volume of 800 is not the calculation base.

9 ⚙ Skills & Connectors ☑ Select TWO

✔ ANSWER **A and C**

Why: A community-built skill should be inspected for its contents and provenance before it is trusted. The connector should have only the permissions and resource access needed for the task. These are distinct risks: the skill may contain unsafe instructions, while the connector may grant excessive access.

10 → Just Delegate It ◉ Scenario-Based

✔ ANSWER **B**

Why: A missing flag is not the same as a verified claim. The AI only flags what it noticed it couldn't confirm — it says nothing about what it missed entirely. All claims need checking, not just the flagged ones.

11 ⚙ Skills & Connectors ◉ Scenario-Based

✔ ANSWER **C**

Why: The workflow has exceeded its authorized scope. Restricting access and action boundaries, inspecting changes already made, and testing the corrected limits addresses both the immediate incident and the chance of recurrence. Repeating the task or asking another model to assess the files does not restore the missing boundary.

12 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

✔ ANSWER **B (1 → 2 → 3 → 4 → 5)**

Why: A consistent first-run omission points first to under-specification. Check the prompt's role, context, task, constraints, and format; correct the brief; retest; then broaden diagnosis only if the cheap first test fails.

13 → Just Delegate It ☰ Sequence-Order

✓ ANSWER **C (2 → 3 → 4 → 1 → 5)**

Why: Specify the work, store stable instructions and references where future runs can use them, test the workflow, inspect what needs checking, and accept only after verification. A past chat is not a reliable substitute for reusable context.

14 ⚖ Governance, Risk & Responsible Use ☑ Select TWO

✓ ANSWER **A and C**

Why: Removing identifiers that are unnecessary for the task reduces avoidable exposure. The report must also be handled in an environment approved for its data classification. Disabling web search does not, by itself, make an unapproved platform suitable for confidential information.

15 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

✓ ANSWER **A (2 → 1 → 3 → 4 → 5)**

Why: First confirm the correction worked, then decide where it belongs, persist it, test in a fresh run, and make future maintenance explicit. A fix that exists only in one chat is not yet a workflow fix.

16 ⚖ Governance, Risk & Responsible Use ☰ Sequence-Order

✓ ANSWER **C (2 → 3 → 4 → 1 → 5)**

Why: Contain the immediate risk, alert the responsible owner, establish scope while preserving evidence, investigate the mechanism, and verify a corrective control before resuming. Do not keep the workflow running while waiting for a complete diagnosis.

17 → Just Delegate It ◉ Scenario-Based

✓ ANSWER **B**

Why: No Authority line meant nothing distinguished "draft" from "submit." The gap wasn't context or model strength — it was a missing boundary on what could be done without review.

18 → Just Delegate It ☰ Sequence-Order

✓ ANSWER **D (2 → 4 → 5 → 3 → 1)**

Why: Define the categories, provide the source, distinguish genuine information from missing information, verify against the notes, and format the accepted content as a usable deliverable. Missing facts should be flagged, not filled in by guesswork.

19 ⚖ Governance, Risk & Responsible Use ☰ Sequence-Order

✓ ANSWER **B (2 → 4 → 3 → 1 → 5)**

Why: Clarify criteria and accountability, classify the appropriate level of AI involvement, examine evidence and fairness, record required disclosure or escalation, and leave the final decision with the accountable person.

20 → Just Delegate It ☰ Sequence-Order

✓ ANSWER **A (2 → 3 → 1 → 4 → 5)**

Why: Define the job and boundaries, complete governance checks, test with minimal access, verify the pilot, and only then consider expanding permissions. Successful drafting does not automatically justify granting send authority.

21 ⚙ Skills & Connectors ◉ Scenario-Based

✓ ANSWER **B**

Why: Skills fire when a request matches their trigger description. A new Connector can change how requests are typically phrased or routed, so the Skill's own content is unchanged but its trigger-matching becomes unreliable — an interaction effect, not decay.

22 ⚙ Skills & Connectors ☰ Sequence-Order

✓ ANSWER **B (2 → 5 → 3 → 4 → 1)**

Why: Scope the job, learn the connector's actual capabilities and limits, begin read-only, test it, and widen access only with a clear reason. A connector's available actions are not necessarily the same as the user's imagined actions.

23 ✦ AI Fluency ☰ Sequence-Order

✓ ANSWER **B (2 → 3 → 4 → 5 → 1)**

Why: Define the measure precisely, calculate using a suitable method, inspect the data selection and arithmetic, ask for a traceable explanation, and decide whether the result is usable. Correct arithmetic on the wrong rows is still the wrong answer.

24 ⚙ Skills & Connectors ☰ Sequence-Order

✓ ANSWER **A (2 → 1 → 4 → 3 → 5)**

Why: Recognize the source of the instruction, treat it as untrusted, inspect the permission boundary, stop the unsafe transfer, and improve the workflow. Prompt injection is dangerous when content is allowed to act like an authority.

25 ✦ AI Fluency ◉ Scenario-Based

✔ ANSWER **C**

Why: No audience, format, or constraint was given — the model had nothing specific to aim at, so it defaulted to generic content. This is a Description gap, not a reasoning or capability failure.

26 ⚙ Skills & Connectors ☰ Sequence-Order

✔ ANSWER **A (3 → 2 → 5 → 1 → 4)**

Why: Establish the need and trust level, inspect the instructions and files, reject or escalate unresolved risks, then enable and test only if approved. A Skill is instructions and may include scripts; it can inherit the access of the chat using it.

27 ⚙ Skills & Connectors ◉ Scenario-Based

✔ ANSWER **B**

Why: This is repeated access to *data* in another app, not a repeated *procedure*. That's exactly what a Connector is for — a Skill would be the wrong fit here since there's no "how-to" being repeated, just a data-fetch.

28 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

✔ ANSWER **B**

Why: Initially, 60 of 240 flagged applications were genuine exceptions: 25%. After revision, 54 of 180 were genuine exceptions: 30%. The increase is 30% minus 25%, which equals 5 percentage points. The question asks for the change in proportions, not the change in raw counts.

29 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

✓ ANSWER **C (2 → 4 → 1 → 3 → 5)**

Why: Confirm the task is specified, recognize the repeatable calculation error as a likely tool-fit issue, switch to a suitable computation method, verify the inputs and result, and then decide whether the report is acceptable. Rephrasing does not turn language generation into reliable arithmetic.

30 ✦ AI Fluency ◉ Scenario-Based

✓ ANSWER **C**

Why: A review that finds no errors in a small sample does not establish that the report includes all relevant material. The team should independently check source coverage and investigate missing sections before publication. Repeating the same limited review does not address the completeness gap.

31 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

✓ ANSWER **A**

Why: Thirty percent of 480 is 144 audited records, leaving 336 unchecked. The observed defect rate is 9 out of 144, or 6.25%. Applying 6.25% to the 336 unchecked records gives an expectation of 21 defects. Projecting the sample’s nine defects directly to the whole dataset or adding the sample defects to the projection uses the wrong base.

32 ⚖ Governance, Risk & Responsible Use ☑ Select TWO

✓ ANSWER **A and C**

Why: A common evidence-verification standard makes expectations consistent across products, while one accountable owner is responsible for the integrated report and for resolving unsupported claims. Agreement between models is not independent proof, and consolidating vendors is not a substitute for evidence and accountability.

33 ✦ AI Fluency ☑ Select TWO

✓ ANSWER **B and D**

Why: An independently established source count provides a completeness check, while comparing source sections against the output can reveal omissions even when a total appears plausible. A model's own completion statement, a repeated small sample, or agreement between systems does not independently establish that every clause was captured.

34 ⚙ Skills & Connectors ◉ Scenario-Based

✓ ANSWER **B**

Why: Reusable instructions or a skill can preserve the report layout, while a read-only connector can retrieve current financial data without granting unnecessary write access. Storing changing figures in instructions or a static prompt makes the data stale; write permissions exceed the stated need.

35 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

✓ ANSWER **A (2 → 4 → 3 → 1 → 5)**

Why: List the actual steps, apply risk and accountability criteria to each, assign ownership, build and test the bounded workflow, then communicate its operation and human gate. A good extraction result does not justify delegating final approval.

36 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

✓ ANSWER **B**

Why: First calculate the selected subset: 35% of 4,800 is 1,680 records. Removing 2 out of every 7 means removing 480 records, leaving 1,200. The removal rate applies to the selected subset, not the original dataset.

37 ✦ AI Fluency ☰ Sequence-Order

✓ ANSWER **A (2 → 4 → 3 → 5 → 1)**

Why: Description sets the standard, delegation selects the suitable research method, and discernment checks the evidence and the claims. Diligence then determines what can be used responsibly. A fluent tone or a citation-shaped string is not proof.

38 → Just Delegate It ☰ Sequence-Order

✓ ANSWER **B (3 → 2 → 1 → 4 → 5)**

Why: Set the audience and success criteria first, then extract from the source, verify the extracted claims, draft from verified material, and refine the finished draft. Drafting before verification risks making unsupported claims sound authoritative.

39 ⚖ Governance, Risk & Responsible Use ☰ Sequence-Order

✓ ANSWER **A (2 → 3 → 4 → 5 → 1)**

Why: Start with whether the work is suitable, inspect the Skill, narrow the connector's reach, escalate unresolved issues, and only then enable a limited approved test. Tool availability is not itself authorization.

40 ⚙ Skills & Connectors ◉ Scenario-Based

✓ ANSWER **B**

Why: "Every single reply, always" = a stable rule across all chats → custom instructions. "Only when refunds come up" = a task-triggered procedure → a Skill.

41 ⚖ Governance, Risk & Responsible Use ◉ Scenario-Based

✓ ANSWER **C**

Why: Disproportionately affecting one group, regardless of actual risk, is exactly the People question — could this unfairly affect anyone, individually or as a group?

42 ✦ AI Fluency ◉ Scenario-Based

✓ ANSWER B

Why: A clear brief (Description) was written, but the output was never checked before it was acted on — that's a Discernment failure specifically, not a Delegation or Diligence one.

43 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

✓ ANSWER C

Why: Changing the audience from internal reviewers to direct customers changes how recommendations can affect people, even if the prompts and data remain the same. The organization should reassess consequences, oversight, approval gates, and remaining risks before release.

44 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

✓ ANSWER B

Why: The arithmetic itself never made the step safe — the review gate immediately after it did. Remove the gate, and the same unchanged step is no longer AI-appropriate.

45 → Just Delegate It ◉ Scenario-Based

✓ ANSWER C

Why: Asking the same AI to confirm its own answer isn't an independent check — it shares the same blind spots that may have produced the error in the first place. Real verification needs a source outside the model.

46 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

✓ ANSWER **B**

Why: "Review when time allows" names no role, no specific risk, and no fixed point before action — it's a gesture, not a gate.

47 ⚖ Governance, Risk & Responsible Use ◉ Scenario-Based

✓ ANSWER **B**

Why: A "clean run" count is only meaningful if "clean" actually tracks the real risk. If it only measures that a ticket was submitted — not that it was submitted for the correct, verified case — the threshold could be met while the actual risk goes completely untracked.

48 ⚖ Governance, Risk & Responsible Use ◉ Scenario-Based

✓ ANSWER **C**

Why: Removing the name alone isn't enough if other details (rare combination of age, diagnosis, ward) can still re-identify the person. This is partial redaction.

49 ⚖ Governance, Risk & Responsible Use ☰ Sequence-Order

✓ ANSWER **D (2 → 3 → 1 → 4 → 5)**

Why: First decide whether the use is appropriate and under what conditions. Then establish the approved data route and a real review gate before drafting and checking the output. "Someone will review it" is not a control unless who, what, and when are defined.

50 ✦ AI Fluency ☰ Sequence-Order

✓ ANSWER **D (2 → 4 → 3 → 1 → 5)**

Why: Clarify the criteria and accountability, specify the information and output format, check for unfair patterns and unsuitable signals, assign the bounded evidence work, and review before use. Fluency includes deciding when not to hand over a judgment.

51 ⚖ Governance, Risk & Responsible Use ∑ Quantitative Reasoning

✓ ANSWER **B**

Why: Five percent of 840 applications is 42 expected incorrect approvals. The audit detects 4 out of every 7, or 24, leaving 18 expected undetected errors. The key is to calculate the error count first, then apply the audit’s detection rate.

52 ⇄ Workflow Design & Diagnosis ◉ Scenario-Based

✓ ANSWER **D**

Why: The cause is a stale knowledge source, so the source should be updated or replaced with the approved current policy, then the resulting outputs should be validated. Prompt caution or greater reasoning effort cannot reliably compensate for outdated authoritative material.

53 ✦ AI Fluency ◉ Scenario-Based

✓ ANSWER **B**

Why: Naming that AI helped, plus stating she checked every clause, is exactly the pattern of honest disclosure + ownership that Diligence calls for.

54 ⇄ Workflow Design & Diagnosis ☰ Sequence-Order

✓ ANSWER **C (2 → 1 → 3 → 4 → 5)**

Why: The symptom's timing suggests stale configuration: the workflow used to work, then degraded. Check the currency of its instructions and knowledge, update what is stale, test against current sources, and only then resume.

55 ✦ AI Fluency ☰ Sequence-Order

✓ ANSWER **C (2 → 4 → 1 → 5 → 3)**

Why: The timing of the failure is a diagnostic clue. Check the prompt, isolate the task in fresh context, then decide whether recurring information belongs in persistent instructions or project knowledge. Random prompt changes obscure the cause.

My Scorecard

Tick your correct answers, then record your score for each chapter.

Chapter	Questions	My score
→ Just Delegate It	9	_____ / 9
✦ AI Fluency	10	_____ / 10
⚙ Skills & Connectors	11	_____ / 11
⇄ Workflow Design & Diagnosis	11	_____ / 11
⚖ Governance, Risk & Responsible Use	14	_____ / 14
Total	**55**	**_____ / 55**

WHAT YOUR TOTAL TELLS YOU

90% or more	Strong command of the exam patterns. Review any misses.
75% to 89%	Good foundation. Revisit the chapters where marks were lost.
60% to 74%	Developing. Re-read the reasons, then retry the set.
Below 60%	Review the core chapters first, then attempt the set again.

This score is a practice signal, not a certification result.