

1.

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (master)
$ nano archivoDeTexto.txt
```

```
GNU nano 8.3 archivoDeTexto.txt
Hola, archivo de texto
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (master)
$ git commit -m "archivoDeTexto"
[master 1f46d78] archivoDeTexto
2 files changed, 1 insertion(+)
delete mode 100644 fichero
create mode 160000 hellogitworld

dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (master)
$
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (master)
$ git branch ramados
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (master)
$
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (master)
$ git checkout ramados
A      archivoDeTexto.txt
Switched to branch 'ramados'
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (ramados)
$ nano archivoDeTexto.txt
```

```
GNU nano 8.3 archivoDeTexto.txt
Hola, archivo de texto
Adios, no soy un archivo de texto
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (ramados)
$ git commit -a -m "archivoDeTextoModificado"
warning: in the working copy of 'archivoDeTexto.txt', LF will be replaced by CRLF
the next time Git touches it
[ramados 517d222] archivoDeTextoModificado
1 file changed, 2 insertions(+)
create mode 100644 archivoDeTexto.txt
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (ramados)
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (ramados)
$ git checkout master
Switched to branch 'master'
```

```
dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (master)
$ git merge ramados
Updating 1f46d78..517d222
Fast-forward
 archivoDeTexto.txt | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 archivoDeTexto.txt

dam1@B302PC19 MINGW64 ~/Desktop/repos/workingDir (master)
$
```