# Documentación para la descripción de baterías de pruebas

No. de	Módulo/ Función	Objetivo	Precondiciones	Postcondiciones	Implementación
prueba					
1	Object object_create &&	Óscar Pinto	Invalid ID	Cannot create object	test_object1()
1	object_destroy	(21/12/2016)			_ , 3
2	Object	Óscar Pinto	Valid ID	Can create object	test_object2()
	object_create && object_destroy	(21/12/2016)	Valla 15		5551_555,5551_()
3	Object	Óscar Pinto	Initialized object	Returns id passed when created	test_object3()
	object_get_id	(21/12/2016)			
4	Object	Andrea Ruiz	Initialized object	Returns default name	test_object4()
	object_get_name	(21/12/2016)			
5	Object	Óscar Pinto	Initialized object	Returns default symbol	test_object5()
	object_get_symbol	(21/12/2016)			
6	Object	Andrea Ruiz	Initialized object	Returns default location	test_object6()
	object_get_location	(21/12/2016)			

7	Object	Óscar Pinto	Initialized object	Returns default desc	test_object7()
	object_get_ desc	(21/12/2016)			
8	Object	Andrea Ruiz	Initialized object	Returns default mdesc	test_object8()
	object_get_mdesc	(21/12/2016)			
9	Object	Óscar Pinto	Initialized object	Returns default movable	test_object9()
	object_get_movable	(21/12/2016)			
10	Object	Andrea Ruiz	Initialized object	Returns default moved	test_object10()
	object_get_moved	(21/12/2016)			
11	Object	Óscar Pinto	Initialized object	Returns default light	test_object11()
	object_get_light	(21/12/2016)			
12	Object	Andrea Ruiz	Initialized object	Returns default hidden	test_object12()
	object_get_hidden	(21/12/2016)			
13	Object	Óscar Pinto	Initialized object	Returns default on_off	test_object13()
	object_get_on_off	(21/12/2016)			, ,
14	Object	Óscar Pinto	Initialized object	Returns default open	test_object14()
	object_get_open	(21/12/2016)			0

15	Object	Óscar Pinto	Initialized object	Returns default duration	test_object15()
	object_get_duration	(21/12/2016)			
16	Object	Óscar Pinto	Initialized object	Returned id id the expected	test_object16()
	object_set_id	(21/12/2016)			
17	Object	Andrea Ruiz	Initialized object	Returned name is the expected	test_object17()
	object_set_name	(21/12/2016)		1	
18	Object	Óscar Pinto	Initialized object	Returned symbol is the expected	test_object18()
	object_set_symbol	(21/12/2016)		r	
19	Object	Andrea Ruiz	Initialized object	Returned location is the expected	test_object19()
	object_set_location	(09/12/2016)		r	
20	Object	Andrea Ruiz	Initialized object	Returned desc is the expected	test_object20()
	object_set_ desc	(09/12/2016)			
21	Object	Andrea Ruiz	Initialized object	Returned mdesc is the expected	test_object21()
	object_set_mdesc	(09/12/2016)		1	
22	Object	Andrea Ruiz	Initialized object	Returned movable is the expected	test_object22()
	object_set_movable	(09/12/2016)			

23	Object object_set_moved	Andrea Ruiz (09/12/2016)	Initialized object	Returned moved is the expected	test_object23()
24	Object	Andrea Ruiz	Initialized object	Returned light is the expected	test_object24()
	object_set_light	(09/12/2016)			
25	Object	Andrea Ruiz	Initialized object	Returned hidden is the expected	test_object25()
	object_set_hidden	(09/12/2016)		•	
26	Object	Andrea Ruiz	Initialized object	Returned on_off is the	test_object26()
20	object_set_on_off	(09/12/2016)	,	expected	_ ,
	Object	Óscar Pinto	Initialized object	Returned open is the expected	test_object27()
27	object_set_open	(21/12/2016)			
28	Object	Óscar Pinto	Initialized object	Returned duration is the expected	test_object28()
	object_set_duration	(21/12/2016)		expected	
29	Object	Óscar Pinto	Initialized object and light == FALSE	Object remains off	test_object29()
	object_ turnon	(21/12/2016)			
30	Object	Óscar Pinto	Initialized object and duration < 0	Object remains off	test_object30()
	object_ turnon	(21/12/2016)			

31	Object object_turnon	Óscar Pinto (21/12/2016)	Initialized object and light == TRUE and duration >0	Object turns on	test_object31()
32	Object	Óscar Pinto	Initialized object and on_off=FALSE	Object remains off	test_object32()
	object_ turnoff	(21/12/2016)			
33	Object	Óscar Pinto	Initialized object and on_off = TRUE	Object turns off	test_object33()
	object_ turnoff	(21/12/2016)	_		
34	Object	Óscar Pinto	Initialized object, light == FALSE	Duration stays the same	test_object34()
	object_decrease_duration	(21/12/2016)			
35	Object	Óscar Pinto	Initialized object, light == TRUE and	Duration stays the same	test_object35()
33	object_decrease_duration	(21/12/2016)	on_off== FALSE		
36	Object	Óscar Pinto	Initialized object, light == TRUE and	Duration decreases by 1	test_object36()
	object_decrease_duration	(21/12/2016)	on_off==TRUE		,
37	Object	Óscar Pinto	Initialized object, light == TRUE and	Duration stays the same	tost object270
	object_decrease_duration	(21/12/2016)	on_off==TRUE and duration < 0	Duration stays the same	test_object37()

38	Object object_can_open	Óscar Pinto (21/12/2016)	Initialized object and incorrect id	Returns FALSE	test_object38()
39	Object object_can_open	Óscar Pinto (21/12/2016)	Initialized object and NO_ID	Returns FALSE	test_object39()
40	Object object_can_open	Óscar Pinto (21/12/2016)	Initialized object and correct id	Returns TRUE	test_object40()
41	Object object_print	Óscar Pinto (21/12/2016)	Initialized object	Prints correctly in standart autput, returns OK	test_object41()