# Laboratorios Sesión 03 Curso Ansible 2021

\_\_\_\_\_

# Lab\_01

\_\_\_\_\_

He resumido un poco los nodos de mi inventario, pero en esencia esta lo que se pedía.

[Canada]

Canada[1:5].uclm.es

[Argentina]

Argentina[a:e].uclm.es

[Brasil]

[a:e]Brasil[1:5].uclm.es

[America:children]

Canada

Argentina

Brasil

[Italia]

Italia[1:5].uclm.es

[Francia]

Francia[a:e].uclm.es

[Alemania]

[a:e]Alemania[1:5].uclm.es

[Europa:children]

Italia

Francia

Alemania

[Mundo:children]

America

Europa

## Lab\_02

### Script\_01.sh Hacer Ping

```
[ansible@master sesion_03_lab02]$ ansible -m ping all
172.17.238.25 | SUCCESS => {
    "ansible facts": {
        "discovered interpreter python": "/usr/bin/python"
   },
    "changed": false,
   "ping": "pong"
172.17.238.26 | SUCCESS => {
    "ansible facts": {
        "discovered interpreter python": "/usr/bin/python"
    },
    "changed": false,
   "ping": "pong"
172.17.238.22 | SUCCESS => {
    "ansible facts": {
        "discovered interpreter_python": "/usr/bin/python"
    "changed": false,
    "ping": "pong"
```

#### Scrip\_02.sh Ping

```
[ansible@master sesion 03 lab02]$ ansible -m ping master
172.17.238.22 | SUCCESS => {
    "ansible facts": {
       "discovered interpreter_python": "/usr/bin/python"
   },
   "changed": false,
    "ping": "pong"
[ansible@master sesion 03 lab02]$
Script_03.sh Ping
```

```
[ansible@master sesion 03 lab02]$ ansible -m ping nodos
172.17.238.26 | SUCCESS => {
    "ansible facts": {
        "discovered interpreter python": "/usr/bin/python"
    "changed": false,
    "ping": "pong"
172.17.238.25 | SUCCESS => {
    "ansible facts": {
        "discovered interpreter python": "/usr/bin/python"
    "changed": false,
    "ping": "pong"
```

#### Scrip\_04.sh Mensaje por pantalla. Tenia abierta el terminal y no vi el mensaje-

#### Script\_05.sh Añadir usuario

```
[[ansible@master sesion 03 lab02]$ ansible nodos -m user -a "name=ansible password='12345678' comment='Pepito' uid='1044'"
[WARNING]: The input password appears not to have been hashed. The 'password' argument must be encrypted for this module to
work properly.
172.17.238.25 | CHANGED => {
    "ansible facts": {
        "discovered interpreter python": "/usr/bin/python"
    "changed": true,
    "comment": "Pepito",
    "create home": true,
    "group": 1044,
    "home": "/home/ansible",
    "name": "ansible",
    "password": "NOT LOGGING PASSWORD",
    "shell": "/bin/bash",
    "state": "present",
    "system": false,
    "uid": 1044
```

```
172.17.238.26 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python"
    },
    "changed": true,
    "comment": "Pepito",
    "create_home": true,
    "group": 1044,
    "home": "/home/ansible",
    "name": "ansible",
    "password": "NOT_LOGGING_PASSWORD",
    "shell": "/bin/bash",
    "state": "present",
    "system": false,
    "uid": 1044
```

#### Scrip\_06.sh Añadir línea

```
[ansible@master sesion_03_lab02]$ ansible nodos -m lineinfile -a "path=/etc/sudoers line='ansible ALL=(ALL:ALL) ALL:NOPASSWD'
insertafter='root ALL=(ALL:ALL) ALL'"
172.17.238.25 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python"
        },
        "backup": "",
        "changed": true,
        "msg": "line added"

172.17.238.26 | CHANGED => {
        "ansible_facts": {
            "discovered_interpreter_python": "/usr/bin/python"
        },
        "backup": "",
        "changed": true,
        "msg": "line added"
}
```

#### Script\_07.sh Instalar un paquete.

172.17.238.26 | CHANGED => {

```
[ansible@master sesion 03 lab02]$ ansible nodos -m yum -a "name=vim state=present"
172.17.238.25 | CHANGED => {
    "ansible facts": {
       "discovered interpreter python": "/usr/bin/python"
    "changed": true,
   "changes": {
       "installed": [
           "vim"
   },
   "msg": "",
   "rc": 0.
   "results": [
       "Loaded plugins: fastestmirror\nLoading mirror speeds from cached hostfile\n * base: mirror.gadix.com\n * extras: mirr
or.gadix.com\n * updates: mirror.gadix.com\nResolving Dependencies\n--> Running transaction check\n---> Package vim-enhanced.>
86 64 2:7.4.629-8.el7 9 will be installed\n--> Processing Dependency: vim-common = 2:7.4.629-8.el7 9 for package: 2:vim-enhance
ed-7.4.629-8.el7 9.x86 64\n--> Processing Dependency: perl(:MODULE COMPAT 5.16.3) for package: 2:vim-enhanced-7.4.629-8.el7 9.
x86 64\n--> Processing Dependency: libperl.so()(64bit) for package: 2:vim-enhanced-7.4.629-8.el7 9.x86 64\n--> Processing Depe
ndency: libgpm.so.2()(64bit) for package: 2:vim-enhanced-7.4.629-8.el7 9.x86 64\n--> Running transaction check\n---> Package (
pm-libs.x86 64 0:1.20.7-6.el7 will be installed\n---> Processing
Dependency: perl(Socket) >= 1.3 for package: 4:perl-5.16.3-299.el7 9.x86 64\n--> Processing Dependency: perl(Scalar::Util) >=
1.10 for package: 4:perl-5.16.3-299.el7 9.x86 64\n--> Processing Dependency: perl-macros for package: 4:perl-5.16.3-299.el7 9
.x86 64\n--> Processing Dependency: perl(threads::shared) for package: 4:perl-5.16.3-299.el7 9.x86 64\n--> Processing Depender
```

"ansible facts": {
 "discovered\_interpreter\_python": "/usr/bin/python" },
 "changed": true,
 "changed": true,
 "changed": true,
 "changed": {
 "installed": [
 "vim"
 ],
 "results": [
 "nesults": [
 "nesults": [
 "loaded plugins: fastestmirror\nloading mirror speeds from cached hostfile\n \* base: ftp.cica.es\n \* extras: ftp.c

#### Script\_08.sh Copiar archivo

```
$ ansible nodos -m ansible.builtin.copy -a "src=/usr/bin/hostname dest=/tmp"
[ansible@master sesion 03 lab02]$ ansible nodos -m copy -a "src=/usr/bin/hostname dest=tmp"
172.17.238.25 | CHANGED => {
    "ansible facts": {
        "discovered interpreter python": "/usr/bin/python"
    },
    "changed": true,
    "checksum": "9f6ff48296d39815ac9c3a53168c23b949ffa993",
    "dest": "./tmp",
    "gid": 0,
    "group": "root",
    "md5sum": "487b613a88f1f1eb9d9d4b202f7ba821",
    "mode": "0644",
    "owner": "root",
    "secontext": "unconfined u:object r:user home t:s0",
    "size": 15784,
    "src": "/home/oscarhervas/.ansible/tmp/ansible-tmp-1614621991.19-13730-45142723687459/source",
    "state": "file",
    "uid": 0
172.17.238.26 | CHANGED => {
    "ansible facts": {
      "discovered interpreter python": "/usr/bin/python"
   "changed": true,
   "checksum": "9f6ff48296d39815ac9c3a53168c23b949ffa993",
   "dest": "./tmp",
   "gid": 0,
   "group": "root",
   "md5sum": "487b613a88f1f1eb9d9d4b202f7ba821",
   "mode": "0644",
   "owner": "root",
   "secontext": "unconfined_u:object_r:user_home_t:s0",
   "src": "/home/oscarhervas/.ansible/tmp/ansible-tmp-1614618941.53-11958-155246208296634/source",
   "state": "file",
   "uid": 0
```