

# A compact plasma beam dump for next generation particle accelerators

Master's thesis in Physics and Astronomy

**OSCAR JAKOBSSON** 



School of Physics and Astronomy THE UNIVERSITY OF MANCHESTER Manchester, United Kingdom 2019

# A compact plasma beam dump for next generation particle accelerators

OSCAR JAKOBSSON

School of Physics and Astronomy

Cockcroft Accelerator Group

THE UNIVERSITY OF MANCHESTER

Manchester, United Kingdom 2019

A compact plasma beam dump for next generation particle accelerators OSCAR JAKOBSSON
© OSCAR JAKOBSSON, 2017.
Supervisor: Guoxing Xia, Cockcroft Accelerator Group

Cover: Wind visualization constructed in Matlab showing a surface of constant wind speed along with streamlines of the flow.

Typeset in  $\LaTeX$ 

Master's Thesis 2019

School of Physics and Astronomy Cockcroft Accelerator Group The University of Manchester A compact plasma beam dump for next generation particle accelerators OSCAR JAKOBSSON School of Physics and Astronomy The University of Manchester

### Abstract

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Keywords: Plasma wakefield acceleration, deceleration, beam dump, ILC, EuPRAXIA

### Acknowledgements

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Name Familyname, Gothenburg, Month Year

# Contents

Lis	st of Figures	xi
Lis	st of Tables	xiii
1	Introduction         1.1 Motivation	1 1 1 1 1 1 1
2	Theory         2.1 PWFA - Linear Regime          2.2 Equation          2.3 Table          2.4 Chemical structure          2.5 List          2.6 Source code listing          2.7 To-do note	3 3 3 3 4 4 4
3	Methods	5
4	Results	7
5	Conclusion	9
Bi	bliography	11
$\mathbf{A}$	Appendix 1	Ι

# List of Figures

# List of Tables

2.1	Values of $f(t)$	for $t = 0, 1, \dots 5$ .	 3

## Introduction

This chapter presents the section levels that can be used in the template.

### 1.1 Motivation

### 1.2 Thesis Outline

The following table presents an overview of the section levels that are used in this document. The number of levels that are numbered and included in the table of contents is set in the settings file Settings.tex. The levels are shown in Section 1.3.

Name	Command
Chapter	\chapter{Chapter name}
Section	$\scalebox{section} \{Section   name\}$
Subsection	$\slash$ subsection{Subsection name}
Subsubsection	$\slash$ subsection{Subsubsection name}
Paragraph	\paragraph{Paragraph name}
Subparagraph	$\operatorname{paragraph}\{Subparagraph\ name\}$

### 1.3 Section

#### 1.3.1 Subsection

#### 1.3.1.1 Subsubsection

#### 1.3.1.1.1 Paragraph

#### 1.3.1.1.1 Subparagraph

### Theory

#### 2.1 PWFA - Linear Regime

Perturbation due to beam  $n\left(r,\xi\right)\to n\left(r,\xi\right)+\tilde{n}\left(r,\xi\right)$ , use Maxwell's equations and continuity equation.

$$-\frac{1}{k_p^2} \left( \frac{\partial^2}{\partial \xi^2} + k_p^2 \right) \tilde{n} \left( r, \xi \right) = n_b \left( r, \xi \right) , \quad \tilde{n} \left( r, \xi < 0 \right) = 0$$
 (2.1)

$$\mathcal{L}_{\xi}\tilde{n}\left(r,\xi\right) = n_{b}\left(r,\xi\right) \quad \Rightarrow \quad \mathcal{L}_{\xi}G\left(\xi,\xi'\right) = \delta\left(\xi\right) \tag{2.2}$$

$$\mathcal{L}_{\xi}\tilde{n}\left(r,\xi\right) = n_{b}\left(r,\xi\right) \quad \Rightarrow \quad \mathcal{L}_{\xi}G\left(\xi,\xi'\right) = \delta\left(\xi\right) \tag{2.2}$$

$$G\left(\xi,\xi'\right) = \begin{cases} 0, & -\infty < \xi < 0\\ A\sin\left(\left(k_{p}\xi\right) + B\cos\left(k_{p}\xi\right), & 0 < \xi < \infty \end{cases}$$

where the Green's function obeys the same b.c as the density perturbation, i.e it is continuous across the boundary with a discontinuous derivative across the boundary. Integrate across discontinuity at  $\xi = 0$ 

$$\lim_{\epsilon \to 0} \int_{-\epsilon}^{\epsilon} \mathcal{L}_{\xi} G(\xi, \xi') \, d\xi = \lim_{\epsilon \to 0} \int_{-\epsilon}^{\epsilon} \delta(\xi) \, d\xi = 1 \quad \Rightarrow \quad \lim_{\epsilon \to 0} \left[ -\frac{1}{k_{p}^{2}} \frac{\partial G}{\partial \xi} \right]^{\epsilon} = 1 \quad (2.4)$$

$$G(\xi, \xi') = -k_p \sin(k_p \xi) \Theta(\xi) \quad \Rightarrow \quad \tilde{n}(r, \xi) = \int_{-\infty}^{\infty} G(\xi, \xi') n_b(r, \xi') d\xi'$$
 (2.5)

#### 2.2 **Equation**

#### 2.3 **Table**

**Table 2.1:** Values of f(t) for t = 0, 1, ... 5.

$\overline{t}$	0	1	2	3	4	5
f(t)	1	1	4	9	16	25

#### Chemical structure 2.4



### 2.5 List

- 1. The first item
  - (a) Nested item 1
  - (b) Nested item 2
- 2. The second item
- 3. The third item
- 4. ...

### 2.6 Source code listing

```
% Generate x- and y-nodes
x=linspace(0,1); y=linspace(0,1);

% Calculate z=f(x,y)
for i=1:length(x)
  for j=1:length(y)
   z(i,j)=x(i)+2*y(j);
  end
end
```

### 2.7 To-do note

The todo package enables to-do notes to be added in the page margin. This can be a very convenient way of making notes in the document during the process of writing. All notes can be hidden by using the option *disable* when loading the package in the settings.

ple of a to-d

# Methods

## Results

# Conclusion

# Bibliography

[1] Frisk, D. (2016) A Chalmers University of Technology Master's thesis template for LaTeX. Unpublished.

# A

# Appendix 1