

Hand-authored fixture — maintenance style sample — Incomplete draft

Technical maintenance documentation

Source-based analysis · developer maintenance

Snapshot: 0052a12dae50179afd966c893556492f64f00c56062b570a6f5fc375854d88d3

Scope: .

Snapshot kind: non-Git directory. File hashes identify the source material read for this document.

Incomplete draft. Only completed, validated and reviewed subsystem chapters are included. Final synthesis and strict final-export checks remain separate. Visual QA: pending. Human approval: not assigned.

Contents

1 Subsystem progress

2 Ledger

2.1 Maintenance context

2.2 Component index

3 Knowledge gaps and coverage

4 Evidence references

1 Subsystem progress

Incomplete draft — progress at the recorded source snapshot. A completed chapter is not approval of the entire repository document.

Status	Subsystems
Completed	ledger
Pending	None
Blocked	None

Pending or blocked chapters are omitted. Coverage later in this draft describes the whole recorded scope, including work outside the included chapters.

2 Ledger

2.1 Maintenance context

2.1.1 Where it fits

The fixture library owns the balance mutation boundary. [2]

2.1.2 Inputs

Input	Type / Shape	Source	When	Evidence
amount	positive integer	caller	debit invocation	[2]

2.1.3 Outputs

Output	Type / Shape	Destination	When	Evidence
remaining balance	integer	caller	accepted debit	[2]
ValueError	exception	caller	invalid or insufficient amount	[2]

The README identifies hand-authored synthetic fixture material and describes documentation intent; it is not proof of executed behavior. [1]

Account.debit(amount: int) returns the remaining integer balance; it raises ValueError before mutation for non-positive amounts or insufficient balance. [2]

The fixture declares Python >=3.11 and pytest discovery under tests. [3]

The test expects an insufficient withdrawal to raise ValueError and preserve balance 10. This test was read, not run. [4]

2.1.4 Interface details

The following layout fixture repeats a supported interface row to exercise multi-page tables; it is not additional application functionality. [2]

Case	Interface / path	Expected source behavior
Layout row 01	Account.debit	Reject non-positive amount. [2]
Layout row 02	Account.debit	Reject non-positive amount. [2]
Layout row 03	Account.debit	Reject non-positive amount. [2]
Layout row 04	Account.debit	Reject non-positive amount. [2]
Layout row 05	Account.debit	Reject non-positive amount. [2]
Layout row 06	Account.debit	Reject non-positive amount. [2]
Layout row 07	Account.debit	Reject non-positive amount. [2]
Layout row 08	Account.debit	Reject non-positive amount. [2]
Layout row 09	Account.debit	Reject non-positive amount. [2]
Layout row 10	Account.debit	Reject non-positive amount. [2]
Layout row 11	Account.debit	Reject non-positive amount. [2]
Layout row 12	Account.debit	Reject non-positive amount. [2]

Case	Interface / path	Expected source behavior
Layout row 13	Account.debit	Reject non-positive amount. [2]
Layout row 14	Account.debit	Reject non-positive amount. [2]
Layout row 15	Account.debit	Reject non-positive amount. [2]
Layout row 16	Account.debit	Reject non-positive amount. [2]
Layout row 17	Account.debit	Reject non-positive amount. [2]
Layout row 18	Account.debit	Reject non-positive amount. [2]
Layout row 19	Account.debit	Reject non-positive amount. [2]
Layout row 20	Account.debit	Reject non-positive amount. [2]
Layout row 21	Account.debit	Reject non-positive amount. [2]
Layout row 22	Account.debit	Reject non-positive amount. [2]
Layout row 23	Account.debit	Reject non-positive amount. [2]
Layout row 24	Account.debit	Reject non-positive amount. [2]
Layout row 25	Account.debit	Reject non-positive amount. [2]
Layout row 26	Account.debit	Reject non-positive amount. [2]
Layout row 27	Account.debit	Reject non-positive amount. [2]
Layout row 28	Account.debit	Reject non-positive amount. [2]
Layout row 29	Account.debit	Reject non-positive amount. [2]
Layout row 30	Account.debit	Reject non-positive amount. [2]
Layout row 31	Account.debit	Reject non-positive amount. [2]
Layout row 32	Account.debit	Reject non-positive amount. [2]
Layout row 33	Account.debit	Reject non-positive amount. [2]
Layout row 34	Account.debit	Reject non-positive amount. [2]
Layout row 35	Account.debit	Reject non-positive amount. [2]
Layout row 36	Account.debit	Reject non-positive amount. [2]
Layout row 37	Account.debit	Reject non-positive amount. [2]
Layout row 38	Account.debit	Reject non-positive amount. [2]
Layout row 39	Account.debit	Reject non-positive amount. [2]
Layout row 40	Account.debit	Reject non-positive amount. [2]
Layout row 41	Account.debit	Reject non-positive amount. [2]
Layout row 42	Account.debit	Reject non-positive amount. [2]
Layout row 43	Account.debit	Reject non-positive amount. [2]
Layout row 44	Account.debit	Reject non-positive amount. [2]
Layout row 45	Account.debit	Reject non-positive amount. [2]
Layout row 46	Account.debit	Reject non-positive amount. [2]
Layout row 47	Account.debit	Reject non-positive amount. [2]
Layout row 48	Account.debit	Reject non-positive amount. [2]
Layout row 49	Account.debit	Reject non-positive amount. [2]
Layout row 50	Account.debit	Reject non-positive amount. [2]

Case	Interface / path	Expected source behavior
Layout row 51	Account.debit	Reject non-positive amount. [2]
Layout row 52	Account.debit	Reject non-positive amount. [2]
Layout row 53	Account.debit	Reject non-positive amount. [2]
Layout row 54	Account.debit	Reject non-positive amount. [2]
Layout row 55	Account.debit	Reject non-positive amount. [2]

2.1.5 Interface details

Layout sample typography: résumé, Київ, Δstate, → output. Long path example: samples/very_long_repository_component_name/maintenance_contracts/repeated_interface_example.py. This sentence is fixture presentation data alongside the supported debit signature. [2]

```
def debit(self, amount: int) -> int:
    # Source interface; do not execute during documentation.
    ...
```




Figure 1. The test source imports the account implementation; an import does not prove a runtime execution. Solid edges: observed in source; dashed: inferred/unknown. Geometry checked; visual review is separate.

2.2 Component index

Component	Responsibility / ownership
README.md	Primary placement supported by the fixture's explicit source responsibilities. Source
ledger.py	Primary placement supported by the fixture's explicit source responsibilities. Source
pyproject.toml	Primary placement supported by the fixture's explicit source responsibilities. Source
tests/test_ledger.py	Primary placement supported by the fixture's explicit source responsibilities. Source

3 Knowledge gaps and coverage

Accepted analysis packets: 1 / 1.

Indexed files: 4 / 4.

Semantically reviewed: 8 / 8.

Eligible lines with accepted analysis: 38 / 38. Redacted lines: 0. Unresolved ownership: 0.

Delivered/accepted ranges do not prove understanding of every line.

Citations and matching hashes do not establish semantic entailment.

Semantic review is a Copilot judgment, not an automated proof.

Redaction is heuristic and can miss secrets; review repository sensitivity first.

Tests were read as source; target code was never run by this toolkit.

Human approval is never assigned by the engine.

Review limitation: Hand-authored fixture review record for deterministic testing. No live Copilot semantic review occurred.

Review context records: 0 fresh; 1 same-context. Context provenance is reported, not independently proven by scripts.

Visual QA is recorded after export in preview/preview.json when pages are rendered and inspected; if absent, it is pending. Human approval: not assigned. See coverage.json for full denominators and review context provenance.

Excluded / unavailable material	Reason
.docgen	toolkit or generated artifacts; excluded-directory
.github/skills/generate-documentation	toolkit or generated artifacts; excluded-directory
docgen.toml	toolkit configuration; excluded
docs/generated	toolkit or generated artifacts; excluded-directory

4 Evidence references

- [1] an-0251d63ddffdd14171ce.f1 · observed · documentation · README.md:1-6
- [2] an-0251d63ddffdd14171ce.f2 · observed · implementation · ledger.py:1-15
- [3] an-0251d63ddffdd14171ce.f3 · observed · declaration · pyproject.toml:1-7
- [4] an-0251d63ddffdd14171ce.f4 · observed · test-expectation · tests/test_ledger.py:1-10