| Title |
|---|
| How Cardano is different from Ethereum (2.0)? |
| How can a developer access the Cardano network? |
| Can Cardano be used to mint and trade gaming NFTs? |
| What are the practical motivations for owning ADA crypto currency? |
| How are NFTs being minted without smart contract in Cardano? |
| How to restore a wallet with 24 words and passphrase? |
| Multisig wallet for Cardano? |
| Why was the platform/foundation named after Gerolamo Cardano? |
| What do I need to run a stake pool? |
| How can I stop Daedalus filling up my Time Machine backup drive on MacOS? |
| How can a node verify a transaction with a script address without the script? |
| How many receive addresses per wallet? |
| Why am I prompted to recover Yoroi Wallet every time on startup? |
| Why is the growth in value of ADA being described as "parabolic" rather than "exponential" or something else? |
| Are native tokens divisible? |
| Are there any negative effects of having too many stake pools run by central exchanges? |
| How to make your own coin on the ADA Cardano Network? |
| How does one create receive addresses for a wallet programatically? |
| Can I restore my Yoroi account with only 12 words? |
| Where can I get the BIP39 file? |
| Is it possible to reuse the blockchain for both relay and block producing nodes? |
| Stake pool - Failed to start all required subscriptions |
| How will DApps work on Cardano? |
| OutputTooSmallUTxO even with 2 ADA |
| How would Cardano applications function with intermittent internet connection? |
| How does one decide what is the best stake pool to delegate to? |
| How to delegate ada to several staking pools using only one wallet? |
| Is Cardano the only platform with 100% decentralized block production? |
| What is the expected ROA (Return of ADA) after all coins are minted? |
| Is there a Ganache-like in Cardano? |
| Where can I see my NFT? |
| What are the security risks of storing an encrypted wallet seed in a password manager? |

Where to find current transactions per second statistic?

How big is the Cardano blockchain (now and in the future)?

Hasura - Graphql Playground throws "GET query missing" 400 status code response

How do I make a payment from a node address to a wallet using cardano-cli on mainnet?

How secure is Ouroboros Proof of Stake compared to Bitcoin Proof of Work?

Can Daedalus be used to query the blockchain, like a passive node?

Why do Daedalus Rewards Report Epoch End Dates differ from other sources?

Will Cardano's transaction fees be expensive (similar to ETH gas) in the future?

Can two-factor authentication (2FA) be added to the Daedalus and Yoroi wallets?

What happens to fees when Cardano's chain reaches 1509GB data?

What does Atala Prism use ADA and the Cardano network for?

Could the Daedalus wallet use less space on laptops?

Why is there a minimum amount of ADA required to vote for Project Catalyst proposals?

Ways to burn tokens?

How to emulate a multi-sig transaction?

How would a 51% Attack on the Cardano blockchain be started and overcome?

Plutus Pioneer Program - Lecture #4 Homework - Best practice for logging errors

Problem when starting a nix-shell in the plututs repo

Is there a metadata standard for native assets (talking about fungible tokens first) in Cardano?

Are there safeguards preventing big centralised exchanges like Binance and Kraken from having too much power in projects like Catalyst?

Providing metadata to `cardano-cli transaction build-raw`

Hash MisMatch Error on Plutus and Nix

Test-Focused EvaluatorTrace Monad?

Does pool pledge amount impact odds of getting a block?

How can I write unit tests for Plutus contracts?

Problem starting a plutus devcontainer in windows

Native Token Names: How may I prevent other Projects from using my Project's Cardano Native Token Ticker/Name (fungible) on any blockchain network?

Randomness in a smart contract

Do old UTXO's ever get pruned from the blockchain?

Plutus Pioneer Program - Problem with plutus playground client

Why is PoS much faster than PoW?

When do rewards transfer to a wallet in Daedalus?

What known stake pool attacks exist?

How to get around a "withdrawal address format is wrong" error?

Where can I find formal work comparing PoS and PoW models?

| Title Title |
|---|
| Confused by compilation message in plutus playground (week 5 pioneer program) |
| I'm having issues with nix-shell |
| Hardcoding currency symbol and token name in validator script |
| I am looking for a practical example of a smart contract with three parties |
| What should I be doing to become a top tier Plutus Developer?(Besides Plutus-Pioneer-Program) |
| How can metadata.json properties be changed after a token is minted? |
| What is the difference between Plutus (Marlowe) and Glow? |
| When a UTxO becomes available for consumption? |
| Haskell IDE INLINABLE error help |
| Ideal computer specifications for own staking? |
| Are there web3.js-like in Cardano? |
| How do I build a debug configuration of a Plutus project? |
| How to get intellisense/auto suggestion working for Plutus in VSCode? |
| What is a Redeemer? |
| How to access the current slot in a Plutus validator script? |
| How can I find the Haskell source code for the sqrt function? |
| Cardano-Ethereum Bridge |
| Does the testnet faucet still exist? How to create testnet ADA? |
| Re-Implementing Policy Hashing in Python |
| Is there an equivalent to the Wallet Connect protocol in the Cardano ecosystem? |
| Are there any plans to have a bridge between the Cardano and Cosmos blockchains? |
| Plutus Contracts Delegation |
| Calculate timestamp from slot |
| How long does it take to sync a node or a Daedalus wallet? What factors does it depend on? |
| Is there a timetable of dates for Project Catalyst phases/cycles? |
| What is the Cardano Stiftung? |
| Can we expect to see already existing stablecoins on Cardano? |
| Is there a minimum amount of ADA I can send in a transaction? |

Why do we need parameterized contracts? Can't we just use datum?

How does the ERC20 converter actually work?

,

What is an Initial Stake-pool Offering (ISO)?
How do nodes access the validator code?

How does the price of BTC impact the price of ADA?

How to validate transaction where number of tokens are generated based on the value locked in a contract?

| Title |
|---|
| How will dapps handle cardano inflation from staking rewards? |
| Relay Node vs Block-Producer Node |
| Relay Node & Block-Producing Node, which one requires more Hard Disk capacity? |
| Is the length (in characters) of a token policy id always the same? |
| Remix IDE & Cardano |
| How to implement continuous interest accruing with native tokens |
| Undelegate stake with Daedalus wallet |
| Does ADA have any credit features built into it? |
| is it possible in future to buy ADA directly? |
| Where is the returning Contract Monad in the handleError function of Contract Monad? |
| What is the relationship between addresses and stake addresses? |
| "min-ada" bottleneck to Cardano analogous to "gas fee congestion" for Ethereum? |
| Building and Signing Transactions |
| I would like to run a relay node on Ubuntu 20 server without creating a wallet, what are my options? Are packaged binaries available? |
| Will there be a web-based Daedalus wallet? |
| Will there be token burn at any point in time in future? |
| Where can I find design and documentation resources for Cardano Smart Contracts? |
| How are unused/outdated smart contracts handled on Cardano? |
| Is there a Browser-based wallet for Cardano? |
| How can smart-contract disputes be addressed? |
| Are there plans to keep the blockchain/node size small enough to maintain decentralisation? |
| Signs for the trustworthiness of the SundaeSwap project? |
| Can I run a stakepool on a home router without a fixed IP address? |
| Will ADA always be deflationary? |
| Can the max supply of ADA be decreased or burned? |
| Why are staking rewards still coming to my Daedalus wallet when I moved the funds to a hardware wallet? |
| Not in scope: data constructor 'PayToPubKey' - Fixing the Week 1 Pioneers Exercise |

When is Hydra going to be completed?

Is there a Daedalus wallet planned for mobile devices (Android and/or Apple)?

Will I be able to stake ada from coinbase?

How can redundancy be established for producer nodes?

Where can I learn to make Cardano NFTs that have varying rarity levels when they are purchased for the first time?

What are the technical difficulties with implementing voting on hardware wallets?

| Title Title |
|---|
| What are the long term micro-transaction plans for Cardano? |
| How will Cardano address the ledger growth problem? |
| Is there any kind of help for people who want to start a stake pool? |
| cardano-cli calculate-min-fee expects Shelley era transaction body |
| Smart Contract Idea |
| NFT Royalties before smart contracts |
| How is inflation offsetting staking rewards? |
| As I front-end developer, how should I start learning more about blockchain and should I start with Plutus? |
| What companies and institutions accept ADA as payment? |
| adaPerUTxOWord not found on testnet-shelley-genesis.json |
| What will the ERC20 converter use as an exchange rate? |
| Node.js - Plutus/Haskell Wrapper |
| eUTXO transaction model Vs Account Based Transaction Model |
| What prevents a bad user to provide a wrong signature to a transaction? |
| Referencing onchain contract as 3rd party |
| What improvements will Basho bring? |
| How can I make an item traceable on the Cardano blockchain? |
| How can I withdraw ADA from delegation to a pool? |
| General approach for allowing multiple smart contract transactions per block |
| What are technical differences in smart contract execution on Cardano in comparison to Ethereum? |
| Can the value of the NFTs be added to the stake size of the pool? |
| Using cardano-cli with a Daedalus wallet |
| do you need to know Haskell to code in marlowe |
| is it possible to build a cardano multicurrency dApp wallet? |
| Why is there a 45 Billion coin cap for ADA? |
| How can token metadata be stored onchain? |
| How are the key parameters that control Cardano governed? |
| What's happened with Cardano Proof of University Diplomas in Greece? |
| ERC721 Converter? |

How does a stake pool node certify a block for the block chain?

What are your favorite resources to explain Cardano to people without a technical background?

Can Babel fees be extended to be a protocol level DEX?

Difference between "normal key" and "extended key" in cardano-cli address key-gen

Where can I find Cardano's academic research papers?

| Title |
|--|
| How can an oracle guarantee certain update rates respectively uptime? |
| How does Cardano differentiate itself in the DeFi space? |
| How is a stakepool rewarded? |
| Can Marlowe contracts involve native assets? |
| What are the ways of making NFTs unique? |
| How to import Yoroi seed phrase to computer using cardano-address for use with cardano-cli? |
| Verify that Token is NFT |
| Transaction fees and smart contract complexity |
| Does Marlowe Run have the capability to mint NFTs? |
| What is the exact implementation of proof of stake in Cardano? |
| Is there a maximum amount of ADA I can send in one transaction? |
| How do I calculate the fingerprint of an asset? |
| Stuck at Creating Keys for Token - cardano-cli address key-gen |
| Why are Cardano transaction fees so high? |
| What prevents flash loans attacks from occurring on the Cardano network? |
| How to derive addresses from a key exported from Yoroi |
| How can I accessing Yoroi keys from a script? |
| Will I receive rewards for all epochs when I switch my stake pool? |
| How can I go about creating an Asset Fingerprint in Java? |
| What encoding is used for Yorois Wallet export? |
| Why is there a small difference between addresses derived by the cardano-address tool and Yoroi? |
| How to stake a smart contract's money? |
| Will the Cardano Rust project eventually allow you to write Smart Contracts? |
| When will all 45 billion coins be in circulation? |
| Stake Pool Operator - offering financial services? |
| Will cardano halving happen to increase the demand of it? |
| Is it possible to make multiple transactions atomic? |
| 15- or 24-word recovery seeds for ADA wallets |

How are Staking rewards calculated?

How many static IPs does one require to run a stake pool?

Should I transfer my ADA to the latest wallet when a new era become available?

Getting started developing cardano-node

What are relay nodes?

ADA Payments for Ecommerce

| Title |
|---|
| is it possible to use (bip39) 12 words passphrase in yoroi? |
| How to convert xvk to svk? |
| Can I use a custom word list for my wallet recovery phrase? |
| Does Yoroi support the gateway-like features of Metamask? |
| How can i generate new wallet address using cardano-wallet cli and cardano wallet api after created my wallet? |
| Using cardano-node installed by Daedalus as CLI? |
| Why do we need TxOutRef in addition to TxOut? |
| How to send ADA to Daedalus Mainnet wallet? |
| Does txInfoValidRange adjust as time continues on? |
| How is a transaction output's address generated? |
| On-chain and off-chain for Plutus SCs |
| Is it possible to generate your own Cardano ADA private keys and public addresses externally and import it later for use into a wallet? |
| How to calculate the current reward of a pool at current Epoch using graphql |
| How are staking rewards stored? |
| Detailed Minting policy documentation? |
| What does it mean to "burn" a token? |
| Create a Native token for voting & burn afterwards |
| Using Plutus PAB for development instead of Playground |
| When actually a validator is deployed to the blockchain? |
| Daedalus wallet not syncing and cardano node not responding |
| Plutus Pioneer Program - Lecture #1- Cabal Build error |
| Why does my test of Plutus contract crash? |
| What does two consecutive apostrophes mean in Haskell and Plutus? |
| Staking Key a Privacy risk? |
| Writing basic validator scripts |
| Can I safely reinstall Daedalus wallet when hardware wallet already exists? |
| When are the snapshots for the active stake in an epoch taken? |

How is the active stake of a stake pool calculated?

Where can I find Cardano Dapp code and demo examples?

What is the difference between an active, relay and passive stake pool node?

What's better for cloud Virtual Private Server stake pool operations, persistent disk or local ssd?

Can immutable data on Daedalus be backed up and restored for quicker wallet installation/update?

How is a slot leader actually selected to make a block?

| Title |
|---|
| Extract the bech32 stake address from a shelly address in javascript |
| Time required to build node OSX/Cabal |
| NFT Image not Displaying in Pool.pm after using the 721 Metadata Standard |
| When I switch to another stake pool, do I need to withdraw my rewards first? |
| What's the difference between `unstableMakeIsData` and `makeIsDataIndexed`? |
| Smart contract datum encryption |
| What are the benefits of the two accounts model? |
| Is it possible to send a native token to another wallet while sending the minimum amount of ADA to my own wallet? |
| Does Daedalus wallet validate transactions on the network in a way that's useful to the network? |
| How can I send ADA to a Yoroi wallet? |
| Did the token fingerprint hash algorithm change? |
| How to transfer ADA from Daedalus wallet to Yoroi wallet? |
| cardano-node goes down after "cardano-cli query pool-params" |
| Error running cardano-db-sync in docker-compose file as devcontainer |
| Invalid KES signature OCERT but gLiveView shows KES is valid |
| Catalyst voting power not including staking rewards? |
| How to verify if KES is valid without needing to wait for the next minted block? |
| Does Cardano Node support chained transactions? |
| Is there documentation on the Prerequisites for Plutus Pioneer code? |
| Daedalus on Ubuntu 20.04 cannot contact the network |
| How can you check if a local node is running properly? |
| Blockfrost assets api issues |
| Nix shell fails to start for Plutus |
| Identifying node locations by region |
| Fetching all Tokens that belong to a Minting Policy |
| Blockfrost API and IPFS issues |
| Deriving Show Compilation Error on Plutus Playground |
| Did I just convert my ada to a wrapped/pegged token? |
| Are there any Java APIs allowing to make applications on top of Cardano? |
| Append metadata to transaction from Plutus code |

Append metadata to transaction nom Flutus cod

ERC20 / ERC721 vs Plutus smart contracts

Is there an API or website where I can see all addresses that hold a specific native token/asset?

Invoking lock endpoint on the plutus-starter guessing game is giving me "endpoint not available" error

How does DApp front-end integrate with user wallets?

| Title |
|--|
| What are the differences between the Shelley and Byron phases of Cardano? |
| What does @ prefix means? |
| OutputTooSmallUTxO error, trying to send more than 9 tokens |
| npm build of plutus client fails with "permission denied" |
| Where to find the code for Alonzo / Plutus / Smart contracts? |
| How much does it cost for stake-pools to mine 1 ADA? |
| Where are the private / public key files stored when creating them with cardano-cli? |
| bech32 in Shelley addresses |
| Is there any eth_sign equivalent signing method in plutus? |
| Is on-chain voting limited to just the Cardano treasury? |
| Implementing a nested state machine |
| How can I convert `Slot` to `TokenName` |
| Is there or will there be a way to request payment? |
| How is the 'status' of a transaction shown in the wallet determined? |
| Are there any C# libraries to connect to a Cardano node/acting as a wrapper for cardano-cli? |
| Is there anyway to cancel payment or revert a payment |
| Is KES rotation operation time sensitive? Does the datetime of the offline machine need to be set correctly? |
| Is there a limit on how many distinct tokens can be sent in one transaction? |
| Does an unmet pledge prevent a pool producing blocks, or only prevent rewards? |
| 403 Forbidden when trying to run nix-shell during setup for Plutus Pioneer Program |
| Does Cardano suffer from MEV? |
| Ouroborous vs Tendermint |
| Daedalus is crashing my system. What can I do? |
| Are digital assets stored on personal devices or on the blockchain? |
| How do I properly derive a stake key from an address using Bech32? |
| How to spend two outputs of two different scripts |
| Error trying to compile cardano-node on Raspberry Pi |
| plutus starter course |
| Plutus Pioneer Week02: otherScript validator |
| Daedalus wallet 4.2.0 not syncing |

How can I check if my node is fully synced?

cardano-cli verification key bech32 encoding

Can the Validator ensure a certain Datum is sent by the Redeemer?

How to permanently persist an arbitrary hash string in the blockchain?

| | 3 | 7 | п | |
|---|---|---|---|--|
| ш | | | | |

Daedalus wallet recovery phrase to Cardano Wallet Backend mnemonic sentence + mnemonic second factor

Installing nix: where is shell profile - MacOS using zsh?

illegal symbol `forall` in type, RankNTypes

Between the cardano-graphql and cardano-rosetta APIs, which one is recommended for apps and dapps integration?

Metadata value limits (64 UTF bytes) - Use Arrays ? NFT image question

I couldn't find the requested endpoint

How to get data from the Cardano blockchain using SQL queries?

Plutus tutorial similar to Ethereums "CryptoZombies"

Staking functionality for Native Tokens?

Plutus Pioneer Week 2 Smart Contracts

How do I get my Native Token listed on an exchange?

Running Cardano Docker Node

How to query cardano-graphql API to get the details of a transaction with the transaction id?

What is the purpose of the Yoroi connector for dapps integration?

Where is stored off-chain code?

Building local Plutus documentation

ZeroKnowledge Proofs in Plutus?

Plutus Pioneer Cohort 2 Lecture 3

Pioneer Lecture 4 recursion - how is it not infinite?

How does `submitTxConstraintsWith` make usage of the ScriptLookups?

How can you run the Plutus Playground and serve the Haddock documentation from the VSCode DevContainer?

(Lecture #6 It #2 - Core.Hs): Explaining lookups use of both typedValidatorLookups and otherScript?

Options for adding Metadata to NFTs, to be used in a Plutus validator

systemd service file for cardano node

Is there a limit to the integer size representing a native token supply?

Poly Network attack - lessons for Plutus devs?

Generate random number in Plutus on-chain code

Constraints.mustPayToPubKey requires txSignedBy?

Are fees collected for invalid transactions?

withdraw from daedalus wallet to us bank account

How to get latest version of Plutus in project file of plutus-starter-devcontainer

How to get the funds available at a script using Plutus?

What are the best high-level libraries for interacting with Cardano programmatically?

| = | _ | _ | 41 | | |
|---|---|---|----|---|---|
| | | т | а | • | 7 |
| | | | | | |

How to check wallet balance using cardano cli?

How can I create a serialized transaction that can be submitted to the blockchain without a local full node?

cardano-wallet maximum amount of addresses

Cardano Smart Contract Architecture Diagrams?

The PAB is no longer working after upgrading the Plutus version

Couldn't match expected type 'BuiltinData' in locally run playground

How to compile plutus source code locally?

How to check using CLI that a token is a NFT?

Where does a smart contract exist, in EUTxO?

How can check what version of Cardano-node is running on testnet or mainnet?

The feasibility of stable coins given the min-Ada-value requirement

Is "nothing at stake" still a problem?

How is it possible to know how many blocks a pool will mint in the next epoch?

adaOf encodes Lovelace/Ada ratio in phantom type

How would I create a regular expression to match all of Cardano's public wallet address formats?

How can a private network be created besides Mainnet and Testnet?

Is Cardano pushing developers into an Ethereum-type account model?

Setting up Plutus environment for Apple Silicon computer

String in Datum

Can't connect cardano-wallet with the node on testnet: blockedIndefinitelyException = thread blocked indefinitely in an STM transaction

Storing Secrets in Smart Contracts

Daedalus fails to load wallet

awaitTxConfirmed not returning

Why do Daedalus and Yoroi not support multi account delegation?

Structure of the Address type from Plutus.V1.Ledger.Address

What tools do I have for building a Cardano Dapp right now?

haskell-language-server used in VSCode Haskell extension produces spurious INLINABLE compilation error message

Can you write dapps in C based languages?

Making Dapps with Flutter

Weird behavior on validation of outputs

How to convert BuiltinData to BuiltinString?

Can smart contracts be used to mint native assets?

Change minted tokens recepient

| Title |
|---|
| How can I get rewards into payment address? |
| What is the proper way to rotate KES keys? |
| Decentralizing an entire website with Cardano? |
| How to solve the Plutus scalability issue? |
| Trying to get a Testnet Node Running |
| How is access control managed with smart contracts in (e)UTXO? |
| Pay out your salary from employer to employee in ADA (crypto) |
| Best practice when building a private Cardano testnet? |
| plutus-playground-server: user error (Error evaluating simulation: JsonDecodingError |
| How do you send ada from a Byron address to a Shelley address using the CLI? |
| Problem with creation of wallet using Javascript |
| What is the cost (in ADA) of transferring ownership of NFTs? |
| Does the staking pool deposit of 500ADA count towards the stake? |
| Is it possible to withdraw rewards with smart-contracts? |
| How will stake pools be prevented from cheating the fixed fee? |
| What is the minting cost of an NFT? |
| Will Hydra (or anything else) reduce transaction times for Cardano in the future? |
| Query latest pool of stake address from cardano db sync |
| Questions about the ISO Model (Sundae Swap) |
| How to verify data signed with nami wallet in a node backend? |
| Create transaction by cardano-node using payment address generated by cardano-addresses |
| What happens if someone gets my seed phrase? |
| How does Ouroboros disincentivize bad behavior? |
| Blockfrost, GrapgQL or any API for cardano help, working with javascript |
| how do I know if I should use cardano-cli or cardano-wallet |
| How can I query the version of the node running a stake pool? |
| Why do Binance run 62 pools if it is an exchange? |
| Get wallet ID from Daedalus? |
| Can someone who is familiar with Ouroboros explain its fault tolerance threshold? |
| Unable to view images from ipfs.blockfrost.dev |
| What does it mean that a UTxO sits at script address? |
| Hardware requirements for node |
| Manual Calculation of Transaction Size and Fee |
| What is achieved by invoking endpoint for wallet in the emulator? |

| Title |
|---|
| Spare computer with Yoroi or Daedalus as pseudo cold wallet v. Ledger |
| Funding emulator wallets with custom currencies |
| Confusion with cardano db sync schema and UTXO model |
| HELP NEEDED Block producer blocked by DigitalOcean - recover ADA? |
| Convert Plutus Address Credential to real-net address |
| Difference between Ouroboros' Proof of Stake and Solana's Proof of History |
| Getting a "Yaml file not found" error when trying to run cardano-node |
| Why are cardano-cli generated payment addresses shorter than those from Yoroi or Daedalus? |
| When will k parameter be changed? |
| Best setup of your air-gapped offline machine (cold environment)? |
| Find PubKeyHash from String |
| How to run Plutus code on Alonzo Purple without the PAB? |
| Historic and Real-Time Data on Cardano Blockchain in csv or json format |
| Stake Pool Saturation and Rewards changes |
| What ensures that the supply of ADA is finite, so ADA can definitely be regarded as a store of value? |
| How to make payment to a payment address using Plutus? |
| How to get all NFTs of a wallet address? |
| Test node failure |
| Error with cabal build using plutus-starter-devcontainer on macOS Big Sur |
| How do i resolve this cabal error for cardano-node install? |
| What is the most trusted Third party tool for Minting Native Tokens on cardano? |
| db-sync makes a rollback after using RESTORE_SNAPSHOT |
| Length of Plutus Slot |
| Canonical example of Smart Contract Verification? |
| How can we calculate staking rewards per epoch? |
| Is there a Signal/Telegram/other bot to monitor wallet/address activity? |
| What is the testnet-magic argument and why is it 1097911063? |
| Transaction Notification |
| Launch.json for VSCode/Haskell? Learning Haskell Plutus |
| Cardano Node: Connection reset by peer problem |
| Query UTxO with PostgreSQL (cardano-db-sync) |

Whats the difference between the cardano-wallet and cardano-cli for wallet functionalities?

The Concurrency Issue

Can you the number of NFT's that can be minted in a transaction?

| Title |
|---|
| Plutus-Start for Windows - Cannot get the docker repository to run (A mount config is invalid.) |
| How do I deploy a smart contract from another smart contract? |
| How much time does Cardano-graphql take to initialize? |
| Can we dump database of db-synch and use it for initialising a fresh db-synch instance? |
| How to send a transaction for Cardano native assets via CLI? |
| How is ADA valued? |
| No Cardano Wallet commands are working |
| What is the best formula to track ROS tax liabilities for delegators? |
| Any update on RINA? |
| Data and metadata protection |
| Validating transactions |
| Setting up a stake pool relay node |
| How to talk to Cardano blockchain using Javascript |
| How to submit a script transaction using `cardano-cli` |
| Creating Cardano Non-Fungible Tokens with royalties for newbies |
| Finding the redeemer of another UTxO in a transaction |
| What security exists in Daedalus for protecting the private key |
| How can I mint a token without a name for NFT royalties? |
| nix-shell stuck on Building library for hnix |
| May I lose my coins when staking in Exodus wallet? |
| How does Edwards curve used for generating public key look like? |
| Haskell example programs |
| Ouroboros – Which version is currently implemented? |
| Entropy problem in addresses generated by Daedalus wallet |
| Retrieve NFT transaction metadata |
| Added more ADA on Yoroi while staking |
| Minting a NFT (collection) with Blockfrost |
| Minting NFTs via cardano-cli: How to mint several NFTs consecutively? |
| cardano-cli: Network.Socket.connect: <socket: 11="">: does not exist</socket:> |
| Why Is Daedalus Mainnet taking so long to Sync My Transaction History with the Blockchain? |
| Did I lose a lot of ADA after updating Cardano node?? Alonzo hardfork |
| Is there a good tutorial to mint Cardano NET using plutus script? |

How to prevent economic DOS attacks against Plutus contracts

Why does the Plutus script need be provided in the transaction?

| Title |
|---|
| Can I Share Daedalus Public Key? |
| Documentation for smart contract deployment on testnet & mainnet |
| cardano-db-sync build instructions? |
| Is there a Cardano API to transfer ADA from one wallet to another using a backend server? |
| How to start coding Cardano Smart Contracts? |
| Using rsync to copy database |
| Finding related addresses and total balance of wallet for any given address |
| Can I avoid using a public IP on Block-Producer (BP) node? |
| What is a host address how do I get one |
| Block Producer vs Relay Node setup |
| missing node.socket |
| How do I set up a smart contract? |
| Can same UTXO be consumed multiple times in a same slot/block? |
| Can a smartcontract access the state of its own address? |
| Error Starting plutus-playground-client |
| Are Smart Contracts bytecode encrypted? |
| Does Daedalus perform tasks beyond those of a wallet? |
| Verifying Payment Address |
| What's the point of the "Wallet public key"? |
| Getting the address of a parameterized contract from within the validator of another script |
| Where is the on-chain code actually stored? |
| Individual pledge amount in Stake Pool with multiple pool owners |
| Calculate a policy locking |
| zsh: command not found: cardano-cli |
| Right way to get the Wallet ID when creating? |
| In experience, what distro of Linux is ideal for SPO |
| Cardano Wallet setup - No such directory |
| What is the recommended way of implementing an NFT sale? |
| How does eUTXO model makes it possible to mint NFTs without smart contracts? |
| Can a smart contract read the presence of an NFT in the redeemers wallet? |
| Lobster Challenge: zsh: no matches found error on building transaction |
| How does stake pool saturation prevent centralization? |
| When can I move Daedalus` data files to another location? |

Sandbox error when running nix build on macOS

| Title |
|---|
| How to parse TokenName to Integer |
| Define a native token minting policy restricted by NFT |
| datum hash of bytes is different between cardano-serialization-lib and cardano-cli |
| Are transaction witnesses stored on the blockchain? |
| Minting NFT automatically based on transaction |
| ADA locked with assets |
| How to deploy plutus/marlowe contract on Cardano blockchain |
| Cabal build Caradano-cli Cardano-node error |
| POSIXTime as payload |
| Query all the transaction details from a given block using cardano db sync |
| Mainnet – How to fix a frozen DB syncing? |
| How are you going to stop scammers? |
| Having a problem with Minting with Cardanocli-js |
| Ledger wallet initial setup in Daedalus versus restore |
| Cardano db sync sender and receiver address confusion |
| Executing cardano-cli inside a docker container from another docker container |
| Should I use Marlowe or Plutus to create my native token? |
| Block missed despite no problem on servers |
| search for wallet address holding native tokens |
| Listing all cardano tokens using cardano db sync |
| Logging in validator |
| Question about Datum and DatumHash |
| How to upgrade my Cardano node to version 1.30.1 from a Coincashew install? |
| How to get Wallet ID from an address? |
| Why my cardano-node is now running a strange loop after an upgrade to a higher version? |
| How to return funds from a smart contract |
| Could BTC migrate to Cardano? |
| Plutus Pioneer lecture 3 homework 1 vesting logic |
| What does it mean that Ouroboros is formally verified? |
| What's the difference between programmable validators and smart contracts? |
| Is there any platform to read the Mempool? |
| Sync DB mainnet stuck |
| How can I derive an address from a private key? |
| How do I parse multiple values stored in datum in Plutus |

| Title |
|--|
| Pool Rewards distribution via SmartContract |
| How to get balance of an address using Cardanosharp |
| What are the best solutions for randomness in Cardano? |
| Is ada an asset, token, both, neither? |
| How to run smart contracts in the Cardano Blockchain? |
| Must spend UTxO constraint when minting NFT |
| Installing Cardano-node on an M1 Mac |
| Plutus Pioneer Program Week missing commit |
| Question about plutus-pab |
| Bech32 encoding stake address from Shelley address in JavaScript returning wrong value |
| How many servers do I need to run cardano-wallet? |
| Script unlock cannot submit, budget overspent |
| Difference between staked and delegated tokens? |
| Cardano-cli error when submitting transaction |
| Sending many transactions from one address in quick succession? |
| How to create a programmable NFT? |
| What are the risks of staking at a pool? |
| How does the CARDANO_NODE_SOCKET_PATH environment variable work for both the mainnet and testnet? |
| Is there a way to go from a TxId to a Tx? |
| What is the best/recommended OS to run a stake pool? |
| What is the Penalty for Running 2 Block Producer Nodes? |
| What should I do with a validator which exceeds the maximum size? |
| Endpoint contract response from PAB |
| How to convert BuiltinString or BuiltinByteString to String? |
| Nami wallet showing getBalance returning a NaN |
| Error running Testnet node: unwrapEnvelopeErr = ObsoleteNodeCHAIN BlockNo 2989599 SlotNo 39614381 |
| What are the differences between IOHK, Emurgo and the Cardano Foundation? |
| Minting and distributing to different wallets |
| How to calculate the transaction Id of a given signed transaction? |
| What is the size limit of transaction's metadata? |
| Is there any way to connect to cardano testnet without running the cardano-node on local computer? |
| How to create and sign a transaction on a mobile device? |
| How can you listen to all incoming transactions of a wallet address? |
| ScriptWitnessNotValidatingUTXOW error when submitting transaction |

| Title Title | | | | | | |
|---|--|--|--|--|--|--|
| I have a smart contract in Ethereum. Is there a way to migrate it over to Cardano? | | | | | | |
| How to send a transaction for native assets via cardano-wallet CLI | | | | | | |
| Extracting metadata info of cardano tokens | | | | | | |
| Lost our IOHK delegation for SPO | | | | | | |
| Multisig Script Syntax Error | | | | | | |
| Plutus Pioneers Week 01 - How to open EnglishAuction shell? | | | | | | |
| Deploy a smart Contract on Alonzo testnet | | | | | | |
| Impossible to use extended keys with cardano-cli transaction buildrequired-signer flag | | | | | | |
| How to validate someone delegates to your stakepool, while preserving their privacy? | | | | | | |
| Cabal build all failing with error: Symbol not found: _sodium_free | | | | | | |
| How do I mint an NFT without any image and just some text? | | | | | | |
| tADA not reflecting in wallet after funds request with faucet | | | | | | |
| Send-tip to pooltool.io | | | | | | |
| Testnet Node Error - [cardano-:cardano.node.DnsSubscription:Error:211493] | | | | | | |
| How to list all wallet UTxOs with cardano-cli? | | | | | | |
| What is the relation of "ptr" with UTXO? | | | | | | |
| Is there a way for a validator to get the current time? | | | | | | |
| How to validate the correctness of another parameterized script address on-chain | | | | | | |
| How to verify a user owns an NFT? | | | | | | |
| How to search for an NFT asset name? | | | | | | |
| 2 stake pools using the same ticker name | | | | | | |
| How to publish a smart contract on the blockchain? | | | | | | |
| Does Plutus support floating-point arithmetic for on-chain code? | | | | | | |
| How to solve "cabal: Could not resolve dependencies" when building cardano-cli cardano-node | | | | | | |
| Are there any APIs for Cardano NFT ticker? | | | | | | |
| How to get Policy Script for a specific policy-ID | | | | | | |
| Insufficient funds when trying to use script unspent output | | | | | | |
| Burn token using blockfrost java sdk? | | | | | | |
| How to convert a cardano address into a public key hash? | | | | | | |
| Convert Redeemer, Datum or Script Parameter to JSON | | | | | | |
| Error while decoding the protocol parameters | | | | | | |

Empty txInfoSignatories after building transaction with cardano-cli

Can a smart contract create a transaction on someone else's behalf?

Is really any token metadata stored on chain? Or is it the mint TX metadata?

| Title Title | | | | | | |
|--|--|--|--|--|--|--|
| How would one go about Gating content through ownership of an NFT? | | | | | | |
| How to burn Cardano token after the 'invalid after' passes? | | | | | | |
| Can you specify an upper and lower bound for the validity period of a transaction? | | | | | | |
| How to handle datum in a decentralized way? | | | | | | |
| Block Producer Node no pending Tx's | | | | | | |
| When is an eUTXO consumed? | | | | | | |
| What exactly is the script context in Plutus context? | | | | | | |
| Signing a Tx with Nami wallet | | | | | | |
| Staking native assets (to stake pools)? | | | | | | |
| ogmios startup issue | | | | | | |
| Store data in Tx Metadata on Cardano | | | | | | |
| What is a Plutus script witnessed tx input? | | | | | | |
| Does Cardano support Dynamic CNFTs? | | | | | | |
| Cardano Serialization: How does Ed25519KeyHash work | | | | | | |
| Developing on Cardano as a beginner | | | | | | |
| Is there any limit to the number of UTXO's sitting at a script address? | | | | | | |
| What exactly are language views? | | | | | | |
| Using Cardano for authentication/signin | | | | | | |
| Cardano CLI - Error submitting transaction for minting a token | | | | | | |
| Hash script data | | | | | | |
| Errors while submitting txn from cardano-serialization-lib | | | | | | |
| How to split transaction into many different UTXOs? | | | | | | |
| Is it possible to use a parameterised CurrencySymbol inside another validator script? Unsupported feature: Type constructor: GHC.Prim.ByteArray# | | | | | | |
| Does deregister of the staking key take effect immediately? | | | | | | |
| How to specify the new output datum value (not hash) using the CLI | | | | | | |
| How to move Daedalus's blockchain data folder out of AppData? | | | | | | |
| Obscure error while trying to unlock funds from a script from the CLI | | | | | | |
| How to connect wallet with my dapps using yoroi dapp connector.? | | | | | | |
| Error: Reference to a name which is not a local, a builtin, or an external INLINABLE function | | | | | | |
| How to mint multiple NFT assets in the same transaction? | | | | | | |

Cardano Node + DB Sync + Graph QL vs. Blockfrost API

documentation.?

What Utility Do Third-Party Services Provide with Undisclosed Slot Lottery Information?

What is the best approach to implement Nami Wallet. Can some provide a boiler plate or any kind of

| Title | | | | | | |
|---|--|--|--|--|--|--|
| Move a node to another computer | | | | | | |
| I am completely new to Cardano eco system. To learn it from the absolute basic, where do I start? | | | | | | |
| How to get all utxos from script with off chain code ordered from the oldest to the newest? | | | | | | |
| Where to find proper info on the cardano graphql | | | | | | |
| Future adjustment of minimum ADA to be sent? | | | | | | |
| What's the difference between sharding & a payment channel, & how does Hydra compare? | | | | | | |
| How do I export my .hs contract to .Plutus? | | | | | | |
| Calculation of transaction fees | | | | | | |
| Can't run test node on windows | | | | | | |
| Can you create a DAO on cardano using only native tokens or would it require a sidechain? | | | | | | |
| Smart Contract NFT minting with Rarities | | | | | | |
| CLI creating a paper wallet | | | | | | |
| How to decode cbor which is generated with cardano-cli build command? | | | | | | |
| Where is all the unstaked ADA? | | | | | | |
| Can Yoroi (Daedalus) create a transaction with more than two outputs? | | | | | | |
| Yoroi from Daedalus and Ledger nano | | | | | | |
| Is it possible to recover ADA sent to wrong address? | | | | | | |
| Bad inputs, value not conserved | | | | | | |
| Impossible to install ghc 8.10.4 | | | | | | |
| How to connect Yoroi to testnet? | | | | | | |
| How to select UTXOs needed for covering a given ada amount using the Cardano Serialization Lib? | | | | | | |
| Airdrop Mechanism | | | | | | |
| Issue compiling pab-local-cluster on M1 processor | | | | | | |
| version `GLIBC_2.33' not found | | | | | | |
| Does ADA have a policyld and a assetName? | | | | | | |
| How to fetch assets siting on an adress using cardano serialization library and Nami wallet? | | | | | | |
| Missed slot leader checks | | | | | | |
| How to fix Duplicate instance declaration error in byron-spec-ledger package? | | | | | | |

EKG metrics interpretation and documentation

Plutus starter cabal build issue

What are the differences between policyId & currencySymbol and assetName & tokenName?

Can you go from pkh -> address using the CLI?

How to create cardano address using cardano-wallet API and hd wallet derivation path

How Do I include MP3/Mp4s into my smart contract?

| Title Title | | | | | | |
|---|--|--|--|--|--|--|
| Can you stake stablecoins such as Djed? | | | | | | |
| Problem when running cardano node on aws | | | | | | |
| How to obtain PubKeyHash from Address ShelleyAddr | | | | | | |
| Is It possible to stake an nft on chain | | | | | | |
| How to generate the address of a plutus script using Cardano Serialization Lib? | | | | | | |
| How to create a project of many NFTs in one shot? | | | | | | |
| Most efficient way to monitor a wallet for transactions | | | | | | |
| Shelley related: Wrong genesis file - cardano-node 1.31.0 - linux-x86_64 - ghc-8.10 | | | | | | |
| Can I use my ADA at any time while they are staked into a pool or are they frozen? | | | | | | |
| How to restore into Daedalus a wallet created with cardano-cli | | | | | | |
| The cardano-wallet docker compose always connects to testnet? | | | | | | |
| Getting Validator Hash | | | | | | |
| cardano-serialization-lib-nodejs documentation | | | | | | |
| How can a single Cardano Wallet have many addresses? | | | | | | |
| Does anyone else have trouble syncing to the PAB end to end testnet? | | | | | | |
| How to retrieve the datum added with the option -tx-out-datum-embed-file from the tx witness data | | | | | | |
| Best practice for handling rollbacks | | | | | | |
| Questioning Plutus API design decision | | | | | | |
| Minting Native Assests - Error Building the Raw Transaction: \$output variable | | | | | | |
| What are input endorsers and how do they make Cardano more scalable? | | | | | | |
| Do script addresses have a staking part? Is it possible to stake from smart contracts on Cardano? | | | | | | |
| NFT royalties Cardano | | | | | | |
| Errror cardano-cli build-raw: AssetName deserisalisation failed expecting hexadecimal digit | | | | | | |
| Cannot recover Daedalus wallet after deleting on account of wallet not syncing | | | | | | |
| Get a list of top asset hodlers for a specific asset | | | | | | |
| Sync Daedalus with a local testnet node | | | | | | |
| Programmatically creating the policyid / scripthash in Javascript (Browser) | | | | | | |
| Using cardano-wallet to mint native assets | | | | | | |
| Is there any way to debug/log variables in validator? | | | | | | |
| How to lock funds in a smart contract? | | | | | | |

How does custom Plutus data type map to cardano-cli --tx-in-datum-file content?

How to identify who sent a transaction

Cardano-cli errors when submitting

When Hydra will be ready for production?

| Title | | | | | | |
|---|--|--|--|--|--|--|
| Build transaction script ERROR in cardano .Not support the policyid with tokenname | | | | | | |
| What is the Nakamoto Coefficient of Cardano? | | | | | | |
| The Plutus script evaluation failed | | | | | | |
| How to deploy a marlowe smart contract on cardano | | | | | | |
| How can I get my public wallet address for tax software? | | | | | | |
| Stake pool blockchain sync is incredibly slow | | | | | | |
| Is there any script or smart contract which send tokens? | | | | | | |
| Yoroi Chrome plugin wallet is not syncing | | | | | | |
| Why Ouroboros Chronos and Proof-of-History need synchronization of time? | | | | | | |
| Will Hydra protocol implementation require changes in consensus protocol (Ouroboros)? | | | | | | |
| how can i show my minted NFT images on cardano testnet | | | | | | |
| What kind of dapps can scale using hydra? | | | | | | |
| How to mint a NFT with a policy of Multiple key-hash with Nami Wallet and Cardano Serialization Lib | | | | | | |
| How do I learn Plutus | | | | | | |
| Mnemonic seed from signing and verification key? | | | | | | |
| Where is the best place to start looking for Haskell Developers? | | | | | | |
| How can I secure a Datum value in a smart contract? | | | | | | |
| What is the difference between "on-chain-metadata" and "metadata" in the Blockfrost Endpoint | | | | | | |
| How to connect to Testnet on Blockfrost API with blockfrost-js | | | | | | |
| Is there a way to know if your wallet was restored (accessed) without a transaction being made? | | | | | | |
| Maximum transaction size | | | | | | |
| Difference betwen collectibles items and Assets in Nami Wallet? | | | | | | |
| "bash: plutus-pab-generate-purs: command not found" issue when run plutus-playground on Ubuntu | | | | | | |
| How can I enforce a datum type to be correct? | | | | | | |
| Why do we need the PAB and how does it work? | | | | | | |
| Memory constraints for smart contracts | | | | | | |
| Feasibility of having multiple persistent UTXOs at a script address | | | | | | |
| Back-to-back transactions produce ValueNotConservedUTxO error | | | | | | |
| Dapp connector for cardano-cli wallets | | | | | | |

How to get UTxO transaction id using cardano-serialization-lib

OutputTooSmallUTxO error

How can I get access to the epoch nonce?

How to establish trust between a user's wallet, and the backend of a website?

Is posible to do Batch minting of NFT with each NFT having different image?

How to send a native token using the cardano-cli?

Serialize a transaction in python

Webpack + Cardano ASM serialization library

How to verify that a reward address is associated with a public staking key?

How to new Cardano.Bip32PrivateKey from cborHex in file .skey generate by cardano-cli

Are there papers (e.g. game theorie based) on how Ouroboros encourages decentralization of ADA among its users?

Is it possible to specify metadata for native asset on-chain?

Ensuring NFT collection uniqueness using counter as asset name?

Error while submitting Transaction through cardano-serialization-lib

Ambiguous type variable 'e0' arising from a use of 'endpoints'

Check total ADA delegated to the pool with cardano-cli

Selfish mining / denial of service on Cardano?

Where is the Datum stored in PAB?

I'm getting ValueContainsLessThanMinAda error in Week01 of Plutus Pioneer Program

Can we check signatures of arbitrary data in plutus validators?

Nami getBalance() returns wrong value compared to GUI Wallet

Validator fails comparing two (assumed equivalent) PubKeyHashes

How does one check a pool's delegation history?

Validate Transaction with serialization lib from a Tx Hash

How to correctly build transaction using PubKeyHash or CurrencySymbol as Datum parameter in cardano-cli?

How do I create and submit a transaction using only Nami Wallet?

how to build new transaction based on the UTXO with NFT token?

Is there any risk in sharing my rewards address?

Failed to build and install cardano-wallet on ubuntu

Can Nami wallet provide the TransactionWitnessSet for minting a native asset?

Does NFT name need to be base16 encoded in metadata.json file? How can I verify it was registered successfuly including the json?

How to calculate fees for Plutus Smart Contract?

How to export a transaction from Plutus for the wallet

Is there an open source vending-machine script for NFT minting?

How do I read the datum of an output?

About slot battles and db sync

User interaction with smart contracts

How to get PubKeyHash of an address without vkey?

| Title |
|--|
| Building a transaction using Nami api wallet and cardano-client-lib |
| Why does 'cardano-cli query utxoaddress \$addressmainnet' return an empty list? |
| PAB connection to public testnet or mainnet (Example/Tutorial) |
| cardano-cli transaction submit example with native assets |
| Syntax error near unexpected token `(' |
| What is the standard metadata schema for nfts |
| What is the output from a transaction when burning tokens? |
| Best practice for updating cardano-node/cli? |
| How are airdrops sent to token holders when NFTs do not belong to contracts? |
| DeserialisationError when exporting UnbalancedTx |
| Tx signed by Nami Wallet returning InvalidWitnessesUTXOW in CLI |
| Transaction Submit Error MissingScriptWitnessesUTXOW |
| How to stop cardano-node from the CLI? |
| Can a smart contract only be interacted with once |
| How to check the NFT timelock status? |
| cardano-serialization-lib-browser loaded as empty module in NextJS |
| NativeScript vs PlutusScript |
| How does ledger generate the public keys? |
| Mint tokens using plutus scripts with the serialization lib |
| How to convert a Cardano address string to the Plutus address class |
| Cardano address chaos |
| Spending key hash vs payment key hash (pkh) |
| How to run a Cardano relay instead of a full node? |
| About building a transaction using the cli |
| cardano-cli transaction build-raw error |
| How should you properly mint multiple NFTs under same policy? |
| How to restore a wallet from root.prv file |
| How can I use cardano-serialization-lib in the browser to decode CBOR? |
| How do you install cardano-wallet on an Ubuntu server and get the http API set up and running? |
| Why is ADA locked up with native assets and can it be detached from the native assets? |
| Is it possible to manually derive Stake Pool Cold Keys from a Master Seed? |
| Nami wallet address format to addr_test1 format |
| How to derive cost from transaction? |
| Remove Owner from Stake Pool |

| Title Title |
|--|
| Transaction fee |
| get wallet skey/vkey from mnemonic |
| How to calculate the collateral minimun required for a Smart Contract Transaction, is always needed a Colateral? |
| How do I get the http endpoint to work for cardano-wallet? |
| NFT Minting without Metadata |
| Will Cardano ever have anything more than validators on-chain? |
| Transaction memory and cpu usage limits |
| Is there a publicly available Cardano API with pre-indexed blockchain data? |
| Question about policy ID for native assets |
| Automatically send funds out using a smart contract |
| Best practice for testing smart contract |
| Question about Plutus smart contract which always succeeds |
| Error submiting Smart Contract with Nami, What does this error means? |
| Hacking (Nami) Wallet |
| Testnet relay doesn't have any incoming peer connections other than my BP node |
| How to obtain wallet addresses of stake pool delegators? |
| submitting transaction FeeTooSmallUTxO |
| Is there any way to mint/airdrop tokens and NFTs to members/users without sending them ADA |
| Sign transaction with multiple inputs |
| Can there be two identical secret seed phrase generated? |
| Project One: IOHK light wallet in the making - where to find the source code? |
| How does one-time minting policy actually work? |
| Can you manually list an address in a Smart Contract |
| Is there complete cardano-cli documentation? |
| Obtain data about a CNFT project |
| How to get information about UTxOs which created locking transaction on the on-chain? |
| Embedding address into the datum using the CLI |
| How to add datum to UTXO in nami |
| send multiple assets in one transaction |
| Error loading cardano-serialization-lib |
| How can I register a document on the cardano blockchain? Does it have cost? |
| Secure pledge with hardware wallet |

How does Cardano protect against DoS attacks against stake pools?

How can I get a fully built transaction from the PAB

| Title Title |
|--|
| cardano-db-sync error |
| How to pass TxOutDatumNone when building a script transaction with cardano-cli |
| Good tutorials / resources for PAB (testnet) |
| Connect to node.socket file |
| Is there an OpenZeppelin like library for Cardano? |
| nix installation failure on mac with "curl: (60) SSL certificate problem: certificate has expired" |
| Plutus environment set up: pro and cons |
| How to start plutus pioneers course on canvas |
| Error when installing nix: the group 'nixbld' specified in 'build-users-group' does not exist |
| VSCode/Docker Setup Starter Pack problems |
| VSCode + Docker setup problems on Windows |
| nix-shell did not create the server/client directories |
| Blockfrost and Plutus Application Backend |
| Which commit in plutus repo should we use for Pioneer Program cohort 3? |
| (Solved) Error building Plutus Application Framework |
| cabal fails to build plutus-core |
| Building Plutus-apps on Mac M1 |
| cabal: Could not resolve dependencies:plutus-core:happy:exe.happy |
| cabal build Out of Memory Mac VS Code Docker |
| Nix is building ghc during on nix build command (How to fix the cache?) |
| Lessons Learned setting up plutus-playground - feedback welcome |
| Error running plutus-playground-client in Linux |
| Building PAB error: attribute 'plutus-pab' in selection path 'plutus-pab' not found |
| How to generate a verifiable Proof-of-Burn address |
| starting nix-shell on mac "Operation not permitted" |
| Playground client can't connect to playground server (all localhost) |
| nix-shell command causes error "invalid character in Base64 string" |
| Installing on WLS2 - error: experimental Nix feature 'nix-command' is disabled |

Haskell Language Server - linker error: symbol sqlite3_fts3_may_be_corrupt

Plutus Pioneers Program Environment Setting, nix-shell command cause syntax error, 8.10.5 is out of date

Error on cabal build - Encounterd missing dependesies

nix-build fails to build plutus or plutus-playground server/client with error: reading from file: Is a directory

PPP Cohort 3 Lecture 1 (English Auction): Why does the buyer get the `minLovelace` (2 ADA) in the end even though the seller payed it initially?

WSL2 install - plutus fails to build, unable to open db file in 'nix/var/nix/db/db.sqlite'

(Solved) error:\n Variable not in scope: main :: GHC.Types.IO a0 in English Auction

Plutus Playground Client fails to load: npm ERR! code ELIFECYCLE

plutus-playground-client crashes on Intel Mac (Big Sur)

git checkout 41149926c108c71831cfe8d244c83b0ee4bf5c8a for English Auction doesn't work

How to set plutus-apps NixOS options on Mac

First time compiling sample Plutus code in local Plutus Playground failed. Can't figure out why

nix installation issue on Fedora 35

How does Mithril increase Cardano network throughput?

Running week01 expressions in repl

Izma-0.0.0.3 missing when building week 01 code

How to build a script transaction if the validator expects it to be signed

Change Address in transaction

How do I build the Plutus starter template?

How to connect WSL cardano-cli to Daedalus cardano-node on Windows?

npm run start in plutus-playground-client throws several "Could not find module" errors

/bin/plutus-playground-server: No such file or directory

How to use the plutus pab statemachine with RemoteWalletConfig for Nami and Yoroi

upload folder to ipfs using blockfrost

How to resolve npm build failure after running `GC_DONT_GC=1 npm start`?

How to resolve the Following Error.?

nix-build not found inside nix-shell (Linux)

time locking policy script native asset

How can I convert Key Hash to bech32 in Cardano serialization lib?

Image size for logo for native tokens

testing the English Auction example

plutus-playground-client npm start error (MacOs Intel i7)

What is the minimum amount of Ada needed to stake?

Blockfrost doesn't find address

nix-shell: getting error "Index state found was 2021-10-20T00:00:00Z and no `index-sha256` was provided."

Pioneer Q&A question: Where is datum actually stored?

How do I `:reload` in `ghci`

Does a script always have the same address forever?

Error compiling Week01

Title

Problem connecting to localhost: Error occurred while trying to proxy request /api/oauth/status from localhost:8009 to http://localhost:8080

Not in scope: type constructor or class 'PaymentPubKeyHash' - Week 1 Pioneers Exercise

Localhost not displaying anything after running npm start in plutus-playground-client

What is the difference between "cabal build" and "cabal repl"?

How do you publish on-chain code to mainnet and testnet?

cardano-wallet-js

Plutus local haddock server not working

Q&A English Auction- if a wallets under bids then provides a valid bid, why doesn't it count the second good bid?

HLS Compiler Error PPP (WSL2 + VSCode)

error: suspicious ownership or permission with nix-shell command on plutus-apps repository

How does a Cardano DApp client authorize a payment?

Get errors when trying to generate Haddock documentation using build-and-serve-docs

Cabal build error

Plutus pattern/technique for finding original datum preimage of TxOutDatumHash?

GLIBC_2.33 Not Found After Installing Cardano Node .?

Error when executing npm start in plutus-playground-client

How to payToTheScript recording the Datum hash?

Trouble fulfilling: base, libsystemd-journal, lobemo-scribe-systemd

nix doctor --verbose [FAIL] Multiple versions of nix found in PATH, on MacOS i7

Getting status of daemon-socket: Operation not permitted while invoking nix-shell (MacOs)

Where can I find design and documentation resources on Plutus Staking smartcontracts?

What is the GC_DONT_GC=1 variable for when running the Plutus Playground locally?

Is a block winning a height battle with a 43 second prop time a potential form of MEV?

how to convert an "asset32type" to string?

Vim setup of Lars

Nix build error: experimental Nix feature 'nix-command' is disabled

How can I find the IPFS URL for a CNFT.io asset?

macOS Monterey i7, what is the best `nix.conf` file to use?

Figure out transaction id after submitting using cardano cli

Timing of finality of a transaction in Mainnet

If metadata can be changed, how can the uniqueness of an NFT can be guaranteed?

What is the purpose of the `valHash :: Ledger.ValidatorHash` function in the Plutus Pioneer Program's Week 2 homework?

Are negative values valid quantities in native assets?

| Title |
|--|
| What's the equivalent to ownPubKey in the newer version of Plutus? |
| new type and JSON |
| Where does the `mustPayToTheScript` function gets the script address from? |
| TransactionBuilder and add_from_inputs |
| week 02 - Pioneer cohort 3: Failed to build Izma-0.0.0.3 |
| [Congestion]Transaction submitted but never get processed |
| How can I derive the Staking address from a Payment address? |
| send token / asset by cardano-CLI |
| Can blockchain viewers read the source code of a smart contract if they know its address? |
| Received the transaction id but the transaction never happened |
| How to import root private key or account private key to cardano-wallet |
| How are values in UTXO's stored |
| What documentation works with handling utxos at the Plutus Script? |
| How are datums retrieved from UTXOs by on-chain code? |
| What does "off-chain code lives in the wallet" mean? |
| on multiple eUTxO and the validation proces |
| Transactions without input addresses |
| When there are multiple liquidity pools for the same pair on SundaeSwap, which one is used for my trade? |
| Is it possible to decode smart contract code from a script hash? |
| Use the week 01 Nix-shell for week 02? |
| What is the value of ADA locked in a Native token? |
| How to create the policy.vkey and policy.skey with Cardanocli-js? |
| What do unusual symbols "@" and ".V" in off-chain code mean? |
| Shared database between Daedalus and Cardano-node |
| What is where executed and when? |

Confusion regarding findOwnInput function with on-chain code

How to create signer hash for cardano-cli transaction build --required-signer-hash?

Cardano-Cli Transactions with Assets Utxo

What is the correct way to compare two instances of Value data type?

How can I get the wallet distribution of a token?

How does Cardano execute real time transactions if block time is 20 seconds?

Cardano-Cli How to Check Address Delegation Status?

Is Camel Case notation required for the Asset Name of an NFT?

PPViewHashesDontMatch and UnspendableUTxONoDatumHash error on redeeming funds from week03 example

| Title Title |
|--|
| Deploy smart contract to testnet using cardano-cli |
| How many slots did Byron era (testnet) have? |
| How to create Datum with ownPaymentPubKeyHash? |
| When was the slot duration set to 1 sec on Cardano Testnet? |
| How long Cardano node takes to be installed? |
| bootstrap chain-index.db |
| How can I set up my dev environment faster after pulling the pioneer code repos for each week |
| Can ADA locked on a script be staked? |
| How do I test the on-chain validator in Vesting.hs? |
| Is there away to retrieve the senders addresses of a transaction from its hash, using cli? |
| Tutorials to integrate Nami to your website |
| Running submit-api on mac for Nami to connect to Daedalus? |
| How to move Cardano Node stake pool to new IP address? |
| Create Delegation Certificate Transaction |
| What are the benefits of using Plutarch? |
| Why is my cardano-node not working anymore? |
| How to move Stake Pool Node to new IP address? |
| PublicKeyOutputs at Script Address vs ScriptOutputsAt Validator Hash vs valueLockedBy |
| Validator check for amount locked vs amount unlocked |
| How to convert posixTime to slot number on Cardano Testnet |
| On the off-chain code of homework 3 cohort 3 |
| Issues insttaling Cardano-node |
| How to make a PubKeyHash into a PaymentPubKeyHash |
| Staking address bech32 |
| "You may need to update to a newer hackage.nix" when trying to enter a nix-shell |
| How can a native token be removed/de-registered from Cardano token registry |
| Cardano-node updated to 1.33.0 - gLiveView not connecting to node |
| How to calculate fees in Plutus |
| Will transactions created with a local cardano-node be faster if I add more relays to my node topology file? |
| Why would ">:i " work in the repl but not "> :t "? |
| Difference between "import" and load (as "> :I ") |
| How to do a plutus smart contract vending machine? |
| Discovering the script source based on address |

How to estimate execution steps and memory units for a Plutus script?

How to figure out what address to query for utxos when minting

How do I properly parse the CIP-30 output from NAMI to send a users wallet tokens?

Javascript assetName Decoding

TransctionBuilder.new() in cardano-serialization-lib 10.0.0

What is the transaction fees for the native tokens in ADA? can i design a wallet exclusively for my own token which is in cardano block chain?

Protocol parameters file to calculate min fee

Continue to be utterly disoriented as to where these magic words come from and how they might be connected

InvalidWitnessesUTXO

What is precise calculation algorithm for native asset fees?

How to add multiasset as input to txBuilder?

Optimising validators with `BuiltinData -> BuiltinData -> BuiltinData -> ()` and building tx with cardano-cli

Understand purpose of tx-out-datum-hash in Lars' lobster NFT minting example

Updating NFT metadata when policy unlocked

Empty TokenName Literal Overloading in Week05 Homework2

Error while syncing with Testnet, Invalid block

Write a policy script with a custom redeemer type, but do NOT use `Plutus.liftCode`

Where are the bech32 binaries?

Please explain types with multiple outputs

How to mint a token on testnet?

How to setup carndano node-socket?

How can I establish the communication between my Flutter App and Cardano Blockchain?

How to keep ADA in Yoroi wallet without staking?

How to decode output of cardano-cli query ledger-state?

Referencing an external plutus script

Is type String truly equal to type [Char], and is Haskell truly "pure"?

NFT minting using unique base64 encoded asset as input

Cannot Get haskell-language-server running - duplicate symbol "sglite3 fts3 may be corrupt"

Yoroi and Ledger nano S seed phrase

Possible DApp infrastructure on Cardano. Interaction with users' wallets

Unable to install Gloss on Mac M1

what is "WalletError (ValidationError (ScriptFailure (EvaluationError [\"PT5\"] \"CekEvaluationFailure\")))" when trying in playground?

Interpreter Error (error CallStack (from HasCallStack))

Command failed: query utxo Error: This query cannot be used for the Byron era

| Title |
|--|
| Working with BuiltinByteString |
| How long will it takes a cardano node to fully sync? |
| Create address from public/private keypair without external tools/apis |
| What is the Cardano's equivalent to the Ethereum's EVM? |
| Mathematical equivalence of Account and eUTxO model |
| Week 4 issue with Cabal build: Not in scope: type constructor or class 'JWT.EncodeSigner' |
| Yoroi wallet using cardano-cli |
| zsh: exec format error: cardano-node on MacOS BigSur |
| How to get protocol parameters **only for latest epoch** with GraphQL? |
| Difference when building Testnet and Mainnet addresses |
| How to Deploy / Write NFT Minting Plutus Script? |
| Is there an open source plutus voting dapp? |
| Properly (safely) verify that transaction contains an Cardano Native Token or NFT |
| Re-Delegation Smart Contract |
| What do we currently know about the Hydra tail protocol? |
| How to get the return type of a contract |
| Details on Mamba? |
| How to generate script address from plutus script cborhex |
| cardano-cli submit error: ScriptWitnessNotValidatingUTXOW |
| How to retrieve an addresses transaction history inside a plutus contract |
| Royalities CIP 27 |
| Calculation cpu and memory exUnits on transaction submit is different then on transaction build? |
| Where is the actual NFT data stored |
| How to Start a New Project |
| how to get public key of nami wallet |
| How Do you generate the Cabal and Nix files for a new project? |
| How to log/trace/print messages from within the contract ON-chain code, while using cardano-cli? |
| How can I configure and send a transaction to the Cardano chain using python |

Unable to send funds from a Byron-era wallet created with Daedalus back in 2017

How can I download transaction history of any public address as CSV?

Is it posible to know if two different address came from the same wallet- prvKeys?

How to format a JSON value in the cardano-cli

Plutus: Integer->Value?

Get public key into PubKeyHash and use it in mustBeSignedBy

| Title |
|--|
| Error Reading metadata while trying to mint token |
| Command failed: transaction submit Error: Error while submitting tx |
| Script Witness Not Validating for Multisig |
| How to derive non-extended skey from mnemonic phrase? |
| How can I execute a SundaeSwap transaction from the Cardano-CLI? |
| Cardano DB Sync as Service (running on background) on Ubuntu |
| How to get a base 16 hex BuiltinString from getTxId |
| Verifying policy id from pub key |
| Submitting a transaction from cardano-cli with Nami Wallet |
| How to recover a wallet in cardano-cli from a 24-word mnemonic |
| How to combine or spend the rest of utxos |
| What am i doing wrong while creating this staking transaction? |
| How to convert a Stake Key Address from hash to BECH32? |
| Error querying protocol parameters in local network created from scratch |
| Logic behind Cardano master key generation from mnemonic |
| How to generate TransactionBody in cardano-serialization lib from cardano-cli's TxBodyAlonzo cborHex |
| What are the block heights of the different eras of cardano? |
| How to architect a truly decentralized dApp on Cardano? |
| How to get tAda? |
| how can I increase the address gap limit in daedalus? |
| cardano-submit-api to allow local connections on LAN |
| How to properly format a tx for cardano-submit-api |
| I hear that Daedalus Is a Full Node Does That Mean I Can Set Up a DB Sync Server On Top of It? |
| Stake Pool Locations. How is the best way to obtain a list of cardano stake pools by country? |
| What is an unbalanced transaction? How does adjusting an unbalanced tx actually work? |
| How to use a relay node as a wallet for faster transactions |
| cbor encode and decode |
| Nami wallet API implementation example for web app |
| Can you burn/lock/self-destruct NFTs in a a smart contract? |
| How to implement Vesting smartcontract with time period longer than 36 hours? |

How to optimize Plutus smart contracts?

relationship between seed phrase, wallet address, public key, UTxO, verification key, and signing key

Cardano DB Sync - RTS Options

setting postgresql for db-sync

| - | 174 | |
|---|-----|----|
| | ш | T= |
| | | |
| | | |

How to calculate the slot time of a given date?

Disk Space of Cardano node & Cardano DB-sync

Submitting Transaction with CSL Metadata Isn't Showing

Is there any way to cancel pending transaction in CCvault or any cardano wallets

Easy way to list IPFS directory contents

What is the role of datum in spending a transaction

Is there good examples for building a transaction using serialization-lib?

Dapp connection with mobile browser

Connect Unity 3D game with cardano

How to sign transaction externally?

minted NFT is shown as solid color of picture in Nami wallet

Select only one UTxO from script address

Cardano-cli error: "Invalid argument `"type":"

What is the derivation path in a Cardano address?

Will Ouroboros Crypsinous be included in Ouroboros Omega?

can't understand which part of the code is not "PlutusTx"

Building alonzo transaction using cardano-cli and signing it with serialization-lib

Not enough ADA leftover to include non-ADA assets in a change address

Error: submit tx failed: Error: 400: 0:

"278ad827cb923ed800fcb2028114ee8e9bca875059e1389ca1f49755c1c9a629"

Confusing configuring of multiple relay nodes, multi host pool and SRV DNS

Convert xpub public key from ccvault to bech32 or acct_ public key

Is there a 'Cardano Naming Service' available?

How to install cardano-node and cardano-cli on Mac M1

Is the daedalus wallet seed phrase caps sensitive?

Cbor address to bech32 type address in JS or python

Transaction submit error

cardano db-sync won't authenticate to postgres?

DB Sync deleting blocks up to slot operation running for 10+ hours

How to verify signed data?

Can someone show me how to get the transaction in the proper format for cip-30?

How do you make a faucet for native assets such as NFTS on cardano?

CARDANO_NODE_SOCKET_PATH Error

How to see the local node's mempool?

| Title Title |
|---|
| Cardano-graphql / Hasura - not found in type: 'query_root' |
| Plutus datum and redeemer on cardano-cli |
| Fetching exchange prices via an API? |
| how to generate cardano new address using blockfrost.io? |
| Block Propagation |
| How to delegate to a stake pool using CLI? |
| Implementing CIP-008 (signData function) in Java |
| Starting a new Plutus Project |
| How many validator nodes on cardano |
| Can a contract update the metadata of the NFTs in an entire policy or does this have to be done by a node manually? |
| Cardano Serialization Lib Usage |
| Is it possible to get root key from CLI generated private key? |
| How can a validator script be used to mint native tokens, in addition to perform other checks? |
| How do I make a Sidechain |
| How to integrate ADA Handle into website? |
| Is there a way to set a trigger on Blockfrost to know when an asset has been moved? |
| Can't compile Plutus Playground examples: Could not find module `Playground.Contract' (Ubuntu 20.04) |
| Plutus transaction error PT5 |
| find holders from same policy but different asset name |
| Whats the Diffrance between Plutus scripts and Cardano Native Scripts? |
| Can temporary forking occur in Cardano's protocol? |
| PlutusData construction using @emurgo cardano-serialization-lib-browser |
| Why do we need the ```plutus-chain-index``` to run and why does it take so long to sync |
| Is it possible to generate all stake pool files and keys using Cardano Serialization Lib? |
| How is metadata typed on the blockchain |
| Error message harvesting in the minswap farm |
| Is there a way to validate a policy Id,and to check if a string is an actual policy id? |
| Question about Yoroi and Ledger (restore security) |
| How to get assets with a specifc policy id from a wallet address using BlockFrost OpenAPI |
| How to Get Started with Cardano Native Script |
| How to use Plutus chain index with real testnet |
| |

How to determine the number of actual "transactions" in a transaction?

How to generate stake registration certificate from extended stake address verification key using cardano-cli

| = | _ | ٠, | 4 | | |
|---|---|----|---|---|---|
| ı | | т | п | н | 6 |
| | | | | | |

How to query cardano graphql api to get all assets metadata from a specific policy id

Meaning of Index of Redeemer in Serialization Lib 10.4

API to get NFT Floor Price

Metadata transactions / eUTOX TTL / locking up ADA

One node surprisingly running out of disk space

How to determine the order of transaction input (in the order of the Txlds)?

How to run testnet node and mainnet node on background at the same time?

window.cardano undefined

Cardano serialization lib for PHP

Create transaction serialization-lib > version 10

Plutus Starter nix-shell build errors on MacOS Monterey M1 - ghc-cabal: Encountered missing or private dependencies

Derive public key hash from bech32 address using python

Bad File Descriptor on nix-build of Plutus-Apps on Mac M1

LightWallet: Empty array for (await api.getUsedAddresses() | await api.getUnusedAddresses() | [])

Error with installing cardano-wallet on Ubuntu

How to link custom API endpoints with Plutus script? (Without Blockfrost or PAB)

Cardano - cardano-cli query utxo - get all utxo of an address

How to provide Datum value using serialization lib

Any way to speed up cardano-node startup?

How to read data from a Cardano node directly?

Get Value of Datum from a UTXO

Can you include a minting policy in a transaction without minting or burning any tokens?

symbol lookup error: cardano-node: undefined symbol: crypto_vrf_publickeybytes

How can I convert from cborHex to VRFKeyHash type from the Cardano Serialization Lib?

Where to locate the path to node.socket in order to set CARDANO_NODE_SOCKET_PATH env variable?

How can I make QR codes that work with wallets like nami?

Check status of past transaction using cli

How precise is the time inside a plutus script?

How to retrieve staking credential hash

How to create a Cardano private network

How to convert from cborHex to VRFKeyHash using both cardanocli-js and cardano-serialization-lib?

Query assets with cardano-cli

How to define decimel points while minting tokens?

| Title Title |
|--|
| Using Endpoints in a PAB Schema |
| How Do I Deploy a Wallet Connector to the Website in a Safe Way |
| How to get NFT count of wallet address |
| How can I set up my environment for the upcoming Marlowe Pioneer Program? |
| utxo fail problem(utxo fee too small |
| Installing GHC on WSL |
| Plutus Script Validation Metadata |
| Building a transaction on cardano-cli/api without running node? |
| Attaching Datum Value with CSL 10.x |
| problem setting up the plutus environment |
| How can I start a Hydra Node in devnet? |
| How to compare BuiltinByteStrings onchain? |
| What is Layer 0? |
| transaction build Error: Non-Ada assets are unbalanced (sending native asset to smart contract via cardano-cli 1.34.1) |
| Running nix-shell on Mac M1 |
| Where does Nami store private keys? |
| How can I build a transaction to send different assets (not just ada) using Cardano Serialization Lib? |
| How can I stop Cardano Node correctly without running it as a service? |
| What's the correct way of submitting a transaction using cardano-graphql? |
| Rust Serialization Lib Minting NFT - Missing Key Witnesses Error on Submission |
| What's the correct way of deserializing a UTxO? |
| CNFT metadata structure |
| Can't create ```TokenName``` using ```tokenName``` with error ```GHC Core to PLC plugin: E042:Error: Unsupported feature:``` |
| What does it mean when a block with 0 transactions is appended to the blockchain? |
| How do I add the staking part of an address in OffChain code |
| Possible to run cardano-node on marlowe pioneer testnet using docker-compose |
| Get transaction unspent output value |
| cardano-cli is marked as depricated. Is there a replacement or is that what we are supposed to use? |

Decrypt data with wallet private key

Error on Cabal Build: Failed to build plutus-core-0.1.0.0

How to Get the Script Address of A Smart Contract?

Error creating a transaction with Cardano Serialization Library

How to release an NFT collection on Cardano?

| Title Title |
|--|
| How Can You Prevent A Burn Address From Polluting The Cardano Ledger? |
| Using carano-cli How Do I send All of the ADA from a wallet? |
| Can Nami connect to custom testnet? |
| How to get prices, volume and latest transactions of a liquidity pool |
| How to get CLI access from Daedalus installation? |
| Whats the function to get the current time in Plutus? |
| How To Optimise Daedalus Syncing? |
| Convert Stake Key to Address |
| What is this Pop Up Screen on Cardano Documentation? |
| GraphQL syncing takes too much time |
| How to get the history of an NFT or NFT Series from blockfrost? |
| How to Securely Serialise a Plutus Smart Contract Endpoint? |
| How to completely uninstall Daedalus from Linux? |
| Get Transaction History Given Policy ID using Blockfrost API |
| How to convert Cardano Address? |
| Socket permission denied when running cardano node as linux service |
| How To Get All Transactions of Associated With an Address In A Given Interval? |
| How to reduce tx size using typed Plutus script with Vasil fork PlutusV2? |
| How To Convert Old Plutus Scripts to Vasil Reference Scripts? |
| How to convert Address type variable to get "addr_testXXX" format address? |
| How do I get wallet holders for a cnfts project? |
| Rising trend in blocks missing: what could be the reason? Should we worry? |
| How can I create babbage era tx. Whats the difference from Alonzo Era? |
| How can a transaction first be included in block A, then in block B |
| How to query the address that sent a token from cardano-db-sync? |
| Plutus V2 Primitives |
| Encoding / Decoding Fingerprint with Python |
| Cabal repl fails because of missing dependency Izma |
| cardano node sync stop at 99% |
| Generating and storing Seed Phrase offline |

Problen when sysncing node on mainnet

Unlocked NFT minting policy

How Do You Convert Math Symbols in Haskell?

Using Blockfrost api to get the price of an ada/token pair on Minswap

| = | _ | _ | 41 | | |
|---|---|---|----|---|---|
| | | т | а | • | 7 |
| | | | | | |

Programmatically Send Transactions From a Wallet Using Javascript

Why not just simply use Haskell instead of Plutus?

How Does the Blockchain Use Hashes?

Smart contract is not working after Vasil Hardfork in testnet

Importing Ledger hardware wallet addresses to Nami

How to get unused address for stake key via Blockfrost API

after 1.35.0 update: gLiveView Luck and Ideal showing "--"

How can I determine which smart contracts / script addresses are associated with which dApps?

Is there a Cardano VM?

Error when connectiong BP node and Relay

@emurgo/cardano-serialization-lib-browser on NextJS error when running `npm run build`

Syncing from genesis instead of snapshot

problem connecting to testnet (1.34.1; testnet is in Vasil)

What is block density?

Are mangled/franken addresses detectable?

How is Number Of Confirmations derived for a transaction?

What is your comfort level for Number Of Confirmations, and why?

How can I calculate slot number?

How build a transaction to add ADA and change the datum of a previous transaction with assets and ADA locked in a script

How would you implement Soulbound Tokens in Cardano?

cardano-serialization-lib ExUnits

Cardano-node and cli install "Ilvm error"

Yoroi and Typhon return FeeTooSmallUtxo error when submitting transaction

Can db-sync be used to "listen" for transactions involving particular smart contracts?

Token price API

Deploy a local testnet

Calculate tx fees via Blockfrost or any other provider?

When will the last ADA be 'mined'

cabal: Failed to build digest-0.0.1.3

new node docker image doesn't work

Plutus Playground Server error: opening lock file '/nix/...root.lock': Permission denied

What does ExtraRedeemers error mean when call function in contract with nami wallet and cardano-serialization

Preview and Pre-Production Testnet Configs

| Title Title |
|---|
| Storage requirements for mainnet/testnet cardano nodes? |
| Get list of holders of a token using Cardano-cli or Cardano-DB-Sync or Ogmios |
| How to get all assets of a certain addresss using SQL on Cexplorer |
| Committing a database to the ledger without storing it on the ledger? |
| cardano node syncing stucked at some point |
| How to get PublicKey from PrivateKey |
| What are the valid NETWORK values for docker node images? |
| Connect docker cardano-node 1.35.3 to pre-production testnet |
| Configuring Nix Cardano Node for pre-production / preview |
| Can't sign data with Nami Wallet |
| Any up to date Plutus tutorials for how to use the Emulator Trace? |
| How to switch from Legacy Testnet into Preview / Pre Production Testnet? |
| Connect cardano-wallet to pre-production testnet |
| What happens if I omit a datum hash in a transaction to a script address? |
| cardano-node: error while loading shared libraries: libsecp256k1.so.0: |
| Devnet for Cardano |
| Getting PubKey from bech32 address |
| cardano serialization lib - Multiple addresses and stake keys |
| Can I send funds from Shelley Wallet to Byron Wallet? |
| Is it MuesliSwap the only DEX with an API? |
| What are the protocol magic values for the preview and preprod test networks? |
| How can I create a token that shows 6 decimals places in EternI? |
| VSCode HLS not working for plutus project |
| Convert UTxO to hex encoded bytes string |
| How to get TransactionUnspentOutput as a hex encoded bytes string programmatically |
| Cardano java lib |
| Using testnet with Nami |
| Running preview/preprod Cardano-node on windows |
| Can't submit (allegedly) correct transaction |
| How can I convert the hex hash ID of a stake pool to "pool1" format in Javascript or TypeScript? |
| What's a BabbageOutputTooSmallUTxO error? How to access minAda in Plutus code? |
| Cannot find wrapMintingPolicy after updating to latest release of plutus-apps |
| Ogmios: Follow the tutorial but the Server running for few seconds in Docker then auto terminate :? |

Nami getUtxos() method not as good as EternI's

| Title |
|---|
| Is there a way to get the current circulating supply of an asset via API? |
| How to turn (compile) "script.hs" into "script.plutus"? |
| 1.35.3 not syncing since epoch 365 |
| Failed cardano-node build on mac m1 |
| Why NFTs on cardano use IPFS CIDv0 instead of recommended CIDv1 |
| Use of multi-signature and multi-witness transaction creation |
| Cardano-wallet doesn't work after 1.35.3 update |
| Sending consecutive transactions will result in an error |
| Cardano-Node Preview Testnet PeerSelection Error |
| get tAda for cardano legacy testnet |
| Sending ADA to multiple wallets in a single transaction |
| How to find a cardano wallet's 'account public key'? |
| Plutus V2 Tx Building causing NonOutputSupplimentaryDatums error |
| How do users interact with smart contract? |
| Unable to run cardano-node on Preview and Pre-Production Testnet |
| InlineDatum on ReferenceOutput in OffChain code |
| How can I find the logo of a token in the Cardano Token Registry? |
| Missing/ No Redeemer Error when spending 2 script outputs |
| How is it possible to create a mangled address (aka. franken-address) without the private stake key? |
| Script Execution Failure PT8 |
| What is a MIR certificate, what does MIR mean in general? |
| Boostraping a plutus Smart contract project |
| Why does staking happen with a delay? |
| CIP25 Metadata standard version 2 token name |
| Chain Indexers with Stream Endpoints |
| Network.Socket.connect: <socket: 11="">: permission denied error accessing node.socket over shared volume mount in docker</socket:> |
| How eUTXO is more scalable than the account model? |
| How do you interact with smartcontract on jpg.store |
| Is there a standard for representing traits in metadata for NFT collectables |
| Cardano-Node Preprod Testnet PeerStatusChangeFailure on Mac |
| Is there an easy way to export a CSV file of all transactions from a specific address or wallet? |
| Obtain a wallet address from PKH and wallet ID in python? |

Does it make sense to talk of reference script in the context of parameterized script?

| - | • | и | г | | |
|---|---|---|---|---|---|
| н | п | | 3 | 7 | 6 |
| | | | | | |

User error: Caused by: [(builtin unConstrData) (con data #187b)] while trying to unlock tokens from contract

Compile errors when importing Cardano Serialization Lib Browser in React

How can I add Webpack to a React app so I can use Lucid with it?

Problem when importing Lucid in Next.js project with Typescript

What are Leader VRF and Block VRF values on Pooltool?

How to properly start a new Plutus project, from scratch

Cardano node sync suddenly stopped at 97.79 %

NextJS build - Error: Cannot find module 'crypto'

How are the Project Catalyst Voting Rewards calculated?

How to build the transaction needed to have a user pay to mint an NFT

Creating a connect wallet button like JPEG.store

How to redelegate with JS Nami/Eternl wallets?

Need client side browser Javascript example on how to make ADA payments via the EternI wallet?

Cardano mempool

How to hide API keys when using Lucid-Cardano

getDirectoryContents:openDirStream: does not exist

convert hex encoded bytes string to something readable

Cardano-Wallet register a wallet generated by Cardano-cli

"You may need an additional loader to handle the result of these loaders."

cardano-submit-api install error

How can I interact with smart contract created from Marlowe in the testnet/mainnet?

How to get all unSpent UTXOs at script address OnChain

How to decode the datum stored across records in the tx_metadata table for a given tx

Collateral for new Wallets

Nix-shell in plutus-apps

Send native tokens without running node

How to get balance of enterprise address

when and where to use different types of addresses in cardano

How to use reward withdrawing via cardano-cli?

How does Cardano Halving work?

Can there be duplicate Policy IDs?

Possible to get the total supply of a native token in a smart contract?

Full stack dApp example/tutorial

What is the best IPFS provider for Cardano NFT that uses CidV0?

| = | _ | _ | 41 | | |
|---|---|---|----|---|---|
| | | т | а | • | 7 |
| | | | | | |

Error - Building Cardano Node 1.35.4 in Ubuntu Linux 22.04

Verify Tx Signature

How can I Stake NFTs In Cardano?

cardano-cli transaction with inline datum

how to resolve this transaction submission error of MintToken with Mesh

How to query assets transactions with cardano-graphql?

How do I resolve this Webpack issue with Mesh library on NextJS project

Cardano NFT storage

how to use the transaction created using. cardano cli to be signed by a wallet in frontend

cardano-node meaning of inbound outbound connection

How to deploy the Plutus smart contract

Error when trying to harvest farm in minswap

Unclear error during Plutus ScriptContext construction (force headList [])

How to resolve this "(FromAlonzoUtxoFail (UtxosFailure (ValidationTagMismatch (IsValid True)" transaction submission error on mesh library

Given tx hash, get block # and info about block the transaction is in

"The second data argument, does not decode to a context" when minting NFT with Mesh

Cardano Multi-Sig Mint BabbageOutputTooSmallUTxO

plutus-apps nix-shell on Mac M2 segmentation fault

Sources of cardano rest api

Which API can give the buy price and sold price of NFT of cardano blockchain?

Can't collect utxo from the gift script address

How can I access Haddock documentation for Plutus?

Understanding a datum declaration in typescript

Get Master Key from Mnemonic seed for Cardano Byron wallet

Transaction submit error MissingVKeyWitnessesUTXOW

Is it possible to obtain the cbor hex/script bytes from a bech32 script address?

How to know wallet name by wallet Address?

Unable to build project using latest version of plutus-apps using nix develop

Official IOG Cardano Node Course Documentation Error - Node Won't Start

Lucid Error "End of input in bytes"

InvalidCertificate error running the cardano-node (v 1.35.7) static binary

Unlock NFT from smart contract by Cardano-serialization-library

Lucid Cardano Datum Error

Title

Which would be the future language for writing smart-contract?

EDIT | Is it possible to send (transfer, request) ADA using just Javascript?

Mutable NFT state by minting and burning in same transaction

NFT Minting with cip68 standard

Can a smart contract execute itself automatically?

Error: encoding/hex: invalid byte: s When using Lucid calling payToContract

Different types of Datums

Critical dependency: the request of a dependency is an expression

Issue with Lucid and sending tokens

How to create wallets without a full node (cardano light client)

get all transactions info of Cardano by using third party 'Blockfrost' with only 1 time call api?

How to deserialize Datum using Lucid

MeshJs integration With Next 13 Error: Element type is invalid. Received a promise that resolves to: [object Promise]

Where can I find Cardano implementation repository?