

WEEK 1 CYBER SEC

Nama : Aura Yoshua Eka Putra Sarwanta


NIM : 260530911132

Disini disuru buat CTF yak ges dan ini writeupnya, maaf kalau banyak salah penulisan segala macam karena yang penting buat :D

WSL : UBUNTU

1. Strings It

Jadi di challenge strings it ini kita disuru cari flag di file yang Namanya strings, dan karena saya make win 11 mau gamau pake wsl ya cik. Jadi sehabis kalian download filenya kita harus bisa akses filenya di ubuntu tapi karena beda directory diantara wsl dan juga windows kita harus ubah directory dulu tapi karena gamau ribet kita bisa juga langsung download filenya di directory ubuntu dengan command **wget <url>** yakkk, contoh seperti berikut.



```
oshraboy@oshra: ~/latihan_ctf
oshraboy@oshra:~$ ls
Week0-CyberSec-TecArt  app  latihan_ctf  tes1  venv
oshraboy@oshra:~$ cd latihan_ctf
oshraboy@oshra:~/latihan_ctf$ wget https://challenge-files.cylabacademy.net/library/1f272711dd43856fb4d3bfff8103ae615d224718edefb65f0eaa90a82db888d3d/strings
--2026-09-25 14:53:41-- https://challenge-files.cylabacademy.net/library/1f272711dd43856fb4d3bfff8103ae615d224718edefb65f0eaa90a82db888d3d/strings
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.23, 18.67.175.86, 18.67.175.73, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)|18.67.175.23|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 783696 (765K) [application/octet-stream]
Saving to: 'strings'

strings                               100%[=====] 765.33K  --.-KB/s   in 0.1s


2026-09-25 14:53:42 (5.67 MB/s) - 'strings' saved [783696/783696]

oshraboy@oshra:~/latihan_ctf$ ls
catatan.txt  dokumen_penting.png  file_misterius.bin  petunjuk.txt  strings
oshraboy@oshra:~/latihan_ctf$ strings strings | grep PicoCTF{
oshraboy@oshra:~/latihan_ctf$ strings strings | grep PicoCTF{
oshraboy@oshra:~/latihan_ctf$ strings strings | grep picoCTF{
oshraboy@oshra:~/latihan_ctf$ strings strings | grep -i picoctf
oshraboy@oshra:~/latihan_ctf$ strings strings | grep -i {
academy{5tRIng5_1T_d47eAaCB}
oshraboy@oshra:~/latihan_ctf$
```

Nah sehabis kita download kita bisa cek filenya sudah ke download atau belum dengan cmd ls atau list yang menampilkan itulah pokoknya. Sehabis itu karena bentukann Namanya strings jadi kepikiran aja kenapa ga kita pake combo dapetin flag paling gacor yaitu strings sama grep. Sehabis itu jikalau sudah

mengeksekusinya dengan `grep -i {` yang dimaksud mencari flag yang pasti mempunyai char `{` dia akan mengambil dari file strings tersebut sehingga kita dapat flagnya keluar deh.

2. Log Hunt



Log Hunt

General Skills **Easy**

by Yahaya Meddy · picoMini by CMU-Africa

Our server seems to be leaking pieces of a secret flag in its logs. The parts are scattered and sometimes repeated. Can you reconstruct the original flag? Download the logs and figure out the full flag from the fragments.

HINTS

- 1 You can use **grep** to filter only matching lines from the log.
- 2 Some lines are duplicates; ignore extra occurrences.

FLAG

...


Submit

debug info: [u:1156899 e: p: c:527 l:299629]

browser_webshell_solvable


Bookmark 44,260 95% Open in Workspace

Ini sih bentukan dari soal yang kita ambil pake hint apalagi saya pemula yakan oke ajalah ya, nah disitu kita disuru cari flag dari file Bernama logs langsung aja kita download pake cara tadi yaitu **wget <url>** nah kalo uda ak coba strings kaya diatas terlebi dahulu dan dapet hasil seperti ini.



```
Select oshraboy@oshra: ~/latihan_ctf
1990-08-09 13:33:27] INFO Scheduled task run
1990-08-09 13:33:28] WARN High memory usage detected
1990-08-09 13:33:30] DEBUG System check complete
1990-08-09 13:33:38] WARN Disk space low
1990-08-09 13:33:47] ERROR Connection lost
shraboy@oshra:~/latihan_ctf$ ls
atatan.txt dokumen_penting.png file_misterius.bin petunjuk.txt server.log strings
shraboy@oshra:~/latihan_ctf$ strings server.log | grep {
1990-08-09 10:00:10] INFO FLAGPART: academy{us3_
1990-08-09 11:04:27] INFO FLAGPART: academy{us3_
1990-08-09 11:04:29] INFO FLAGPART: academy{us3_
1990-08-09 11:04:37] INFO FLAGPART: academy{us3_
1990-08-09 12:19:23] INFO FLAGPART: academy{us3_
1990-08-09 12:19:29] INFO FLAGPART: academy{us3_
1990-08-09 12:19:32] INFO FLAGPART: academy{us3_
```

Nah hasil yg didapat adalah malah info flagpart dan hanya Sebagian dari flag yang didapat berarti kita ambil saja dari info “flagpart” nya yang kita grep dan karena awalnya tidak tau caranya gimana saya cari refrensi dari gugel dan ketemu dengan cara seperti berikut.

A terminal window titled "Select oshraboy@oshra: ~/latihan_ctf" showing a command and its output. The command is `shraboy@oshra:~/latihan_ctf$ grep FLAGPART server.log | sort -u`. The output lists 30 log entries, each with a timestamp, log level, and a flagpart value. The flagparts are: academy{us3_, y0urlinux_, skills_, cedfa5fb}, and y0urlinux_. The output is sorted and deduplicated.

```
shraboy@oshra:~/latihan_ctf$ grep FLAGPART server.log | sort -u
1990-08-09 10:00:10] INFO FLAGPART: academy{us3_
1990-08-09 10:02:55] INFO FLAGPART: y0urlinux_
1990-08-09 10:05:54] INFO FLAGPART: skills_
1990-08-09 10:05:55] INFO FLAGPART: skills_
1990-08-09 10:10:54] INFO FLAGPART: cedfa5fb}
1990-08-09 10:10:58] INFO FLAGPART: cedfa5fb}
1990-08-09 10:11:06] INFO FLAGPART: cedfa5fb}
1990-08-09 11:04:27] INFO FLAGPART: academy{us3_
1990-08-09 11:04:29] INFO FLAGPART: academy{us3_
1990-08-09 11:04:37] INFO FLAGPART: academy{us3_
1990-08-09 11:09:16] INFO FLAGPART: y0urlinux_
1990-08-09 11:09:19] INFO FLAGPART: y0urlinux_
1990-08-09 11:12:40] INFO FLAGPART: skills_
1990-08-09 11:12:45] INFO FLAGPART: skills_
1990-08-09 11:16:58] INFO FLAGPART: cedfa5fb}
1990-08-09 11:16:59] INFO FLAGPART: cedfa5fb}
1990-08-09 11:17:00] INFO FLAGPART: cedfa5fb}
1990-08-09 12:19:23] INFO FLAGPART: academy{us3_
1990-08-09 12:19:29] INFO FLAGPART: academy{us3_
1990-08-09 12:19:32] INFO FLAGPART: academy{us3_
1990-08-09 12:23:43] INFO FLAGPART: y0urlinux_
1990-08-09 12:23:45] INFO FLAGPART: y0urlinux_
1990-08-09 12:23:53] INFO FLAGPART: y0urlinux_
1990-08-09 12:25:32] INFO FLAGPART: skills_
1990-08-09 12:28:45] INFO FLAGPART: cedfa5fb}
1990-08-09 12:28:49] INFO FLAGPART: cedfa5fb}
1990-08-09 12:28:52] INFO FLAGPART: cedfa5fb}
shraboy@oshra:~/latihan_ctf$
```

Nah karena disini menggunakan cmd grep flagpart dari file server.log dan kita menggunakan sortir dan -u adalah bentukan huruf/char yang unik dan jg menghapus duplikat dan kita tinggal menyesuaikan flagnya dengan copy satu satu dan selesai kita berhasil menyelesaikan yang ke 2 ini.

3. Running Binary

Wave a flag

General Skills Easy

by syreal · picoCTF 2021

Can you invoke help flags for a tool or binary? This program has extraordinarily helpful information... [warm](#)

HINTS

1 This program will only work in the webshell or another Linux computer.

2 To get the file accessible in your shell, enter the following in the Terminal prompt: `$ wget <URL here>`, where the url can be found in the details section.

3 Run this program by entering the following in the Terminal prompt: `$ ./warm`, but you'll first have to make it executable with `$ chmod +x warm`

4 `-h` and `--help` are the most common arguments to give to programs to get more information from them!

5 Not every program implements help features like `-h` and `--help`.

FLAG

...

Submit

debug info: [u:1156899 e: p: c:170 l:300720]

Bookmark

220,927 92%

Open in Workspace

Oke ini adalah bentukan soal ke 3 yaitu file warm dan seperti bias akita download dulu lah ya file ini di wsl dan jikalau sudah seperti biasa diawal saya mencoba menggunakan combo strings grep dan begini hasilnya

```
oshraboy@oshra: ~/latihan_ctf
gnu.hash
dynsym
dynstr
gnu.version
gnu.version_r
rela.dyn
rela.plt
init
plt.got
plt.sec
text
fini
rodata
eh_frame_hdr
eh_frame
init_array
fini_array
dynamic
data
bss
comment
debug_aranges
debug_info
debug_abbrev
debug_line
debug_str
debug_line_str
oshraboy@oshra:~/latihan_ctf$ strings warm | grep {
Oh, help? I actually don't do much, but I do have this flag here: academy{biscuits_4nd_gr4vy_57d8c79}
oshraboy@oshra:~/latihan_ctf$
```

Dan yap hasilnya langsung muncul dan ya begitu saja langsung selesai.

4. Multi Code

MultiCode

General Skills Easy

by Yahaya Meddy · picoCTF 2026

We intercepted a suspiciously encoded message, but it's clearly hiding a flag. No encryption, just multiple layers of obfuscation. Can you peel back the layers and reveal the truth? Download the [message](#).

HINTS ⓘ

- 1 The flag has been wrapped in several layers of common encodings such as ROT13, URL encoding, Hex, and Base64. Can you figure out the order to peel them back?
- 2 A tool like CyberChef can be interesting.

FLAG ⓘ

...

Submit

debug info: [u:1156899 e: p: c:710 l:299344]

Bookmark

7,594 98%

Open in Workspace

Oke di soal ini kita terdapat file message dan juga jika kita buka hint terdapat enkripsian gitu seperti ROT13, Url Encoding, Hex, dan juga Base64 yang berarti jikalau kita buka file message tersebut akan berupa kode seperti diatas, dan jelas juga sih dari judulnya dan ga perlu pake lama kita coba langsung filenya


```
oshraboy@oshra: ~/latihan_ctf
oshraboy@oshra:~$ ls
week0-CyberSec-TecArt app latihan_ctf tes1 venv
oshraboy@oshra:~$ cd latihan_ctf
oshraboy@oshra:~/latihan_ctf$ wget https://challenge-files.cylabacademy.net/library/75b6b331984fd5c26eb47ba1e71a9ecdf1f0eb722c12603a475eabf0b98e17f2/message.txt
--2026-09-25 15:23:31-- https://challenge-files.cylabacademy.net/library/75b6b331984fd5c26eb47ba1e71a9ecdf1f0eb722c12603a475eabf0b98e17f2/message.txt
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.73, 18.67.175.86, 18.67.175.28, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)|18.67.175.73|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 101 [application/octet-stream]
Saving to: 'message.txt'

message.txt          100%[=====>] 101 --.-KB/s  in 0s


2026-09-25 15:23:32 (282 MB/s) - 'message.txt' saved [101/101]

oshraboy@oshra:~/latihan_ctf$ cat message.txt
NmU3MDZlNzE3MjdhNmMyNTM3NDI2MTcyNjY2NzcyNzE1ZjcyNjE3MDMwNzE3NjYxNzQ1ZjM5NzAzNDcxMzAzNTczMzcyNTM3NDQ=
oshraboy@oshra:~/latihan_ctf$ NmU3MDZlNzE3MjdhNmMyNTM3NDI2MTcyNjY2NzcyNzE1ZjcyNjE3MDMwNzE3NjYxNzQ1ZjM5NzAzNDcxMzAzNTczMzcyNTM3NDQ= | base64 -d
oshraboy@oshra:~/latihan_ctf$ echo NmU3MDZlNzE3MjdhNmMyNTM3NDI2MTcyNjY2NzcyNzE1ZjcyNjE3MDMwNzE3NjYxNzQ1ZjM5NzAzNDcxMzAzNTczMzcyNTM3NDQ= | base64 -d
oshraboy@oshra:~/latihan_ctf$ echo 6e706e71727a6c2537426172666772715f72617030717661745f3970347130357337253744 | base64 -d
base64: error: invalid input
oshraboy@oshra:~/latihan_ctf$
```


Diawal kita baca saja langsung filenya dengan cmd cat lalu terbuka dan menghasilkan tulisan unik dan terlihat diakhir terdapat “=” yang menandakan berarti serangkaian kata tersebut adalah base64 langsung saja kita pecahkan menggunakan command echo dan base64 -d dan untuk (-d) berarti di decode. Lalu hasil yang dihasilkan terdapat serangkaian angka yang bisa dibilang angka hexadimal dan karna saya gatau cmdnya saya gunakan tools Bernama cyberchef seperti berikut



Nah disini dia akan menghasilkan output yaitu serangkaian kata unik lagi dan terdapat huruf dengan persen seperti “%7B” dan “%7D” yang berarti menandakan itu dari url kata gugel ya karena awalnya saya juga ga ngerti tapi makin kesini tau polanya dan kita coba terjemahkan lagi



Dan yap betul saja jadinya berubah tanda { } yang menandakan sudah terlihat pola dari flag dan jikalau kita lihat seperti kurang karena bentukan flag biasanya bertuliskan picoCTF, Flag, ataupun academy dan jikalau kita lihat setiap katanya kita geser 13 huruf akan berubah maka kita coba dengan ROT13 seperti berikut



Dan yap betull saja langsung dapat flagnya setelah kita terjemahkan.

5. Nice Netcat

Nice netcat...

General Skills

Easy

by syreal · picoCTF 2021

There is a nice program that you can talk to by using this command in a shell: `$ nc chatelaine.cylabacademy.net 18707`, but it doesn't speak English...

INSTANCE ⓘ

Expires in 14:58

Restart Instance

HINTS ⓘ

1

You can practice using netcat with this Challenge Library problem: [what's a netcat?](#)

2

You can practice reading and writing ASCII with this Challenge Library problem: [Let's Warm Up](#)

FLAG ⓘ

...

Submit

debug info: [u:1156899 e: p: c:156 l:300589]

Bookmark

163,946 92%


Open in Workspace

Nah simple saja yang net cat ini kita disuru masuk ke server yang ada untuk dapetin flag dan kita tinggal salin saja seperti yang ada disoal seperti berikut.

Btw soalnya berbeda dengan jawaban karena lupa dokumentasi disaat penjawaban sehingga menampilkan contoh soal yang berbeda (beda port saja)

```
oshraboy@oshra: ~/latihan_ctf
[2]+ Stopped nc chatelaine.cylabacademy.net 26212
oshraboy@oshra:~/latihan_ctf$ nc chatelaine.cylabacademy.net 31719
97
99
97
100
101
109
121
123
103
48
48
100
95
107
49
116
116
121
33
95
110
49
99
51
95
107
49
116
```

Oke disini jikalau suda tersambung kita lihat terdapat angka angka mengerikan ini, tetapi jikalau kamu lihat diatas itu 97, 99 adalah angka decimal jika diterjemahkan a dan c yang berarti kita coba terjemahkan ke decimal seperti berikut



Dan yap disaat sudah kita terjemahkan kita dapat flagnya selesai.

6. Super SSH

Super SSH

General Skills Easy

by Jeffery John · picoCTF 2024

Using a Secure Shell (SSH) is going to be pretty important. Can you `ssh` as `ctf-player` to `xebec.cylabacademy.net` at port `29130` to get the flag?

You'll also need the password `8d1db23b`. If asked, accept the fingerprint with `yes`.

If your device doesn't have a shell, you can use: <https://webshell.cylabacademy.org>

If you're not sure what a shell is, check out our Primer: https://primer.cylabacademy.org/#_the_shell

INSTANCE ⓘ

Expires in 14:57

Restart Instance

HINTS ⓘ

1

<https://linux.die.net/man/1/ssh>

2

You can try logging in 'as' someone with `<user>@xebec.cylabacademy.net`

3

How could you specify the port?

4

Remember, passwords are hidden when typed into the shell

FLAG ⓘ

...

Submit

Bookmark

110,750 94%

Open in Workspace

Jadi ini adalah bentuk soal dari ssh, ssh ini hampir mirip dengan netcat dan kita harus tersambung dengan ssh sebagai ctf player disoal dan menggunakan portnya sesuai di soal

```
oshraboy@oshra: ~/latihan_ctf
116
116
121
33
95
102
54
55
51
57
125
10
^Z
[3]+ Stopped nc chatelaine.cylabacademy.net 31719
oshraboy@oshra:~/latihan_ctf$ ssh ctf-player@xebec.cylabacademy.net -p 36206
The authenticity of host '[xebec.cylabacademy.net]:36206 ([3.14.181.178]:36206)' can't be established.
ED25519 key fingerprint is: SHA256:kVN52XVxz2iIK4aejnbGutjII8pR3AC32uXQ9QHITDI
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[xebec.cylabacademy.net]:36206' (ED25519) to the list of known hosts.
ctf-player@xebec.cylabacademy.net's password:
Welcome ctf-player, here's your flag: academy{s3cur3_c0nn3ct10n_eb2040c5}
Connection to xebec.cylabacademy.net closed.
oshraboy@oshra:~/latihan_ctf$
```

Jadi bentukannya akan seperti ini jikalau sudah masuk akan ditanyakan fingerprint dan password dan kita tinggal input sesuai arahan di soal dan akan mendapatkan flagnya secara langsung.

7. Piece by Piece

Piece by Piece

General Skills **Easy**

by Yahaya Meddy · picoCTF 2026

After logging in, you will find multiple file parts in your home directory. These parts need to be combined and extracted to reveal the flag. SSH to **chatelaine.cylabacademy.net:42508** and login as **ctf-player** with password **3854745b**.

INSTANCE ⓘ

Expires in 14:58 **Restart Instance**

FLAG ⓘ

Submit

debug info: [u:1156899 e: p: c:740 l:299393]

Bookmark

10,708 97%

Open in Workspace

Untuk soal ini

Jadi diawal kita disuruh masuk ke server ssh seperti sebelumnya dan login dengan input password seperti berikut

```
oshraboy@oshra: ~
instructions.txt part_aa part_ab part_ac part_ad part_ae
ctf-player@academy-chall$ cat instructions.txt
Hint:
- The flag is split into multiple parts as a zipped file.
- Use Linux commands to combine the parts into one file.
- The zip file is password protected. Use this "supersecret" password to extract the zip file.
- After unzipping, check the extracted text file for the flag.

ctf-player@academy-chall$ cat part_* > flag.zip
ctf-player@academy-chall$ ls
flag.zip instructions.txt part_aa part_ab part_ac part_ad part_ae
ctf-player@academy-chall$ unzip flag.zip
Archive:  flag.zip
[flag.zip] flag.txt password:
    skipping: flag.txt          incorrect password
ctf-player@academy-chall$ 3854745b
-bash: 3854745b: command not found
ctf-player@academy-chall$ unzip flag.zip
Archive:  flag.zip
[flag.zip] flag.txt password:
    extracting: flag.txt
ctf-player@academy-chall$ ls
flag.txt flag.zip instructions.txt part_aa part_ab part_ac part_ad part_ae
ctf-player@academy-chall$ cat flag.txt
academy(zip_and_split_f1l3s_4r3_fun_bbe0be9e)ctf-player@academy-chall$ Connection to xebec.cylabacademy.net closed by re
mote host.
Connection to xebec.cylabacademy.net closed.
oshraboy@oshra:~$
```

Dan jikalau sudah nanti akan terhubung dengan server dan kita bisa cek dengan command ls ada file apa saja di server itu lalu terlihat ada part_aa, part_ab, part_ac, part_ad, part_ae dan ada juga instruction dan jikalau kita cat akan terlihat hint nya disitu Dimana kita disuruh mengcombine seluruh part. Untuk cara kita combine seluruh part kita menggunakan cat part_* untuk memuat seluruh file yang berawalan part dan > yaitu dijadikan ke flag.zip

Jikalau sudah saatnya kita unzip dengan password yang ada di hint lalu akan munculah file flag.txt sehingga kita bisa membacanya dengan cat, setelah itu barulah kita mendapat flag yang kita cari.

REFRENSI ALL BY GUGEL

Why dari gugel? Sumber dari AI pun ada.. saya malu? Tidak.

Yang penting saya berproses dan mengerti selama saya melakukan task tersebut.