CPSC332 File Structures and Database Systems

Summer 2019 Term Project

Instructor: Dr. Shawn X. Wang

Account Implementation: cs332z7

http://ecs.fullerton.edu/~cs332z7

Team Member:

Shijie Feng CWID(Last 4): 6517

Lambert Liu CWID(Last 4): 9585

Yifei Feng CWID(Last 4): 8433


Homepage:

Home
Course System PROFESSORS / STUDENTS
Professors:
Social Security Number: Passwippt 3 dg 55N
Elevation 1 and 1
Course Number: Pease input Course #
Section Number: Please input Section #
Students:
Course Number: Perse lega Course #
CWID: Please liquid Section #
Input data above then click "SUBMIT" Make sure only input Porfessor or Student Part
CPSC 332 DATABASE
YIFEI FENG - LAMBERT LIU - SHIJIE FENG

For the professors:

a. Input and output






For the professors:


b. Input and output


Course Number:	1000
Section Number:	13646
SU	BMIT



For the students:

a. Input and output







For the students:

b. Input and output






E-R Model:



Relational Model:



CODE SECTION

```
Contents:
<-Homepage
     <-Index.html
     <-project.css
     <-dll
           <-CreateTables.dll
           <-DropTables.dll
          <-InsertData.dll
     <-php
           <-ssn.php
          <-student_grade_count.php
          <-course list.php
          <-transcript.php
          <-project2.css
Code:
<!doctype html>
<html lang="en-US">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>CPSC332 - Project 1</title>
<link href="project.css" rel="stylesheet" type="text/css">
</head>
<body>
<!-- Main Container -->
<div class="container">
 <!-- Navigation -->
 <header> <a href="">
 <h4 class="logo">Home</h4>
      </a>
 </header>
 <!-- title Section -->
 <section class="title" id="title">
 <h2 class="title_header">Course <font color="#717070">System</font></h2>
  professors / students
 </section>
```

```
<!-- Input Section -->
<section class="input" id="input">
     Professors:
 <div class="input_data1">
          <!-- SSN part -->
          <form action="php/ssn.php" method="post">
           Social Security Number:  <input type="text"</pre>
name = "SSN" placeholder="Please input 9 dig SSN" required>
           <input class="button" type="submit" value="submit"><br/>
          </form>
          <!-- Student Grade Count Part -->
          <form action="php/student_grade_count.php" method="post">
               Course Number:   <input</pre>
type="text" name = "CNO" placeholder="Please input Courses #" required>
           Section Number:  <input type="text" name =</pre>
"SNO" placeholder="Please input Section #" required>
               <input class="button" type="submit" value="submit"><br/>
          </form>
     </div>
      Students:
      <div class="input_data2">
          <!-- Course List -->
          <form action="php/course_list.php" method="post">
               Course Number:   <input</pre>
type="text" name = "CNO" placeholder="Please input Courses #" required>
               <input class="button" type="submit" value="submit"><br/>
          </form>
          <!-- Transcript -->
          <form action="php/transcript.php" method="post">
class="input_text">CWID:     
  <input type="text" name = "CWID" placeholder="Please input Section
#" required>
               <input class="button" type="submit" value="submit"><br/>
          </form>
      </div>
```

```
</section>
<!-- Footer Section -->
<section class="footer_banner" id="contact">
 <h2 class="hidden">Footer Banner Section </h2>
  
 Input data above then click "SUBMIT"<br>
 Make sure only input Porfessor or Student Part 
</section>
<!-- Copyrights Section -->
<div class="copyright">
 CPSC 332 Database
 yifei feng - lambert liu - shijie feng 
</div>
</div>
<!-- Main Container Ends -->
</body>
</html>
------CreateTables.ddl------
CREATE TABLE PROFESSOR(
PSSN INT NOT NULL,
PNAME VARCHAR(50),
PTITLE VARCHAR(30),
SEX VARCHAR(6),
COLLEGE_DEGREE VARCHAR(10),
SALARY FLOAT,
STREET VARCHAR(25),
CITY VARCHAR(15),
STATE VARCHAR(2),
ZIP CODE INT,
AREA CODE INT,
7_DIGIT_NO INT,
PRIMARY KEY(PSSN));
CREATE TABLE COURSE(
CNO INT NOT NULL,
DNO INT,
TEXTBOOK VARCHAR(200),
CTITLE VARCHAR(200),
UNITS INT,
PREREQUISITE_CNO INT,
```

PRIMARY KEY(CNO));

CREATE TABLE DEPARTMENT(
DNO INT NOT NULL,
PSSN INT,
DTELEPHONE_NO INT,
OFFICE_LOCATION VARCHAR(10),
DNAME VARCHAR(50),
PRIMARY KEY(DNO));

CREATE TABLE SECTION(
SNO INT NOT NULL,
CNO INT NOT NULL,
PSSN INT,
CLASSROOM VARCHAR(10),
NO_OF_SEATES INT,
MEETING_DAYS VARCHAR(10),
BEGINNING_TIME VARCHAR(25),
ENDING_TIME VARCHAR(25),
PRIMARY KEY(SNO));

CREATE TABLE MINIOR(
DNO INT NOT NULL,
CWID INT NOT NULL,
PRIMARY KEY(DNO,CWID));

CREATE TABLE STUDENT(
CWID INT NOT NULL,
DNO INT,
FIRST_NAME VARCHAR(25),
LAST_NAME VARCHAR(25),
ADDRESS VARCHAR(300),
STELEPHONE_NO LONG,
PRIMARY KEY(CWID));

CREATE TABLE ENROLLMENT(
CWID INT NOT NULL,
SNO INT NOT NULL,
CNO INT NOT NULL,
GRADE VARCHAR(2),
PRIMARY KEY(CWID, SNO, CNO));

------DropTables.ddl-------DROP TABLE PROFESSOR;

DROP TABLE COURSE:

DROP TABLE COURSE,

DROP TABLE DEPARTMENT;

DROP TABLE SECTION;

DROP TABLE MINIOR;

DROP TABLE STUDENT:

DROP TABLE ENROLLMENT;

-----InsertData.ddl------

INSERT INTO PROFESSOR

VALUES('100000000', 'Adam Da', 'Department Chair', 'Male', 'PH.D.', '100000.00', '101 S Brea Blvd', 'Brea', 'CA', '92821', '680', '6346523');

INSERT INTO PROFESSOR

VALUES('200000000', 'Anita Mica', 'Professor', 'Female', 'PH.D.', '80000.00', '4699 E 3rd St', 'Los Angeles', 'CA', '90022','323','5467243');

INSERT INTO PROFESSOR

VALUES('300000000', 'Bob Lee', 'Lecturer', 'Male', 'MS', '70000.00', '2000 N Stunderbaker Rd', 'Long Beach', 'CA', '90815', '562', '3412855');

INSERT INTO PROFESSOR

VALUES('400000000', 'Luis Gates', 'Department Chair', 'Male', 'PH.D.', '100000.00', '460 N Anaheim Blvd', 'Anaheim', 'CA', '92805', '714', '5542634');

INSERT INTO DEPARTMENT

VALUES('100', '100000000', '6262624567', 'CS-522', 'Department of Computer Science');

INSERT INTO DEPARTMENT

VALUES('200', '400000000', '6262629315','E-100','Department of Civil and Environmental Engineering');

INSERT INTO COURSE

VALUES('1000', '100', 'Starting Out W/c++, early Objects', 'Introduction to Programming','3',NULL);

INSERT INTO COURSE

VALUES('1001','100','Starting Out W/c++, early Objects', 'Object-Oriented Programming', '3', '1000');

INSERT INTO COURSE

VALUES('2000','200','Vector Mechanics for Engineers: Static and Dynamic',

'Static','3',NULL);

INSERT INTO COURSE

VALUES('2001','200','Surveying principles and applications', 'Engineering Surveying', '3', '2000');

INSERT INTO STUDENT

VALUES('893464561','100','Earl','Neil','1934 E Taft Ave, Orange, CA, 92865', '8123264875');

INSERT INTO STUDENT

VALUES('893463217','100','Kane','Bruce','19001 Tonner Canyon Rd, Brea, CA, 92821', '3654875462');

INSERT INTO STUDENT

VALUES('893469824','100','Nash','Francis','1659 W Foothill Blvd, Upland, CA, 91786', '9824653175');

INSERT INTO STUDENT

VALUES('893466784','100','Gail','Wendy','12505 N Mainstreet, Rancho Cucamonga, CA, 91739',

'9054876295');

INSERT INTO STUDENT

VALUES('893466445','200','Abby','Grace','2601 W Orangethrope Ave, Fullerton, CA, 92833',

'9093645787');

INSERT INTO STUDENT

VALUES('893464521','200','Ed','Robert','15729 Downey Ave, Paramount, CA, 90723', '3567895444');

INSERT INTO STUDENT

VALUES('893463229','200','Tania','Taylor','1 Chandler Ranch Road, Rolling Hills Estates, CA, 90274', '3499964587');

INSERT INTO STUDENT

VALUES('893463589','200','Faith','Athena','8329 Laurel Canyon Blvd, Sun Valley, CA, 91352',

'3698527414');

INSERT INTO SECTION

```
VALUES('13646','1000','100000000','CS-101','50','MoWe','1:00PM','1:50PM');
INSERT INTO SECTION
VALUES('13465','1000','200000000','CS-102','50','MoWe','3:00PM','3:50PM');
INSERT INTO SECTION
VALUES('13768','1001','300000000','CS-201','40','TuTh','11:00AM','12:00PM');
INSERT INTO SECTION
VALUES('14425','2000','400000000','E-202','30','TuTh','1:00PM','1:50PM');
INSERT INTO SECTION
VALUES('12389','2000','400000000','E-202','30','MoWe','1:00PM','1:50PM');
INSERT INTO SECTION
VALUES('17534','2001','400000000','E-205','60','MoWe','3:00PM','3:50PM');
INSERT INTO ENROLLMENT
VALUES('893464561','13646','1000','A');
INSERT INTO ENROLLMENT
VALUES('893464561','13768','1001','A');
INSERT INTO ENROLLMENT
VALUES('893464561','14425','2000','B-');
INSERT INTO ENROLLMENT
VALUES('893464561','17534','2001','A-');
INSERT INTO ENROLLMENT
VALUES('893463217','13465','1000','B+');
INSERT INTO ENROLLMENT
VALUES('893469824','13465','1000','A-');
INSERT INTO ENROLLMENT
VALUES('893466445','14425','2000','C');
INSERT INTO ENROLLMENT
VALUES('893466445','17534','2001','C+');
INSERT INTO ENROLLMENT
```

VALUES('893464521','12389','2000','B');

INSERT INTO ENROLLMENT VALUES('893463229','14425','2000','A');

INSERT INTO ENROLLMENT VALUES('893466784','13646','1000','B');

INSERT INTO ENROLLMENT VALUES('893463589','14425','2000','B-');

INSERT INTO ENROLLMENT VALUES('893463589','17534','2001','B');

INSERT INTO ENROLLMENT VALUES('893464521','17534','2001','B');

INSERT INTO ENROLLMENT VALUES('893463217','17534','2000','A');

INSERT INTO ENROLLMENT VALUES('893463217','17534','2001','A');

INSERT INTO ENROLLMENT VALUES('893463589','13465','1000','B');

INSERT INTO ENROLLMENT VALUES('893463589','13768','1001','B+');

INSERT INTO ENROLLMENT VALUES('893466445','13646','1000','A');

INSERT INTO ENROLLMENT VALUES('893466445','13768','1001','A-');

INSERT INTO MINIOR VALUES('100','893466445');

INSERT INTO MINIOR VALUES('100','893463589');

INSERT INTO MINIOR VALUES('200','893464561');

INSERT INTO MINIOR

```
-----ssn.php------ssn.php------
<!doctype html>
<html lang="en">
 <head>
  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
     <title>CPSC332 - Project 1 Professors</title>
     k href="project2.css" rel="stylesheet" type="text/css">
     k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF
OJwJ8ERdknLPMO" crossorigin="anonymous">
     </head>
<?php
SSN = POST[SSN'];
$dbServername = "mariadb";
$dbUsername = "cs332z7";
$dbPassword = "rih9eiHe";
$dbName = "cs332z7";
// set connection
$con= new mysgli($dbServername,$dbUsername,$dbPassword, $dbName);
//check connection
if($con->connect error){
die("Could not connect: " . $con->connect_error);
}
?>
<?php
$sql = "SELECT CTITLE, CLASSROOM, MEETING_DAYS, BEGINNING_TIME,
ENDING_TIME
          FROM COURSE C, SECTION S
          WHERE S.PSSN = $SSN AND S.CNO = C.CNO";
$result = $con->query($sql);
?>
```

```
<body>
    <div class="container">
     <header> <a href="http://ecs.fullerton.edu/~cs332z7">
 <h4 class="logo">Home</h4>
     </a>
</header>
    <section class="title" id="title">
 <h2 class="title_header">Result<font color="#717070">Output</font></h2>
 professors
</section>
    <section class="input" id="input">
 <div class="input data1">
         <div class="container2">
<?php
if ($result->num_rows > 0) {?>
         <thead>
  Course Title 
    Classroom 
     Meeting_date 
    Time
  </thead>
    <?php while($row = $result->fetch_assoc()) { ?>
                  <?php echo $row["CTITLE"]; ?>
              <?php echo $row["CLASSROOM"];?>
              <?php echo $row["MEETING_DAYS"];?>
              <?php echo $row["BEGINNING_TIME"]
              . ' - '. $row["ENDING_TIME"] ;?>
              <?php } ?>
             <?php }
else {
```

```
echo "0 results";
} ?>
<?php
$con->close();
?>
                </div>
     </div>
     </section>
           <!-- Copyrights Section -->
 <div class="copyright">
   CPSC 332 Database
  yifei feng - lambert liu - shijie feng 
 </div>
           </div>
           <!-- Optional JavaScript -->
  <!-- jQuery first, then Popper.js, then Bootstrap JS -->
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abt
TE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-
UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1
" crossorigin="anonymous"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"</pre>
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xI
M+B07jRM" crossorigin="anonymous"></script>
     </body>
</html>
    <!doctype html>
<html lang="en">
 <head>
  <!-- Required meta tags -->
  <meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
      <title>CPSC332 - Project 1 Professors</title>
      k href="project2.css" rel="stylesheet" type="text/css">
      k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF
OJwJ8ERdknLPMO" crossorigin="anonymous">
      </head>
<?php
$CNO = $_POST['CNO'];
$SNO = $ POST['SNO'];
$dbServername = "mariadb";
$dbUsername = "cs332z7";
$dbPassword = "rih9eiHe";
$dbName = "cs332z7";
// set connection
$con= new mysqli($dbServername,$dbUsername,$dbPassword, $dbName);
//check connection
if($con->connect_error){
die("Could not connect: " . $con->connect_error);
}
?>
<?php
$sql = "SELECT COUNT(*), GRADE
           FROM ENROLLMENT E
           WHERE E.CNO = $CNO AND E.SNO = $SNO
           GROUP BY GRADE";
$result = $con->query($sql);
?>
<body>
      <div class="container">
       <header> <a href="http://ecs.fullerton.edu/~cs332z7">
  <h4 class="logo">Home</h4>
       </a>>
 </header>
      <section class="title" id="title">
  <h2 class="title_header">Result<font color="#717070">Output</font></h2>
```

```
professors
 </section>
    <section class="input" id="input">
 <div class="input_data1">
         <div class="container2">
<?php
if ($result->num_rows > 0) {
    echo "Course #: " . $CNO ."<br>"
         ."Section #: " . $SNO . "<br>";
?>
    <thead>
  Grade 
    # of Student 
  </thead>
    <?php while($row = $result->fetch_assoc()) { ?>
         <?php echo $row["GRADE"]; ?>
              <?php echo $row["COUNT(*)"];?>
              <?php } ?>
         <?php } else {
 echo "0 results";
} ?>
<?php
$con->close();
?>
                  </div>
    </div>
    </section>
         <!-- Copyrights Section -->
```

```
<div class="copyright">
   CPSC 332 Database
  yifei feng - lambert liu - shijie feng 
 </div>
           </div>
           <!-- Optional JavaScript -->
  <!-- ¡Query first, then Popper.js, then Bootstrap JS -->
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abt
TE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-
UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1
" crossorigin="anonymous"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"</pre>
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xI
M+B07jRM" crossorigin="anonymous"></script>
     </body>
</html>
   <!doctype html>
<html lang="en">
 <head>
  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
     <title>CPSC332 - Project 1 Professors</title>
     k href="project2.css" rel="stylesheet" type="text/css">
     k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF
OJwJ8ERdknLPMO" crossorigin="anonymous">
     </head>
<?php
```

```
$CNO = $ POST['CNO'];
$dbServername = "mariadb";
$dbUsername = "cs332z7";
$dbPassword = "rih9eiHe";
$dbName = "cs332z7";
// set connection
$con= new mysqli($dbServername,$dbUsername,$dbPassword, $dbName);
//check connection
if($con->connect_error){
die("Could not connect: " . $con->connect_error);
?>
<?php
$sql = "SELECT *, COUNT(*)
          FROM ENROLLMENT E, SECTION S
          WHERE S.CNO = $CNO AND S.CNO = E.CNO AND S.SNO = E.SNO
          GROUP BY S.SNO";
$result = $con->query($sql);
?>
<body>
     <div class="container">
      <header> <a href="http://ecs.fullerton.edu/~cs332z7">
  <h4 class="logo">Home</h4>
      </a>
 </header>
     <section class="title" id="title">
  <h2 class="title_header">Result<font color="#717070">Output</font></h2>
  students
 </section>
     <section class="input" id="input">
  <div class="input_data1">
          <div class="container2">
<?php
if \{\text{sresult->num\_rows} > 0\}
          <thead>
   Section ID
```

```
Classroom 
      Meeting date 
    Time
           # of Student Enrolled
  </thead>
     <?php while($row = $result->fetch_assoc()) { ?>
          <?php echo $row["SNO"]; ?>
               <?php echo $row["CLASSROOM"];?>
               <?php echo $row["MEETING DAYS"];?>
               <?php echo $row["BEGINNING TIME"]
               .'-'.$row["ENDING TIME"];?>
               <?php echo $row["COUNT(*)"];?> 
               <?php } ?>
          <?php }
else {
 echo "0 results";
}?>
<?php
$con->close();
?>
</div>
</div>
     <!-- Optional JavaScript -->
 <!-- ¡Query first, then Popper.js, then Bootstrap JS -->
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abt
TE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-
UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1
" crossorigin="anonymous"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"</pre>
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xI
M+B07jRM" crossorigin="anonymous"></script>
```

```
</body>
</html>
------transcript.php------
<!doctype html>
<html lang="en">
 <head>
  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
     <title>CPSC332 - Project 1 Professors</title>
     k href="project2.css" rel="stylesheet" type="text/css">
     k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF
OJwJ8ERdknLPMO" crossorigin="anonymous">
     </head>
<?php
$CWID = $_POST['CWID'];
$dbServername = "mariadb";
$dbUsername = "cs332z7";
$dbPassword = "rih9eiHe";
$dbName = "cs332z7";
// set connection
$con= new mysgli($dbServername,$dbUsername,$dbPassword, $dbName);
//check connection
if($con->connect_error){
die("Could not connect: " . $con->connect_error);
}
?>
<?php
$sql = "SELECT *
          FROM COURSE C, ENROLLMENT E
           WHERE E.CWID = $CWID AND E.CNO = C.CNO";
```

```
$result = $con->query($sql);
?>
<body>
    <div class="container">
     <header> <a href="http://ecs.fullerton.edu/~cs332z7">
 <h4 class="logo">Home</h4>
     </a>
 </header>
    <section class="title" id="title">
 <h2 class="title_header">Result<font color="#717070">Output</font></h2>
 students
 </section>
    <section class="input" id="input">
 <div class="input data1">
         <div class="container2">
<?php
if ($result->num_rows > 0) {
    echo "CWID: ".$CWID."<br>";
?>
    <thead>
  Course ID
    Course Title 
    Grade 
  </thead>
    while($row = $result->fetch_assoc()) { ?>
<?php
         <?php echo $row["CNO"]; ?>
              <?php echo $row["CTITLE"];?>
              <?php echo $row["GRADE"];?>
              <?php } ?>
```

```
<?php
} else {
  echo "0 results";
} ?>
<?php
$con->close();
?>
                </div>
     </div>
     </section>
           <!-- Copyrights Section -->
 <div class="copyright">
   CPSC 332 Database
  yifei feng - lambert liu - shijie feng 
 </div>
           </div>
           <!-- Optional JavaScript -->
  <!-- ¡Query first, then Popper.js, then Bootstrap JS -->
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abt
TE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-
UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1
" crossorigin="anonymous"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"</pre>
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xI
M+B07jRM" crossorigin="anonymous"></script>
     </body>
</html>
------sql script------
                      -----Professor question a-----
```

SELECT CTITLE, CLASSROOM, MEETING_DAYS, BEGINNING_TIME, ENDING_TIME
FROM COURSE C, SECTION S

```
WHERE S.PSSN = $SSN AND S.CNO = C.CNO
                   -----Porfessor question b-----
SELECT COUNT(*), GRADE
FROM ENROLLMENT E
WHERE E.CNO = $CNO AND E.SNO = $SNO
GROUP BY GRADE
                   -----Student question a-----
SELECT *, COUNT(*)
FROM ENROLLMENT E, SECTION S
WHERE S.CNO = $CNO AND S.CNO = E.CNO AND S.SNO = E.SNO
GROUP BY S.SNO
                   -----Student question b-----
SELECT *
FROM COURSE C, ENROLLMENT E
WHERE E.CWID = $CWID AND E.CNO = C.CNO
@charset "UTF-8";
/* Body */
body {
    font-family: source-sans-pro;
    background-color: #f2f2f2;
    margin-top: 0px;
    margin-right: 0px;
    margin-bottom: 0px;
    margin-left: 0px;
    font-style: normal;
    font-weight: 200;
}
/* Container */
.container {
 width: 90%;
 margin-left: auto;
 margin-right: auto;
```

```
height: 720px;
  background-color: #FFFFFF;
}
.container2{
 border-radius: 9px;
 background: white;
 padding: 5vh;
 color: black;
 margin: 20vh;
/* Navigation */
header {
      width: 100%;
      height: 5%;
      background-color: #52bad5;
      border-bottom: 1px solid #2C9AB7;
}
.logo {
      color: #fff;
      font-weight: bold;
      text-align: undefined;
      width: 200px;
      float: left;
      margin-top: 15px;
      margin-left: 25px;
      letter-spacing: 4px;
}
nav {
      float: right;
      width: 50%;
      text-align: right;
      margin-right: 25px;
header nav ul {
      list-style: none;
      float: right;
nav ul li {
      float: left;
      color: #FFFFFF;
      font-size: 14px;
      text-align: left;
      margin-right: 25px;
```

```
letter-spacing: 2px;
      font-weight: bold;
      transition: all 0.3s linear;
}
ul li a {
      color: #FFFFFF;
      text-decoration: none;
}
ul li:hover a {
      color: #2C9AB7;
}
.title_header {
      color: #FFFFFF;
      text-align: center;
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      letter-spacing: 4px;
}
.input_header1{
  color: #FFFFFF;
  text-align: center;
  margin-top: -149px;
  margin-right: 0px;
  margin-bottom: 0px;
  margin-left: 0px;
  letter-spacing: 4px;
}
.input_header2{
  color: #FFFFFF;
  text-align: center;
  margin-top: 40px;
  margin-right: 0px;
  margin-bottom: 0px;
  margin-left: 0px;
  letter-spacing: 4px;
}
.input_data1{
  text-align: center;
  margin-top: 38px;
.input_data2{
```

```
text-align: center;
  margin-top: 29px;
}
/* title Section */
.title {
      background-color: #B3B3B3;
      padding-top: 100px;
      padding-bottom: 100px;
}
/*input Section */
.input {
  background-color: #474747;
  padding-top: 200px;
  padding-bottom: 95px;
.input_text{
      color: #FFFFFF;
      letter-spaciong: 1px;
.light {
      font-weight: bold;
      color: #717070;
}
.tagline {
      text-align: center;
      color: #FFFFFF;
      margin-top: 4px;
      font-weight: lighter;
      text-transform: uppercase;
      letter-spacing: 1px;
}
/* About Section */
.text_column {
      width: 29%;
      text-align: justify;
      font-weight: lighter;
      line-height: 25px;
      float: left;
      padding-left: 20px;
      padding-right: 20px;
      color: #A3A3A3;
}
```

```
.about {
      padding-left: 25px;
      padding-right: 25px;
      padding-top: 35px;
      display: inline-block;
      background-color: #FFFFFF;
      margin-top: 0px;
}
/* Stats Gallery */
.stats {
      color: #717070;
      margin-bottom: 5px;
.gallery {
      clear: both;
      display: inline-block;
      width: 100%;
      background-color: #FFFFFF;
      /* [disabled]min-width: 400px;
*/
      padding-bottom: 35px;
      padding-top: 0px;
      margin-top: -5px;
      margin-bottom: 0px;
}
.thumbnail {
      width: 25%;
      text-align: center;
      float: left;
      margin-top: 35px;
}
.gallery .thumbnail h4 {
      margin-top: 5px;
      margin-right: 5px;
      margin-bottom: 5px;
      margin-left: 5px;
      color: #52BAD5;
}
.gallery .thumbnail p {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
```

```
color: #A3A3A3;
}
/* Parallax Section */
.banner {
      background-color: #2D9AB7;
      background-image: url(../images/parallax.png);
      height: 400px;
      background-attachment: fixed;
      background-size: cover;
      background-repeat: no-repeat;
}
.parallax {
      color: #FFFFFF;
      text-align: right;
      padding-right: 100px;
      padding-top: 110px;
      letter-spacing: 2px;
      margin-top: 0px;
}
.parallax_description {
      color: #FFFFFF;
      text-align: right;
      padding-right: 100px;
      width: 30%;
      float: right;
      font-weight: lighter;
      line-height: 23px;
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
}
/* More info */
footer {
      background-color: #FFFFFF;
      padding-bottom: 35px;
.footer_column {
      width: 50%;
      text-align: center;
      padding-top: 30px;
      float: left;
}
```

```
footer_column h3 {
      color: #B3B3B3;
      text-align: center;
footer .footer_column p {
      color: #717070;
      background-color: #FFFFFF;
}
.cards {
      width: 100%;
      height: auto;
      max-width: 400px;
      max-height: 200px;
footer .footer_column p {
      padding-left: 30px;
      padding-right: 30px;
      text-align: justify;
      line-height: 25px;
      font-weight: lighter;
      margin-left: 20px;
      margin-right: 20px;
}
.button {
      width: 100px;
      margin-top: 5px;
      margin-right: auto;
      margin-bottom: auto;
      margin-left: auto;
      padding-top: 5px;
      padding-right: 3px;
      padding-bottom: 5px;
      padding-left: 3px;
      text-align: center;
      vertical-align: middle;
      border-radius: 0px;
      text-transform: uppercase;
      font-weight: bold;
      letter-spacing: 2px;
      border: 2px solid #FFFFFF;
      color: #FFFFFF;
      transition: all 0.3s linear;
}
```

```
.button:hover {
      background-color: #FEFEFE;
      color: #ACACAC;
      cursor: pointer;
}
.copyright {
      text-align: center;
      padding-top: 20px;
      padding-bottom: 20px;
      background-color: #717070;
      color: #FFFFFF;
      text-transform: uppercase;
      font-weight: lighter;
      letter-spacing: 2px;
      border-top-width: 2px;
.footer_banner {
      background-color: #B3B3B3;
      padding-top: 60px;
      padding-bottom: 60PX;
      margin-bottom: 0px;
      background-image: url(../images/pattern.png);
      background-repeat: repeat;
}
footer {
      display: inline-block;
}
.hidden {
      display: none;
}
/* Mobile */
@media (max-width: 320px) {
.logo {
      width: 100%;
      text-align: center;
      margin-top: 13px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
}
.container header nav {
      margin-top: 0px;
```

```
margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      float: none;
      display: none;
header nav ul {
nav ul li {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      text-align: center;
}
.text_column {
      width: 100%;
      text-align: justify;
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
.thumbnail {
      width: 100%;
.footer_column {
      width: 100%;
      margin-top: 0px;
.parallax {
      text-align: center;
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      padding-top: 40%;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      width: 100%;
```

```
font-size: 18px;
}
.parallax_description {
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      width: 90%;
      margin-top: 25px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 12px;
      float: none;
      text-align: center;
}
.banner {
      background-color: #2D9AB7;
      background-image: none;
.tagline {
      margin-top: 20px;
      line-height: 22px;
.title_header {
      padding-left: 10px;
      padding-right: 10px;
      line-height: 22px;
      text-align: center;
}
}
/* Small Tablets */
@media (min-width: 321px)and (max-width: 767px) {
.logo {
      width: 100%;
      text-align: center;
      margin-top: 13px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      color: #043745;
}
.container header nav {
```

```
margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      float: none;
      overflow: auto;
      display: inline-block;
      background: #52bad5;
}
header nav ul {
      padding: 0px;
      float: none;
}
nav ul li {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      text-align: center;
      padding-top: 8px;
      padding-bottom: 8px;
}
.text_column {
      width: 100%;
      text-align: left;
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
.thumbnail {
      width: 100%;
}
.footer_column {
      width: 100%;
      margin-top: 0px;
.parallax {
      text-align: center;
      margin-top: 0px;
      margin-right: 0px;
```

```
margin-bottom: 0px;
      margin-left: 0px;
      padding-top: 40%;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      width: 100%;
      font-size: 18px;
}
.parallax_description {
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      margin-top: 30%;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      float: none;
      width: 100%;
      text-align: center;
}
.thumbnail {
      width: 50%;
.parallax {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      padding-top: 20%;
}
.parallax_description {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      padding-top: 30px;
}
```

```
.banner {
     padding-left: 20px;
     padding-right: 20px;
}
.footer_column {
     width: 100%;
}
}
/* Small Desktops */
@media (min-width: 768px) and (max-width: 1096px) {
.text_column {
     width: 100%;
}
.thumbnail {
     width: 50%;
}
.text_column {
     width: 100%;
     margin-top: 0px;
     margin-right: 0px;
     margin-bottom: 0px;
     margin-left: 0px;
     padding-top: 0px;
     padding-right: 0px;
     padding-bottom: 0px;
     padding-left: 0px;
}
.banner {
     margin-top: 0px;
     padding-top: 0px;
}
}
  ------project2.css-------
@charset "UTF-8";
/* Body */
body {
     font-family: source-sans-pro;
     background-color: #f2f2f2;
     margin-top: 0px;
```

```
margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      font-style: normal;
      font-weight: 200;
}
/* Container */
.container {
  width: 90%;
  margin-left: auto;
  margin-right: auto;
  height: 720px;
  background-color: #FFFFFF;
}
.container2{
  border-radius: 9px;
  background: white;
  padding-top: 5vh;
  padding-right: 5vh;
  padding-left: 5vh;
  padding-bottom: 5vh;
  color: black;
  margin-top: -15vh;
  margin-right: 7vh;
  margin-left: 7vh;
  margin-bottom: 3vh;
}
/* Navigation */
header {
      width: 100%;
      height: 5%;
      background-color: #52bad5;
      border-bottom: 1px solid #2C9AB7;
}
.logo {
      color: #fff;
      font-weight: bold;
      text-align: undefined;
      width: 200px;
      float: left;
      margin-top: 15px;
      margin-left: 25px;
      letter-spacing: 4px;
```

```
}
nav {
      float: right;
      width: 50%;
      text-align: right;
      margin-right: 25px;
header nav ul {
      list-style: none;
      float: right;
}
nav ul li {
      float: left;
      color: #FFFFFF;
      font-size: 14px;
      text-align: left;
      margin-right: 25px;
      letter-spacing: 2px;
      font-weight: bold;
      transition: all 0.3s linear;
}
ul li a {
      color: #FFFFFF;
      text-decoration: none;
}
ul li:hover a {
      color: #2C9AB7;
.title_header {
      color: #FFFFFF;
      text-align: center;
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      letter-spacing: 4px;
}
.input_header1{
  color: #FFFFFF;
  text-align: center;
  margin-top: -149px;
  margin-right: 0px;
  margin-bottom: 0px;
```

```
margin-left: 0px;
  letter-spacing: 4px;
}
.input_header2{
  color: #FFFFFF;
  text-align: center;
  margin-top: 40px;
  margin-right: 0px;
  margin-bottom: 0px;
  margin-left: 0px;
  letter-spacing: 4px;
}
/* title Section */
.title {
      background-color: #B3B3B3;
      padding-top: 100px;
      padding-bottom: 100px;
/*input Section */
.input {
  background-color: #474747;
  padding-top: 200px;
  padding-bottom: 95px;
}
.input_text{
      color: #FFFFFF;
      letter-spaciong: 1px;
}
.light {
      font-weight: bold;
      color: #717070;
.tagline {
      text-align: center;
      color: #FFFFFF;
      margin-top: 4px;
      font-weight: lighter;
      text-transform: uppercase;
      letter-spacing: 1px;
}
/* About Section */
.text_column {
```

```
width: 29%;
      text-align: justify;
      font-weight: lighter;
      line-height: 25px;
      float: left;
      padding-left: 20px;
      padding-right: 20px;
      color: #A3A3A3;
}
.about {
      padding-left: 25px;
      padding-right: 25px;
      padding-top: 35px;
      display: inline-block;
      background-color: #FFFFFF;
      margin-top: 0px;
}
/* Stats Gallery */
.stats {
      color: #717070;
      margin-bottom: 5px;
}
.gallery {
      clear: both;
      display: inline-block;
      width: 100%;
      background-color: #FFFFF;
      /* [disabled]min-width: 400px;
*/
      padding-bottom: 35px;
      padding-top: 0px;
      margin-top: -5px;
      margin-bottom: 0px;
}
.thumbnail {
      width: 25%;
      text-align: center;
      float: left;
      margin-top: 35px;
.gallery .thumbnail h4 {
      margin-top: 5px;
      margin-right: 5px;
```

```
margin-bottom: 5px;
      margin-left: 5px;
      color: #52BAD5;
}
.gallery .thumbnail p {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      color: #A3A3A3;
/* Parallax Section */
.banner {
      background-color: #2D9AB7;
      background-image: url(../images/parallax.png);
      height: 400px;
      background-attachment: fixed;
      background-size: cover;
      background-repeat: no-repeat;
.parallax {
      color: #FFFFFF;
      text-align: right;
      padding-right: 100px;
      padding-top: 110px;
      letter-spacing: 2px;
      margin-top: 0px;
}
.parallax_description {
      color: #FFFFFF;
      text-align: right;
      padding-right: 100px;
      width: 30%;
      float: right;
      font-weight: lighter;
      line-height: 23px;
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
}
/* More info */
footer {
```

```
background-color: #FFFFFF;
      padding-bottom: 35px;
}
.footer_column {
      width: 50%;
      text-align: center;
      padding-top: 30px;
      float: left;
footer .footer_column h3 {
      color: #B3B3B3;
      text-align: center;
footer_column p {
      color: #717070;
      background-color: #FFFFFF;
}
.cards {
      width: 100%;
      height: auto;
      max-width: 400px;
      max-height: 200px;
footer .footer_column p {
      padding-left: 30px;
      padding-right: 30px;
      text-align: justify;
      line-height: 25px;
      font-weight: lighter;
      margin-left: 20px;
      margin-right: 20px;
}
.button {
      width: 100px;
      margin-top: 5px;
      margin-right: auto;
      margin-bottom: auto;
      margin-left: auto;
      padding-top: 5px;
      padding-right: 3px;
      padding-bottom: 5px;
      padding-left: 3px;
      text-align: center;
```

```
vertical-align: middle;
      border-radius: 0px;
      text-transform: uppercase;
      font-weight: bold;
      letter-spacing: 2px;
      border: 2px solid #FFFFFF;
      color: #FFFFFF;
      transition: all 0.3s linear;
}
.button:hover {
      background-color: #FEFEFE;
      color: #ACACAC;
      cursor: pointer;
}
.copyright {
      text-align: center;
      padding-top: 20px;
      padding-bottom: 20px;
      background-color: #717070;
      color: #FFFFFF;
      text-transform: uppercase;
      font-weight: lighter;
      letter-spacing: 2px;
      border-top-width: 2px;
.footer_banner {
      background-color: #B3B3B3;
      padding-top: 60px;
      padding-bottom: 60PX;
      margin-bottom: 0px;
      background-image: url(../images/pattern.png);
      background-repeat: repeat;
footer {
      display: inline-block;
}
.hidden {
      display: none;
@-webkit-keyframes Gradient {
      0% {
            background-position: 0% 50%
      }
```

```
50% {
           background-position: 100% 50%
      100% {
           background-position: 0% 50%
      }
}
@-moz-keyframes Gradient {
      0% {
           background-position: 0% 50%
      50% {
           background-position: 100% 50%
      100% {
           background-position: 0% 50%
      }
}
@keyframes Gradient {
      0% {
           background-position: 0% 50%
      50% {
           background-position: 100% 50%
      100% {
           background-position: 0\% 50%
      }
}
/* Mobile */
@media (max-width: 320px) {
.logo {
      width: 100%;
      text-align: center;
      margin-top: 13px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
}
.container header nav {
```

```
margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      float: none;
      display: none;
header nav ul {
nav ul li {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      text-align: center;
.text_column {
      width: 100%;
      text-align: justify;
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
.thumbnail {
      width: 100%;
.footer_column {
      width: 100%;
      margin-top: 0px;
.parallax {
      text-align: center;
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      padding-top: 40%;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
```

```
width: 100%;
      font-size: 18px;
}
.parallax_description {
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      width: 90%;
      margin-top: 25px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 12px;
      float: none;
      text-align: center;
.banner {
      background-color: #2D9AB7;
      background-image: none;
.tagline {
      margin-top: 20px;
      line-height: 22px;
}
.title_header {
      padding-left: 10px;
      padding-right: 10px;
      line-height: 22px;
      text-align: center;
}
}
/* Small Tablets */
@media (min-width: 321px)and (max-width: 767px) {
.logo {
      width: 100%;
      text-align: center;
      margin-top: 13px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      color: #043745;
}
```

```
.container header nav {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      float: none;
      overflow: auto;
      display: inline-block;
      background: #52bad5;
header nav ul {
      padding: 0px;
      float: none;
nav ul li {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      text-align: center;
      padding-top: 8px;
      padding-bottom: 8px;
}
.text_column {
      width: 100%;
      text-align: left;
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
.thumbnail {
      width: 100%;
.footer_column {
      width: 100%;
      margin-top: 0px;
.parallax {
      text-align: center;
      margin-top: 0px;
```

```
margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      padding-top: 40%;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      width: 100%;
      font-size: 18px;
}
.parallax_description {
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      margin-top: 30%;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      float: none;
      width: 100%;
      text-align: center;
}
.thumbnail {
      width: 50%;
.parallax {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
      padding-top: 20%;
.parallax_description {
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      width: 100%;
      padding-top: 30px;
```

```
.banner {
      padding-left: 20px;
      padding-right: 20px;
}
.footer_column {
      width: 100%;
}
}
/* Small Desktops */
@media (min-width: 768px) and (max-width: 1096px) {
.text_column {
      width: 100%;
}
.thumbnail {
      width: 50%;
}
.text_column {
      width: 100%;
      margin-top: 0px;
      margin-right: 0px;
      margin-bottom: 0px;
      margin-left: 0px;
      padding-top: 0px;
      padding-right: 0px;
      padding-bottom: 0px;
      padding-left: 0px;
}
.banner {
      margin-top: 0px;
      padding-top: 0px;
}
}
```