

Password-less SSH and Using Visual Studio Code with UPPMAX

Oskar Tegby*

7 February 2022

1 Part 1 - Using SSH and SCP without entering your password

This approach will work on MacOS and Linux based systems. This might work with Windows Subsystem for Linux (WSL), however, we haven't tested this yet. Finally, please refer to manuals online if you are using PuTTY, or MobaXterm.

1. Open Terminal.
2. Enter: `ssh-keygen -b 3072 -N "" -t rsa`
3. Enter: `ssh-copy-id <username>@rackham.uppmax.uu.se`¹

Step 2 will create a public and private key in the default directory `$HOME/.ssh/` with the filenames `id_rsa.pub` and `id_rsa`. Be sure to keep the private key (`id_rsa`) private - never share it to anyone else. The public key `id_rsa.pub` is safe to share around. Furthermore, in this command we are creating a public/private key pair using the RSA algorithm with 3072 bits.

Advanced: For this purpose we are setting the password to empty password. This is convenient because users don't need to type in any password. However, for security purposes it is considered safe to encrypt the key with a password. If you do want to encrypt your private key, you can remove the `-N ""` option. If you have password-protected private keys, you can use `ssh-agent` to cache your decrypted private key for the lifetime of your login session (no password required while login session is alive).

Result: Now, you should be able to log into Rackham without entering any password by simply entering `ssh <username>@rackham.uppmax.uu.se` in the terminal and pressing enter. Moreover, using this key pair, you can also use password less Github push and pull. This also works for the Linux servers that the university provides, and generally most Unix-based machines (including Linux, and MacOS).

2 Part 2 - Developing on Rackham from Visual Studio Code locally

1. Download and install Visual Studio Code.
2. The extension "Remote - SSH" should be pre-installed, but to ensure that this is the case, press `Cmd+Shift+X` or `Ctrl+Shift+X` in order to open the extensions pane. Enter "Remote - SSH" in the search box, and ensure that it is there. Otherwise, simply install it by pressing the "install" button.
3. Press `Cmd/Ctrl+Shift+P`, type "Remote-SSH: Connect to Host" into the search box, and press enter.
4. Click "+Add New SSH Host", type "`ssh jusername@rackham.uppmax.uu.se`", and press enter.

Comment: You should not need to enter the password if you followed the steps of part 1. If you have to enter the password then do it and check if it works automatically afterwards.

*Student of VT22

¹replace `<username>` with your UPPMAX username

Result: You should now be able to connect to the server and develop there using the integrated terminal window in Visual Studio Code. The editor will allow you to open/read/edit files stored on the remote server. You can also open files using the “Open Folder” button. That way, you can navigate the file system on Rackham as well as test, build, and debug the code on that system.

3 Acknowledgements

Oskar: These instructions are a rewritten version of an answer on Stack-overflow and feedback from Chang Hyun, which greatly reduced the complexity of the instructions and added further detail. Thanks Chang Hyun!

Chang Hyun: Password-less SSH is one of the most convenient things that a person working on Unix systems should set up. I thank Oskar for taking the initiative of writing up the information to share with his classmates and future students of this course! I did make some changes/typesetting and additions.