

# MODULE-2 TW-05 GROUP VERSION

---



CLARUSWAY  
WAY TO REINVENT YOURSELF

## Meeting Agenda

---

- ▶ Icebreaking
- ▶ Workshop Activities - Tuesday
- ▶ Teamwork Activities - Friday
  - ▶ Questions
  - ▶ Interview Questions
- ▶ Video of the week
- ▶ Retro meeting
- ▶ Case study / project

# Teamwork Schedule

---

## Ice-breaking

10m

- Personal Questions (Stay at home & Corona, Study Environment, Kids etc.)
- Any challenges (Classes, Coding, studying, etc.)
- Ask how they're studying, give personal advice.
- Remind that practice makes perfect.

## Workshop Activities (Tuesday)

90m

- [Project-008 : Movie App](#)

*The solution of this project will be done in class on Wednesdays and Thursdays.*

## Team Work Activities (Friday)

90m

## Ask Questions

20m

### 1. React Context makes it easier to do which of the following?

- A. Pass data to different components
- B. Update components
- C. Reuse components
- D. Create components

### 2. What is required to use React Context?

- A. A ContextProvider component
- B. A ContextConsumer component
- C. A ContextProvider and a ContextConsumer component
- D. A ContextProvider, a ContextConsumer, and a component that is connected to a ContextProvider

### 3. What does a ContextProvider component provide?

- A. A way to bind data to context
- B. A way to get data from context
- C. A way to create context
- D. A way to update context

**4. What does a `ContextConsumer` component provide?**

- A. A way to get data from context
- B. A way to create context
- C. A way to update context
- D. A way to bind data to context

**5. How do you pass parameters in React Router?**

- A. By using the `<Params>` component
- B. By passing them as props to the `<Route>` component
- C. By using the `<Parameters>` component
- D. None of the above

**6. Which method is used to create a new Context in React?**

- A. `createContext()`
- B. `newContext()`
- C. `makeContext()`
- D. `useContext()`

**7. How can you access data from the Context within a functional component?**

- A. Using the `this.context` object
- B. Importing the Context directly into the component
- C. Utilizing the `useContext` hook
- D. None of the above

**8. What does the Tailwind `blur` class do?**

- A. `filter: blur(0);`
- B. `filter: blur(8px);`
- C. `filter: blur(16px);`
- D. `filter: blur(24px);`

**9. What is the font size in class `text-lg`?**

- A. 1.125rem
- B. 1.25rem
- C. 1.5rem
- D. 0.875rem

**10. Which Tailwind class is defined in the following code?**

```
margin-top: 0px;  
margin-bottom: 0px;
```

- A. m-0
- B. mx-0
- C. my-0
- D. ms-0

**11. Which Tailwind class provides `visibility: hidden`;**

- A. visible
- B. invisible
- C. collapse
- D. vs-hidden

**12. Which browsers support Tailwind CSS?**

- A. Google Chrome
- B. Microsoft Edge
- C. Safari
- D. All of the above

**Interview Questions****15m****1. What issues does the React Context API solve?****2. Why are components created in React, and what is the rationale behind their creation?****3. What is a Hook in React, and what is its purpose?****4. If there are 5 nested components, how do you pass data from the parent component to the bottom-most child component where the data is held in the state?**



## Coffee Break

10m



## Retro Meeting on a personal and team level

5m

Ask the questions below:

- What went well?
- What went wrong?
- What is the improvement areas?

## Case study/Project

15m

- [Project-009 : Recipe App](#)

*This project is optional. You can solve it using any CSS structure you want.*

## Closing

5m

- Next week's plan
  - QA Session
-